*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00016 | E016 | 177194064700 | S03 | 06/04/2003 | SEM | FL | | G | | 24 | | |
| | 1300 | 9999999 | 0 | 350 | 0 | 560 | | 0 | 34.5 | | | | | |
| WD030 | 00276 | 00016 | E017 | 177194025800 | S04 | 02/08/2003 | POT | FL | | O | 24 | 14 | | |
| | | 579 | 0 | 1210 | 558 | 323 | | 0 | 36.4 | | .649 | | | N |
| WD030 | 00276 | 00016 | E017 | 177194025800 | S04 | 06/22/2003 | SEM | GL | | O | | 99 | | |
| | | 3047 | 94.04 | 280 | 85 | 259 | | 1342 | 36.4 | | | | | |
| WD030 | 00276 | 00016 | E018D | 177194065600 | D02 | 06/03/2003 | SEM | FL | | O | | 88 | | |
| | | 2440 | 10.77 | 100 | 116 | 283 | | 14 | 34.5 | | | | | |
| WD030 | 00276 | 00016 | E019A | 177194028200 | S02 | 06/13/2003 | SEM | GL | | O | | 99 | | |
| | | 859 | 91.99 | 190 | 71 | 61 | | 815 | 32.8 | | | | | |
| WD030 | 00276 | 00016 | F027 | 177194063200 | S01 | 05/30/2003 | SEM | GL | | O | | 88 | | |
| | | 497 | 54.11 | 275 | 173 | 86 | | 204 | 19.7 | | | | | |
| WD030 | 00276 | 00016 | F028 | 177194063500 | D01 | 03/06/2003 | SEM | GL | | O | | 26 | | |
| | | 782 | 54.05 | 240 | 142 | 111 | | 167 | 18.7 | | | | | |
| WD030 | 00276 | 00016 | F028D | 177194063500 | D02 | 03/28/2003 | SEM | GL | | O | | 30 | | |
| | | 1159 | 78.03 | 350 | 207 | 240 | | 735 | 19.3 | | | | | |
| WD030 | 00276 | 00016 | L019 | 177194049600 | S01 | 01/02/2003 | SEM | FL | | O | | 88 | | |
| | | 3252 | 75.96 | 200 | 206 | 670 | | 651 | 29.5 | | | | | |
| WD030 | 00276 | 00016 | L019 | 177194049600 | S01 | 06/05/2003 | SEM | FL | | O | | 88 | | |
| | | 2006 | 76.01 | 160 | 172 | 345 | | 545 | 29.5 | | | | | |
| WD030 | 00276 | 00016 | L020 | 177194050502 | S01 | 03/02/2003 | SEM | GL | | O | | 88 | | |
| | | 995 | 64.94 | 220 | 216 | 215 | | 400 | 29.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00016 | N018 | 177190071101 | S01 | 05/30/2003 | SEM | FL | | O | | 40 | | |
| | | 206 | 60.97 | 150 | 233 | 48 | | 364 | 19.3 | | | | | |
| WD030 | 00276 | 00016 | N019 | 177194026000 | S01 | 06/05/2003 | SEM | GL | | O | | 88 | | |
| | | 128 | 85.99 | 125 | 344 | 44 | | 2111 | 16 | | | | | |
| WD030 | 00276 | 00016 | N020 | 177194026101 | D01 | 06/02/2003 | SEM | GL | | O | | 88 | | |
| | | 220 | 50 | 160 | 295 | 65 | | 295 | 22 | | | | | |
| WD030 | 00276 | 00016 | N020D | 177194026101 | D02 | 05/19/2003 | SEM | FL | | O | | 88 | | |
| | | 75 | 64.92 | 100 | 107 | 8 | | 198 | 18.1 | | | | | |
| WD030 | 00276 | 00016 | N021 | 177194057100 | S02 | 05/18/2003 | SEM | FL | | O | | 88 | | |
| | | 318 | 18.32 | 140 | 107 | 34 | | 24 | 19.1 | | | | | |
| WD030 | 00276 | 00016 | N022 | 177194060401 | S01 | 05/18/2003 | SEM | GL | | O | | 34 | | |
| | | 99 | 16.01 | 270 | 750 | 74 | | 143 | 18.8 | | | | | |
| WD030 | 00276 | 00016 | N023 | 177194060101 | S01 | 05/01/2003 | POT | FL | | O | 15 | 77 | | |
| | | 167 | .51 | 350 | 1757 | 294 | | 9 | 18.2 | .6 | | | | N |
| WD030 | 00276 | 00016 | N024 | 177194071201 | S01 | 06/06/2003 | SEM | GL | | O | | 24 | | |
| | | 202 | 46.98 | 200 | 263 | 53 | | 233 | 17.1 | | | | | |
| WD030 | 00276 | 00016 | Q020 | 177194053900 | D01 | 06/08/2003 | SEM | GL | | O | | 88 | | |
| | | 5065 | 60.87 | 250 | 108 | 547 | | 168 | 31.7 | | | | | |
| WD030 | 00276 | 00016 | S024 | 177194049200 | S01 | 03/06/2003 | SEM | GL | | O | | 88 | | |
| | | 3457 | 63.92 | 190 | 70 | 242 | | 124 | 32.4 | | | | | |
| ST054 | 00276 | 00019 | G018 | 177154052802 | S01 | 05/16/2003 | SEM | GL | | O | | 64 | | |
| | | 122 | 30.11 | 105 | 246 | 30 | | 106 | 31 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST054 | 00276 | 00019 | G020 | 177154054800 | S01 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | | 195 | 92.48 | 130 | 154 | 30 | | 1893 | 31.5 | | | | | |
| ST054 | 00276 | 00019 | G022 | 177154064703 | S01 | 02/08/2003 | SEM | GL | | O | | 64 | | |
| | | 1333 | 68.29 | 80 | 39 | 52 | | 84 | 31.7 | | | | | |
| ST054 | 00276 | 00019 | G028 | 177154080101 | S01 | 02/20/2003 | SEM | GL | | O | | 64 | | |
| | | 558 | 89 | 170 | 242 | 135 | | 1959 | 31.5 | | | | | |
| ST054 | 00276 | 00019 | G028 | 177154080101 | S01 | 05/17/2003 | SEM | GL | | O | | 64 | | |
| | | 227 | 90.01 | 145 | 207 | 47 | | 1866 | 31.5 | | | | | |
| ST054 | 00276 | 00019 | G031 | 177154080201 | S01 | 05/17/2003 | SEM | GL | | O | | 64 | | |
| | | 50 | 65.8 | 115 | 302 | 15 | | 581 | 32.8 | | | | | |
| ST054 | 00276 | 00019 | G032 | 177154087800 | S01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | | 354 | 48.08 | 85 | 243 | 86 | | 225 | 31.4 | | | | | |
| ST054 | 00276 | 00020 | B022 | 177154057000 | D04 | 04/24/2003 | SEM | FL | | O | | 64 | | |
| | | 562 | 35.97 | 160 | 913 | 513 | | 513 | 29 | | | | | |
| ST054 | 00276 | 00020 | B025 | 177154058505 | S01 | 08/09/2003 | POT | GL | | O | 11 | 64 | | |
| | | 460 | 74.27 | 629 | 211 | 97 | | 609 | 32.1 | .6 | | | | N |
| ST054 | 00276 | 00020 | B029 | 177154098201 | S01 | 04/09/2003 | SEM | FL | | G | | 32 | | |
| | 1475 | 144471 | 86.61 | 375 | 17 | 2456 | | 110 | 49 | | | | | |
| ST054 | 00276 | 00020 | B030D | 177154097100 | D01 | 03/10/2003 | SEM | GL | | O | | 64 | | |
| | | 1148 | 40.03 | 200 | 358 | 411 | | 239 | 27.6 | | | | | |
| ST054 | 00276 | 00020 | B031 | 177154096800 | S01 | 06/07/2003 | SEM | FL | | G | | 50 | | |
| | 850 | 9999999 | 0 | 250 | 0 | 2967 | | 0 | 52.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST054 | 00276 | 00020 | B032 | 177154067702 | D02 | 03/12/2003 | SEM | FL | | G | | 27 | | |
| | 2600 | 39186 | 1.97 | 1700 | 199 | 7798 | | 4 | 55.8 | | | | | |
| ST054 | 00276 | 00020 | B032D | 177154067702 | D01 | 05/18/2003 | SEM | FL | | G | | 29 | | |
| | 1800 | 8785 | 15.09 | 250 | 135 | 1186 | | 24 | 49.8 | | | | | |
| ST054 | 00276 | 00020 | B033 | 177154111601 | D01 | 05/14/2003 | POT | FL | | G | 4 | 6 | | |
| | 4200 | 9999999 | 0 | 3950 | 0 | 1030 | | 0 | | .6 | | | | N |
| ST054 | 00276 | 00020 | B033D | 177154111601 | D02 | 05/11/2003 | POT | FL | | G | 4 | 16 | | |
| | 6425 | 234200 | 18.92 | 6010 | 30 | 7026 | | 7 | 38.2 | .6 | | | | N |
| ST054 | 00276 | 00020 | G024 | 177154073300 | S03 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 550 | 9999999 | 99 | 100 | 0 | 894 | | 44 | 0 | | | | | |
| ST054 | 00276 | 00020 | G025 | 177154073700 | D01 | 05/17/2003 | SEM | FL | | O | | 64 | | |
| | | 523 | 85.01 | 240 | 197 | 103 | | 1117 | 35.7 | | | | | |
| ST054 | 00276 | 00020 | G030 | 177154080000 | S02 | 05/14/2003 | POT | FL | | O | 12 | 15 | | |
| | | 2683 | 5.88 | 1200 | 224 | 601 | | 14 | 36 | .6 | | | | N |
| ST054 | 00276 | 00020 | G030 | 177154080000 | S02 | 06/02/2003 | SEM | GL | | G | | 11 | | |
| | | 990 | 3.45 | 960 | 196 | 194 | | 7 | 36 | | | | | |
| ST054 | 00276 | 00020 | H001 | 177154082703 | D01 | 02/12/2003 | SEM | FL | | O | | 42 | | |
| | | 1356 | 0 | 1400 | 3186 | 4320 | | 0 | 33.1 | | | | | |
| ST054 | 00276 | 00020 | H001D | 177154082703 | D02 | 02/12/2003 | SEM | FL | | O | | 64 | | |
| | | 40452 | 89.01 | 1275 | 31 | 1254 | | 251 | 35.9 | | | | | |
| GI016 | 00276 | 00025 | R024 | 177174042200 | S01 | 05/18/2003 | SEM | GL | | O | | 88 | | |
| | | 844 | 0 | 255 | 334 | 282 | | 0 | 40.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00026 | J026 | 177194036200 | S02 | 05/23/2003 | SEM | GL | | O | | 88 | | |
| | | 260 | 9.12 | 95 | 289 | 75 | | 29 | 24 | | | | | |
| WD030 | 00276 | 00026 | J028 | 177194068501 | S01 | 06/01/2003 | SEM | FL | | O | | 22 | | |
| | | 1438 | 97.02 | 600 | 48 | 69 | | 1563 | 29 | | | | | |
| WD030 | 00276 | 00026 | P032 | 177194024702 | D01 | 06/01/2003 | SEM | GL | | O | | 32 | | |
| | | 305 | 57.97 | 130 | 203 | 62 | | 280 | 19.1 | | | | | |
| WD030 | 00276 | 00026 | P032D | 177194024702 | D02 | 04/07/2003 | SEM | GL | | O | | 34 | | |
| | | 66 | 83 | 160 | 137 | 9 | | 669 | 19.1 | | | | | |
| WD030 | 00276 | 00026 | P033 | 177194039501 | S02 | 02/21/2003 | SEM | GL | | O | | 88 | | |
| | | 695 | 85.97 | 125 | 141 | 98 | | 864 | 24.6 | | | | | |
| WD030 | 00276 | 00026 | P037D | 177194053300 | D02 | 02/27/2003 | SEM | GL | | O | | 89 | | |
| | | 194 | 36.12 | 125 | 191 | 37 | | 108 | 20.7 | | | | | |
| WD030 | 00276 | 00026 | P039D | 177194060600 | D02 | 02/07/2003 | SEM | GL | | O | | 88 | | |
| | | 274 | 69.97 | 150 | 230 | 63 | | 536 | 18.2 | | | | | |
| WD030 | 00276 | 00026 | P040 | 177194065201 | S02 | 05/28/2003 | SEM | GL | | O | | 88 | | |
| | | 308 | 28.02 | 70 | 185 | 57 | | 72 | 29.2 | | | | | |
| WD030 | 00276 | 00026 | P041 | 177194066300 | S01 | 04/03/2003 | SEM | GL | | O | | 88 | | |
| | | 570 | 88 | 140 | 291 | 166 | | 2135 | 21.6 | | | | | |
| WD030 | 00276 | 00026 | P042 | 177194067600 | S01 | 04/02/2003 | SEM | FL | | O | | 88 | | |
| | | 1316 | 72.02 | 110 | 399 | 525 | | 1027 | 33.5 | | | | | |
| WD030 | 00276 | 00026 | T010 | 177190021102 | D01 | 05/16/2003 | SEM | FL | | O | | 88 | | |
| | | 1056 | 85.98 | 160 | 126 | 133 | | 773 | 18 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00026 | T010D | 177190021102 | D02 | 06/04/2003 | SEM | GL | | O | | 88 | | |
| | | 4062 | 83.99 | 200 | 65 | 264 | | 341 | 21.7 | | | | | |
| WD030 | 00276 | 00026 | T020 | 177194011800 | S02 | 06/13/2003 | SEM | GL | | O | | 88 | | |
| | | 623 | 89.98 | 150 | 167 | 104 | | 1500 | 17.3 | | | | | |
| WD030 | 00276 | 00026 | T022 | 177194013100 | D01 | 01/02/2003 | SEM | GL | | O | | 88 | | |
| | | 193 | 92.02 | 165 | 140 | 27 | | 1614 | 18.3 | | | | | |
| WD030 | 00276 | 00026 | T022D | 177194013100 | D02 | 01/05/2003 | SEM | GL | | O | | 88 | | |
| | | 94 | 86.01 | 100 | 149 | 14 | | 916 | 16.8 | | | | | |
| WD030 | 00276 | 00026 | T022D | 177194013100 | D02 | 03/13/2003 | SEM | GL | | O | | 88 | | |
| | | 316 | 83.02 | 100 | 171 | 54 | | 836 | 16.8 | | | | | |
| WD030 | 00276 | 00026 | T023D | 177194013300 | S02 | 01/05/2003 | SEM | GL | | O | | 88 | | |
| | | 120 | 92.98 | 180 | 108 | 13 | | 1430 | 16.8 | | | | | |
| WD030 | 00276 | 00026 | T023D | 177194013300 | S02 | 06/13/2003 | SEM | GL | | O | | 88 | | |
| | | 992 | 92.02 | 190 | 120 | 119 | | 1383 | 16.8 | | | | | |
| WD030 | 00276 | 00026 | T024 | 177194025501 | D01 | 06/15/2003 | SEM | FL | | O | | 88 | | |
| | | 6318 | 92.86 | 450 | 22 | 139 | | 286 | 19.1 | | | | | |
| WD030 | 00276 | 00026 | T024D | 177194025501 | D02 | 06/15/2003 | SEM | GL | | O | | 88 | | |
| | | 2850 | 92.83 | 125 | 20 | 57 | | 259 | 19.1 | | | | | |
| WD030 | 00276 | 00026 | T025 | 177194032901 | S03 | 05/09/2003 | SEM | FL | | O | | 88 | | |
| | | 1112 | 90.98 | 180 | 134 | 149 | | 1352 | 13.7 | | | | | |
| WD030 | 00276 | 00026 | T026 | 177194033802 | D01 | 01/09/2003 | SEM | FL | | O | | 88 | | |
| | | 675 | 38.94 | 140 | 323 | 218 | | 206 | 31.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00026 | T026D | 177194033802 | D02 | 01/04/2003 | SEM | FL | | O | | 48 | | |
| | | 998 | 78.02 | 390 | 411 | 410 | | 1459 | 21.4 | | | | | |
| WD030 | 00276 | 00026 | T027 | 177194052301 | D01 | 05/01/2003 | SEM | GL | | O | | 88 | | |
| | | 300 | 2.96 | 160 | 1080 | 324 | | 33 | 17.8 | | | | | |
| WD030 | 00276 | 00026 | T027D | 177194052301 | D03 | 04/16/2003 | POT | GL | | O | 7 | 22 | | |
| | | 1335 | 50.98 | 675 | 251 | 335 | | 261 | 28.5 | .6 | | | | N |
| WD030 | 00276 | 00026 | T028 | 177194051901 | S01 | 05/19/2003 | SEM | FL | | O | | 36 | | |
| | | 444 | 66.99 | 270 | 410 | 182 | | 832 | 18.2 | | | | | |
| WD030 | 00276 | 00026 | T029 | 177194052101 | S02 | 05/16/2003 | SEM | GL | | O | | 28 | | |
| | | 3302 | 64.17 | 170 | 43 | 142 | | 77 | 15.4 | | | | | |
| WD030 | 00276 | 00026 | T030 | 177194052701 | S01 | 06/08/2003 | SEM | FL | | O | | 30 | | |
| | | 302 | 57 | 180 | 381 | 115 | | 505 | 26.5 | | | | | |
| WD030 | 00276 | 00026 | T031 | 177194067400 | D01 | 05/19/2003 | SEM | FL | | O | | 88 | | |
| | | 442 | 80 | 140 | 439 | 194 | | 1756 | 19.2 | | | | | |
| WD030 | 00276 | 00026 | T031D | 177194067400 | D02 | 01/06/2003 | SEM | FL | | O | | 88 | | |
| | | 13327 | 12.4 | 100 | 113 | 1506 | | 16 | 18.4 | | | | | |
| WD030 | 00276 | 00026 | T031D | 177194067400 | D02 | 06/03/2003 | SEM | FL | | O | | 88 | | |
| | | 401 | 91.01 | 125 | 142 | 57 | | 1437 | 18.4 | | | | | |
| GI016 | 00276 | 00031 | P025 | 177174023500 | S01 | 02/21/2003 | SEM | GL | | O | | 88 | | |
| | | 2004 | 60 | 300 | 250 | 501 | | 375 | 26.9 | | | | | |
| GI016 | 00276 | 00031 | P026 | 177174020902 | S01 | 06/06/2003 | SEM | GL | | O | | 88 | | |
| | | 1458 | 90.08 | 250 | 48 | 70 | | 436 | 25.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI016 | 00276 | 00031 | P027 | 177174021203 | D01 | 05/20/2003 | SEM | GL | | O | | 72 | | |
| | | 897 | 87.06 | 170 | 78 | 70 | | 525 | 33.6 | | | | | |
| GI016 | 00276 | 00031 | P027D | 177174021203 | D02 | 05/19/2003 | SEM | GL | | O | | 72 | | |
| | | 176 | 88.03 | 245 | 74 | 13 | | 544 | 34.9 | | | | | |
| GI016 | 00276 | 00031 | P028 | 177174024500 | S02 | 06/10/2003 | SEM | GL | | O | | 88 | | |
| | | 1028 | 79.97 | 225 | 141 | 145 | | 563 | 34.6 | | | | | |
| GI016 | 00276 | 00031 | P029 | 177174025800 | D01 | 03/08/2003 | SEM | GL | | O | | 72 | | |
| | | 1613 | 79.94 | 300 | 62 | 100 | | 247 | 38 | | | | | |
| GI016 | 00276 | 00031 | P030 | 177174026802 | S02 | 05/31/2003 | SEM | GL | | O | | 88 | | |
| | | 1344 | 69.8 | 250 | 61 | 82 | | 141 | 35.1 | | | | | |
| GI016 | 00276 | 00031 | P031 | 177174027300 | S02 | 05/16/2003 | SEM | GL | | O | | 72 | | |
| | | 5960 | 0 | 180 | 25 | 149 | | 0 | 33.3 | | | | | |
| GI016 | 00276 | 00031 | P034 | 177174028900 | S02 | 05/25/2003 | SEM | GL | | G | | 72 | | |
| | | 3146 | 84.86 | 210 | 48 | 151 | | 269 | 36.7 | | | | | |
| GI016 | 00276 | 00031 | P035 | 177174029600 | S01 | 05/21/2003 | SEM | GL | | O | | 72 | | |
| | | 707 | 0 | 200 | 123 | 87 | | 0 | 33.5 | | | | | |
| GI016 | 00276 | 00031 | P038 | 177174037100 | S01 | 05/29/2003 | SEM | FL | | G | | 72 | | |
| | 420 | 323500 | 0 | 175 | 4 | 1294 | | 0 | 44.7 | | | | | |
| GI016 | 00276 | 00031 | Q038D | 177174026600 | D02 | 04/17/2003 | SEM | GL | | O | | 88 | | |
| | | 878 | 46 | 240 | 189 | 166 | | 161 | 32.9 | | | | | |
| GI016 | 00276 | 00031 | Q041 | 177174027401 | D01 | 02/09/2003 | SEM | GL | | O | | 88 | | |
| | | 1975 | 24.84 | 210 | 118 | 233 | | 39 | 31.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI016 | 00276 | 00031 | Q042D | 177174028200 | D02 | 05/15/2003 | SEM | FL | | O | | 88 | | |
| | | 2250 | 75.87 | 240 | 76 | 171 | | 239 | 33.6 | | | | | |
| GI016 | 00276 | 00031 | Q043 | 177174029000 | D01 | 05/14/2003 | SEM | GL | | O | | 72 | | |
| | | 3667 | 55.88 | 150 | 15 | 55 | | 19 | 39.2 | | | | | |
| GI016 | 00276 | 00031 | Q043 | 177174029000 | D01 | 08/19/2003 | SEM | GL | | O | | 72 | | |
| | | 3162 | 74.13 | 160 | 37 | 117 | | 106 | 39.2 | | | | | |
| GI016 | 00276 | 00031 | Q043D | 177174029000 | D02 | 05/22/2003 | SEM | GL | | O | | 88 | | |
| | | 1424 | 63.94 | 220 | 203 | 289 | | 360 | 33.6 | | | | | |
| GI016 | 00276 | 00031 | Q045 | 177174029300 | S01 | 05/19/2003 | SEM | FL | | O | | 72 | | |
| | | 16000 | 95.1 | 280 | 15 | 240 | | 291 | 36.4 | | | | | |
| GI016 | 00276 | 00031 | Q045 | 177174029300 | S01 | 08/24/2003 | SEM | FL | | O | | 72 | | |
| | | 5238 | 92.11 | 220 | 21 | 110 | | 245 | 36.4 | | | | | |
| GI016 | 00276 | 00031 | Q057 | 177174030400 | S01 | 05/29/2003 | SEM | GL | | O | | 88 | | |
| | | 1250 | 64.89 | 280 | 92 | 115 | | 170 | 36.7 | | | | | |
| GI016 | 00276 | 00031 | R022D | 177174019902 | D02 | 02/13/2003 | SEM | GL | | O | | 72 | | |
| | | 5385 | 89.98 | 250 | 52 | 280 | | 467 | 35.2 | | | | | |
| GI016 | 00276 | 00031 | U019 | 177170060100 | S01 | 02/08/2003 | SEM | GL | | O | | 88 | | |
| | | 3429 | 79.86 | 285 | 56 | 192 | | 222 | 28.6 | | | | | |
| GI016 | 00276 | 00031 | U044 | 177174015200 | S01 | 06/05/2003 | SEM | GL | | O | | 72 | | |
| | | 2969 | 89.92 | 300 | 64 | 190 | | 571 | 25.8 | | | | | |
| GI016 | 00276 | 00031 | U050 | 177174030100 | S01 | 05/17/2003 | SEM | FL | | O | | 72 | | |
| | | 3160 | 1.96 | 220 | 50 | 158 | | 1 | 29.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI016 | 00276 | 00031 | W031 | 177170065401 | S01 | 06/15/2003 | SEM | GL | | O | | 88 | | |
| | | 367 | 87.01 | 200 | 60 | 22 | | 402 | 27.9 | | | | | |
| GI016 | 00276 | 00031 | W036 | 177174017600 | S01 | 06/04/2003 | SEM | GL | | O | | 72 | | |
| | | 1493 | 74.91 | 240 | 73 | 109 | | 218 | 29.6 | | | | | |
| GI018 | 00276 | 00032 | 003 | 177174013500 | S01 | 05/17/2003 | SEM | GL | | O | | 56 | | |
| | | 470 | 30.03 | 340 | 438 | 206 | | 188 | 30.2 | | | | | |
| GI018 | 00276 | 00033 | 003 | 177174013001 | S01 | 04/17/2003 | SEM | FL | | O | | 14 | | |
| | | 1054 | 82.01 | 1495 | 184 | 194 | | 839 | 31.7 | | | | | |
| GI018 | 00276 | 00033 | 004 | 177174023000 | S01 | 06/06/2003 | SEM | GL | | O | | 48 | | |
| | | 171 | 83.91 | 1065 | 70 | 12 | | 365 | 25.2 | | | | | |
| GI018 | 00276 | 00033 | A016 | 177174018701 | S01 | 06/04/2003 | SEM | FL | | O | | 88 | | |
| | | 643 | 59.97 | 305 | 476 | 306 | | 713 | 31.4 | | | | | |
| GI016 | 00276 | 00034 | J001 | 177170020600 | S02 | 05/24/2003 | SEM | GL | | O | | 88 | | |
| | | 2131 | 5.62 | 160 | 84 | 179 | | 5 | 36.6 | | | | | |
| GI016 | 00276 | 00034 | J030 | 177174022701 | S01 | 03/02/2003 | SEM | FL | | O | | 42 | | |
| | | 480 | 52.97 | 180 | 277 | 133 | | 312 | 35.6 | | | | | |
| GI016 | 00276 | 00034 | J031 | 177174040600 | S02 | 05/10/2003 | SEM | FL | | O | | 40 | | |
| | | 761 | 43.96 | 280 | 376 | 286 | | 295 | 34.5 | | | | | |
| GI016 | 00276 | 00034 | J031 | 177174040600 | S02 | 05/22/2003 | SEM | FL | | O | | 40 | | |
| | | 508 | 35.98 | 260 | 443 | 225 | | 249 | 34.5 | | | | | |
| GI016 | 00276 | 00034 | J032 | 177174040701 | S01 | 01/05/2003 | SEM | GL | | G | | 88 | | |
| | | 857 | 89.02 | 200 | 84 | 72 | | 681 | 31.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI016 | 00276 | 00034 | J032 | 177174040701 | S01 | 02/17/2003 | SEM | GL | | G | | 88 | | |
| | | 2511 | 87.96 | 180 | 94 | 236 | | 687 | 31.2 | | | | | |
| GI016 | 00276 | 00034 | J032 | 177174040701 | S01 | 05/22/2003 | SEM | GL | | G | | 88 | | |
| | | 6139 | 90.01 | 430 | 302 | 1854 | | 2720 | 31.2 | | | | | |
| GI016 | 00276 | 00034 | Q035 | 177174020001 | S01 | 02/24/2003 | SEM | FL | | O | | 72 | | |
| | | 272 | 14.97 | 200 | 125 | 34 | | 22 | 33.5 | | | | | |
| GI016 | 00276 | 00034 | T033 | 177174016101 | D01 | 06/01/2003 | SEM | FL | | O | | 42 | | |
| | | 1294 | 90 | 300 | 126 | 163 | | 1134 | 32.6 | | | | | |
| GI016 | 00276 | 00034 | T033D | 177174016101 | D02 | 01/08/2003 | SEM | FL | | O | | 44 | | |
| | | 486 | 90.03 | 270 | 107 | 52 | | 966 | 40.7 | | | | | |
| GI016 | 00276 | 00034 | T035 | 177174016602 | S01 | 06/05/2003 | SEM | GL | | O | | 56 | | |
| | | 1827 | 95.97 | 260 | 52 | 95 | | 1237 | 38 | | | | | |
| GI016 | 00276 | 00034 | T036 | 177174020701 | S01 | 06/06/2003 | SEM | GL | | O | | 38 | | |
| | | 234 | 88.96 | 290 | 107 | 25 | | 862 | 34.1 | | | | | |
| GI016 | 00276 | 00034 | T038 | 177174023101 | S02 | 05/26/2003 | SEM | GL | | O | | 72 | | |
| | | 91 | 0 | 200 | 33 | 3 | | 0 | 38.3 | | | | | |
| GI016 | 00276 | 00034 | T047 | 177174037401 | S02 | 06/11/2003 | SEM | GL | | O | | 72 | | |
| | | 614 | 93.99 | 230 | 114 | 70 | | 1782 | 25.9 | | | | | |
| GI016 | 00276 | 00034 | T049 | 177174037700 | D01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 2381 | 93.94 | 200 | 42 | 100 | | 651 | 29 | | | | | |
| GI016 | 00276 | 00034 | T049D | 177174037700 | D02 | 05/23/2003 | SEM | GL | | O | | 88 | | |
| | | 575 | 87.02 | 250 | 146 | 84 | | 979 | 30.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI016 | 00276 | 00034 | T049D | 177174037700 | D02 | 09/08/2003 | SEM | GL | | O | | 88 | | |
| | | 394 | 85.01 | 240 | 180 | 71 | | 1021 | 30.1 | | | | | |
| GI016 | 00276 | 00034 | T050 | 177174037800 | S01 | 05/21/2003 | SEM | GL | | O | | 88 | | |
| | | 1105 | 88 | 260 | 257 | 284 | | 1885 | 29.6 | | | | | |
| EI089 | 00689 | 00044 | 023 | 177094117600 | S03 | 06/13/2003 | SEM | FL | | G | 24 | 28 | | |
| | 3050 | 151185 | | 1700 | 54 | 8164 | | 14 | 42.9 | | | | 898 | N |
| EI089 | 01904 | 00046 | 005 | 177092012301 | S01 | 06/08/2003 | SEM | FL | | O | | 64 | | |
| | | 861 | 89.45 | 300 | 115 | 99 | | 975 | 44.3 | | | | | |
| EI089 | 01904 | 00046 | 005 | 177092012301 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1194 | | 300 | 103 | 123 | | 938 | 40.4 | | | | | N |
| EI089 | 00689 | 00046 | 015D | 177094102801 | D02 | 06/15/2003 | SEM | FL | | G | 24 | 26 | | |
| | 460 | 9999999 | | 330 | 0 | 1178 | | 0 | 30 | | | | 906 | N |
| EI089 | 00689 | 00046 | 017 | 177094104800 | S03 | 06/15/2003 | SEM | FL | | G | 24 | 40 | | |
| | 238 | 298000 | | 140 | 1 | 298 | | 1 | 55.1 | | | | 906 | N |
| EI089 | 00689 | 00046 | 019 | 177094107700 | S02 | 05/12/2003 | POT | FL | | O | 24 | 36 | | |
| | 347 | 939 | 29.35 | 315 | 857 | 805 | | 356 | 39.5 | .63 | | | | N |
| EI089 | 00689 | 00046 | 019 | 177094107700 | S02 | 06/19/2003 | SEM | FL | | G | 24 | 36 | | |
| | 347 | 624 | | 190 | 505 | 315 | | 392 | 38.6 | | | | 894 | N |
| EI089 | 00689 | 00046 | 020 | 177094109900 | S05 | 06/17/2003 | SEM | FL | | G | 24 | 9 | | |
| | 2600 | 55500 | | 1140 | 4 | 222 | | 9 | 46.1 | | | | 875 | N |
| EI126 | 01777 | 00049 | F007 | 177094137900 | D01 | 06/07/2003 | POT | FL | | O | 24 | 22 | | |
| | 1050 | 619 | 11.53 | 926 | 522 | 323 | | 68 | 24.4 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI126 | 01777 | 00050 | 012 | 177094113900 | S03 | 06/27/2003 | POT | FL | | O | 7 | 27 | | |
| | 3690 | 17781 | 1.07 | 2523 | 557 | 9904 | | 6 | 55.4 | .618 | | | N | |
| EI126 | 01777 | 00050 | 015 | 177094116700 | S03 | 01/30/2003 | POT | FL | | O | 6 | 16 | | |
| | 2439 | 978 | 0 | 1793 | 634 | 620 | | 0 | 38.6 | .6 | | | N | |
| EI126 | 01777 | 00050 | 019 | 177094126101 | S01 | 07/13/2003 | POT | FL | | G | 10 | 30 | | |
| | 1950 | 69857 | 0 | 1251 | 70 | 4890 | | 0 | 57.9 | .61 | | | N | |
| EI126 | 01777 | 00050 | 020 | 177094138300 | S01 | 06/23/2003 | POT | FL | | G | 5 | 45 | | |
| | 3580 | 14657 | 1.03 | 2196 | 960 | 14071 | | 10 | 41.4 | .618 | | | N | |
| EI126 | 01777 | 00050 | I008 | 177094137000 | D01 | 02/09/2003 | POT | FL | | O | 4 | 19 | | |
| | 1000 | 519 | 9.02 | 884 | 797 | 414 | | 79 | 37.2 | .6 | | | N | |
| EI126 | 01777 | 00050 | I008D | 177094137000 | D02 | 02/09/2003 | POT | FL | | O | 4 | 14 | | |
| | 1136 | 543 | 5.97 | 999 | 488 | 265 | | 31 | 36.9 | .6 | | | N | |
| SS072 | 02222 | 00060 | 006 | 177114034401 | S02 | 05/06/2003 | POT | GL | | O | 4 | 20 | | |
| | | 1904 | 76.82 | 770 | 239 | 455 | | 792 | 37.2 | .625 | | | N | |
| SS072 | 02222 | 00060 | 007 | 177114034901 | S02 | 10/18/2003 | POT | FL | | G | 24 | 12 | | |
| | 3100 | 9999999 | 0 | 1800 | 0 | 1034 | | 0 | | .6 | | | N | |
| SS072 | 02222 | 00060 | 026 | 177114117900 | S05 | 05/08/2003 | POT | GL | | O | 5 | 30 | | |
| | | 571 | 89.21 | 375 | 140 | 80 | | 1158 | 39.5 | .605 | | | N | |
| SS072 | 02222 | 00060 | 028 | 177114136700 | S02 | 05/28/2003 | POT | FL | | G | 4 | 10 | | |
| | 3100 | 205143 | 61.11 | 2800 | 7 | 1436 | | 11 | 50.7 | .605 | | | N | |
| SS113 | 02252 | 00063 | 043A | 177114104300 | S01 | 06/26/2003 | SEM | FL | | O | | 21 | | |
| | 520 | 556 | 40.33 | 350 | 216 | 120 | | 146 | 36.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS113 | 02252 | 00063 | 061F | 177114112800 | D02 | 06/26/2003 | SEM | GL | | O | | 64 | | |
| | 1050 | 1577 | 14.88 | 340 | 246 | 388 | | 43 | 37.7 | | | | | |
| SS113 | 02252 | 00063 | M001F | 177114080700 | S04 | 06/11/2003 | SEM | GL | | O | | 32 | | |
| | 850 | 60000 | 99 | 170 | 2 | 120 | | 346 | 33.7 | | | | | |
| SS113 | 02252 | 00063 | M002A | 177114106700 | S01 | 06/11/2003 | SEM | FL | | G | | 30 | | |
| | 420 | 9999999 | 99 | 230 | 0 | 1101 | | 4 | 0 | | | | | |
| SS113 | 02252 | 00063 | O002A | 177114105000 | S01 | 06/26/2003 | SEM | FL | | O | | 12 | | |
| | 1800 | 9273 | 87.91 | 1325 | 11 | 102 | | 80 | 27.5 | | | | | |
| SS113 | 02252 | 00064 | 051A | 177114062700 | S01 | 06/26/2003 | SEM | GL | | O | | 14 | | |
| | 1100 | 2370 | 70 | 110 | 54 | 128 | | 126 | 28.6 | | | | | |
| SS113 | 02252 | 00064 | 058B | 177114118301 | S02 | 06/21/2003 | SEM | FL | | O | | 14 | | |
| | 1750 | 1981 | 74.84 | 1050 | 158 | 313 | | 470 | 29 | | | | | |
| SS113 | 02252 | 00064 | H008B | 177110071600 | S06 | 06/25/2003 | SEM | FL | | O | | 10 | | |
| | 1350 | 1077 | 15.08 | 1050 | 259 | 279 | | 46 | 27 | | | | | |
| SS113 | 02252 | 00065 | 005B | 177114096800 | S02 | 06/21/2003 | SEM | FL | | O | | 18 | | |
| | 2100 | 308 | 90.05 | 500 | 65 | 20 | | 588 | 27 | | | | | |
| SS113 | 02252 | 00065 | 007A | 177114100700 | S01 | 06/26/2003 | SEM | FL | | O | | 16 | | |
| | 1800 | 429 | 0 | 1650 | 1646 | 706 | | 0 | 29 | | | | | |
| SS113 | 02252 | 00066 | Q002C | 177114109300 | D02 | 06/27/2003 | SEM | GL | | O | | 17 | | |
| | 1050 | 1100 | 80.39 | 550 | 10 | 11 | | 41 | 31.7 | | | | | |
| SS113 | 02252 | 00066 | T001F | 177114110500 | D02 | 06/26/2003 | SEM | GL | | O | | 38 | | |
| | 1000 | 2537 | 83.58 | 290 | 67 | 170 | | 341 | 35.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS113 | 02252 | 00066 | T002E | 177114111800 | D02 | 06/26/2003 | SEM | GL | | O | | 64 | | |
| | 1000 | 556 | 89.35 | 240 | 18 | 10 | | 151 | 31.2 | | | | | |
| SS113 | 02252 | 00066 | V003A | 177114120200 | S01 | 05/28/2003 | SEM | FL | | G | | 19 | | |
| | 1000 | 9999999 | 0 | 810 | 0 | 1351 | | 0 | 0 | | | | | |
| SS113 | 02252 | 00066 | W001G | 177114114400 | D03 | 06/08/2003 | SEM | FL | | O | | 18 | | |
| | 1200 | 9000 | 79.27 | 450 | 80 | 720 | | 306 | 24.4 | | | | | |
| SS113 | 02252 | 00066 | W001K | 177114114400 | D04 | 06/22/2003 | SEM | FL | | O | | 18 | | |
| | 1050 | 1664 | 46.7 | 500 | 113 | 188 | | 99 | 23.5 | | | | | |
| SS113 | 02252 | 00066 | W002B | 177114135900 | D01 | 06/24/2003 | SEM | FL | | G | | 18 | | |
| | 1300 | 9999999 | 99 | 1000 | 0 | 435 | | 185 | 0 | | | | | |
| SS113 | 02252 | 00066 | W002E | 177114135900 | D02 | 06/03/2003 | SEM | FL | | O | | 13 | | |
| | 1500 | 3225 | 55.5 | 1140 | 89 | 287 | | 111 | 32.2 | | | | | |
| SS113 | 02252 | 00067 | 041E | 177114084800 | S03 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | 1200 | 455 | 2.04 | 130 | 288 | 131 | | 6 | 29.5 | | | | | |
| SS113 | 02252 | 00067 | 047F | 177114097300 | D05 | 06/26/2003 | SEM | FL | | G | | 16 | | |
| | 2600 | 9999999 | 0 | 1825 | 0 | 2095 | | 0 | 0 | | | | | |
| SS113 | 02252 | 00067 | 052E | 177114104000 | S04 | 06/26/2003 | SEM | FL | | G | | 17 | | |
| | 1700 | 990000 | 0 | 1250 | 1 | 990 | | 0 | 32.5 | | | | | |
| PL020 | 01689 | 00072 | 026A | 177134004701 | S01 | 08/26/2003 | POT | FL | | O | 4 | 18 | | |
| | | 2000 | 9.97 | 950 | 262 | 524 | | 29 | 32.7 | .6 | | | | N |
| PL020 | 02647 | 00072 | 031C | 177134005701 | S01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 1022 | 39.82 | 160 | 136 | 139 | | 90 | 37.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| PL020 | 02647 | 00072 | 042E | 177134015000 | S02 | 06/11/2003 | SEM | GL | | O | | 38 | | |
| | | 8333 | 89.83 | 160 | 24 | 200 | | 212 | 36.8 | | | | | |
| PL020 | 02647 | 00072 | E001A | 177134016700 | D01 | 06/09/2003 | SEM | FL | | O | | 24 | | |
| | 540 | 1827 | 7.95 | 300 | 220 | 402 | | 19 | 34.4 | | | | | |
| PL020 | 02647 | 00073 | 042C | 177134011500 | S03 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 1744 | 50 | 100 | 39 | 68 | | 39 | 32.2 | | | | | |
| PL020 | 01689 | 00074 | 042C | 177134015900 | D03 | 05/03/2003 | SEM | GL | | O | | 48 | | |
| | | 1190 | 90.07 | 185 | 42 | 50 | | 381 | 30.8 | | | | | |
| PL020 | 01689 | 00074 | 042E | 177134015900 | D04 | 06/14/2003 | SEM | GL | | O | | 47 | | |
| | 1000 | 635 | 74.07 | 150 | 167 | 106 | | 477 | 27.8 | | | | | |
| VR046 | 01834 | 00079 | 002C | 177050040100 | S03 | 05/04/2003 | SEM | FL | | G | | 15 | | |
| | 2300 | 397000 | 99 | 1525 | 2 | 794 | | 432 | 52 | | | | | |
| VR046 | 01834 | 00079 | 007 | 177054112602 | S01 | 06/02/2003 | SEM | FL | | G | | 16 | | |
| | 1700 | 88800 | 97.62 | 790 | 5 | 444 | | 205 | 41.8 | | | | | |
| VR046 | 01834 | 00079 | 008 | 177054113400 | S01 | 05/10/2003 | SEM | FL | | G | | 31 | | |
| | 1240 | 9999999 | 0 | 1180 | 0 | 6039 | | 0 | | | | | | |
| VR046 | 01834 | 00079 | 009 | 177054117401 | S01 | 06/21/2003 | SEM | FL | | G | | 26 | | |
| | 1275 | 9999999 | 0 | 1120 | 0 | 5331 | | 0 | | | | | | |
| VR046 | 01834 | 00079 | A006 | 177052006800 | D05 | 06/02/2003 | SEM | FL | | G | | 19 | | |
| | 2000 | 138882 | 95 | 1450 | 17 | 2361 | | 323 | 51.6 | | | | | |
| VR046 | 01834 | 00079 | A006D | 177052006800 | D06 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 2100 | 9999999 | 99 | 700 | 0 | 379 | | 115 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR046 | 01834 | 00079 | A007 | 177054115300 | S01 | 06/19/2003 | SEM | FL | | G | | 26 | | |
| | 1240 | 9999999 | 0 | 1160 | 0 | 5140 | | 0 | | | | | | |
| VR046 | 01834 | 00079 | A008 | 177054115400 | S01 | 05/03/2003 | SEM | FL | | G | | 40 | | |
| | 1240 | 9999999 | 0 | 780 | 0 | 1985 | | 0 | | | | | | |
| WC110 | 02481 | 00081 | 010A | 177004025000 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 1000 | 1549000 | 94.12 | 740 | 2 | 3098 | | 32 | 39.1 | | | | | |
| WC110 | 02481 | 00081 | 015 | 177004106501 | D01 | 06/22/2003 | SEM | FL | | G | | 40 | | |
| | 1000 | 455111 | 68.97 | 404 | 9 | 4096 | | 20 | 44 | | | | | |
| WC110 | 02481 | 00081 | 015D | 177004106501 | D02 | 05/07/2003 | SEM | FL | | G | | 64 | | |
| | 1265 | 327667 | 96.77 | 600 | 3 | 983 | | 90 | 39.1 | | | | | |
| WC110 | 02481 | 00081 | 016 | 177004107300 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 2400 | 475972 | 46.27 | 1225 | 36 | 17135 | | 31 | 47 | | | | | |
| WC110 | 02481 | 00082 | B006D | 177002004300 | D02 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1040 | 18000 | 44.12 | 260 | 38 | 684 | | 30 | 40.1 | | | | | |
| WC110 | 02481 | 00082 | C001 | 177004112500 | S01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 500 | 292000 | 55.56 | 221 | 4 | 1168 | | 5 | 40.1 | | | | | |
| EC064 | 01834 | 00089 | 007 | 177034010600 | D05 | 05/20/2003 | SEM | FL | | G | | 6 | | |
| | 3350 | 21737 | 0 | 2900 | 19 | 413 | | 0 | 54.3 | | | | | |
| EC064 | 01834 | 00089 | 007D | 177034010600 | D04 | 05/16/2003 | SEM | FL | | G | | 29 | | |
| | 2425 | 9999999 | 99 | 850 | 0 | 747 | | 281 | 38.3 | | | | | |
| EC064 | 01834 | 00089 | 009A | 177034012100 | S01 | 05/13/2003 | SEM | FL | | G | | 64 | | |
| | 550 | 1728000 | 95.24 | 380 | 1 | 1728 | | 20 | 44.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC064 | 01834 | 00089 | 013 | 177034088600 | S05 | 05/18/2003 | SEM | FL | | G | | 12 | | |
| | 1600 | 9999999 | 0 | 900 | 0 | 417 | | 0 | | | | | | |
| EC064 | 01834 | 00089 | A007 | 177034061200 | S02 | 06/17/2003 | SEM | FL | | O | | 10 | | |
| | 4400 | 2461 | 78.44 | 3800 | 241 | 593 | | 877 | 44.1 | | | | | |
| EC064 | 01834 | 00089 | A008 | 177034062500 | S02 | 05/22/2003 | SEM | FL | | G | | 10 | | |
| | 5800 | 33750 | 99 | 3300 | 20 | 675 | | 2012 | 46.3 | | | | | |
| EC064 | 01834 | 00089 | F004D | 177030007700 | D02 | 05/31/2003 | SEM | FL | | G | | 18 | | |
| | 550 | 9999999 | 0 | 430 | 0 | 294 | | 0 | | | | | | |
| EC064 | 01834 | 00089 | F006 | 177030026900 | S03 | 05/15/2003 | SEM | FL | | G | | 11 | | |
| | 1750 | 67955 | 71.05 | 960 | 22 | 1495 | | 54 | 43.9 | | | | | |
| GI047 | 00114 | 00128 | B003 | 177170043202 | S01 | 06/08/2003 | SEM | GL | | O | | 48 | | |
| | 800 | 458 | 85.79 | 260 | 262 | 120 | | 1581 | 28 | | | | | |
| GI047 | 00114 | 00128 | F001 | 177170043900 | S02 | 06/25/2003 | SEM | FL | | O | | 80 | | |
| | 360 | 598 | 81.26 | 300 | 430 | 257 | | 1864 | 32.5 | | | | | |
| GI047 | 00114 | 00128 | G006 | 177174012600 | S02 | 05/28/2003 | SEM | GL | | O | | 54 | | |
| | 1315 | 1047 | 97.1 | 240 | 43 | 45 | | 1442 | 30.6 | | | | | |
| GI047 | 00114 | 00128 | G010 | 177174037200 | S02 | 05/08/2003 | SEM | FL | | G | | 16 | | |
| | 1470 | 14941 | 97.88 | 1300 | 17 | 254 | | 774 | 27.5 | | | | | |
| GI047 | 00114 | 00128 | G011 | 177174037300 | D03 | 04/30/2003 | SEM | GL | | O | | 80 | | |
| | 1100 | 3585 | 85.75 | 300 | 159 | 570 | | 954 | 33.6 | | | | | |
| GI047 | 00114 | 00128 | I010 | 177174034500 | S02 | 06/23/2003 | SEM | GL | | O | | 80 | | |
| | 650 | 571 | 90.4 | 155 | 63 | 36 | | 593 | 35.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI047 | 00114 | 00128 | I011 | 177174034800 | D03 | 05/12/2003 | SEM | GL | | O | | 64 | | |
| | 930 | 9396 | 74.94 | 195 | 101 | 949 | | 302 | 30.6 | | | | | |
| GI047 | 00114 | 00128 | I011D | 177174034800 | D04 | 05/13/2003 | SEM | GL | | O | | 60 | | |
| | 930 | 11406 | 70.97 | 160 | 32 | 365 | | 78 | 34.1 | | | | | |
| GI047 | 00114 | 00128 | I012 | 177174040000 | S01 | 06/13/2003 | SEM | GL | | O | | 80 | | |
| | 980 | 43000 | 98.13 | 180 | 6 | 258 | | 314 | 31.7 | | | | | |
| GI041 | 00114 | 00128 | M001 | 177174037000 | S01 | 05/24/2003 | SEM | GL | | G | | 80 | | |
| | 890 | 1743 | 56.92 | 290 | 140 | 244 | | 185 | 30.6 | | | | | |
| GI041 | 00114 | 00128 | M002D | 177174038600 | D02 | 05/23/2003 | SEM | GL | | O | | 80 | | |
| | 750 | 2222 | 90.82 | 280 | 108 | 240 | | 1069 | 36.6 | | | | | |
| GI041 | 01855 | 00128 | M003 | 177174043600 | S01 | 05/24/2003 | SEM | GL | | O | | 80 | | |
| | 750 | 11400 | 81.06 | 200 | 35 | 399 | | 149 | 28.8 | | | | | |
| GI041 | 00114 | 00129 | 001 | 177174042801 | S01 | 06/21/2003 | SEM | FL | | G | | 58 | | |
| | 415 | 9999999 | 99 | 355 | 0 | 2978 | | 2 | 0 | | | | | |
| GI041 | 00114 | 00129 | A003 | 177170056900 | S04 | 06/15/2003 | SEM | FL | | O | | 11 | | |
| | 3220 | 2560 | 84.21 | 3050 | 84 | 215 | | 448 | 26.6 | | | | | |
| GI041 | 00114 | 00129 | A006D | 177170058301 | D03 | 05/15/2003 | SEM | GL | | O | | 120 | | |
| | 590 | 1301 | 80.05 | 215 | 156 | 203 | | 626 | 26.6 | | | | | |
| GI041 | 00114 | 00129 | D002 | 177170075300 | S02 | 06/23/2003 | SEM | FL | | O | | 24 | | |
| | 580 | 989 | 84.68 | 430 | 180 | 178 | | 995 | 28.3 | | | | | |
| GI041 | 00114 | 00129 | D010 | 177174017801 | S01 | 06/23/2003 | SEM | GL | | O | | 58 | | |
| | 600 | 4145 | 90.49 | 380 | 310 | 1285 | | 2951 | 28.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI041 | 00114 | 00129 | D011 | 177174018400 | S02 | 06/21/2003 | SEM | FL | | G | | 34 | | |
| | 400 | 9999999 | 99 | 200 | 0 | 227 | | 62 | 28.3 | | | | | |
| GI041 | 00114 | 00129 | F005 | 177174017302 | S01 | 06/23/2003 | SEM | FL | | G | | 32 | | |
| | 500 | 1971 | 8.46 | 200 | 238 | 469 | | 22 | 22.6 | | | | | |
| GI041 | 00114 | 00129 | H005 | 177174038100 | S03 | 06/23/2003 | SEM | GL | | O | | 80 | | |
| | 830 | 196 | 91.65 | 280 | 97 | 19 | | 1065 | 33.7 | | | | | |
| GI041 | 00114 | 00130 | E001 | 177170069401 | S02 | 06/08/2003 | SEM | GL | | O | | 38 | | |
| | 425 | 9999999 | 99 | 260 | 0 | 344 | | 829 | 0 | | | | | |
| GI041 | 00114 | 00130 | E002 | 177170074701 | S02 | 06/26/2003 | SEM | GL | | O | | 120 | | |
| | 485 | 8000 | 92.59 | 180 | 1 | 8 | | 15 | 44.5 | | | | | |
| GI041 | 01855 | 00130 | E004 | 177170075201 | S01 | 06/18/2003 | SEM | GL | | O | | 64 | | |
| | 475 | 7429 | 81.78 | 225 | 70 | 520 | | 315 | 50.1 | | | | | |
| GI041 | 00114 | 00130 | E010 | 177172000301 | S02 | 06/24/2003 | SEM | FL | | G | | 26 | | |
| | 450 | 9999999 | 99 | 210 | 0 | 368 | | 124 | 0 | | | | | |
| GI041 | 00114 | 00130 | E013 | 177174012900 | S02 | 06/23/2003 | SEM | GL | | O | | 62 | | |
| | 425 | 4763 | 84.85 | 225 | 118 | 562 | | 662 | 41.2 | | | | | |
| GI041 | 00114 | 00130 | G007 | 177174022400 | S02 | 05/05/2003 | SEM | FL | | G | | 31 | | |
| | 1250 | 17421 | 97.15 | 400 | 19 | 331 | | 648 | 43.8 | | | | | |
| GI041 | 00114 | 00130 | H001 | 177174020300 | S02 | 06/21/2003 | SEM | FL | | O | | 24 | | |
| | 940 | 2253 | 85.17 | 540 | 99 | 223 | | 569 | 33.7 | | | | | |
| GI041 | 00114 | 00130 | H003 | 177174028601 | S03 | 05/17/2003 | SEM | FL | | O | | 27 | | |
| | 1450 | 19623 | 94.56 | 990 | 61 | 1197 | | 1060 | 46.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI041 | 00114 | 00130 | H004D | 177174038000 | D02 | 06/23/2003 | SEM | FL | | G | | 30 | | |
| | 2325 | 18677 | 90.5 | 1650 | 124 | 2316 | | 1180 | 47.6 | | | | | |
| GI041 | 00114 | 00131 | C007 | 177170076400 | S01 | 06/21/2003 | SEM | GL | | O | | 128 | | |
| | 1100 | 9340 | 92.53 | 225 | 47 | 439 | | 580 | 33.2 | | | | | |
| GI047 | 00114 | 00132 | G009 | 177174026101 | S02 | 06/15/2003 | SEM | FL | | G | | 18 | | |
| | 1480 | 91500 | 99 | 1090 | 4 | 366 | | 850 | 51.6 | | | | | |
| GI047 | 01855 | 00133 | C004 | 177170046801 | S01 | 06/14/2003 | SEM | FL | | G | | 23 | | |
| | 1100 | 1324 | 70.74 | 370 | 293 | 388 | | 709 | 34.4 | | | | | |
| GI047 | 00114 | 00133 | C007 | 177170047300 | D04 | 06/03/2003 | SEM | GL | | O | | 80 | | |
| | 800 | 12759 | 92.42 | 200 | 58 | 740 | | 707 | 30.6 | | | | | |
| GI047 | 00114 | 00133 | C010 | 177170045900 | S07 | 06/04/2003 | SEM | GL | | O | | 20 | | |
| | 900 | 2889 | 94.23 | 600 | 45 | 130 | | 736 | 30.6 | | | | | |
| GI047 | 00114 | 00133 | C012 | 177174013200 | S02 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | 600 | 26037 | 96.23 | 235 | 27 | 703 | | 695 | 30.6 | | | | | |
| GI047 | 00114 | 00133 | C013 | 177174016000 | S02 | 06/23/2003 | SEM | GL | | O | | 64 | | |
| | 800 | 3346 | 81.08 | 240 | 162 | 542 | | 695 | 34.1 | | | | | |
| GI047 | 00114 | 00133 | D011 | 177172003300 | D02 | 04/08/2003 | SEM | GL | | O | | 34 | | |
| | 1200 | 4310 | 91.34 | 120 | 42 | 181 | | 443 | 36.6 | | | | | |
| GI047 | 00114 | 00133 | E005 | 177170048300 | S04 | 06/09/2003 | SEM | GL | | G | | 23 | | |
| | 900 | 9846 | 87.08 | 225 | 13 | 128 | | 89 | 37.4 | | | | | |
| GI047 | 00114 | 00133 | E006 | 177170078100 | D04 | 04/12/2003 | SEM | GL | | O | | 80 | | |
| | 1000 | 1024 | 92.55 | 220 | 84 | 86 | | 1043 | 37.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI047 | 00114 | 00133 | E006D | 177170078100 | D03 | 04/08/2003 | SEM | GL | | O | | 80 | | |
| | 900 | 2955 | 69.11 | 200 | 44 | 130 | | 98 | 37.4 | | | | | |
| GI047 | 00114 | 00133 | E008 | 177170079500 | S03 | 06/09/2003 | SEM | GL | | O | | 80 | | |
| | 800 | 1525 | 80.96 | 200 | 59 | 90 | | 250 | 34 | | | | | |
| GI047 | 00114 | 00133 | E017 | 177174039900 | S02 | 06/02/2003 | SEM | FL | | O | | 15 | | |
| | 1800 | 712 | 15.72 | 1675 | 761 | 542 | | 142 | 30.4 | | | | | |
| GI047 | 00114 | 00133 | I004D | 177172010400 | D04 | 06/21/2003 | SEM | GL | | O | | 80 | | |
| | 720 | 827 | 88.5 | 155 | 52 | 43 | | 401 | 26.5 | | | | | |
| GI047 | 00114 | 00133 | L001 | 177174012800 | S01 | 02/15/2003 | SEM | FL | | G | | 36 | | |
| | 1050 | 10583 | 85.63 | 250 | 24 | 254 | | 143 | 43.8 | | | | | |
| GI047 | 00114 | 00133 | L003 | 177174020500 | S06 | 05/10/2003 | SEM | FL | | G | | 25 | | |
| | 1700 | 5563 | 97.21 | 550 | 32 | 178 | | 1117 | 51 | | | | | |
| GI047 | 00114 | 00133 | L005 | 177174017900 | S05 | 01/05/2003 | SEM | FL | | G | | 9 | | |
| | 3700 | 6240 | 0 | 1500 | 25 | 156 | | 0 | 32 | | | | | |
| GI047 | 00114 | 00133 | L009 | 177174039201 | S01 | 05/15/2003 | SEM | GL | | O | | 36 | | |
| | 1100 | 0 | 94.32 | 200 | 23 | 0 | | 382 | 37 | | | | | |
| GI047 | 00114 | 00133 | L011 | 177174039602 | S01 | 03/24/2003 | SEM | GL | | O | | 63 | | |
| | 900 | 178 | 97.16 | 300 | 73 | 13 | | 2503 | 36.4 | | | | | |
| GI047 | 00114 | 00134 | 014 | 177174015300 | S01 | 05/28/2003 | SEM | GL | | O | | 99 | | |
| | 1000 | 601 | 85.99 | 400 | 178 | 107 | | 1095 | 26.5 | | | | | |
| GI047 | 00114 | 00134 | E001 | 177170045400 | S02 | 06/07/2003 | SEM | FL | | G | | 12 | | |
| | 1400 | 15417 | 90.84 | 230 | 12 | 185 | | 119 | 37.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI047 | 01855 | 00134 | E018 | 177174043501 | S01 | 06/07/2003 | SEM | FL | | O | | 18 | | |
| | 1600 | 2038 | 73.71 | 300 | 265 | 540 | | 743 | 38.8 | | | | | |
| GI047 | 00114 | 00134 | J002 | 177174003200 | S02 | 06/18/2003 | SEM | FL | | G | | 16 | | |
| | 3200 | 60969 | 1.52 | 2875 | 65 | 3963 | | 1 | 52.2 | | | | | |
| GI047 | 01855 | 00134 | J003 | 177174004502 | S02 | 06/04/2003 | SEM | GL | | G | | 35 | | |
| | 1000 | 1033 | 86.09 | 325 | 91 | 94 | | 563 | 35.9 | | | | | |
| GI047 | 01855 | 00134 | J005 | 177174011601 | S01 | 06/07/2003 | SEM | GL | | G | | 84 | | |
| | 850 | 149000 | 94.74 | 290 | 1 | 149 | | 18 | 52.2 | | | | | |
| GI047 | 00114 | 00134 | J007 | 177174012200 | S02 | 05/27/2003 | SEM | FL | | G | | 10 | | |
| | 3300 | 35375 | 2.02 | 3100 | 48 | 1698 | | 1 | 28.3 | | | | | |
| GI047 | 00114 | 00134 | J009 | 177174044200 | S01 | 06/27/2003 | SEM | FL | | G | | 16 | | |
| | 6000 | 2664 | 0 | 3400 | 1027 | 2736 | | 0 | 39.6 | | | | | |
| GI047 | 00114 | 00134 | J010 | 177174044401 | S01 | 06/28/2003 | SEM | FL | | O | | 16 | | |
| | 5200 | 1685 | 0 | 3225 | 1145 | 1929 | | 0 | 37.3 | | | | | |
| WD030 | 00687 | 00137 | A002 | 177190037401 | S03 | 06/19/2003 | SEM | GL | | O | | 64 | | |
| | | 200 | 64.95 | 160 | 75 | 15 | | 139 | 19.6 | | | | | |
| WD030 | 00687 | 00137 | D004 | 177190037800 | S01 | 06/19/2003 | SEM | GL | | O | | 108 | | |
| | | 4603 | 10 | 120 | 63 | 290 | | 7 | 23.5 | | | | | |
| WD030 | 00687 | 00137 | D006 | 177190038000 | S01 | 06/19/2003 | SEM | GL | | O | | 64 | | |
| | | 6000 | 89.9 | 120 | 40 | 240 | | 356 | 21.8 | | | | | |
| WD030 | 00687 | 00137 | D008 | 177194009400 | S01 | 06/12/2003 | SEM | FL | | G | | 64 | | |
| | 3825 | 9999999 | 99 | 130 | 0 | 290 | | 9 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00687 | 00137 | D009 | 177194053700 | S01 | 06/19/2003 | SEM | FL | | G | | 36 | | |
| | 2500 | 9999999 | 99 | 1400 | 0 | 1440 | | 2300 | | | | | | |
| WD030 | 00687 | 00138 | 007 | 177190038402 | S02 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 2895 | 25.49 | 80 | 38 | 110 | | 13 | 21.6 | | | | | |
| WD030 | 00687 | 00138 | A011 | 177190038602 | D01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 3947 | 94.95 | 120 | 19 | 75 | | 357 | 20.3 | | | | | |
| WD030 | 00687 | 00138 | A011D | 177190038602 | D02 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 452 | 45.45 | 110 | 42 | 19 | | 35 | 26.9 | | | | | |
| WD030 | 00687 | 00138 | B004 | 177190038801 | S01 | 06/20/2003 | SEM | GL | | O | | 64 | | |
| | | 2533 | 0 | 150 | 150 | 380 | | 0 | 28.6 | | | | | |
| WD030 | 00687 | 00138 | B011 | 177194015102 | S01 | 06/09/2003 | SEM | FL | | O | | 35 | | |
| | | 526 | 95.04 | 180 | 57 | 30 | | 1093 | 25.7 | | | | | |
| WD030 | 00687 | 00138 | B012 | 177190038704 | S01 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 588 | 90.02 | 140 | 187 | 110 | | 1687 | 23.4 | | | | | |
| WD030 | 00687 | 00138 | C004 | 177190039500 | D03 | 06/14/2003 | SEM | GL | | O | | 96 | | |
| | | 6391 | 50 | 120 | 23 | 147 | | 23 | 30.4 | | | | | |
| WD030 | 00687 | 00138 | C004D | 177190039500 | D04 | 06/14/2003 | SEM | GL | | O | | 96 | | |
| | | 3273 | 75 | 90 | 22 | 72 | | 66 | 18.2 | | | | | |
| WD030 | 00687 | 00138 | D010 | 177194054100 | D01 | 06/10/2003 | SEM | GL | | O | | 96 | | |
| | | 1470 | 90.05 | 170 | 83 | 122 | | 751 | 23.9 | | | | | |
| WD030 | 00687 | 00138 | E003Q | 177190040500 | Q04 | 06/19/2003 | SEM | GL | | O | | 22 | | |
| | | 1486 | 89.94 | 420 | 35 | 52 | | 313 | 17.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00687 | 00138 | E003T | 177190040500 | Q03 | 06/19/2003 | SEM | GL | | O | | 12 | | |
| | | 4125 | 0 | 660 | 16 | 66 | | 0 | 19.9 | | | | | |
| WD030 | 00687 | 00138 | E008 | 177190041001 | D03 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | | 4313 | 90.06 | 100 | 16 | 69 | | 145 | 22 | | | | | |
| WD030 | 00687 | 00138 | E008D | 177190041001 | D04 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | | 8000 | 0 | 80 | 1 | 8 | | 0 | 22 | | | | | |
| WD030 | 00687 | 00138 | H001 | 177192005501 | S01 | 06/14/2003 | SEM | GL | | O | | 64 | | |
| | | 385 | 15.22 | 90 | 39 | 15 | | 7 | 23.7 | | | | | |
| WD030 | 00687 | 00138 | H011 | 177192013101 | D05 | 06/15/2003 | SEM | GL | | O | | 64 | | |
| | | 1750 | 44.44 | 100 | 20 | 35 | | 16 | 22.3 | | | | | |
| WD030 | 00687 | 00138 | H015 | 177194059800 | D01 | 06/16/2003 | SEM | GL | | O | | 64 | | |
| | | 1669 | 75 | 150 | 124 | 207 | | 372 | 28 | | | | | |
| WD030 | 00687 | 00138 | H015D | 177194059800 | D02 | 06/16/2003 | SEM | GL | | O | | 64 | | |
| | | 3114 | 89.97 | 120 | 35 | 109 | | 314 | 31.5 | | | | | |
| WD030 | 00687 | 00138 | H016 | 177194060000 | D01 | 06/19/2003 | SEM | GL | | O | | 64 | | |
| | | 2222 | 90.06 | 120 | 18 | 40 | | 163 | 25.2 | | | | | |
| WD058 | 01770 | 00146 | C004 | 177194059200 | S02 | 06/29/2003 | SEM | FL | | G | 24 | 14 | | |
| | 5650 | 11448 | | 5180 | 223 | 2553 | | 1250 | 48.4 | | | | 130 | N |
| WD058 | 01834 | 00146 | E001 | 177194068600 | S03 | 06/21/2003 | SEM | FL | | G | | 11 | | |
| | 3650 | 29881 | 0 | 3475 | 134 | 4004 | | 0 | 47 | | | | | |
| WD058 | 01834 | 00146 | E002 | 177194068801 | S03 | 05/04/2003 | SEM | FL | | G | | 9 | | |
| | 1650 | 461000 | 99 | 650 | 1 | 461 | | 2840 | 50.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD058 | 01834 | 00146 | E003 | 177194069401 | D04 | 05/04/2003 | SEM | FL | | G | | 10 | | |
| | 1900 | 22000 | 95.39 | 300 | 56 | 1232 | | 1159 | 50.7 | | | | | |
| WD058 | 01834 | 00146 | E003D | 177194069401 | D02 | 06/23/2003 | SEM | FL | | G | | 10 | | |
| | 2850 | 55588 | 0 | 2550 | 17 | 945 | | 0 | 46.9 | | | | | |
| ST021 | 00145 | 00165 | D012 | 177154046501 | S01 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | 1000 | 4000 | 98.29 | 125 | 46 | 184 | | 2648 | 32.2 | | | | | |
| ST021 | 00145 | 00165 | D014 | 177154042501 | S04 | 05/18/2003 | SEM | FL | | O | | 22 | | |
| | 1150 | 228 | 75.18 | 500 | 145 | 33 | | 438 | 33 | | | | | |
| ST021 | 00145 | 00165 | D016 | 177154052501 | S01 | 05/20/2003 | SEM | FL | | G | | 18 | | |
| | 1800 | 2322 | 80.2 | 1050 | 180 | 418 | | 729 | 33.1 | | | | | |
| ST021 | 00145 | 00165 | D017 | 177154050001 | S02 | 05/18/2003 | SEM | FL | | G | | 14 | | |
| | 580 | 942 | 77.15 | 390 | 52 | 49 | | 176 | 33 | | | | | |
| ST021 | 00145 | 00165 | F003 | 177154066200 | S04 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | 850 | 424 | 71.18 | 325 | 144 | 61 | | 355 | 32.5 | | | | | |
| GI043 | 00114 | 00174 | J003 | 177170058001 | S01 | 05/16/2003 | SEM | GL | | O | | 192 | | |
| | 1100 | 95200 | 96.39 | 310 | 55 | 5236 | | 1468 | 26 | | | | | |
| GI043 | 01855 | 00174 | J005 | 177170058902 | S01 | 06/28/2003 | SEM | GL | | O | | 30 | | |
| | 1200 | 2833 | 63.99 | 460 | 233 | 660 | | 414 | 31.2 | | | | | |
| GI043 | 00114 | 00174 | J007 | 177174036800 | S03 | 06/28/2003 | SEM | FL | | G | | 20 | | |
| | 3450 | 24165 | 84.12 | 2540 | 176 | 4253 | | 932 | 42.2 | | | | | |
| GI043 | 00114 | 00175 | Q001 | 177170071500 | S06 | 06/25/2003 | SEM | GL | | G | | 28 | | |
| | 1000 | 11964 | 92.42 | 420 | 55 | 658 | | 673 | 48.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI047 | 00114 | 00177 | L008 | 177174019501 | S01 | 06/28/2003 | SEM | FL | | O | | 16 | | |
| | 5200 | 2414 | 29.22 | 3900 | 2073 | 5005 | | 856 | 31 | | | | | |
| GI047 | 00114 | 00177 | L010 | 177174043901 | S02 | 06/28/2003 | SEM | FL | | O | | 23 | | |
| | 6300 | 2611 | 43.97 | 4600 | 2308 | 6027 | | 1811 | 30.8 | | | | | |
| GI043 | 00114 | 00182 | D001 | 177190063300 | D01 | 05/17/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 556 | 95.57 | 380 | 9 | 5 | | 194 | 26.7 | | | | | |
| GI043 | 00114 | 00182 | D001D | 177190063300 | D03 | 05/17/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 250 | 95.53 | 380 | 24 | 6 | | 513 | 29.4 | | | | | |
| GI043 | 00114 | 00182 | D005 | 177190063600 | S02 | 05/19/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 130 | 89.02 | 443 | 77 | 10 | | 624 | 22.5 | | | | | |
| GI043 | 00114 | 00182 | D008 | 177190063900 | S03 | 05/07/2003 | SEM | FL | | O | | 108 | | |
| | 1200 | 9999999 | 99 | 410 | 0 | 817 | | 0 | 0 | | | | | |
| GI043 | 00114 | 00182 | D009 | 177190064000 | D01 | 05/12/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 0 | 95.4 | 425 | 60 | 0 | | 1245 | 25.7 | | | | | |
| GI043 | 00114 | 00182 | D011 | 177194036800 | D01 | 05/18/2003 | SEM | GL | | O | | 28 | | |
| | 1200 | 842 | 77.8 | 411 | 101 | 85 | | 354 | 30.3 | | | | | |
| GI043 | 00114 | 00182 | D011D | 177194036800 | D02 | 05/18/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 286 | 81.61 | 432 | 105 | 30 | | 466 | 25.4 | | | | | |
| GI043 | 00114 | 00182 | D012 | 177194037200 | S01 | 05/09/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 851 | 87.11 | 375 | 87 | 74 | | 588 | 27.2 | | | | | |
| GI043 | 00114 | 00182 | D013 | 177194057000 | D01 | 05/26/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 972 | 85.2 | 400 | 107 | 104 | | 615 | 32.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00114 | 00182 | D013D | 177194057000 | D02 | 05/26/2003 | SEM | GL | | O | | 108 | | |
| | 12003 | 7 | 67.09 | 390 | 145 | 1 | | 296 | 27.9 | | | | | |
| GI043 | 00114 | 00182 | D014 | 177194057200 | S01 | 05/09/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 4586 | 90.93 | 480 | 128 | 587 | | 1283 | 32.2 | | | | | |
| GI043 | 00114 | 00182 | E001 | 177190108201 | S02 | 06/19/2003 | SEM | FL | | G | | 22 | | |
| | 1300 | 996 | 36.21 | 940 | 458 | 456 | | 260 | 34 | | | | | |
| GI043 | 00114 | 00182 | E002 | 177190067800 | D03 | 06/13/2003 | SEM | GL | | O | | 80 | | |
| | 1000 | 220 | 81.35 | 405 | 41 | 9 | | 178 | 25.8 | | | | | |
| GI043 | 01855 | 00182 | H004 | 177194002601 | D01 | 06/10/2003 | SEM | GL | | O | | 80 | | |
| | 1080 | 6831 | 56.49 | 450 | 83 | 567 | | 108 | 26.5 | | | | | |
| GI043 | 01855 | 00182 | H004D | 177194002601 | D02 | 06/10/2003 | SEM | GL | | O | | 80 | | |
| | 1080 | 2700 | 90.95 | 440 | 40 | 108 | | 402 | 28.8 | | | | | |
| GI043 | 00114 | 00182 | H005 | 177190095303 | D03 | 06/28/2003 | SEM | FL | | O | | 14 | | |
| | 3400 | 926 | 1.18 | 800 | 419 | 388 | | 5 | 30.6 | | | | | |
| GI043 | 00114 | 00182 | H005D | 177190095303 | D02 | 06/28/2003 | SEM | GL | | G | | 26 | | |
| | 1200 | 962 | 72.12 | 550 | 208 | 200 | | 538 | 33.3 | | | | | |
| GI043 | 00114 | 00182 | H007D | 177190102000 | D04 | 05/13/2003 | SEM | GL | | O | | 80 | | |
| | 1060 | 7000 | 97.3 | 430 | 1 | 7 | | 36 | 25.8 | | | | | |
| GI043 | 00114 | 00182 | H008 | 177190105600 | D04 | 06/29/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 495 | 83.56 | 440 | 95 | 47 | | 482 | 26.9 | | | | | |
| GI043 | 00114 | 00182 | H008D | 177190105600 | D05 | 06/29/2003 | SEM | GL | | O | | 80 | | |
| | 1250 | 633 | 90.94 | 440 | 49 | 31 | | 492 | 25.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00114 | 00182 | H013 | 177190115301 | D01 | 06/05/2003 | SEM | GL | | O | | 80 | | |
| | 1150 | 421 | 85.45 | 520 | 38 | 16 | | 222 | 27.8 | | | | | |
| GI043 | 00114 | 00182 | H013 | 177190115301 | D01 | 06/26/2003 | SEM | FL | | O | | 16 | | |
| | 2300 | 44478 | 94.68 | 1800 | 23 | 1023 | | 406 | 25.8 | | | | | |
| GI043 | 00114 | 00182 | H013D | 177190115301 | D02 | 06/05/2003 | SEM | GL | | O | | 80 | | |
| | 1100 | 223 | 85.24 | 440 | 94 | 21 | | 544 | 25.8 | | | | | |
| GI043 | 00114 | 00182 | I006 | 177190095101 | S01 | 06/26/2003 | SEM | FL | | G | | 26 | | |
| | 3040 | 79701 | 1.38 | 3120 | 144 | 11477 | | 2 | 51.9 | | | | | |
| GI043 | 00114 | 00182 | I010 | 177190105701 | S01 | 06/29/2003 | SEM | FL | | O | | 24 | | |
| | 1230 | 1269 | 51.48 | 805 | 442 | 561 | | 469 | 28.8 | | | | | |
| GI043 | 00114 | 00182 | I012 | 177194010702 | S01 | 06/27/2003 | SEM | FL | | O | | 18 | | |
| | 2850 | 1593 | .11 | 2180 | 934 | 1488 | | 1 | 28.7 | | | | | |
| GI043 | 00114 | 00182 | I013 | 177194038400 | D02 | 06/29/2003 | SEM | GL | | O | | 50 | | |
| | 1140 | 1326 | 32.81 | 430 | 129 | 171 | | 63 | 25.2 | | | | | |
| GI043 | 00114 | 00182 | I014 | 177194061100 | D01 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | 1160 | 145 | 88.84 | 380 | 55 | 8 | | 438 | 48.9 | | | | | |
| GI043 | 00114 | 00182 | I014D | 177194061100 | D02 | 04/26/2003 | SEM | GL | | O | | 64 | | |
| | 1160 | 47000 | 94.12 | 405 | 1 | 47 | | 16 | 56.5 | | | | | |
| GI043 | 00114 | 00182 | I015 | 177194061300 | S01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | 1140 | 1592 | 2.35 | 410 | 125 | 199 | | 3 | 51.6 | | | | | |
| GI043 | 00114 | 00182 | I017 | 177194064600 | D01 | 06/26/2003 | SEM | GL | | G | | 38 | | |
| | 1085 | 2152 | 81.67 | 420 | 112 | 241 | | 499 | 31.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00114 | 00182 | L005 | 177190115500 | S03 | 06/06/2003 | SEM | GL | | O | | 108 | | |
| | 1200 | 0 | 91.84 | 400 | 5 | 0 | | 54 | 34.7 | | | | | |
| GI043 | 00114 | 00182 | Z002 | 177194018500 | S03 | 06/26/2003 | SEM | FL | | O | | 52 | | |
| | 1000 | 9999999 | 0 | 450 | 0 | 2152 | | 0 | 0 | | | | | |
| GI043 | 00114 | 00182 | DD002 | 177194056700 | D01 | 04/01/2003 | SEM | FL | | G | | 64 | | |
| | 2000 | 9999999 | 99 | 760 | 0 | 747 | | 1122 | 0 | | | | | |
| GI043 | 00114 | 00182 | DD005 | 177194062800 | D02 | 04/01/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 9999999 | 99 | 480 | 0 | 527 | | 234 | 0 | | | | | |
| GI043 | 00114 | 00182 | DD005D | 177194062800 | D03 | 04/01/2003 | SEM | FL | | G | | 64 | | |
| | 950 | 9999999 | 99 | 475 | 0 | 202 | | 24 | 0 | | | | | |
| EC071 | 02594 | 00184 | C004 | 177034046000 | S01 | 06/22/2003 | SEM | FL | | G | | 15 | | |
| | 1400 | 9999999 | 99 | 710 | 0 | 334 | | 131 | | | | | | |
| WC192 | 02522 | 00190 | A001 | 177000021000 | S05 | 06/17/2003 | SEM | FL | | G | | 26 | | |
| | 600 | 142714 | 6.67 | 1450 | 14 | 1998 | | 1 | 44 | | | | | |
| WC192 | 02522 | 00190 | A011D | 177004094800 | D03 | 06/09/2003 | SEM | FL | | G | | 18 | | |
| | 600 | 228067 | 84.38 | 1650 | 15 | 3421 | | 81 | 44 | | | | | |
| WC192 | 02522 | 00190 | B007 | 177004030100 | S01 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 420 | 9999999 | 0 | 110 | 0 | 507 | | 0 | | | | | | |
| WC192 | 02522 | 00190 | B008 | 177004089400 | S01 | 06/04/2003 | SEM | FL | | G | | 16 | | |
| | 500 | 124559 | 0 | 1900 | 34 | 4235 | | 0 | 44 | | | | | |
| WC192 | 02522 | 00190 | B009D | 177004092300 | D02 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1200 | 9999999 | 99 | 95 | 0 | 200 | | 152 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC192 | 02522 | 00191 | B004 | 177000022201 | S02 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 510 | 439000 | 99 | 90 | 1 | 439 | | 118 | 44 | | | | | |
| WC192 | 02522 | 00191 | B011 | 177004111100 | S01 | 06/06/2003 | SEM | FL | | G | | 12 | | |
| | 2050 | 9999999 | 99 | 4500 | 0 | 2539 | | 379 | | | | | | |
| EI032 | 00003 | 00196 | 010 | 177090072400 | S01 | 06/27/2003 | SEM | GL | | O | 24 | 41 | | |
| | | 4373 | | 210 | 67 | 293 | | 516 | 25.3 | | | | | N |
| EI032 | 00003 | 00196 | 020 | 177092019100 | S04 | 06/07/2003 | SEM | GL | | O | 24 | 48 | | |
| | | 11294 | | 180 | 51 | 576 | | 146 | 38.2 | | | | | N |
| EI032 | 00003 | 00196 | 022 | 177094014800 | S05 | 05/21/2003 | SEM | GL | | O | 24 | 48 | | |
| | | 5368 | | 100 | 19 | 102 | | 0 | 37.4 | | | | | N |
| EI032 | 00003 | 00196 | 024 | 177094032800 | S06 | 06/06/2003 | SEM | FL | | G | 24 | 13 | | |
| | 1350 | 1983 | | 850 | 358 | 710 | | 465 | 35 | | | | 885 | N |
| EI032 | 00003 | 00196 | 026 | 177094097200 | S03 | 10/06/2003 | POT | FL | | O | 18 | 9 | | |
| | | 1389 | 1.92 | 1500 | 306 | 425 | | 6 | 38.8 | .65 | | | | N |
| EI032 | 00003 | 00196 | 031 | 177094126501 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 2646 | | 150 | 48 | 127 | | 156 | 32.2 | | | | | N |
| EI032 | 00003 | 00196 | 033 | 177094136900 | D01 | 05/31/2003 | SEM | FL | | G | 24 | 43 | | |
| | 680 | 9999999 | | 220 | 0 | 2066 | | 9 | | | | | 884 | N |
| EI032 | 00003 | 00196 | 033D | 177094136900 | D02 | 05/17/2003 | SEM | GL | | O | 24 | 14 | | |
| | | 275273 | | 1850 | 11 | 3028 | | 20 | 47.7 | | | | | N |
| EI032 | 00003 | 00196 | A003 | 177090053000 | S05 | 06/14/2003 | SEM | FL | | G | 24 | 14 | | |
| | 1520 | 1833 | | 150 | 215 | 394 | | 187 | 38.5 | | | | 887 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI032 | 00003 | 00196 | F001 | 177090054200 | S02 | 05/31/2003 | SEM | FL | | O | 24 | | | |
| | | 24000 | | 100 | 7 | 168 | | 60 | 39.2 | | | | | N |
| VR039 | 00003 | 00204 | K005 | 177054090100 | S03 | 05/16/2003 | SEM | FL | | O | 24 | 128 | | |
| | | 123545 | | 90 | 11 | 1359 | | 0 | 47 | | | | | N |
| VR039 | 00003 | 00204 | M004 | 177054089801 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 128 | | |
| | 1080 | 864000 | | 75 | 1 | 864 | | 4 | 47.9 | | | | 65 | N |
| VR039 | 00003 | 00205 | 005 | 177054012701 | S03 | 03/16/2003 | POT | FL | | G | 21 | 17 | | |
| | 1586 | 58547 | 7.03 | 1500 | 53 | 3103 | | 4 | 52.9 | .615 | | | | N |
| VR039 | 00003 | 00205 | 005 | 177054012701 | S03 | 03/17/2003 | COM | FL | | G | 24 | 17 | | |
| | | 9999999 | 100 | 1500 | 0 | 3 | | 22 | | | | | | N |
| VR039 | 00003 | 00205 | 009 | 177054032802 | S01 | 06/09/2003 | SEM | FL | | O | 24 | 128 | | |
| | | 930 | | 155 | 384 | 357 | | 312 | 36.9 | | | | | N |
| VR039 | 00003 | 00205 | 009 | 177054032802 | S01 | 07/07/2003 | POT | GL | | O | 24 | 128 | | |
| | | 1728 | 64.17 | 175 | 206 | 356 | | 369 | 39 | .63 | | | | N |
| VR039 | 00003 | 00205 | E005 | 177054019700 | S05 | 06/29/2003 | SEM | FL | | G | 24 | | | |
| | 900 | 9999999 | | 125 | 0 | 1424 | | 10 | | | | | 810 | N |
| VR039 | 00003 | 00205 | N005 | 177054102800 | S01 | 06/09/2003 | SEM | FL | | G | 24 | | | |
| | 780 | 842500 | | 290 | 2 | 1685 | | 0 | 46.3 | | | | 134 | N |
| VR039 | 00003 | 00206 | I002 | 177054070300 | S01 | 05/16/2003 | SEM | FL | | G | 24 | 128 | | |
| | 1570 | 1156667 | | 230 | 3 | 3470 | | 494 | 45 | | | | 120 | N |
| WC071 | 02481 | 00244 | 015F | 177004023600 | S06 | 05/15/2003 | SEM | FL | | G | | 24 | | |
| | 1600 | 9999999 | 0 | 1240 | 0 | 6630 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC071 | 02481 | 00244 | 029F | 177004072100 | S05 | 06/03/2003 | SEM | FL | | G | | 21 | | |
| | | 9999999 | 99 | 0 | 0 | 654 | | 333 | 0 | | | | | |
| WC071 | 02481 | 00244 | F001 | 177004102400 | S04 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 2625 | 277 | 0 | 1554 | 249 | 69 | | 0 | 0 | | | | | |
| WC071 | 02481 | 00247 | 002 | 177002009300 | S01 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 93348 | 32.35 | 150 | 23 | 2147 | | 11 | 40 | | | | | |
| WC071 | 02481 | 00247 | 024 | 177004062500 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 103120 | 30.56 | 150 | 25 | 2578 | | 11 | 40 | | | | | |
| WC071 | 02316 | 00247 | H001 | 177004103400 | S02 | 06/13/2003 | SEM | FL | | G | | 28 | | |
| | 1800 | 103571 | 99 | 780 | 7 | 725 | | 1650 | 40 | | | | | |
| WC149 | 00236 | 00251 | 006 | 177004090300 | S06 | 10/15/2003 | POT | FL | | G | 24 | 10 | | |
| | 2237 | 9999999 | 0 | 2100 | 0 | 945 | | 0 | 46.3 | .6 | | | | N |
| WC149 | 00236 | 00253 | 004B | 177004091000 | S03 | 05/30/2003 | SEM | FL | | G | | 13 | | |
| | 1110 | 9999999 | 99 | 720 | 0 | 672 | | 290 | | | | | | |
| WC149 | 00236 | 00253 | A005 | 177000017600 | T04 | 06/17/2003 | SEM | FL | | G | | 25 | | |
| | 1225 | 9999999 | 0 | 620 | 0 | 1769 | | 0 | | | | | | |
| WC149 | 00236 | 00254 | 008 | 177004113200 | S01 | 06/17/2003 | SEM | FL | | G | | 40 | | |
| | 580 | 9999999 | 0 | 200 | 0 | 743 | | 0 | | | | | | |
| WC149 | 00236 | 00254 | F001B | 177004061500 | S03 | 06/06/2003 | SEM | FL | | G | | 26 | | |
| | 630 | 9999999 | 99 | 325 | 0 | 474 | | 20 | | | | | | |
| ST021 | 00145 | 00263 | 015 | 177150017000 | S02 | 05/23/2003 | SEM | GL | | G | | 999 | | |
| | 1180 | 94 | 66.42 | 260 | 159 | 15 | | 315 | 26.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST021 | 00145 | 00263 | 022 | 177150017701 | S02 | 02/03/2003 | POT | GL | | G | 4 | 26 | | |
| | 1100 | 9999999 | 99.96 | 310 | 0 | 40 | | 276 | | .6 | | | N | |
| ST021 | 00145 | 00263 | 022 | 177150017701 | S02 | 05/21/2003 | SEM | GL | | G | | 26 | | |
| | 1160 | 9000 | 95.17 | 300 | 14 | 126 | | 268 | 36.2 | | | | | |
| ST021 | 00145 | 00263 | 037 | 177150019201 | S02 | 05/19/2003 | SEM | GL | | O | | 26 | | |
| | 1200 | 286 | 97.09 | 600 | 21 | 6 | | 690 | 32.2 | | | | | |
| ST021 | 00145 | 00263 | 048 | 177150028901 | S01 | 05/21/2003 | SEM | FL | | O | | 21 | | |
| | 1400 | 1406 | 80.16 | 950 | 175 | 246 | | 705 | 29.7 | | | | | |
| ST021 | 00145 | 00263 | 067 | 177150055300 | S03 | 05/23/2003 | SEM | GL | | O | | 999 | | |
| | 1180 | 2247 | 93.41 | 230 | 77 | 173 | | 1092 | 29 | | | | | |
| ST021 | 00145 | 00263 | 071D | 177150059100 | S04 | 05/18/2003 | SEM | GL | | O | | 999 | | |
| | 1050 | 3940 | 93.27 | 260 | 84 | 331 | | 1162 | 35 | | | | | |
| ST021 | 00145 | 00263 | 072 | 177150060201 | S01 | 05/18/2003 | SEM | GL | | O | | 999 | | |
| | 1180 | 3048 | 2.41 | 220 | 126 | 384 | | 3 | 33.2 | | | | | |
| ST021 | 00145 | 00263 | 075 | 177150063001 | S02 | 05/20/2003 | SEM | FL | | O | | 64 | | |
| | 1325 | 1395 | 16.41 | 270 | 157 | 219 | | 31 | 35.8 | | | | | |
| ST021 | 00145 | 00263 | 081 | 177150072100 | D01 | 05/16/2003 | SEM | FL | | O | | 999 | | |
| | 800 | 607 | 87.67 | 250 | 107 | 65 | | 762 | 31.3 | | | | | |
| ST021 | 00145 | 00263 | 082 | 177150085700 | S03 | 04/29/2003 | SEM | FL | | G | | 64 | | |
| | 255 | 9999999 | 0 | 220 | 0 | 40 | | 0 | 33 | | | | | |
| ST021 | 00145 | 00263 | 088 | 177150074601 | S02 | 05/20/2003 | SEM | GL | | O | | 999 | | |
| | 1180 | 3923 | 96.54 | 265 | 39 | 153 | | 1078 | 34.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST021 | 00145 | 00263 | 098 | 177150085802 | S01 | 05/20/2003 | SEM | GL | | O | | 999 | | |
| | 1350 | 1534 | 81.56 | 450 | 189 | 290 | | 834 | 33 | | | | | |
| ST021 | 00145 | 00263 | 101 | 177150098701 | S01 | 05/23/2003 | SEM | GL | | O | | 999 | | |
| | 1170 | 1674 | 87.36 | 230 | 178 | 298 | | 1230 | 31.9 | | | | | |
| ST021 | 00145 | 00263 | 109 | 177152009900 | S01 | 05/21/2003 | SEM | GL | | O | | 999 | | |
| | 1180 | 3159 | 86.34 | 270 | 113 | 357 | | 712 | 34.2 | | | | | |
| ST021 | 00145 | 00263 | 114 | 177154017600 | S02 | 05/24/2003 | SEM | FL | | G | | 34 | | |
| | 1700 | 2918 | 73.19 | 680 | 390 | 1138 | | 1065 | 32.8 | | | | | |
| ST021 | 00145 | 00263 | 115 | 177154018202 | S01 | 05/23/2003 | SEM | GL | | G | | 999 | | |
| | 790 | 40500 | 0 | 100 | 2 | 81 | | 0 | 33 | | | | | |
| ST021 | 00145 | 00263 | 116 | 177150029201 | S04 | 05/18/2003 | SEM | GL | | O | | 999 | | |
| | 1240 | 3847 | 95.36 | 280 | 59 | 227 | | 1218 | 32.6 | | | | | |
| ST021 | 00145 | 00263 | 122 | 177154057300 | S01 | 05/16/2003 | SEM | GL | | O | | 999 | | |
| | 1100 | 1420 | 89.4 | 300 | 212 | 301 | | 1790 | 27.7 | | | | | |
| ST021 | 00145 | 00263 | 124 | 177154070900 | S01 | 05/26/2003 | SEM | GL | | O | | 74 | | |
| | 1200 | 3020 | 5.65 | 170 | 150 | 453 | | 9 | 33 | | | | | |
| ST021 | 00145 | 00263 | 125 | 177154098700 | S04 | 07/11/2003 | POT | FL | | O | 8 | 6 | | |
| | | 14257 | 0 | 5400 | 35 | 499 | | 0 | 32 | .65 | | | | N |
| ST021 | 00145 | 00263 | D001 | 177150015200 | S04 | 05/26/2003 | SEM | GL | | G | | 48 | | |
| | 1200 | 9999999 | 99 | 290 | 0 | 676 | | 672 | 39 | | | | | |
| ST021 | 00145 | 00263 | D002 | 177150015302 | S02 | 05/21/2003 | SEM | GL | | G | | 64 | | |
| | 1000 | 136 | 2.95 | 120 | 66 | 9 | | 2 | 24.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST021 | 00145 | 00263 | D003 | 177150015403 | S01 | 05/27/2003 | SEM | FL | | O | | 13 | | |
| | 1050 | 682 | .05 | 1040 | 619 | 422 | | 0 | 31.5 | | | | | |
| ST021 | 00145 | 00263 | GA056 | 177150029501 | S01 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 1190 | 1277 | 25.73 | 280 | 130 | 166 | | 45 | 33 | | | | | |
| ST021 | 00145 | 00263 | GA126 | 177154108900 | S01 | 05/19/2003 | SEM | FL | | O | | 24 | | |
| | 1900 | 5312 | 25.6 | 825 | 385 | 2045 | | 133 | 28.2 | | | | | |
| VR014 | 00003 | 00297 | 016 | 177050026300 | S03 | 05/22/2003 | SEM | FL | | G | 24 | 20 | | |
| | 940 | 9999999 | | 545 | 0 | 1544 | | 2 | | | | | 95 | N |
| VR014 | 00003 | 00297 | 033 | 177054036700 | S04 | 06/07/2003 | SEM | FL | | G | 24 | 13 | | |
| | 2730 | 9999999 | | 2300 | 0 | 1126 | | 51 | | | | | 1010 | N |
| VR014 | 00003 | 00297 | 052 | 177054096600 | S02 | 06/05/2003 | SEM | FL | | G | 24 | 30 | | |
| | 3810 | 57167 | | 1168 | 12 | 686 | | 1441 | 38.5 | | | | 1000 | N |
| VR014 | 00003 | 00297 | B001 | 177050003500 | S04 | 06/06/2003 | POT | FL | | G | 24 | 26 | | |
| | 1500 | 9999999 | 100 | 1000 | 0 | 3299 | | 1 | 54.9 | .61 | | | | N |
| VR014 | 00003 | 00297 | B004 | 177050002900 | S04 | 06/27/2003 | SEM | FL | | G | 24 | | | |
| | 1254 | 9999999 | | 180 | 0 | 1099 | | 18 | | | | | 110 | N |
| VR014 | 00003 | 00297 | G001 | 177054033900 | S03 | 06/06/2003 | SEM | FL | | G | 24 | 18 | | |
| | 5062 | 53400 | | 4734 | 25 | 1335 | | 1535 | 48 | | | | 1000 | N |
| VR014 | 00003 | 00297 | H002 | 177054083900 | S03 | 05/26/2003 | SEM | FL | | G | 24 | | | |
| | 1264 | 9999999 | | 180 | 0 | 1819 | | 0 | | | | | 110 | N |
| VR014 | 00003 | 00297 | H003 | 177054083800 | S01 | 05/27/2003 | SEM | FL | | G | 24 | 36 | | |
| | 1500 | 9999999 | | 650 | 0 | 1200 | | 1236 | | | | | 110 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR014 | 00003 | 00297 | J001 | 177054113900 | S01 | 06/27/2003 | SEM | FL | | G | 24 | | | |
| | 1080 | 9999999 | | 170 | 0 | 3236 | | 13 | | | | 100 | N | |
| WC045 | 01834 | 00299 | 020 | 177004113501 | S01 | 06/21/2003 | SEM | FL | | G | | 30 | | |
| | 9785 | 280114 | 18.56 | 8969 | 79 | 22129 | | 18 | 44.5 | | | | | |
| WC045 | 01834 | 00299 | A001 | 177000002702 | S06 | 05/04/2003 | SEM | FL | | G | | 16 | | |
| | 1800 | 692 | 59.26 | 745 | 198 | 137 | | 288 | 38.6 | | | | | |
| WC045 | 01834 | 00300 | C001 | 177004100100 | S03 | 05/19/2003 | SEM | FL | | G | | 30 | | |
| | 740 | 239200 | 0 | 680 | 10 | 2392 | | 0 | 57.3 | | | | | |
| WC045 | 01834 | 00301 | 015 | 177004097300 | S02 | 06/05/2003 | SEM | FL | | G | | 15 | | |
| | 2000 | 85000 | 99 | 1900 | 3 | 255 | | 1172 | 47.3 | | | | | |
| WC045 | 01834 | 00301 | 016 | 177004108700 | S02 | 05/10/2003 | SEM | FL | | O | | 13 | | |
| | 1800 | 715 | 36.89 | 750 | 337 | 241 | | 197 | 37.2 | | | | | |
| WC045 | 01834 | 00301 | A011 | 177000037600 | S06 | 05/31/2003 | SEM | GL | | O | | 48 | | |
| | 975 | 3257 | 94.41 | 300 | 35 | 114 | | 591 | 36.5 | | | | | |
| TS000 | 00981 | 00310 | 007 | 177070005600 | S04 | 04/10/2003 | SEM | FL | | | 24 | 128 | | |
| | 700 | 9999999 | | 162 | 0 | 2015 | | 0 | | | | 162 | N | |
| TS000 | 00981 | 00310 | 036 | 177070008500 | S03 | 04/04/2003 | SEM | FL | | | 24 | 128 | | |
| | 1153 | 9999999 | | 416 | 0 | 1147 | | 0 | | | | 416 | N | |
| TS000 | 00981 | 00310 | 051D | 177070039300 | D02 | 04/05/2003 | SEM | FL | | | 24 | 128 | | |
| | 175 | 9999999 | | 96 | 0 | 592 | | 0 | | | | 96 | N | |
| TS000 | 00981 | 00310 | 053 | 177070038900 | S03 | 04/10/2003 | SEM | FL | | | 24 | 24 | | |
| | 1312 | 9999999 | | 539 | 0 | 707 | | 366 | | | | 424 | N | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| TS000 | 00981 | 00310 | 072 | 177072006900 | S02 | 04/03/2003 | SEM | GL | | | 24 | 128 | | |
| | 1053 | 367 | | 131 | 30 | 11 | | 1487 | | | | | 131 | N |
| TS000 | 00981 | 00310 | 072 | 177072006900 | S03 | 08/07/2003 | POT | FL | | O | 4 | 20 | | |
| | 1940 | 1883 | 69.93 | 780 | 163 | 307 | | 379 | 36.1 | .6 | | | | N |
| TS000 | 00981 | 00310 | 076 | 177074014000 | S02 | 04/06/2003 | SEM | GL | | | 24 | 128 | | |
| | 1107 | 351 | | 447 | 373 | 131 | | 1592 | | | | | 447 | N |
| TS000 | 00981 | 00310 | 086 | 177074028400 | S02 | 04/10/2003 | SEM | FL | | | 24 | 96 | | |
| | 400 | 9999999 | | 201 | 0 | 2753 | | 0 | | | | | 201 | N |
| TS000 | 00981 | 00310 | 094 | 177074039600 | S04 | 04/04/2003 | SEM | FL | | | 24 | 128 | | |
| | 1675 | 9999999 | | 456 | 0 | 1986 | | 18 | | | | | 456 | N |
| SM236 | 00981 | 00310 | 106 | 177074042500 | S01 | 03/26/2003 | SEM | GL | | | 24 | 128 | | |
| | 1091 | 855 | | 245 | 76 | 65 | | 683 | 31.4 | | | | 245 | N |
| TS000 | 00981 | 00310 | 114 | 177074044800 | S03 | 04/04/2003 | SEM | FL | | | 24 | 40 | | |
| | 660 | 9999999 | | 2376 | 0 | 2264 | | 14 | | | | | 276 | N |
| VR050 | 00981 | 00310 | 122 | 177074047300 | S02 | 03/27/2003 | SEM | FL | | | 24 | 128 | | |
| | 1619 | 9999999 | | 988 | 0 | 4505 | | 200 | | | | | 988 | N |
| SM236 | 00981 | 00310 | 139 | 177074053801 | S03 | 04/04/2003 | SEM | FL | | | 24 | 64 | | |
| | 1875 | 9999999 | | 375 | 0 | 838 | | 507 | | | | | 244 | N |
| SM236 | 00981 | 00310 | 144 | 177074058600 | S02 | 04/03/2003 | SEM | GL | | | 24 | 64 | | |
| | 993 | 905 | | 191 | 63 | 57 | | 843 | 36.4 | | | | 188 | N |
| SM239 | 00981 | 00310 | 151 | 177074066202 | S02 | 04/01/2003 | SEM | FL | | | 24 | 10 | | |
| | 2767 | 9999999 | | 1029 | 0 | 616 | | 0 | | | | | 1000 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM241 | 00981 | 00310 | 153 | 177074061100 | S03 | 04/16/2003 | SEM | GL | | | 24 | 128 | | |
| | 957 | 851 | | 255 | 74 | 63 | | 110 | 37.5 | | | 247 | N | |
| SM236 | 00981 | 00310 | 160 | 177074058700 | S01 | 04/03/2003 | SEM | GL | | | 24 | 64 | | |
| | 969 | 781 | | 341 | 233 | 182 | | 1225 | 32.8 | | | 341 | N | |
| SM236 | 00981 | 00310 | 165 | 177074068101 | S01 | 03/24/2003 | SEM | GL | | | 24 | 64 | | |
| | 962 | 759 | | 293 | 232 | 176 | | 379 | 31 | | | 313 | N | |
| SM239 | 00981 | 00310 | 170 | 177074062600 | S01 | 04/05/2003 | SEM | FL | | | 24 | 128 | | |
| | 1515 | 1136 | | 427 | 301 | 342 | | 1067 | 35.9 | | | 425 | N | |
| SM239 | 00981 | 00310 | 171 | 177074063700 | S01 | 04/06/2003 | SEM | GL | | O | | 96 | | |
| | 1433 | 739 | 89.95 | 526 | 88 | 65 | | 788 | 35 | | | | | |
| SM236 | 00981 | 00310 | 177 | 177074069500 | S01 | 03/26/2003 | SEM | FL | | | 24 | 64 | | |
| | 710 | 9999999 | | 321 | 0 | 2300 | | 0 | | | | 321 | N | |
| SM239 | 00981 | 00310 | 190 | 177074072800 | S01 | 06/13/2003 | SEM | FL | | G | | 48 | | |
| | 2950 | 20320 | 53.48 | 1125 | 147 | 2987 | | 169 | 49.6 | | | | | |
| SM241 | 00981 | 00310 | 191 | 177074073600 | S05 | 09/10/2003 | POT | FL | | G | 4 | 8 | | |
| | 3036 | 9999999 | 0 | 2561 | 0 | 833 | | 0 | | | .6 | | N | |
| SM239 | 00981 | 00310 | 193 | 177074074500 | S02 | 04/04/2003 | SEM | FL | | | 24 | 19 | | |
| | 2545 | 328313 | | 1939 | 16 | 5253 | | 37 | 49.1 | | | 1073 | N | |
| SM241 | 00981 | 00310 | 196 | 177074075800 | S01 | 03/13/2003 | SEM | GL | | | 24 | 96 | | |
| | 905 | 808 | | 252 | 214 | 173 | | 1125 | 36.8 | | | 246 | N | |
| SM241 | 00981 | 00310 | 203 | 177074078500 | S01 | 04/15/2003 | SEM | FL | | | 24 | 17 | | |
| | 6785 | 6473 | | 4622 | 292 | 1890 | | 1169 | 41.2 | | | 1044 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM236 | 00981 | 00310 | 206 | 177074079400 | S01 | 03/20/2003 | SEM | FL | | | 24 | 16 | | |
| | 2813 | 28120 | | 761 | 50 | 1406 | | 284 | 45 | | | | 449 | N |
| TS000 | 00981 | 00310 | 210 | 177074081301 | S03 | 04/10/2003 | SEM | FL | | | 24 | 20 | | |
| | 1624 | 26326 | | 1125 | 89 | 2343 | | 104 | 35 | | | | 425 | N |
| SM239 | 00981 | 00310 | 212 | 177074082100 | D01 | 04/04/2003 | SEM | FL | | | 24 | 18 | | |
| | 3850 | 256667 | | 1206 | 24 | 6160 | | 56 | 47.3 | | | | 1048 | N |
| SM239 | 00981 | 00310 | 212D | 177074082100 | D02 | 04/03/2003 | SEM | FL | | | 24 | 30 | | |
| | 2795 | 8613 | | 376 | 62 | 534 | | 115 | 37 | | | | 342 | N |
| SM236 | 00981 | 00310 | 213 | 177074082000 | S01 | 03/24/2003 | SEM | GL | | | 24 | 44 | | |
| | 1997 | 853 | | 275 | 190 | 162 | | 233 | 32 | | | | 275 | N |
| SM239 | 00981 | 00310 | 216 | 177074082500 | S01 | 04/23/2003 | SEM | GL | | | 24 | 64 | | |
| | 1250 | 9999999 | | 165 | 0 | 417 | | 351 | | | | | 160 | N |
| SM239 | 00981 | 00310 | 217 | 177074083000 | S01 | 04/05/2003 | SEM | FL | | G | | 25 | | |
| | 3226 | 9999999 | 0 | 979 | 0 | 634 | | 0 | 0 | | | | | |
| WILD | 00078 | 00310 | 218 | 177074083101 | S01 | 07/23/2003 | POT | FL | | G | 4 | 36 | | |
| | 13633 | 10675 | 5.26 | 11379 | 2160 | 23057 | | 120 | 46.7 | | .707 | | | N |
| SM241 | 00078 | 00310 | 302D | 177074042001 | D02 | 04/19/2003 | SEM | GL | | | 24 | 96 | | |
| | 943 | 783 | | 289 | 138 | 108 | | 207 | 36 | | | | 276 | N |
| SM236 | 00981 | 00310 | A003 | 177074040800 | S02 | 04/06/2003 | SEM | GL | | | 24 | 64 | | |
| | 1124 | 5000 | | 170 | 27 | 135 | | 868 | 43.3 | | | | 154 | N |
| SM236 | 00981 | 00310 | A009 | 177074044000 | S02 | 04/06/2003 | SEM | GL | | | 24 | 32 | | |
| | 926 | 10261 | | 212 | 23 | 236 | | 1128 | 39.7 | | | | 151 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM236 | 00981 | 00310 | C002 | 177074044901 | S01 | 04/05/2003 | SEM | GL | | | 24 | 36 | | |
| | 1050 | 543 | | 239 | 162 | 88 | | 608 | 32.3 | | | 207 | N | |
| SM236 | 00981 | 00310 | C004 | 177074046100 | S01 | 04/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 1020 | 806 | | 218 | 67 | 54 | | 772 | 30.9 | | | 218 | N | |
| SM236 | 00981 | 00310 | C005 | 177074045100 | S01 | 03/21/2003 | SEM | GL | | | 24 | 128 | | |
| | 1160 | 878 | | 236 | 147 | 129 | | 904 | 30.7 | | | 236 | N | |
| SM236 | 00981 | 00310 | C007 | 177074048500 | S02 | 03/26/2003 | SEM | GL | | | 24 | 36 | | |
| | 2065 | 1600 | | 240 | 50 | 80 | | 575 | 45 | | | 232 | N | |
| SM241 | 00981 | 00310 | E001 | 177074060900 | S02 | 04/03/2003 | SEM | FL | | | 24 | 128 | | |
| | 720 | 9999999 | | 187 | 0 | 1227 | | 59 | | | | 187 | N | |
| EI047 | 00560 | 00317 | 011F | 177094060000 | S04 | 05/31/2003 | SEM | FL | | G | | 16 | | |
| | 0 | 91943 | 1.41 | 2420 | 35 | 3218 | | 1 | 50.1 | | | | | |
| EI047 | 00560 | 00317 | 015 | 177094122200 | S01 | 05/31/2003 | SEM | FL | | G | | 23 | | |
| | 0 | 151500 | 98.58 | 1300 | 8 | 1212 | | 555 | 51 | | | | | |
| SS032 | 02219 | 00333 | 014D | 177114111900 | D02 | 01/05/2003 | SEM | FL | 0 | G | 7 | 23 | 0 | 0 |
| 0 | 2200 | 65455 | 91.9 | 250 | 11 | 720 | | 120 | 30 | 0 | | 65 | N | |
| SS032 | 02219 | 00335 | 018 | 177114035601 | S04 | 01/07/2003 | SEM | FL | 0 | G | 19 | 10 | 0 | 0 |
| 0 | 3400 | 60833 | 0 | 3250 | 30 | 1825 | | 0 | 51.8 | 0 | | 815 | N | |
| SS032 | 02219 | 00335 | 024 | 177114131701 | S01 | 01/04/2003 | SEM | FL | 0 | O | 24 | 24 | 0 | 0 |
| 0 | 0 | 387 | 50.3 | 560 | 584 | 226 | | 591 | 30 | 0 | | 0 | N | |
| SS028 | 01513 | 00346 | 040 | 177114137900 | S01 | 06/20/2003 | SEM | FL | | G | | 33 | | |
| | 3900 | 123154 | 5.8 | 3023 | 130 | 16010 | | 8 | 42.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS028 | 01513 | 00346 | 040 | 177114137900 | S01 | 07/16/2003 | POT | FL | | G | 24 | 33 | | |
| | 4118 | 115074 | 5.56 | 2978 | 136 | 15650 | | 8 | 53 | .58 | | | N | |
| SP027 | 02266 | 00353 | 065 | 177210037100 | S03 | 05/26/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 2438 | 98 | 175 | 16 | 39 | | 785 | 26.5 | | | | | |
| SP027 | 02266 | 00353 | 129 | 177210077300 | S04 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 0 | 283000 | 84.21 | 180 | 3 | 849 | | 16 | 56.8 | | | | | |
| SP027 | 02266 | 00353 | 131 | 177210078601 | D01 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 4045 | 95.34 | 150 | 22 | 89 | | 450 | 27.6 | | | | | |
| SP027 | 02266 | 00353 | 131D | 177210078601 | D02 | 06/08/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1692 | 92.66 | 150 | 52 | 88 | | 656 | 27.6 | | | | | |
| SP027 | 02266 | 00353 | 166 | 177210035401 | S03 | 06/01/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 3200 | 96.67 | 210 | 30 | 96 | | 872 | 28 | | | | | |
| SP027 | 02266 | 00353 | 214 | 177212022300 | S02 | 06/04/2003 | SEM | GL | | O | | 40 | | |
| | 0 | 2846 | 94.88 | 360 | 13 | 37 | | 241 | 29.3 | | | | | |
| SP027 | 02266 | 00353 | 227 | 177212023200 | S03 | 05/12/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 2712 | 96 | 200 | 52 | 141 | | 1249 | 28.6 | | | | | |
| SP027 | 02266 | 00353 | 261 | 177214009601 | S01 | 06/01/2003 | SEM | FL | | G | | 36 | | |
| | 0 | 427000 | 95.45 | 150 | 1 | 427 | | 21 | 27.4 | | | | | |
| SP027 | 02266 | 00353 | 267 | 177214009900 | S03 | 06/01/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 4333 | 25 | 150 | 21 | 91 | | 7 | 25.5 | | | | | |
| SP027 | 02266 | 00353 | 270 | 177214010200 | S02 | 05/18/2003 | SEM | GL | | O | | 44 | | |
| | 0 | 3708 | 87.1 | 150 | 24 | 89 | | 162 | 34.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00353 | 302 | 177214033600 | S03 | 05/25/2003 | SEM | GL | | O | | 14 | | |
| | 0 | 9999999 | 0 | 1090 | 0 | 1059 | | 0 | 35.7 | | | | | |
| WD030 | 00689 | 00367 | 021 | 177192011700 | S01 | 06/26/2003 | SEM | GL | | O | | 99 | | |
| | | 923 | 72 | 310 | 273 | 252 | | 702 | 32.8 | | | | | |
| WD030 | 00689 | 00367 | B007D | 177190032400 | D02 | 06/03/2003 | SEM | GL | | O | | 99 | | |
| | | 478 | 81.55 | 340 | 69 | 33 | | 305 | 32.8 | | | | | |
| WD030 | 00689 | 00367 | E001 | 177194021800 | S01 | 06/29/2003 | SEM | GL | | O | | 16 | | |
| | | 14500 | 94.29 | 350 | 2 | 29 | | 33 | 33.1 | | | | | |
| WD030 | 00689 | 00367 | E008A | 177194023600 | S02 | 06/26/2003 | SEM | GL | | O | | 99 | | |
| | | 0 | 10.34 | 120 | 78 | 0 | | 9 | 33.4 | | | | | |
| WD030 | 00689 | 00367 | E009 | 177194022400 | S01 | 06/29/2003 | SEM | GL | | O | | 99 | | |
| | | 703 | 87.24 | 160 | 37 | 26 | | 253 | 33.4 | | | | | |
| WD030 | 02409 | 00367 | E015A | 177194024300 | S02 | 06/21/2003 | SEM | GL | | O | | 99 | | |
| | | 11200 | 16.67 | 80 | 5 | 56 | | 1 | 33.1 | | | | | |
| WD030 | 02409 | 00367 | E016 | 177194025200 | S04 | 03/01/2003 | SEM | FL | | G | | 8 | | |
| | 1400 | 21000 | 88.89 | 900 | 5 | 105 | | 40 | | | | | | |
| WD030 | 02409 | 00367 | E021A | 177194027501 | S02 | 06/23/2003 | SEM | GL | | O | | 99 | | |
| | | 14100 | 95.12 | 160 | 20 | 282 | | 390 | 32.8 | | | | | |
| WD030 | 00276 | 00367 | L014D | 177194045501 | D02 | 06/08/2003 | SEM | GL | | O | | 88 | | |
| | | 1434 | 84.01 | 240 | 83 | 119 | | 436 | 32 | | | | | |
| WD030 | 00276 | 00367 | L022 | 177194057800 | D01 | 06/07/2003 | SEM | GL | | O | | 88 | | |
| | | 2740 | 57.98 | 170 | 50 | 137 | | 69 | 32 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00276 | 00367 | Q012 | 177190033900 | Q07 | 03/20/2003 | SEM | GL | | O | | 88 | | |
| | | 2493 | 84.01 | 210 | 138 | 344 | | 725 | 31 | | | | | |
| WD030 | 00276 | 00367 | S020 | 177190079200 | D04 | 06/12/2003 | SEM | FL | | G | | 14 | | |
| | 2550 | 278667 | 88.89 | 830 | 3 | 836 | | 24 | 53.9 | | | | | |
| BM002 | 00078 | 00369 | 007A | 177140015502 | S01 | 03/09/2003 | POT | GL | | O | 24 | 50 | | |
| | | 590 | 3.88 | 180 | 322 | 190 | | 13 | 27.9 | .6 | | | | N |
| BM002 | 02266 | 00369 | 071 | 177144000701 | S01 | 03/10/2003 | POT | GL | | O | 24 | 64 | | |
| | | 920 | 1.87 | 160 | 473 | 435 | | 9 | 27.9 | .6 | | | | N |
| MP069 | 01284 | 00372 | 003 | 177254055601 | S02 | 07/08/2003 | SEM | GL | | O | | 64 | | |
| | | 1152 | 5.95 | 150 | 79 | 91 | | 5 | 18.2 | | | | | |
| MP041 | 00078 | 00373 | 003 | 177250010600 | S03 | 03/19/2003 | POT | FL | | G | 24 | 22 | | |
| | 1300 | 9999999 | 100 | 991 | 0 | 2483 | | 1 | | .6 | | | | N |
| MP041 | 00078 | 00373 | 003 | 177250010600 | D01 | 06/16/2003 | SEM | FL | | G | | 24 | | |
| | 1000 | 9999999 | 0 | 846 | 0 | 3436 | | 0 | 0 | | | | | |
| MP041 | 00078 | 00373 | 003 | 177250010600 | S03 | 06/28/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1300 | 9999999 | | 883 | 0 | 2864 | | 0 | | | | | 509 | N |
| MP041 | 00078 | 00373 | 007 | 177254041600 | S03 | 04/03/2003 | POT | FL | | G | 24 | 18 | | |
| | 1050 | 9999999 | 100 | 660 | 0 | 1112 | | 1 | | .6 | | | | N |
| MP041 | 00078 | 00373 | 007 | 177254041600 | S03 | 07/03/2003 | POT | FL | | G | 24 | 22 | | |
| | 1000 | 9999999 | 0 | 881 | 0 | 2502 | | 0 | | .6 | | | | N |
| MP041 | 00078 | 00373 | BC001 | 177254027000 | S04 | 03/19/2003 | POT | FL | | G | 24 | 12 | | |
| | 1500 | 9999999 | 100 | 1346 | 0 | 1175 | | 175 | | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | 00373 | BC009 | 177254074900 | S01 | 01/18/2003 | POT | FL | | G | 24 | 30 | | |
| | 1125 | 9999999 | 100 | 990 | 0 | 5107 | | 2 | | .62 | | | N | |
| MP041 | 00078 | 00374 | 009 | 177250012701 | S03 | 04/07/2003 | POT | FL | | G | 24 | 23 | | |
| | 1000 | 620667 | 89.29 | 562 | 3 | 1862 | | 25 | 29.5 | .6 | | | N | |
| MP041 | 00078 | 00374 | 009 | 177250012701 | S03 | 06/15/2003 | SEM | FL | | G | 24 | 26 | | |
| | 1000 | 9999999 | | 464 | 0 | 1980 | | 9 | | | | 201 | N | |
| MP041 | 00078 | 00374 | 020 | 177250086000 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 62 | | |
| | 1100 | 80 | | 325 | 201 | 16 | | 918 | 22.2 | | | 223 | N | |
| MP041 | 00078 | 00374 | 027 | 177252017000 | S02 | 06/16/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1140 | 5729 | | 249 | 48 | 275 | | 428 | 21.5 | | | 207 | N | |
| MP041 | 00078 | 00374 | 032 | 177254022100 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 64 | | |
| | 2400 | 622 | | 157 | 74 | 46 | | 977 | 27.1 | | | 153 | N | |
| MP041 | 00078 | 00374 | 035 | 177254064001 | D04 | 06/17/2003 | SEM | FL | | G | 24 | 14 | | |
| | 1100 | 9999999 | | 872 | 0 | 600 | | 2 | | | | 174 | N | |
| MP041 | 00078 | 00374 | 036 | 177254041300 | S05 | 02/27/2003 | POT | FL | | G | 24 | 18 | | |
| | 1400 | 9999999 | 0 | 1020 | 0 | 1033 | | 0 | | .6 | | | N | |
| MP041 | 00078 | 00374 | 036 | 177254041300 | S05 | 06/27/2003 | SEM | FL | | G | 24 | 13 | | |
| | 1700 | 9999999 | | 1293 | 0 | 1225 | | 200 | | | | 505 | N | |
| MP041 | 00078 | 00374 | 037 | 177254057100 | S04 | 03/16/2003 | POT | FL | | G | 24 | 34 | | |
| | 1300 | 9999999 | 0 | 990 | 0 | 5067 | | 0 | | .6 | | | N | |
| MP041 | 00078 | 00374 | 038 | 177254063600 | D01 | 06/19/2003 | SEM | GL | | O | 24 | 79 | | |
| | 888 | 5920 | | 193 | 100 | 592 | | 377 | 21.5 | | | 190 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | 00374 | 041 | 177254068000 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 2118 | | 193 | 161 | 341 | | 175 | 24.2 | | | | 190 | N |
| MP041 | 00078 | 00374 | 046 | 177254069900 | S01 | 02/19/2003 | POT | GL | | O | 24 | 66 | | |
| | | 253 | 70.08 | 200 | 79 | 20 | | 185 | | .62 | | | | N |
| MP041 | 00078 | 00374 | 046 | 177254069900 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 66 | | |
| | | 675 | | 196 | 157 | 106 | | 292 | 28.5 | | | | 182 | N |
| MP041 | 00078 | 00374 | J011D | 177254031900 | D02 | 06/16/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1140 | 1220 | | 179 | 91 | 111 | | 125 | 21.5 | | | | 174 | N |
| MP041 | 00078 | 00374 | J014 | 177254059900 | S05 | 03/03/2003 | POT | GL | | O | 24 | 56 | | |
| | 1000 | 25077 | 23.53 | 189 | 13 | 326 | | 4 | 41 | .6 | | | | N |
| MP041 | 00078 | 00374 | J014 | 177254059900 | S05 | 06/16/2003 | SEM | GL | | O | 24 | 56 | | |
| | 1100 | 3000 | | 174 | 17 | 51 | | 1 | 40.5 | | | | 171 | N |
| MP041 | 00078 | 00374 | J015 | 177254065800 | D01 | 06/21/2003 | SEM | GL | | O | 24 | 66 | | |
| | 1910 | 25304 | | 205 | 56 | 1417 | | 376 | 21.5 | | | | 174 | N |
| MP041 | 00078 | 00374 | J015D | 177254065800 | D02 | 06/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | 2200 | 4330 | | 168 | 103 | 446 | | 29 | 28.2 | | | | 165 | N |
| MP041 | 00078 | 00374 | J016 | 177254070300 | S03 | 04/06/2003 | POT | FL | | G | 24 | 24 | | |
| | 950 | 9999999 | 0 | 600 | 0 | 1594 | | 0 | | .6 | | | | N |
| MP041 | 00078 | 00374 | J016 | 177254070300 | S03 | 06/28/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1030 | 9999999 | | 326 | 0 | 1051 | | 0 | | | | | 187 | N |
| MP041 | 00078 | 00374 | BA019D | 177250086402 | D02 | 06/15/2003 | SEM | GL | | O | 24 | 70 | | |
| | 2125 | 1082 | | 248 | 61 | 66 | | 447 | 22.7 | | | | 209 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | 00374 | BC007 | 177254071100 | S02 | 03/18/2003 | POT | FL | | G | 24 | 20 | | |
| | 1300 | 9999999 | 0 | 1007 | 0 | 2400 | | 0 | | .6 | | | N | |
| MP041 | 00078 | 00374 | BC007 | 177254071100 | S02 | 06/17/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1260 | 9999999 | | 999 | 0 | 2492 | | 0 | | | | 582 | N | |
| MP041 | 00078 | 00374 | BC008 | 177254074700 | S02 | 02/07/2003 | POT | FL | | G | 24 | 14 | | |
| | 2055 | 9999999 | 0 | 1820 | 0 | 1648 | | 0 | | .62 | | | N | |
| MP041 | 00078 | 00374 | BC008 | 177254074700 | S02 | 06/17/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1820 | 9999999 | | 1011 | 0 | 2627 | | 2 | | | | 511 | N | |
| MP041 | 00078 | 00374 | CA033 | 177254067900 | S01 | 03/15/2003 | POT | GL | | O | 24 | 38 | | |
| | | 2620 | 89.76 | 165 | 108 | 283 | | 947 | 34 | .62 | | | N | |
| MP041 | 00078 | 00374 | CA033 | 177254067900 | S01 | 06/18/2003 | SEM | GL | | O | 24 | 38 | | |
| | | 1167 | | 244 | 96 | 112 | | 864 | 32.6 | | | 143 | N | |
| MP041 | 00078 | 00374 | JA039 | 177254064602 | S01 | 06/21/2003 | SEM | GL | | O | 24 | 84 | | |
| | | 7083 | | 460 | 24 | 170 | | 449 | 20 | | | 194 | N | |
| MP041 | 00078 | 00374 | JA042D | 177254067500 | D02 | 06/19/2003 | SEM | GL | | O | 24 | 82 | | |
| | | 1931 | | 213 | 102 | 197 | | 290 | 28.7 | | | 208 | N | |
| MP041 | 00078 | 00374 | JA045 | 177254067700 | D01 | 03/09/2003 | POT | GL | | O | 24 | 82 | | |
| | | 962 | 57.96 | 275 | 391 | 376 | | 539 | 20 | .62 | | | N | |
| MP041 | 00078 | 00374 | JA045 | 177254067700 | D01 | 06/20/2003 | SEM | GL | | O | 24 | 82 | | |
| | | 1287 | | 218 | 254 | 327 | | 431 | 20 | | | 209 | N | |
| MP041 | 00078 | 00375 | 013 | 177260031600 | S03 | 06/05/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1020 | 2000 | | 244 | 36 | 72 | | 332 | 18.7 | | | 280 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | 00375 | 025 | 177254033200 | S01 | 06/21/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1120 | 10148 | | 155 | 27 | 274 | | 61 | 34.2 | | | 141 | N | |
| MP041 | 00078 | 00375 | 029 | 177254069400 | S01 | 06/19/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 9350 | | 262 | 40 | 374 | | 59 | 35.2 | | | 111 | N | |
| MP041 | 00078 | 00375 | E003 | 177250069600 | S04 | 06/17/2003 | SEM | FL | | G | 24 | 40 | | |
| | 900 | 9999999 | | 246 | 0 | 520 | | 116 | | | | 150 | N | |
| MP041 | 00078 | 00375 | F016 | 177264003000 | S03 | 03/28/2003 | POT | GL | | O | 24 | 79 | | |
| | | 15895 | 91.98 | 195 | 19 | 302 | | 218 | 36.2 | .6 | | | N | |
| MP041 | 00078 | 00378 | 003 | 177250010100 | D04 | 06/15/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1590 | 9999999 | | 644 | 0 | 1023 | | 0 | | | | 626 | N | |
| MP041 | 00078 | 00378 | 006 | 177254065100 | S04 | 06/28/2003 | SEM | FL | | G | 24 | 34 | | |
| | 1860 | 9999999 | | 635 | 0 | 447 | | 0 | | | | 614 | N | |
| MP041 | 00078 | 00378 | 010 | 177254068700 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 66 | | |
| | 1780 | 9999999 | | 193 | 0 | 1310 | | 0 | | | | 185 | N | |
| WD030 | 00078 | 00384 | 010 | 177192017401 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 48 | | |
| | 2600 | 239 | | 140 | 272 | 65 | | 0 | 23.2 | | | 80 | N | |
| WD030 | 00078 | 00384 | 014 | 177194053400 | S03 | 05/05/2003 | SEM | GL | | O | | 79 | | |
| | 1050 | 463 | 78 | 350 | 218 | 101 | | 773 | 23.8 | | | | | |
| WD030 | 00078 | 00385 | 014 | 177190007101 | S01 | 05/26/2003 | SEM | GL | | O | 24 | 82 | | |
| | 1100 | 87 | | 173 | 287 | 25 | | 112 | 25.1 | | | 148 | N | |
| WD030 | 00078 | 00385 | 015 | 177190007201 | S01 | 05/15/2003 | SEM | GL | | O | 24 | 82 | | |
| | 1100 | 2111 | | 148 | 18 | 38 | | 135 | 33.8 | | | 145 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00078 | 00385 | 015 | 177190007201 | S02 | 08/11/2003 | POT | GL | | O | 24 | 100 | | |
| | | 1429 | 51.16 | 150 | 21 | 30 | | 22 | 37.6 | .6 | | | | N |
| WD030 | 00078 | 00385 | 015 | 177190007201 | S03 | 10/31/2003 | POT | GL | | O | 24 | 20 | | |
| | | 77273 | 34 | 1261 | 33 | 2550 | | 17 | 37.6 | .6 | | | | N |
| WD030 | 00078 | 00385 | 029 | 177190110503 | S01 | 05/30/2003 | SEM | GL | | O | 24 | 82 | | |
| | 1100 | 103 | | 200 | 165 | 17 | | 71 | 38.1 | | | | 178 | N |
| WD030 | 00078 | 00385 | A006 | 177190008100 | S02 | 06/25/2003 | SEM | FL | | O | | 10 | | |
| | 1700 | 12970 | 0 | 1674 | 33 | 428 | | 0 | 39.4 | | | | | |
| WD030 | 00078 | 00385 | C001 | 177190009101 | S02 | 05/01/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1140 | 2102 | | 145 | 59 | 124 | | 18 | 34.2 | | | | 125 | N |
| WD030 | 00078 | 00385 | C006 | 177190009601 | S03 | 05/19/2003 | SEM | GL | | O | 24 | 44 | | |
| | 1076 | 1011 | | 270 | 90 | 91 | | 2154 | 33.2 | | | | 115 | N |
| WD030 | 00078 | 00385 | D002 | 177190010101 | S01 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 167 | | 175 | 66 | 11 | | 170 | 23.8 | | | | 123 | N |
| WD030 | 00078 | 00385 | D003 | 177190010201 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 213 | | 168 | 80 | 17 | | 186 | 28.8 | | | | 138 | N |
| WD030 | 00078 | 00385 | D004 | 177190010302 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 78 | | |
| | 1340 | 316 | | 154 | 193 | 61 | | 579 | 23.8 | | | | 128 | N |
| WD030 | 00078 | 00385 | D005 | 177190010401 | S01 | 06/11/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 4222 | | 142 | 9 | 38 | | 21 | 23.2 | | | | 116 | N |
| WD030 | 00078 | 00385 | D005 | 177190010401 | S02 | 10/27/2003 | POT | FL | | O | 24 | 14 | | |
| | | 640 | 0 | 1261 | 292 | 187 | | 0 | 39.5 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00078 | 00385 | E001 | 177190010601 | S04 | 05/11/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1702 | 1031 | | 157 | 97 | 100 | | 65 | 35.6 | | | | 144 | N |
| WD030 | 00078 | 00385 | F009 | 177190012600 | S04 | 04/12/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1000 | 565 | | 147 | 62 | 35 | | 712 | 28.7 | | | | 115 | N |
| WD030 | 00078 | 00385 | H006 | 177194030400 | S05 | 05/26/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 3245 | | 176 | 53 | 172 | | 1262 | 28.5 | | | | 135 | N |
| WD030 | 00078 | 00385 | H007 | 177194067802 | S02 | 05/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 300 | | 133 | 200 | 60 | | 425 | 21.3 | | | | 105 | N |
| WD030 | 00078 | 00385 | CC011 | 177190006802 | S01 | 05/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1073 | 213 | | 196 | 450 | 96 | | 34 | 25.7 | | | | 156 | N |
| BM002 | 00078 | 00387 | U017 | 177154103601 | S02 | 05/20/2003 | POT | GL | | O | 24 | 28 | | |
| | | 292 | 4.92 | 144 | 483 | 141 | | 25 | 23.7 | .62 | | | | N |
| BM002 | 00078 | 00387 | SC013 | 177150058802 | S02 | 05/07/2003 | POT | FL | | O | 24 | 10 | | |
| | | 24 | 0 | 583 | 169 | 4 | | 0 | 29.5 | .62 | | | | N |
| SS154 | 02412 | 00419 | B001 | 177114103800 | S01 | 01/10/2003 | SEM | GL | | O | | 30 | | |
| | | 6063 | 68 | 430 | 96 | 582 | | 204 | 23 | | | | | |
| SS154 | 02412 | 00419 | B001 | 177114103800 | S01 | 05/20/2003 | SEM | GL | | O | | 35 | | |
| | | 10545 | 86.59 | 330 | 33 | 348 | | 213 | 23 | | | | | |
| SS154 | 02412 | 00419 | B003 | 177114116200 | S01 | 01/10/2003 | SEM | FL | | O | | 18 | | |
| | | 1402 | 55.93 | 550 | 353 | 495 | | 448 | 33.4 | | | | | |
| SS154 | 02412 | 00419 | B003 | 177114116200 | S01 | 05/26/2003 | SEM | FL | | O | | 35 | | |
| | | 526 | 89.78 | 300 | 114 | 60 | | 1002 | 33.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS154 | 02412 | 00419 | B004 | 177114116803 | D01 | 05/25/2003 | SEM | FL | | G | | 34 | | |
| | | 778 | .17 | 290 | 600 | 467 | | 1 | 32.7 | | | | | |
| SS154 | 02412 | 00419 | B004D | 177114116803 | D02 | 01/19/2003 | SEM | FL | | O | | 14 | | |
| | | 206 | 0 | 544 | 558 | 115 | | 0 | 27.4 | | | | | |
| SS154 | 02412 | 00419 | B004D | 177114116803 | D02 | 05/24/2003 | SEM | FL | | O | | 34 | | |
| | | 883 | 0 | 330 | 403 | 356 | | 0 | 27.4 | | | | | |
| SS154 | 02412 | 00419 | C003 | 177114126100 | S01 | 05/19/2003 | SEM | FL | | O | | 64 | | |
| | | 808 | 0 | 331 | 104 | 84 | | 0 | 31.5 | | | | | |
| SS154 | 02412 | 00419 | C004 | 177114132600 | D01 | 05/11/2003 | SEM | FL | | O | | 14 | | |
| | | 233 | 0 | 1483 | 786 | 183 | | 0 | 34 | | | | | |
| SS154 | 02412 | 00419 | C004D | 177114132600 | D02 | 05/20/2003 | SEM | FL | | G | | 18 | | |
| | | 310 | 46.38 | 423 | 200 | 62 | | 173 | 34 | | | | | |
| SS154 | 02412 | 00419 | C005 | 177114132900 | S01 | 05/26/2003 | SEM | FL | | O | | 18 | | |
| | | 768 | 0 | 410 | 272 | 209 | | 0 | 33.1 | | | | | |
| SS154 | 02412 | 00419 | C006 | 177114133400 | S01 | 05/24/2003 | SEM | FL | | O | | 48 | | |
| | | 495 | 0 | 345 | 97 | 48 | | 0 | 31.3 | | | | | |
| SS154 | 02412 | 00419 | C007 | 177114133900 | S01 | 05/23/2003 | SEM | FL | | O | | 16 | | |
| | | 3242 | 0 | 1043 | 417 | 1352 | | 0 | 32.1 | | | | | |
| SS154 | 02412 | 00420 | 005A | 177110057301 | D03 | 04/20/2003 | SEM | GL | | O | | 64 | | |
| | | 152 | 39.47 | 320 | 46 | 7 | | 30 | 29 | | | | | |
| SS154 | 02412 | 00420 | 005E | 177110057301 | D04 | 04/19/2003 | SEM | GL | | G | | 64 | | |
| | | 2586 | 45.71 | 400 | 133 | 344 | | 112 | 29.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS154 | 02412 | 00420 | 009 | 177110058902 | S02 | 05/18/2003 | SEM | FL | | O | | 12 | | |
| | 750 | 9999999 | 0 | 1450 | 0 | 1088 | | 0 | 58.2 | | | | | |
| SS154 | 02412 | 00420 | C024 | 177114115803 | S01 | 05/12/2003 | SEM | GL | | O | | 48 | | |
| | | 2876 | 94.96 | 440 | 97 | 279 | | 1828 | 27.3 | | | | | |
| SS154 | 02412 | 00420 | C027 | 177114128300 | S01 | 04/26/2003 | SEM | GL | | G | | 36 | | |
| | | 700 | 95.59 | 450 | 10 | 7 | | 217 | 33.6 | | | | | |
| SS154 | 02412 | 00420 | E002 | 177110027502 | D01 | 05/20/2003 | SEM | GL | | O | | 34 | | |
| | | 4944 | 95.99 | 200 | 54 | 267 | | 1294 | 34 | | | | | |
| SS154 | 02412 | 00420 | E005 | 177110027901 | S01 | 04/27/2003 | SEM | GL | | O | | 33 | | |
| | | 4795 | 97.73 | 260 | 39 | 187 | | 1677 | 28.5 | | | | | |
| SS154 | 02412 | 00420 | J002 | 177110055802 | S01 | 05/25/2003 | SEM | GL | | G | | 64 | | |
| | | 4313 | 89.44 | 400 | 32 | 138 | | 271 | 17 | | | | | |
| ST054 | 00276 | 00421 | E010 | 177154009500 | S03 | 03/09/2003 | SEM | FL | | G | | 20 | | |
| | 1090 | 115667 | 86.81 | 750 | 12 | 1388 | | 79 | 50.5 | | | | | |
| ST054 | 00276 | 00421 | E022 | 177154098801 | D01 | 01/05/2003 | SEM | FL | | G | | 30 | | |
| | 2175 | 45615 | 3.7 | 1010 | 26 | 1186 | | 1 | 49.8 | | | | | |
| ST054 | 00276 | 00421 | E022D | 177154098801 | D02 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 1425 | 101031 | 23.81 | 900 | 32 | 3233 | | 10 | 50.2 | | | | | |
| ST054 | 00276 | 00421 | E023 | 177154099400 | D01 | 05/19/2003 | SEM | FL | | G | | 32 | | |
| | 1250 | 153571 | 50 | 875 | 14 | 2150 | | 14 | 42.2 | | | | | |
| ST054 | 00276 | 00421 | E023D | 177154099400 | D02 | 05/17/2003 | SEM | FL | | G | | 64 | | |
| | 1625 | 107600 | 30.23 | 900 | 30 | 3228 | | 13 | 45.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI128 | 01764 | 00442 | 013 | 177090090600 | S06 | 05/11/2003 | SEM | FL | | O | | 10 | | |
| | 1200 | 1135 | 69.77 | 650 | 52 | 59 | | 120 | 39.5 | | | | | |
| EI128 | 01764 | 00442 | 025 | 177094113600 | S04 | 05/10/2003 | SEM | GL | | O | | 48 | | |
| | 1020 | 824 | 56.41 | 115 | 17 | 14 | | 22 | 30 | | | | | |
| EI128 | 01764 | 00442 | JC016A | 177094071900 | S02 | 05/12/2003 | SEM | GL | | O | | 64 | | |
| | 1140 | 1333 | 97.84 | 130 | 6 | 8 | | 272 | 37 | | | | | |
| EI128 | 01764 | 00442 | JC017 | 177094065800 | S03 | 05/08/2003 | SEM | FL | | G | | 16 | | |
| | 2550 | 3768 | 73.46 | 1380 | 69 | 260 | | 191 | 42.6 | | | | | |
| EI128 | 01764 | 00442 | JE024 | 177094111300 | S04 | 05/09/2003 | SEM | GL | | O | | 64 | | |
| | 720 | 4427 | 82.27 | 300 | 131 | 580 | | 608 | 30.4 | | | | | |
| EI175 | 00105 | 00445 | JA013 | 177094105501 | D01 | 06/13/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 600 | | 220 | 5 | 3 | | 96 | 33.3 | | | | | N |
| ST131 | 00078 | 00456 | C018 | 177150056601 | S02 | 06/16/2003 | SEM | GL | | O | 24 | 36 | | |
| | 1145 | 223 | | 289 | 309 | 69 | | 126 | 31 | | | | 143 | N |
| ST131 | 00078 | 00456 | D021 | 177154110700 | S01 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1200 | 1324 | | 200 | 37 | 49 | | 335 | 35 | | | | 170 | N |
| ST131 | 00078 | 00456 | J008 | 177152007501 | S02 | 06/16/2003 | SEM | FL | | G | 24 | 64 | | |
| | 350 | 9999999 | | 126 | 0 | 748 | | 0 | | | | | 106 | N |
| ST131 | 00078 | 00457 | C005 | 177150038802 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 36 | | |
| | 1287 | 9999999 | | 950 | 0 | 2620 | | 0 | | | | | 1013 | N |
| ST131 | 00078 | 00457 | G003 | 177150077904 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 72 | | |
| | 500 | 9999999 | | 200 | 0 | 154 | | 0 | | | | | 199 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST131 | 00078 | 00457 | J002 | 177152004001 | S01 | 06/19/2003 | SEM | FL | | G | 24 | 72 | | |
| | 500 | 9999999 | | 107 | 0 | 205 | | 0 | | | | 103 | N | |
| ST131 | 00078 | 00457 | J003 | 177152004501 | S02 | 06/16/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1090 | 6147 | | 664 | 286 | 1758 | | 50 | 57.8 | | | 165 | N | |
| ST131 | 00078 | 00459 | C006 | 177150038001 | S03 | 06/16/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1267 | 3169 | | 192 | 65 | 206 | | 153 | 32.2 | | | 177 | N | |
| ST131 | 00078 | 00459 | C013 | 177150056202 | S04 | 06/16/2003 | SEM | FL | | O | 24 | 16 | | |
| | 1156 | 635 | | 834 | 452 | 287 | | 0 | 33.8 | | | 109 | N | |
| ST131 | 00078 | 00459 | C021 | 177154090401 | S01 | 06/25/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1130 | 122 | | 180 | 74 | 9 | | 422 | 22.7 | | | 160 | N | |
| ST135 | 00078 | 00461 | S002 | 177150103901 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 20 | | |
| | 2600 | 2724 | | 1139 | 246 | 670 | | 164 | 29.5 | | | 340 | N | |
| ST135 | 00078 | 00461 | W003 | 177154097702 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 93 | | |
| | 888 | 2732 | | 225 | 97 | 265 | | 1110 | 29.9 | | | 226 | N | |
| ST135 | 00078 | 00461 | W004 | 177154099001 | S03 | 06/21/2003 | SEM | FL | | O | 24 | 28 | | |
| | 1375 | 1274 | | 326 | 241 | 307 | | 241 | 31.3 | | | 210 | N | |
| ST135 | 00078 | 00461 | W006 | 177154101700 | S03 | 06/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | 868 | 2176 | | 220 | 51 | 111 | | 118 | 29.9 | | | 200 | N | |
| ST135 | 00078 | 00462 | M007 | 177154100000 | S02 | 06/02/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1758 | 10994 | | 258 | 171 | 1880 | | 1540 | 47.4 | | | 288 | N | |
| ST135 | 00078 | 00462 | M008 | 177154099901 | D01 | 06/27/2003 | SEM | GL | | O | 24 | 18 | | |
| | 1545 | 4051 | | 3334 | 118 | 478 | | 1064 | 30.2 | | | 134 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST135 | 00078 | 00462 | Q007 | 177154068502 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 28 | | |
| | 2931 | 9999999 | | 264 | 0 | 1340 | | 0 | | | | 225 | N | |
| ST135 | 00078 | 00462 | Q008 | 177154069301 | S03 | 06/29/2003 | SEM | FL | | G | 24 | 24 | | |
| | 3500 | 41768 | | 1778 | 82 | 3425 | | 1564 | 45.1 | | | 255 | N | |
| ST135 | 00078 | 00462 | Q009 | 177154070803 | S02 | 06/22/2003 | SEM | FL | | G | 24 | 30 | | |
| | 1370 | 9999999 | | 728 | 0 | 782 | | 511 | 45.8 | | | 226 | N | |
| ST135 | 00078 | 00462 | Q010 | 177154089100 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 68 | | |
| | 1108 | 108486 | | 264 | 37 | 4014 | | 12 | 61.6 | | | 225 | N | |
| ST135 | 00078 | 00462 | Q012 | 177154094200 | S02 | 08/14/2003 | POT | FL | | G | 24 | 28 | | |
| | 3694 | 16934 | .99 | 2284 | 803 | 13598 | | 8 | 47.5 | .6 | | | N | |
| ST135 | 00078 | 00463 | G005 | 177150044401 | S06 | 06/06/2003 | SEM | GL | | O | 24 | 50 | | |
| | 1360 | 869 | | 395 | 611 | 531 | | 2443 | 30.5 | | | 171 | N | |
| ST135 | 00078 | 00463 | G007D | 177150044500 | D02 | 06/28/2003 | SEM | FL | | O | 24 | 18 | | |
| | 959 | 2698 | | 635 | 43 | 116 | | 815 | 27.7 | | | 154 | N | |
| ST135 | 00078 | 00463 | O006 | 177150103401 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 44 | | |
| | 1472 | 1010 | | 236 | 198 | 200 | | 702 | 32.4 | | | 213 | N | |
| ST135 | 00078 | 00463 | O011 | 177150109100 | S06 | 06/14/2003 | SEM | FL | | O | 24 | 48 | | |
| | 1623 | 3494 | | 229 | 174 | 608 | | 19 | 34.9 | | | 217 | N | |
| ST135 | 00078 | 00463 | O016 | 177154103900 | S03 | 06/13/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1979 | 641 | | 240 | 248 | 159 | | 304 | 56.6 | | | 230 | N | |
| ST135 | 00078 | 00463 | O017 | 177154104000 | S03 | 06/20/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1356 | 27359 | | 560 | 142 | 3885 | | 35 | 30.6 | | | 245 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST135 | 00078 | 00463 | P015 | 177154025601 | S02 | 06/08/2003 | SEM | GL | | O | 24 | 50 | | |
| | 1442 | 993 | | 240 | 147 | 146 | | 628 | 28.5 | | | | 133 | N |
| ST135 | 00078 | 00463 | P016 | 177154096600 | S03 | 06/12/2003 | SEM | GL | | O | 24 | 20 | | |
| | 1050 | 1288 | | 486 | 73 | 94 | | 533 | 30.8 | | | | 108 | N |
| ST135 | 00078 | 00464 | P013 | 177154021001 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1065 | 59 | | 196 | 102 | 6 | | 305 | 31.4 | | | | 196 | N |
| ST135 | 00078 | 00464 | W002 | 177154092801 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1785 | 162020 | | 508 | 51 | 8263 | | 455 | 49.1 | | | | 364 | N |
| ST135 | 00078 | 00464 | W005 | 177154098902 | S01 | 06/27/2003 | SEM | GL | | O | 24 | 64 | | |
| | 2265 | 1586 | | 265 | 58 | 92 | | 281 | 30.5 | | | | | N |
| EI077 | 00064 | 00466 | 011 | 177094136403 | S01 | 03/18/2003 | POT | FL | | G | 6 | 20 | | |
| | 4400 | 50727 | 1.73 | 4225 | 205 | 10399 | | 4 | 51.3 | .6 | | | | N |
| EI053 | 00236 | 00479 | 006B | 177094071800 | S03 | 06/18/2003 | SEM | FL | | O | | 34 | | |
| | 1800 | 20385 | 98.38 | 300 | 13 | 265 | | 760 | 34 | | | | | |
| EI053 | 00236 | 00479 | F001 | 177094137502 | S01 | 05/25/2003 | POT | FL | | G | 24 | 52 | | |
| | 2575 | 136061 | 14.53 | 1380 | 147 | 20001 | | 25 | 53.5 | .626 | | | | N |
| EI053 | 00236 | 00479 | F001 | 177094137502 | S01 | 06/18/2003 | SEM | FL | | G | | 52 | | |
| | 2575 | 179685 | 16.04 | 1270 | 89 | 15992 | | 17 | 53.5 | | | | | |
| VR120 | 02607 | 00487 | D004 | 177050041301 | S03 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | | 2881 | .85 | 850 | 352 | 1014 | | 3 | 44.5 | | | | | |
| VR120 | 02607 | 00487 | E002 | 177050044001 | S01 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 0 | 120 | 0 | 57 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR120 | 02607 | 00487 | E009 | 177052002301 | S01 | 06/15/2003 | SEM | FL | | G | | 10 | | |
| | 2850 | 42865 | 0 | 2300 | 52 | 2229 | | 0 | 46.5 | | | | | |
| VR120 | 01904 | 00487 | G005 | 177054041102 | S01 | 06/18/2003 | SEM | FL | | G | | 8 | | |
| | 3525 | 9999999 | 0 | 2500 | 0 | 2000 | | 0 | 55.5 | | | | | |
| VR120 | 02607 | 00487 | G008 | 177054102500 | D01 | 06/23/2003 | SEM | FL | | G | | 64 | | |
| | 2600 | 7923 | 47.11 | 1100 | 183 | 1450 | | 163 | 46.2 | | | | | |
| VR120 | 02607 | 00487 | H005 | 177054068001 | S02 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 3721 | 70.14 | 150 | 43 | 160 | | 101 | 41.6 | | | | | |
| VR120 | 02607 | 00487 | H011 | 177054114201 | D01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 1333 | 39.19 | 150 | 45 | 60 | | 29 | 35.9 | | | | | |
| VR120 | 02607 | 00487 | H011D | 177054114201 | D02 | 01/03/2003 | SEM | FL | | O | | 19 | | |
| | 1120 | 876 | 4.01 | 710 | 622 | 545 | | 26 | 38.7 | | | | | |
| VR120 | 02607 | 00487 | H011D | 177054114201 | D02 | 06/21/2003 | SEM | FL | | O | | 19 | | |
| | | 1207 | 25 | 580 | 489 | 590 | | 163 | 38.5 | | | | | |
| VR120 | 02607 | 00487 | H012 | 177054114100 | S01 | 01/04/2003 | SEM | FL | | G | | 64 | | |
| | 1750 | 9999999 | 99 | 325 | 0 | 113 | | 933 | | | | | | |
| VR120 | 02607 | 00487 | H012 | 177054114100 | S01 | 06/22/2003 | SEM | FL | | G | | 30 | | |
| | 1040 | 9999999 | 99 | 260 | 0 | 67 | | 696 | | | | | | |
| VR120 | 02607 | 00495 | E003 | 177050044202 | S02 | 05/26/2003 | SEM | GL | | | | 30 | | |
| | | 9407 | 71.58 | 250 | 27 | 254 | | 68 | 43 | | | | | |
| VR120 | 02607 | 00495 | E005 | 177052000202 | S02 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 3000 | 67.74 | 120 | 10 | 30 | | 21 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR120 | 02607 | 00495 | E016 | 177052004702 | S02 | 01/03/2003 | SEM | FL | | G | | 64 | | |
| | 670 | 9999999 | 0 | 150 | 0 | 229 | | 0 | | | | | | |
| VR120 | 02607 | 00495 | E016 | 177052004702 | S02 | 06/27/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 0 | 100 | 0 | 58 | | 0 | | | | | | |
| VR120 | 02607 | 00495 | I002D | 177054081400 | D05 | 06/26/2003 | SEM | GL | | O | | 26 | | |
| | | 1800 | 95.05 | 340 | 25 | 45 | | 480 | 37.5 | | | | | |
| VR120 | 02607 | 00495 | I003 | 177054108701 | S02 | 06/27/2003 | SEM | GL | | O | | 40 | | |
| | | 2789 | 64.15 | 180 | 19 | 53 | | 34 | 41.2 | | | | | |
| ST135 | 00078 | 00498 | R007 | 177154071001 | S02 | 06/09/2003 | SEM | FL | | G | 24 | 32 | | |
| | 1925 | 9999999 | | 656 | 0 | 573 | | 0 | 57.4 | | | | 480 | N |
| ST135 | 00078 | 00498 | X002 | 177154067503 | S01 | 08/03/2003 | POT | FL | | G | 4 | 28 | | |
| | 5265 | 14948 | 3.04 | 4230 | 669 | 10000 | | 21 | 43.3 | .6 | | | | N |
| ST135 | 00078 | 00498 | X003 | 177154069801 | S03 | 06/28/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1810 | 9999999 | | 1200 | 0 | 2805 | | 0 | 42.3 | | | | 1157 | N |
| HI052 | 02466 | 00508 | C001 | 427084053400 | S01 | 06/14/2003 | SEM | FL | | G | | 11 | | |
| | 8400 | 43350 | 6.78 | 7250 | 220 | 9537 | | 16 | 49.8 | | | | | |
| HI052 | 02466 | 00508 | C002 | 427084056403 | S01 | 03/31/2003 | POT | FL | | G | 24 | 26 | | |
| | 8400 | 9999999 | 0 | 7800 | 0 | 24817 | | 0 | 51.7 | .65 | | | | N |
| HI052 | 02466 | 00508 | C002 | 427084056403 | S01 | 06/12/2003 | SEM | FL | | G | | 25 | | |
| | 8500 | 62707 | 5.09 | 7500 | 410 | 25710 | | 22 | 49.8 | | | | | |
| HI140 | 02421 | 00518 | 007A | 427084009001 | S02 | 06/29/2003 | SEM | FL | | G | 24 | 21 | | |
| | 2200 | 426636 | | 2000 | 11 | 4693 | | 77 | 0 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC068 | 00114 | 00526 | A001 | 177000010301 | S01 | 06/21/2003 | SEM | FL | | G | | 20 | | |
| | 1975 | 177608 | 8.14 | 1515 | 79 | 14031 | | 7 | 47.3 | | | | | |
| WC068 | 00114 | 00526 | A004 | 177004110900 | S02 | 06/17/2003 | SEM | FL | | G | | 24 | | |
| | 2042 | 80833 | 13.04 | 1710 | 60 | 4850 | | 9 | 50.1 | | | | | |
| WC068 | 00114 | 00526 | A005 | 177004111000 | S01 | 06/15/2003 | SEM | FL | | G | | 9 | | |
| | 5620 | 35354 | 77.66 | 4970 | 144 | 5091 | | 502 | 42 | | | | | |
| WC068 | 00114 | 00526 | B001 | 177000010500 | S01 | 06/26/2003 | SEM | FL | | G | | 64 | | |
| | 2310 | 37542 | 52.94 | 960 | 24 | 901 | | 27 | 49 | | | | | |
| EC160 | 02108 | 00541 | 002 | 177030016601 | S01 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | 920 | 112222 | 0 | 375 | 9 | 1010 | | 0 | 53.5 | | | | | |
| EC160 | 02108 | 00541 | A005 | 177034043401 | S01 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 20 | 129333 | 94.74 | 480 | 3 | 388 | | 54 | 61.4 | | | | | |
| EC160 | 02266 | 00541 | C002 | 177034086700 | S02 | 06/19/2003 | SEM | FL | | G | | 34 | | |
| | 1100 | 9999999 | 0 | 400 | 0 | 246 | | 0 | 51 | | | | | |
| EC160 | 02266 | 00541 | C002 | 177034086700 | S01 | 06/19/2003 | SEM | FL | | G | | 34 | | |
| | 1100 | 9999999 | 0 | 400 | 0 | 246 | | 0 | 53.5 | | | | | |
| EC160 | 02266 | 00541 | C002 | 177034086700 | S03 | 08/13/2003 | POT | FL | | G | 24 | 26 | | |
| | 2800 | 78636 | 0 | 1680 | 33 | 2595 | | 0 | 42.1 | .6 | | | | N |
| VR014 | 00003 | 00548 | A001T | 177050005500 | T03 | 05/27/2003 | SEM | FL | | G | 24 | | | |
| | 780 | 9999999 | | 125 | 0 | 2588 | | 1 | | | | | 110 | N |
| VR014 | 00003 | 00548 | A006 | 177054110700 | S01 | 05/26/2003 | SEM | FL | | G | 24 | | | |
| | 1140 | 9999999 | | 130 | 0 | 2643 | | 27 | | | | | 110 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR046 | 00003 | 00549 | 010 | 177054093500 | S01 | 05/25/2003 | SEM | FL | | G | 24 | | | |
| | 1200 | 9999999 | | 880 | 0 | 1017 | | 402 | | | | 850 | N | |
| VR046 | 00003 | 00549 | 012 | 177054096702 | S01 | 03/01/2003 | POT | FL | | G | 17 | 35 | | |
| | 1220 | 9999999 | 0 | 900 | 0 | 2157 | | 0 | | .71 | | | N | |
| VR046 | 00003 | 00549 | 012 | 177054096700 | S01 | 03/03/2003 | COM | FL | | G | 16 | 35 | | |
| | | 9999999 | 0 | 900 | 0 | 2157 | | 0 | | | | | N | |
| VR046 | 00003 | 00549 | 012 | 177054096702 | S01 | 05/19/2003 | SEM | FL | | G | 24 | 35 | | |
| | 1220 | 9999999 | | 915 | 0 | 2213 | | 0 | | | | 870 | N | |
| VR076 | 00687 | 00559 | 001 | 177054018801 | S02 | 06/04/2003 | SEM | FL | | G | | 12 | | |
| | 200 | 9999999 | 0 | 140 | 0 | 1246 | | 0 | | | | | | |
| VR076 | 00687 | 00559 | 003 | 177054077901 | S02 | 06/11/2003 | SEM | FL | | G | | 14 | | |
| | 2600 | 291400 | 0 | 2500 | 10 | 2914 | | 0 | 53.1 | | | | | |
| VR076 | 00687 | 00560 | 001 | 177050008701 | S01 | 06/25/2003 | SEM | FL | | G | | 16 | | |
| | 3500 | 53300 | 71.77 | 2850 | 70 | 3731 | | 178 | 53.1 | | | | | |
| VR076 | 00687 | 00560 | 005 | 177054011001 | S02 | 06/17/2003 | SEM | FL | | G | | 15 | | |
| | 1650 | 9999999 | 99 | 410 | 0 | 470 | | 2 | | | | | | |
| VR076 | 00687 | 00560 | A003 | 177050008600 | S08 | 06/25/2003 | SEM | FL | | G | | 15 | | |
| | 1280 | 9999999 | 99 | 200 | 0 | 128 | | 18 | | | | | | |
| VR076 | 00687 | 00560 | A005 | 177054115202 | S01 | 06/25/2003 | SEM | FL | | G | | 20 | | |
| | 3400 | 794400 | 86.84 | 1720 | 5 | 3972 | | 33 | 53.1 | | | | | |
| VR076 | 00687 | 00560 | B001 | 177050010304 | S01 | 06/11/2003 | SEM | FL | | G | | 82 | | |
| | 1650 | 1459667 | 76.92 | 200 | 3 | 4379 | | 10 | 53.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR076 | 00687 | 00560 | B006 | 177054115800 | S01 | 06/04/2003 | SEM | FL | | G | | 78 | | |
| | 1350 | 9999999 | 0 | 100 | 0 | 2736 | | 0 | | | | | | |
| VR076 | 00687 | 00560 | B007 | 177054115901 | S02 | 06/11/2003 | SEM | FL | | G | | 14 | | |
| | 2800 | 43806 | 56.1 | 2600 | 72 | 3154 | | 92 | 53.1 | | | | | |
| VR076 | 00687 | 00560 | B008 | 177054116000 | S01 | 06/11/2003 | SEM | FL | | G | | 90 | | |
| | 1580 | 881533 | 0 | 650 | 15 | 13223 | | 0 | 53.1 | | | | | |
| EI208 | 02312 | 00572 | A006 | 177092004302 | S05 | 09/03/2003 | POT | FL | | O | 24 | 17 | | |
| | 1620 | 725 | 0 | 1500 | 1044 | 757 | | 0 | 38.1 | .629 | | | | N |
| EI208 | 02312 | 00572 | B001 | 177094093101 | S01 | 05/23/2003 | SEM | GL | | O | | 39 | | |
| | | 255 | 82.8 | 190 | 102 | 26 | | 491 | 43.3 | | | | | |
| EI208 | 02312 | 00572 | B002 | 177094094302 | S04 | 01/06/2003 | POT | FL | | G | 22 | 20 | | |
| | 3900 | 9999999 | 0 | 3700 | 0 | 4460 | | 0 | | .576 | | | | N |
| EI208 | 02312 | 00572 | C001 | 177094129900 | S02 | 06/25/2003 | SEM | FL | | G | | 23 | | |
| | 3880 | 114244 | 98.06 | 3274 | 41 | 4684 | | 2068 | 43.6 | | | | | |
| EI208 | 01935 | 00577 | E006 | 177090077800 | S01 | 06/20/2003 | SEM | GL | | O | | 64 | | |
| | | 2378 | 50 | 100 | 37 | 88 | | 37 | 37.8 | | | | | |
| EI208 | 01935 | 00577 | E012 | 177090080200 | S02 | 06/15/2003 | SEM | GL | | O | | 64 | | |
| | | 7545 | 88.54 | 100 | 11 | 83 | | 85 | 35.5 | | | | | |
| EI208 | 01935 | 00577 | J002 | 177094080101 | S01 | 05/20/2003 | SEM | GL | | O | | 64 | | |
| | | 6750 | 0 | 110 | 8 | 54 | | 0 | 37.2 | | | | | |
| EI208 | 01935 | 00577 | J002 | 177094080101 | S01 | 05/22/2003 | POT | GL | | O | 10 | 64 | | |
| | | 6750 | 0 | 110 | 8 | 54 | | 0 | 37.2 | .625 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI208 | 01935 | 00577 | J003 | 177094080700 | D01 | 05/20/2003 | SEM | GL | | O | | 64 | | |
| | | 1925 | 4.76 | 100 | 40 | 77 | | 2 | 38.3 | | | | | |
| EI208 | 01935 | 00577 | J004A | 177094081301 | D03 | 06/27/2003 | SEM | GL | | O | | 64 | | |
| | | 10400 | 80 | 100 | 5 | 52 | | 20 | 38.2 | | | | | |
| EI208 | 01935 | 00577 | J005 | 177094087501 | S01 | 06/27/2003 | SEM | GL | | O | | 64 | | |
| | | 767 | 70 | 90 | 30 | 23 | | 70 | 37.2 | | | | | |
| EI208 | 01935 | 00577 | J007 | 177094108000 | S03 | 06/28/2003 | SEM | GL | | G | | 64 | | |
| | | 1387 | 55.89 | 100 | 191 | 265 | | 242 | 37.8 | | | | | |
| EI208 | 01935 | 00577 | J008 | 177094120501 | D01 | 06/22/2003 | SEM | FL | | O | | 64 | | |
| | | 1333 | 55 | 100 | 180 | 240 | | 220 | 36.1 | | | | | |
| EI208 | 01935 | 00577 | J008D | 177094120501 | D02 | 06/20/2003 | SEM | GL | | O | | 64 | | |
| | | 650 | 70.05 | 125 | 177 | 115 | | 414 | 35.2 | | | | | |
| EI208 | 01935 | 00577 | K001 | 177094107900 | S01 | 06/29/2003 | SEM | GL | | O | | 64 | | |
| | | 8077 | 90.37 | 250 | 13 | 105 | | 122 | 36.2 | | | | | |
| EI208 | 01935 | 00577 | K001 | 177094107900 | S02 | 09/07/2003 | POT | FL | | O | 24 | 21 | | |
| | | 492 | 0 | 945 | 1051 | 517 | | 0 | 40.1 | .67 | | | | N |
| EI208 | 01935 | 00577 | K002 | 177094108400 | S01 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | | 443 | 85.01 | 175 | 176 | 78 | | 998 | 32.5 | | | | | |
| EI208 | 02312 | 00578 | 012 | 177094077700 | S02 | 05/23/2003 | SEM | GL | | O | | 64 | | |
| | | 2500 | 76 | 135 | 54 | 135 | | 171 | 37.1 | | | | | |
| EI208 | 02312 | 00578 | C006 | 177094017204 | S02 | 05/18/2003 | POT | FL | | O | 24 | 12 | | |
| | 1895 | 705 | 0 | 1850 | 567 | 400 | | 0 | 33.6 | .629 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI208 | 02312 | 00578 | C006 | 177094017204 | S02 | 06/15/2003 | SEM | GL | | O | | 12 | | |
| | | 689 | 0 | 1785 | 627 | 432 | | 0 | 33.6 | | | | | |
| EI208 | 02312 | 00578 | C021 | 177094077000 | S03 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 8000 | 94.59 | 65 | 6 | 48 | | 105 | 41.2 | | | | | |
| SS176 | 01284 | 00590 | 007 | 177114101100 | S02 | 07/03/2003 | SEM | FL | | G | | 16 | | |
| | | 481 | 46.83 | 545 | 260 | 125 | | 229 | 29.8 | | | | | |
| SS176 | 01834 | 00593 | G001 | 177110062001 | S02 | 05/18/2003 | SEM | FL | | G | | 14 | | |
| | 3060 | 22143 | 94.44 | 1525 | 35 | 775 | | 595 | 34.8 | | | | | |
| SS176 | 01834 | 00593 | G005 | 177110082700 | S01 | 05/12/2003 | SEM | GL | | O | | 70 | | |
| | 887 | 706 | 86.84 | 107 | 109 | 77 | | 719 | 35.6 | | | | | |
| SS176 | 01834 | 00593 | K004 | 177114119201 | S01 | 05/06/2003 | SEM | FL | | O | | 17 | | |
| | 2210 | 444 | 30.77 | 825 | 351 | 156 | | 156 | 36.8 | | | | | |
| ST086 | 02647 | 00599 | 017I | 177154079900 | D08 | 06/08/2003 | SEM | FL | | G | | 25 | | |
| | 850 | 10141 | 24.78 | 280 | 85 | 862 | | 28 | 46.1 | | | | | |
| ST086 | 02647 | 00599 | 021J | 177150108800 | S08 | 05/30/2003 | SEM | FL | | G | | 22 | | |
| | 2700 | 105133 | 0 | 625 | 15 | 1577 | | 0 | 48.6 | | | | | |
| ST086 | 02647 | 00599 | F002F | 177154079701 | D01 | 05/22/2003 | SEM | FL | | G | | 30 | | |
| | 1200 | 188706 | 10.53 | 750 | 17 | 3208 | | 2 | 47.5 | | | | | |
| ST086 | 02647 | 00599 | H002F | 177154088200 | S04 | 02/02/2003 | POT | FL | | G | 6 | 13 | | |
| | 4300 | 39208 | 10.47 | 3500 | 77 | 3019 | | 9 | 53 | .6 | | | | N |
| ST086 | 02647 | 00599 | H002G | 177154088200 | S05 | 03/14/2003 | POT | FL | | G | 12 | 13 | | |
| | 4200 | 25915 | .6 | 3900 | 165 | 4276 | | 1 | 45.2 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST086 | 02647 | 00599 | H004I | 177154088700 | D04 | 05/31/2003 | SEM | FL | | G | | 29 | | |
| | 650 | 9999999 | 99 | 390 | 0 | 1411 | | 5 | | | | | | |
| ST086 | 02647 | 00599 | H004J | 177154088700 | D05 | 06/09/2003 | SEM | FL | | G | | 24 | | |
| | 560 | 251167 | 33.33 | 380 | 6 | 1507 | | 3 | 49 | | | | | |
| ST086 | 02647 | 00599 | J002B | 177154090000 | D03 | 03/09/2003 | POT | FL | | G | 4 | 14 | | |
| | 990 | 9999999 | 0 | 550 | 0 | 727 | | 0 | | | .6 | | | N |
| ST086 | 02647 | 00599 | J002B | 177154090000 | D03 | 06/14/2003 | SEM | FL | | G | | 14 | | |
| | 1200 | 9999999 | 0 | 600 | 0 | 782 | | 0 | | | | | | |
| ST086 | 02647 | 00599 | K001C | 177154091000 | D05 | 06/14/2003 | SEM | FL | | G | | 22 | | |
| | 1250 | 9999999 | 0 | 380 | 0 | 1017 | | 0 | | | | | | |
| ST086 | 02647 | 00599 | K002B | 177154091800 | S02 | 06/14/2003 | SEM | FL | | G | | 18 | | |
| | 1000 | 9999999 | 0 | 300 | 0 | 517 | | 0 | | | | | | |
| ST086 | 02647 | 00599 | CA007H | 177150086600 | S07 | 06/05/2003 | SEM | FL | | G | | 17 | | |
| | 3950 | 74397 | 33.68 | 2875 | 63 | 4687 | | 32 | 52.4 | | | | | |
| ST086 | 02647 | 00599 | CA012E | 177150110000 | S04 | 05/30/2003 | SEM | FL | | G | | 24 | | |
| | 1300 | 116818 | 85.14 | 480 | 11 | 1285 | | 63 | 51.2 | | | | | |
| ST086 | 01689 | 00605 | 029A | 177154105400 | S01 | 05/27/2003 | SEM | FL | | O | | 22 | | |
| | 1100 | 7656 | .87 | 980 | 227 | 1738 | | 2 | 36.1 | | | | | |
| ST086 | 02647 | 00605 | E002A | 177154079000 | S01 | 06/01/2003 | SEM | FL | | O | | 42 | | |
| | 1000 | 830 | .19 | 425 | 1078 | 895 | | 2 | 37.7 | | | | | |
| SP027 | 02266 | 00693 | 003 | 177210056400 | S02 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 4917 | 94.34 | 250 | 12 | 59 | | 200 | 26.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00694 | 005 | 177210043600 | S04 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 3333 | 99 | 180 | 12 | 40 | | 1198 | 21.6 | | | | | |
| SP027 | 02266 | 00694 | 006 | 177210043701 | S03 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 6538 | 98.89 | 200 | 13 | 85 | | 1161 | 24.6 | | | | | |
| SP027 | 02266 | 00694 | 009 | 177210044000 | S02 | 05/24/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 3421 | 84.88 | 320 | 57 | 195 | | 320 | 36.7 | | | | | |
| SP027 | 02266 | 00694 | 015 | 177210044601 | S02 | 10/12/2003 | POT | FL | | G | 6 | 16 | | |
| | 2881 | 12485 | 0 | 2730 | 274 | 3421 | | 0 | 64.9 | .62 | | | | N |
| SP027 | 02266 | 00694 | 016 | 177210044701 | S03 | 05/10/2003 | SEM | FL | | G | | 64 | | |
| | 0 | 5125 | 91.67 | 160 | 8 | 41 | | 88 | 38 | | | | | |
| SP027 | 02266 | 00694 | 017D | 177210044800 | D02 | 05/02/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 6133 | 99 | 150 | 15 | 92 | | 1924 | 26.4 | | | | | |
| SP027 | 02266 | 00694 | 045 | 177210047600 | S02 | 05/10/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 6000 | 95.88 | 450 | 15 | 90 | | 349 | 23.2 | | | | | |
| SP027 | 02266 | 00694 | 046D | 177210047700 | S03 | 05/15/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 3333 | 98.15 | 250 | 12 | 40 | | 638 | 27.4 | | | | | |
| SP027 | 02266 | 00694 | 069 | 177210050000 | S03 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 1818 | 96.41 | 170 | 22 | 40 | | 590 | 25.2 | | | | | |
| SP027 | 02266 | 00694 | 090 | 177210089300 | D02 | 05/13/2003 | SEM | FL | | G | | 64 | | |
| | 0 | 9999999 | 0 | 220 | 0 | 890 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 090D | 177210089300 | D03 | 05/13/2003 | SEM | FL | | G | | 28 | | |
| | 0 | 9999999 | 99 | 580 | 0 | 1510 | | 12 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00694 | 095 | 177210099400 | D01 | 05/17/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1576 | 80.97 | 180 | 59 | 93 | | 251 | 18 | | | | | |
| SP027 | 02266 | 00694 | 103 | 177210115300 | D03 | 05/21/2003 | SEM | FL | | G | | 64 | | |
| | 0 | 9999999 | 0 | 150 | 0 | 590 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 103D | 177210115300 | D04 | 05/21/2003 | SEM | FL | | G | | 32 | | |
| | 0 | 9999999 | 0 | 200 | 0 | 750 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 109 | 177212002601 | D03 | 06/03/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 2540 | 85.96 | 180 | 50 | 127 | | 306 | 27.8 | | | | | |
| SP027 | 02266 | 00694 | 109D | 177212002601 | D02 | 06/08/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1573 | 95.89 | 200 | 75 | 118 | | 1752 | 23.4 | | | | | |
| SP027 | 02266 | 00694 | 110D | 177212003200 | D05 | 06/01/2003 | SEM | GL | | O | | 36 | | |
| | 0 | 5857 | 97.54 | 210 | 14 | 82 | | 554 | 29.4 | | | | | |
| SP027 | 02266 | 00694 | 113 | 177210044301 | D01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 4300 | 94.79 | 150 | 20 | 86 | | 364 | 25 | | | | | |
| SP027 | 02266 | 00694 | 119 | 177212013200 | S03 | 06/09/2003 | SEM | FL | | G | | 16 | | |
| | 0 | 9999999 | 99 | 1950 | 0 | 2944 | | 9 | | | | | | |
| SP027 | 02266 | 00694 | 119 | 177212013200 | S03 | 06/09/2003 | POT | FL | | G | 4 | 16 | | |
| | 1985 | 9999999 | 100 | 1950 | 0 | 2944 | | 9 | | .62 | | | | N |
| SP027 | 02266 | 00694 | 121 | 177210046902 | D03 | 06/09/2003 | SEM | FL | | O | | 64 | | |
| | 0 | 9999999 | 0 | 150 | 0 | 495 | | 0 | 35 | | | | | |
| SP027 | 02266 | 00694 | 122 | 177212013100 | D04 | 05/11/2003 | SEM | FL | | G | | 64 | | |
| | 0 | 9999999 | 0 | 150 | 0 | 214 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00694 | 124 | 177210050101 | S03 | 05/20/2003 | SEM | FL | | G | | 20 | | |
| 0 | | 9999999 | 99 | 270 | 0 | 620 | | 44 | 0 | | | | | |
| SP027 | 02266 | 00694 | 129 | 177212015600 | S02 | 05/22/2003 | SEM | FL | | G | | 36 | | |
| 0 | | 3125 | 98.31 | 270 | 16 | 50 | | 930 | 29.5 | | | | | |
| SP027 | 02266 | 00694 | 131 | 177212014301 | S03 | 10/21/2003 | POT | FL | | G | 24 | 32 | | |
| 660 | | 9999999 | 0 | 340 | 0 | 1854 | | 0 | | | .62 | | | N |
| SP027 | 02266 | 00694 | 134 | 177210045202 | S01 | 05/17/2003 | SEM | GL | | O | | 64 | | |
| 0 | | 4684 | 94.74 | 180 | 19 | 89 | | 342 | 24.4 | | | | | |
| SP027 | 02266 | 00694 | 136 | 177212014601 | S01 | 05/20/2003 | SEM | GL | | O | | 72 | | |
| 0 | | 7500 | 98.47 | 260 | 8 | 60 | | 516 | 22.7 | | | | | |
| SP027 | 02266 | 00694 | 137 | 177212019700 | S02 | 05/17/2003 | SEM | GL | | O | | 20 | | |
| 0 | | 3625 | 93.24 | 600 | 24 | 87 | | 331 | 24 | | | | | |
| SP027 | 02266 | 00694 | 143 | 177210048601 | S03 | 05/20/2003 | SEM | GL | | O | | 34 | | |
| 0 | | 1250 | 97.14 | 420 | 28 | 35 | | 950 | 25.7 | | | | | |
| SP027 | 02266 | 00694 | 148 | 177212024800 | S04 | 05/01/2003 | SEM | FL | | G | | 16 | | |
| 0 | | 9999999 | 0 | 240 | 0 | 220 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 158 | 177214008601 | D02 | 05/09/2003 | SEM | FL | | G | | 64 | | |
| 0 | | 9999999 | 0 | 170 | 0 | 1700 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 158D | 177214008601 | D03 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| 0 | | 9999999 | 99 | 160 | 0 | 970 | | 11 | | | | | | |
| SP027 | 02266 | 00694 | 160 | 177214008400 | S04 | 05/29/2003 | SEM | FL | | G | | 36 | | |
| 0 | | 9999999 | 0 | 300 | 0 | 1026 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00694 | 162 | 177214008900 | S04 | 06/16/2003 | POT | FL | | G | 8 | 16 | | |
| | 1645 | 9999999 | 0 | 1570 | 0 | 1438 | | 0 | | .62 | | | N | |
| SP027 | 02266 | 00694 | 163 | 177214010500 | S02 | 06/08/2003 | SEM | FL | | G | | 16 | | |
| | 0 | 9999999 | 0 | 1800 | 0 | 2545 | | 0 | 0 | | | | | |
| SP027 | 02266 | 00694 | 163 | 177214010500 | S02 | 06/15/2003 | POT | FL | | G | 4 | 16 | | |
| | 1940 | 9999999 | 0 | 1800 | 0 | 2485 | | 0 | | .62 | | | N | |
| SP027 | 02266 | 00694 | 165 | 177210043802 | D01 | 05/09/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 2313 | 91.3 | 150 | 32 | 74 | | 336 | 24.6 | | | | | |
| SP027 | 02266 | 00694 | 165D | 177210043802 | D02 | 05/09/2003 | SEM | GL | | O | | 74 | | |
| | 0 | 2100 | 91.51 | 150 | 40 | 84 | | 431 | 25.8 | | | | | |
| SP027 | 02266 | 00694 | 168 | 177210045701 | S03 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 13333 | 0 | 170 | 9 | 120 | | 0 | 30.5 | | | | | |
| SP027 | 02266 | 00694 | 189 | 177214014700 | S04 | 05/01/2003 | SEM | FL | | G | | 26 | | |
| | 0 | 9999999 | 0 | 500 | 0 | 1230 | | 0 | | | | | | |
| SP027 | 02266 | 00694 | 195 | 177214015500 | S01 | 06/02/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 4667 | 98.06 | 180 | 18 | 84 | | 911 | 26.5 | | | | | |
| SP027 | 02266 | 00694 | 197 | 177214015700 | S03 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 9667 | 99 | 210 | 9 | 87 | | 1191 | 23.4 | | | | | |
| SP027 | 02266 | 00694 | 199 | 177214018500 | S02 | 06/04/2003 | SEM | GL | | O | | 74 | | |
| | 0 | 2846 | 94.88 | 300 | 13 | 37 | | 241 | 26.5 | | | | | |
| SP027 | 02266 | 00694 | 212D | 177210035501 | D03 | 05/26/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1962 | 86.9 | 180 | 52 | 102 | | 345 | 26.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP027 | 02266 | 00697 | 003 | 177214045700 | S02 | 04/13/2003 | POT | FL | | G | 4 | 24 | | |
| | 2300 | 11133 | 0 | 1050 | 211 | 2349 | | 0 | 42.1 | .62 | | | N | |
| SP027 | 02266 | 00697 | 003 | 177214045700 | S02 | 06/07/2003 | SEM | GL | | O | | 34 | | |
| | 2300 | 69891 | 0 | 770 | 46 | 3215 | | 0 | 42.1 | | | | | |
| SP027 | 02266 | 00697 | 003 | 177214045700 | D03 | 09/30/2003 | POT | FL | | G | 4 | 25 | | |
| | 3600 | 12651 | 0 | 2860 | 668 | 8451 | | 0 | 40.7 | .603 | | | N | |
| SP027 | 02266 | 00697 | 003D | 177214045700 | D04 | 09/30/2003 | POT | FL | | O | 5 | 24 | | |
| | | 791 | 0 | 1600 | 1700 | 1344 | | 0 | 29.7 | .636 | | | N | |
| HI160 | 00056 | 00742 | 003 | 427080005201 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 50 | | |
| | 620 | 9999999 | | 320 | 0 | 5 | | 0 | 30 | | | 772 | N | |
| HI160 | 00056 | 00742 | 005A | 427080005400 | S02 | 06/09/2003 | SEM | FL | | G | 24 | 20 | | |
| | 550 | 9999999 | | 385 | 0 | 104 | | 0 | 30 | | | 772 | N | |
| HI160 | 00056 | 00743 | JA002 | 427084041401 | D01 | 06/09/2003 | SEM | FL | | G | 24 | 34 | | |
| | 580 | 9999999 | | 380 | 0 | 194 | | 0 | 30 | | | 772 | N | |
| HI160 | 00056 | 00743 | JA002D | 427084041401 | D02 | 06/09/2003 | SEM | FL | | G | 24 | 34 | | |
| | 590 | 9999999 | | 500 | 0 | 205 | | 0 | 30 | | | 772 | N | |
| HI160 | 00056 | 00743 | JA004A | 427084041600 | S02 | 06/09/2003 | SEM | FL | | G | 24 | 64 | | |
| | 600 | 9999999 | | 195 | 0 | 149 | | 0 | 30 | | | 772 | N | |
| HI160 | 00056 | 00743 | JA006 | 427084041800 | D01 | 01/15/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1140 | 9999999 | | 460 | 0 | 869 | | 0 | 30 | | | 773 | N | |
| HI160 | 00056 | 00743 | JA006D | 427084041800 | D02 | 02/10/2003 | SEM | FL | | G | 24 | 30 | | |
| | 1220 | 9999999 | | 380 | 0 | 411 | | 0 | 30 | | | 767 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC165 | 02421 | 00758 | A001A | 177004022900 | S02 | 06/14/2003 | SEM | FL | | G | 24 | 18 | | |
| | 1600 | 1091000 | | 1325 | 1 | 1091 | | 0 | 44.7 | | | | 0 | N |
| WC180 | 01354 | 00759 | C008 | 177004103200 | S01 | 06/07/2003 | SEM | FL | | G | | 41 | | |
| | 850 | 1315500 | 95 | 380 | 2 | 2631 | | 38 | 50 | | | | | |
| WC180 | 01376 | 00759 | K002 | 177004101900 | D03 | 06/21/2003 | SEM | FL | | G | | 18 | | |
| | 925 | 654500 | 20.75 | 700 | 4 | 2618 | | 1 | 40.1 | | | | | |
| WC180 | 01376 | 00759 | K002D | 177004101900 | D02 | 06/06/2003 | SEM | FL | | G | | 34 | | |
| | 750 | 3271000 | 52 | 560 | 1 | 3271 | | 1 | 40.1 | | | | | |
| WC180 | 02560 | 00759 | K004 | 177004113100 | S01 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 960 | 551500 | 57.24 | 600 | 6 | 3309 | | 8 | 49 | | | | | |
| WC180 | 02560 | 00759 | K005 | 177004113700 | D01 | 06/05/2003 | SEM | FL | | G | | 31 | | |
| | 1850 | 997500 | 99 | 600 | 2 | 1995 | | 403 | 50 | | | | | |
| WC180 | 02560 | 00759 | K005D | 177004113700 | D02 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 9999999 | 0 | 550 | 0 | 13 | | 0 | | | | | | |
| WC180 | 02401 | 00759 | FA001 | 177004107700 | S03 | 06/07/2003 | SEM | FL | | G | | 26 | | |
| | 2200 | 397500 | 99 | 890 | 2 | 795 | | 235 | 53 | | | | | |
| WC180 | 02401 | 00759 | FA002 | 177004107800 | D03 | 06/07/2003 | SEM | FL | | G | | 48 | | |
| | 1320 | 9999999 | 99 | 295 | 0 | 1188 | | 36 | 52 | | | | | |
| WC180 | 02401 | 00759 | FA002D | 177004107800 | D02 | 06/10/2003 | SEM | FL | | G | | 48 | | |
| | 460 | 9999999 | 0 | 110 | 0 | 70 | | 0 | | | | | | |
| EC064 | 01834 | 00762 | 002 | 177000015801 | S01 | 05/28/2003 | SEM | GL | | G | | 14 | | |
| | 1800 | 1095 | 7.93 | 500 | 325 | 356 | | 28 | 34.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC064 | 01834 | 00762 | 010 | 177004090502 | S03 | 05/14/2003 | SEM | FL | | O | | 10 | | |
| | 3520 | 35667 | 0 | 3050 | 48 | 1712 | | 0 | 46.1 | | | | | |
| WC180 | 02525 | 00763 | C007 | 177004102100 | D01 | 06/07/2003 | SEM | FL | | G | | 26 | | |
| | 1325 | 392000 | 96.77 | 580 | 5 | 1960 | | 150 | 52 | | | | | |
| WC180 | 02525 | 00763 | C007D | 177004102100 | D02 | 06/25/2003 | SEM | FL | | G | | 19 | | |
| | 620 | 9999999 | 0 | 295 | 0 | 215 | | 0 | 52 | | | | | |
| WC180 | 02525 | 00763 | C010 | 177004104000 | S01 | 06/07/2003 | SEM | FL | | G | | 48 | | |
| | 840 | 193500 | 66.67 | 270 | 6 | 1161 | | 12 | 53 | | | | | |
| WC180 | 02525 | 00763 | G009 | 177004065700 | D09 | 04/08/2003 | POT | FL | | G | 24 | 64 | | |
| | 1250 | 9999999 | 100 | 254 | 0 | 558 | | 49 | | | .56 | | | N |
| WC180 | 02525 | 00763 | G009 | 177004065700 | D09 | 06/08/2003 | SEM | FL | | G | | 7 | | |
| | 1600 | 9999999 | 0 | 1400 | 0 | 1326 | | 0 | | | | | | |
| WC180 | 02525 | 00763 | G009D | 177004065700 | D08 | 06/08/2003 | SEM | FL | | G | | 45 | | |
| | 1250 | 9999999 | 0 | 990 | 0 | 9813 | | 0 | | | | | | |
| WC180 | 02525 | 00763 | G012 | 177004099800 | S01 | 06/25/2003 | SEM | FL | | G | | 64 | | |
| | 525 | 9999999 | 99 | 250 | 0 | 120 | | 12 | | | | | | |
| WC180 | 02525 | 00763 | G013 | 177004104600 | S01 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 99 | 300 | 0 | 226 | | 40 | | | | | | |
| WC180 | 02525 | 00763 | H001 | 177004114000 | S01 | 06/07/2003 | SEM | FL | | G | | 47 | | |
| | 3800 | 54294 | 2.94 | 2500 | 330 | 17917 | | 10 | 46 | | | | | |
| WC180 | 02525 | 00763 | GA001 | 177004108600 | D03 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 450 | 9999999 | 0 | 300 | 0 | 1622 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC180 | 02525 | 00763 | GA002 | 177004108800 | D03 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 290 | 9999999 | 99 | 290 | 0 | 1562 | | 34 | | | | | | |
| WC180 | 02525 | 00763 | GA002D | 177004108800 | D02 | 06/28/2003 | SEM | FL | | G | | 64 | | |
| | 1775 | 9999999 | 99 | 290 | 0 | 1775 | | 35 | | | | | | |
| WC180 | 02525 | 00763 | GA003 | 177004108900 | D03 | 05/14/2003 | POT | FL | | G | 24 | 64 | | |
| | 600 | 9999999 | 0 | 285 | 0 | 685 | | 0 | | | .611 | | | N |
| WC180 | 02525 | 00763 | GA003 | 177004108900 | D03 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 1450 | 9999999 | 0 | 280 | 0 | 717 | | 0 | | | | | | |
| WC180 | 02525 | 00763 | GA003D | 177004108900 | D02 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 3400 | 9999999 | 0 | 280 | 0 | 713 | | 0 | | | | | | |
| VR131 | 00540 | 00775 | 005E | 177050018000 | S05 | 05/06/2003 | SEM | FL | | G | | 12 | | |
| | 1575 | 9999999 | 99 | 700 | 0 | 126 | | 342 | | | | | | |
| VR131 | 01834 | 00775 | 013 | 177054026501 | S01 | 06/12/2003 | SEM | FL | | G | | 12 | | |
| | 2150 | 93000 | 97.46 | 1900 | 7 | 651 | | 269 | 49.6 | | | | | |
| VR131 | 01834 | 00775 | 014 | 177054027700 | S04 | 05/29/2003 | SEM | FL | | G | | 13 | | |
| | 3800 | 473000 | 25 | 3150 | 6 | 2838 | | 2 | 48.4 | | | | | |
| VR112 | 00105 | 00775 | 015 | 177054091400 | D07 | 02/28/2003 | POT | FL | | G | 24 | 16 | | |
| | 2600 | 9999999 | 0 | 2575 | 0 | 4122 | | 0 | | | .57 | | | N |
| VR131 | 01834 | 00775 | 022 | 177074058501 | S53 | 05/12/2003 | SEM | FL | | G | | 19 | | |
| | 3050 | 51533 | 97.14 | 1595 | 15 | 773 | | 509 | 52.8 | | | | | |
| VR131 | 01834 | 00775 | C002 | 177054056700 | S04 | 05/19/2003 | SEM | FL | | G | | 20 | | |
| | 3400 | 9999999 | 99 | 2100 | 0 | 2974 | | 404 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR131 | 01834 | 00775 | C006 | 177050038700 | S05 | 06/08/2003 | SEM | FL | | G | | 24 | | |
| | 780 | 271333 | 92.31 | 300 | 3 | 814 | | 36 | 52.1 | | | | | |
| VR131 | 01834 | 00775 | D001 | 177054108300 | S01 | 06/06/2003 | SEM | FL | | G | | 22 | | |
| | 2800 | 60500 | 17.56 | 2500 | 108 | 6534 | | 23 | 52.1 | | | | | |
| VR131 | 01834 | 00775 | E001 | 177054109700 | S05 | 05/24/2003 | SEM | FL | | G | | 14 | | |
| | 2125 | 5970 | 82.49 | 600 | 66 | 394 | | 311 | 43.5 | | | | | |
| SM023 | 02421 | 00777 | B007 | 177074066400 | S02 | 06/10/2003 | SEM | FL | | G | 24 | 38 | | |
| | 500 | 9999999 | | 340 | 0 | 647 | | 0 | 0 | | | | 0 | N |
| SM023 | 02421 | 00777 | B008 | 177074066802 | S02 | 06/07/2003 | SEM | FL | | G | 24 | 54 | | |
| | 760 | 148357 | | 370 | 14 | 2077 | | 7 | 0 | | | | 0 | N |
| SM023 | 02421 | 00778 | F003E | 177074032500 | S04 | 06/03/2003 | SEM | FL | | G | 24 | 36 | | |
| | 3400 | 68382 | | 1750 | 89 | 6086 | | 1519 | 0 | | | | 0 | N |
| SM023 | 02421 | 00778 | G002B | 177074066100 | S03 | 06/04/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3200 | 63750 | | 1300 | 4 | 255 | | 90 | 0 | | | | 0 | N |
| SM023 | 02421 | 00778 | G003A | 177074067300 | S02 | 06/04/2003 | SEM | FL | | G | 24 | 64 | | |
| | 575 | 9999999 | | 320 | 0 | 14 | | 0 | 0 | | | | 0 | N |
| SM038 | 00105 | 00780 | D003 | 177074036300 | S05 | 11/01/2003 | POT | FL | | G | 9 | 8 | | |
| | 3100 | 19741 | 22.86 | 2940 | 27 | 533 | | 8 | 52 | .617 | | | | N |
| SM038 | 00105 | 00780 | D009 | 177074054801 | S01 | 10/22/2003 | POT | FL | | G | 4 | 8 | | |
| | 3650 | 73000 | 27.78 | 3525 | 13 | 949 | | 5 | 48.9 | .61 | | | | N |
| SM038 | 00105 | 00780 | D012 | 177074084300 | S01 | 10/11/2003 | POT | FL | | O | 24 | 10 | | |
| | | 0 | 0 | 1900 | 121 | 0 | | 0 | 38.4 | .61 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM048 | 02421 | 00786 | C003 | 177070041000 | D03 | 06/10/2003 | SEM | FL | | G | 24 | 64 | | |
| | 260 | 98000 | | 118 | 7 | 686 | | 5 | 0 | | | | 0 | N |
| SM048 | 02421 | 00786 | C003D | 177070041000 | D02 | 06/10/2003 | SEM | FL | | G | 24 | 48 | | |
| | 250 | 190500 | | 116 | 4 | 762 | | 2 | 0 | | | | 0 | N |
| SM048 | 02421 | 00786 | C005 | 177074003400 | D01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 250 | 607000 | | 120 | 1 | 607 | | 0 | 50 | | | | 0 | N |
| SM048 | 02421 | 00786 | E004B | 177072004000 | S04 | 06/03/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1000 | 742000 | | 620 | 1 | 742 | | 0 | 54.9 | | | | 0 | N |
| SM048 | 02522 | 00787 | A004 | 177070024900 | S03 | 06/07/2003 | SEM | FL | | G | | 15 | | |
| | 1335 | 110273 | 15.38 | 1800 | 22 | 2426 | | 4 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | A008 | 177070029000 | S04 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 1335 | 213000 | 33.33 | 110 | 4 | 852 | | 2 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | B004 | 177070047900 | S06 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 1335 | 35900 | 0 | 150 | 10 | 359 | | 0 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | C003 | 177090089500 | S01 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 770 | 798000 | 66.67 | 220 | 2 | 1596 | | 4 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | E002 | 177074001600 | S04 | 06/07/2003 | SEM | FL | | G | | 26 | | |
| | 770 | 128211 | 32.14 | 570 | 19 | 2436 | | 9 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | E006 | 177074003800 | S04 | 06/08/2003 | SEM | FL | | G | | 14 | | |
| | 1450 | 90571 | 6.67 | 1140 | 14 | 1268 | | 1 | 54.6 | | | | | |
| SM048 | 02522 | 00787 | E007 | 177074005200 | S07 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 1450 | 321000 | 0 | 100 | 2 | 642 | | 0 | 54.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM107 | 01834 | 00792 | D001D | 177080006300 | D03 | 05/25/2003 | SEM | FL | | G | | 10 | | |
| | 1050 | 9999999 | 99 | 880 | 0 | 310 | | 30 | | | | | | |
| SM107 | 01834 | 00792 | D002D | 177080006800 | D63 | 05/12/2003 | SEM | FL | | G | | 8 | | |
| | 1100 | 9999999 | 0 | 870 | 0 | 365 | | 0 | | | | | | |
| SM107 | 01834 | 00792 | D003 | 177080007100 | D03 | 05/08/2003 | SEM | FL | | G | | 10 | | |
| | 1350 | 9999999 | 99 | 690 | 0 | 175 | | 118 | | | | | | |
| SM107 | 01834 | 00792 | D003D | 177080007100 | D02 | 05/04/2003 | SEM | FL | | G | | 23 | | |
| | 1350 | 9999999 | 99 | 900 | 0 | 1411 | | 458 | | | | | | |
| SM107 | 01834 | 00792 | D008 | 177080007200 | D01 | 05/06/2003 | SEM | FL | | G | | 12 | | |
| | 890 | 9999999 | 99 | 535 | 0 | 136 | | 115 | | | | | | |
| EI100 | 01777 | 00797 | D002 | 177094035801 | S08 | 07/23/2003 | POT | FL | | O | 15 | 30 | | |
| | | 904 | 48.07 | 890 | 510 | 461 | | 472 | 41.9 | .6 | | | | N |
| EI100 | 01777 | 00797 | D010 | 177094137600 | S02 | 06/21/2003 | POT | FL | | G | 23 | 16 | | |
| | 3658 | 57193 | 0 | 2922 | 88 | 5033 | | 0 | 51.7 | .63 | | | | N |
| EI205 | 02607 | 00804 | G002 | 177094025401 | D01 | 06/29/2003 | SEM | FL | | G | | 20 | | |
| | | 9999999 | 0 | 950 | 0 | 1412 | | 0 | | | | | | |
| EI205 | 02607 | 00804 | G005 | 177094115400 | S01 | 06/15/2003 | SEM | FL | | G | | 10 | | |
| | | 9999999 | 0 | 2300 | 0 | 2163 | | 0 | | | | | | |
| EI205 | 02607 | 00805 | B002 | 177094004902 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | | 18750 | 75.76 | 261 | 8 | 150 | | 25 | | | | | | |
| EI205 | 02607 | 00805 | B007 | 177094009701 | D01 | 06/12/2003 | SEM | FL | | O | | 64 | | |
| | | 11135 | 91.76 | 379 | 141 | 1570 | | 1570 | 37.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI205 | 02607 | 00805 | B008A | 177094009602 | S02 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 0 | 256 | 0 | 80 | | 0 | | | | | | |
| EI205 | 02607 | 00806 | F010 | 177094120601 | S01 | 06/08/2003 | SEM | FL | | G | | 26 | | |
| | | 280938 | 0 | 1930 | 32 | 8990 | | 0 | 45.2 | | | | | |
| EI205 | 02607 | 00808 | E008 | 177094020701 | S01 | 06/17/2003 | SEM | FL | | G | | 12 | | |
| | | 9999999 | 0 | 500 | 0 | 826 | | 0 | | | | | | |
| EI266 | 00003 | 00811 | E001 | 177092003100 | D01 | 06/19/2003 | SEM | FL | | G | 24 | 18 | | |
| | 1800 | 9999999 | | 1100 | 0 | 324 | | 288 | | | | | 895 | N |
| EI266 | 00003 | 00811 | E005 | 177092006301 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 58 | | |
| | 1030 | 9999999 | | 405 | 0 | 732 | | 152 | | | | | 905 | N |
| EI266 | 00003 | 00811 | E012D | 177092008100 | S02 | 06/05/2003 | SEM | FL | | G | 24 | | | |
| | 1900 | 9999999 | | 460 | 0 | 702 | | 270 | | | | | 925 | N |
| EI266 | 00003 | 00811 | H003 | 177094027901 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 16 | | |
| | 1580 | 9999999 | | 800 | 0 | 1415 | | 726 | | | | | 1040 | N |
| EI266 | 00003 | 00812 | I001D | 177104083000 | D02 | 06/09/2003 | SEM | FL | | G | 24 | 15 | | |
| | 750 | 9999999 | | 675 | 0 | 480 | | 0 | | | | | 1049 | N |
| EI266 | 00003 | 00812 | I003D | 177104089100 | D02 | 06/14/2003 | SEM | FL | | G | 24 | 25 | | |
| | 825 | 9999999 | | 55 | 0 | 120 | | 186 | | | | | 915 | N |
| EI266 | 00003 | 00812 | I005 | 177104142200 | S01 | 06/10/2003 | SEM | FL | | G | 24 | | | |
| | 120 | 9999999 | | 40 | 0 | 1350 | | 792 | | | | | 937 | N |
| EI266 | 00003 | 00812 | I006 | 177104142301 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 17 | | |
| | 900 | 9999999 | | 650 | 0 | 438 | | 450 | | | | | 937 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI266 | 00003 | 00813 | 002 | 177104152500 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 19 | | |
| | 1650 | 204500 | | 1005 | 6 | 1227 | | 230 | 54.5 | | | 915 | N | |
| SS107 | 00078 | 00814 | 007 | 177110023000 | S01 | 04/06/2003 | SEM | GL | | | 24 | 100 | | |
| | 1025 | 2698 | | 149 | 43 | 116 | | 387 | 32 | | | 129 | N | |
| SS107 | 00078 | 00814 | 042 | 177114098901 | S01 | 05/01/2003 | SEM | GL | | | 24 | 100 | | |
| | 1050 | 1005 | | 250 | 201 | 202 | | 4860 | 36.1 | | | 168 | N | |
| SS167 | 02647 | 00818 | B001C | 177114103300 | D04 | 06/24/2003 | SEM | FL | | G | | 30 | | |
| | 800 | 9999999 | 0 | 530 | 0 | 1448 | | 0 | 0 | | | | | |
| SS169 | 00078 | 00819 | D005 | 177114061800 | S05 | 04/02/2003 | SEM | FL | | | 24 | 8 | | |
| | 2500 | 203667 | | 2210 | 6 | 1222 | | 31 | 48 | | | 1030 | N | |
| SS169 | 00078 | 00819 | D006 | 177114095800 | S01 | 04/01/2003 | SEM | FL | | | 24 | 35 | | |
| | 1740 | 868500 | | 1040 | 4 | 3474 | | 20 | 40 | | | 1030 | N | |
| SS169 | 00078 | 00820 | C001 | 177114075600 | S01 | 04/03/2003 | SEM | GL | | | 24 | 64 | | |
| | 1400 | 3818 | | 150 | 44 | 168 | | 692 | 28.5 | | | 135 | N | |
| SS169 | 00078 | 00820 | C006 | 177114080201 | S01 | 04/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 1500 | 581 | | 250 | 413 | 240 | | 1175 | 29.5 | | | 150 | N | |
| SS169 | 00078 | 00820 | C008 | 177114081300 | S01 | 04/01/2003 | SEM | GL | | | 24 | 64 | | |
| | 1155 | 30000 | | 105 | 16 | 480 | | 247 | 32.5 | | | 97 | N | |
| SS169 | 00078 | 00820 | G001 | 177114127400 | S06 | 08/20/2003 | POT | FL | | G | 22 | 29 | | |
| | 2650 | 9999999 | 0 | 2488 | 0 | 6277 | | 0 | 46.2 | .65 | | | N | |
| SS169 | 00078 | 00820 | G002 | 177114128500 | S01 | 03/30/2003 | SEM | FL | | | 24 | 85 | | |
| | 1109 | 268143 | | 948 | 14 | 3754 | | 9 | 54.5 | | | 910 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS169 | 00078 | 00820 | H013 | 177114135800 | S01 | 03/28/2003 | SEM | FL | | | 24 | 55 | | |
| | 2475 | 94098 | | 1250 | 61 | 5740 | | 348 | 45.3 | | | 938 | N | |
| SS169 | 00078 | 00820 | BB002 | 177114055501 | S01 | 03/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 948 | 644 | | 150 | 90 | 58 | | 320 | 30.3 | | | 139 | N | |
| SS169 | 00078 | 00820 | BB006 | 177114060101 | S02 | 04/16/2003 | SEM | GL | | | 24 | 64 | | |
| | 1100 | 1303 | | 166 | 175 | 228 | | 658 | 28.9 | | | 154 | N | |
| SS169 | 00078 | 00821 | B011D | 177114120800 | D02 | 03/25/2003 | SEM | GL | | | 24 | 128 | | |
| | 1100 | 659 | | 172 | 179 | 118 | | 536 | 29.9 | | | 175 | N | |
| SS169 | 00078 | 00821 | B012 | 177114121400 | S01 | 03/27/2003 | SEM | GL | | | 24 | 128 | | |
| | 1200 | 881 | | 184 | 201 | 177 | | 801 | 29 | | | 155 | N | |
| SS169 | 00078 | 00821 | B013 | 177114121800 | S01 | 03/26/2003 | SEM | GL | | | 24 | 99 | | |
| | 1125 | 397 | | 203 | 262 | 104 | | 486 | 28.3 | | | 160 | N | |
| SS169 | 00078 | 00821 | C008 | 177114036001 | S01 | 03/15/2003 | SEM | GL | | | 24 | 96 | | |
| | 1010 | 667 | | 130 | 75 | 50 | | 368 | 28.1 | | | 110 | N | |
| SS169 | 00078 | 00821 | C012 | 177114038000 | S02 | 03/15/2003 | SEM | GL | | | 24 | 64 | | |
| | 1520 | 889 | | 140 | 45 | 40 | | 2 | 28.1 | | | 110 | N | |
| SS169 | 00078 | 00821 | E002 | 177114069402 | S01 | 03/14/2003 | SEM | FL | | | 24 | 64 | | |
| | 800 | 765 | | 150 | 226 | 173 | | 418 | 29 | | | 114 | N | |
| SS169 | 00078 | 00821 | E006 | 177114071200 | S01 | 03/15/2003 | SEM | GL | | | 24 | 28 | | |
| | 1100 | 174 | | 140 | 46 | 8 | | 463 | 29 | | | 100 | N | |
| SS169 | 00078 | 00821 | E008 | 177114071500 | S02 | 03/15/2003 | SEM | GL | | | 24 | 64 | | |
| | 1200 | 1625 | | 110 | 48 | 78 | | 748 | 26 | | | 74 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS169 | 00078 | 00821 | I001 | 177114136200 | S01 | 03/27/2003 | SEM | GL | | | 24 | 100 | | |
| | 963 | 114 | | 213 | 502 | 57 | | 502 | 29.2 | | | | 140 | N |
| SS169 | 00078 | 00821 | I002 | 177114137600 | S01 | 03/26/2003 | SEM | FL | | | 24 | 20 | | |
| | 1060 | 463 | | 865 | 1068 | 495 | | 0 | 29.6 | | | | 116 | N |
| SS169 | 00078 | 00821 | I003 | 177114137800 | S01 | 03/25/2003 | SEM | GL | | | 24 | 27 | | |
| | 1950 | 538 | | 184 | 530 | 285 | | 286 | 28.4 | | | | 198 | N |
| SS169 | 00078 | 00821 | I003 | 177114137800 | S01 | 04/25/2003 | POT | GL | | O | 24 | 27 | | |
| | | 537 | 24.92 | 191 | 443 | 238 | | 147 | 28.4 | | .65 | | | N |
| SS169 | 00078 | 00821 | I004 | 177114138200 | S01 | 02/11/2003 | POT | FL | | G | 24 | 27 | | |
| | 3560 | 9999999 | 100 | 2783 | 0 | 688 | | 97 | | | .65 | | | N |
| SS169 | 00078 | 00821 | I004 | 177114138200 | S01 | 04/09/2003 | SEM | FL | | | 24 | 36 | | |
| | 3560 | 9999999 | | 1627 | 0 | 480 | | 961 | | | | | 1101 | N |
| SS208 | 00003 | 00827 | G001 | 177110065700 | S04 | 06/10/2003 | SEM | FL | | O | 24 | | | |
| | | 2050 | | 188 | 40 | 82 | | 647 | 30.9 | | | | | N |
| SS208 | 00003 | 00827 | G006 | 177110073200 | D04 | 05/16/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1066 | | 150 | 61 | 65 | | 39 | 31.8 | | | | | N |
| SS208 | 00003 | 00827 | J005 | 177114015001 | S04 | 06/09/2003 | SEM | FL | | O | 24 | | | |
| | | 2338 | | 220 | 80 | 187 | | 20 | 31.8 | | | | | N |
| SS208 | 00003 | 00827 | J012 | 177114071900 | S02 | 06/05/2003 | SEM | FL | | O | 24 | 42 | | |
| | | 5240 | | 360 | 500 | 2620 | | 770 | 32.7 | | | | | N |
| SS208 | 00003 | 00827 | K005 | 177114023601 | S03 | 05/17/2003 | SEM | FL | | G | 24 | | | |
| | 595 | 9999999 | | 140 | 0 | 11 | | 0 | | | | | 974 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS208 | 00003 | 00827 | K007 | 177114024501 | S02 | 06/06/2003 | SEM | GL | | O | 24 | | | |
| | | 1148 | | 160 | 115 | 132 | | 73 | 31.2 | | | | N | |
| SS208 | 00003 | 00827 | M001 | 177114117600 | D41 | 05/24/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 3034 | | 185 | 87 | 264 | | 2 | 32.5 | | | | N | |
| SS208 | 00003 | 00827 | M001D | 177114117600 | D02 | 05/23/2003 | SEM | FL | | O | 24 | | | |
| | | 530 | | 190 | 351 | 186 | | 15 | 32.6 | | | | N | |
| SS208 | 00003 | 00827 | N002 | 177114131500 | S04 | 06/06/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3500 | 6067 | | 2180 | 104 | 631 | | 56 | 30.8 | | | 985 | N | |
| SS208 | 02219 | 00828 | L003A | 177114068300 | S02 | 01/02/2003 | SEM | FL | 0 | G | 4 | 12 | 0 | 0 |
| 0 | 1480 | 9999999 | 0 | 350 | 0 | 402 | | 0 | 0 | 0 | | 260 | N | |
| SS208 | 02219 | 00828 | L007B | 177114075500 | S03 | 01/02/2003 | SEM | GL | 0 | G | 4 | 45 | 0 | 0 |
| 0 | 1050 | 5031 | 75 | 350 | 192 | 966 | | 576 | 35.4 | 0 | | 290 | N | |
| SS230 | 00774 | 00830 | A016D | 177114001400 | S02 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 34 | 45.76 | 100 | 147 | 5 | | 124 | 35.8 | | | | | |
| SS230 | 00774 | 00830 | B004A | 177114006900 | D03 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | | 1154 | 85.31 | 150 | 26 | 30 | | 151 | 39.2 | | | | | |
| SS230 | 00774 | 00830 | B008A | 177114009600 | S03 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | | 0 | 67.72 | 145 | 41 | 0 | | 86 | 38.2 | | | | | |
| SS230 | 00774 | 00830 | B009 | 177114010402 | S01 | 05/28/2003 | SEM | GL | | O | | 64 | | |
| | | 18600 | 16.67 | 100 | 5 | 93 | | 1 | 30.1 | | | | | |
| SS230 | 00774 | 00830 | B011D | 177114097900 | D02 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 323 | 22.5 | 125 | 31 | 10 | | 9 | 34.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS230 | 00774 | 00830 | C001 | 177114063300 | D01 | 06/09/2003 | SEM | GL | | O | | 60 | | |
| | | 176 | 29.17 | 80 | 34 | 6 | | 14 | 34.7 | | | | | |
| SS230 | 00774 | 00830 | C002 | 177114063600 | S01 | 05/26/2003 | SEM | FL | | O | | 64 | | |
| | | 0 | 71.43 | 80 | 2 | 0 | | 5 | 37.5 | | | | | |
| SS230 | 00774 | 00830 | C003 | 177114064500 | S01 | 06/17/2003 | SEM | GL | | O | | 64 | | |
| | | 2086 | 50 | 100 | 35 | 73 | | 35 | 34.7 | | | | | |
| SS230 | 00774 | 00830 | C004 | 177114064600 | S01 | 06/22/2003 | SEM | GL | | O | | 60 | | |
| | | 2222 | 26.53 | 90 | 36 | 80 | | 13 | 35.7 | | | | | |
| SS230 | 00774 | 00830 | C007 | 177114067300 | S01 | 06/06/2003 | SEM | GL | | O | | 64 | | |
| | | 7940 | 51.92 | 225 | 50 | 397 | | 54 | 35.8 | | | | | |
| SS230 | 00774 | 00830 | C013 | 177114073700 | S01 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | | 500 | 50 | 110 | 46 | 23 | | 46 | 37.2 | | | | | |
| SS230 | 00774 | 00830 | C014 | 177114074100 | S02 | 06/05/2003 | SEM | FL | | G | | 6 | | |
| | 1600 | 9999999 | 0 | 1390 | 0 | 189 | | 0 | 0 | | | | | |
| SS230 | 00774 | 00830 | C015 | 177114111100 | S01 | 06/19/2003 | SEM | GL | | O | | 64 | | |
| | | 401 | 73.05 | 160 | 207 | 83 | | 561 | 35.6 | | | | | |
| SS230 | 00774 | 00831 | B004A | 177114017201 | S02 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | | 1154 | 85.31 | 150 | 26 | 30 | | 151 | 39.2 | | | | | |
| SS230 | 00774 | 00832 | C011 | 177114069801 | S01 | 05/11/2003 | SEM | FL | | G | | 9 | | |
| | 1850 | 9999999 | 0 | 100 | 0 | 82 | | 0 | | | | | | |
| GI043 | 01855 | 00838 | E007 | 177190095601 | S02 | 06/26/2003 | SEM | FL | | O | | 16 | | |
| | 1300 | 652 | 25.9 | 1225 | 644 | 420 | | 225 | 36 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 01855 | 00838 | E009 | 177190091701 | S02 | 06/26/2003 | SEM | FL | | G | | 24 | | |
| | 2750 | 228467 | 98.33 | 1700 | 15 | 3427 | | 882 | 45.2 | | | | | |
| GI043 | 00114 | 00838 | E010 | 177190095700 | D01 | 06/27/2003 | SEM | GL | | O | | 108 | | |
| | 1000 | 121 | 94.55 | 430 | 33 | 4 | | 572 | 25.3 | | | | | |
| GI043 | 00114 | 00838 | M011 | 177194015600 | S05 | 05/18/2003 | SEM | GL | | O | | 108 | | |
| | 1050 | 993 | 84.35 | 500 | 136 | 135 | | 733 | 30.6 | | | | | |
| GI043 | 00114 | 00838 | O005 | 177190125001 | D01 | 05/16/2003 | SEM | GL | | G | | 19 | | |
| | 1100 | 109 | 85.63 | 215 | 46 | 5 | | 274 | 35.2 | | | | | |
| GI043 | 00114 | 00838 | O005D | 177190125001 | D02 | 05/16/2003 | SEM | GL | | O | | 58 | | |
| | 1100 | 827 | 88.7 | 240 | 173 | 143 | | 1358 | 29.1 | | | | | |
| GI043 | 00114 | 00838 | O009 | 177190133600 | D01 | 05/15/2003 | SEM | GL | | O | | 44 | | |
| | 1150 | 600 | 88.64 | 250 | 140 | 84 | | 1094 | 35.2 | | | | | |
| GI043 | 00114 | 00838 | O013D | 177192001102 | D02 | 06/28/2003 | SEM | GL | | O | | 46 | | |
| | 1200 | 1000 | 90.56 | 235 | 118 | 118 | | 1132 | 29.1 | | | | | |
| GI043 | 00114 | 00839 | G003 | 177190102501 | S01 | 06/25/2003 | SEM | FL | | G | | 26 | | |
| | 1250 | 7670 | 95.34 | 450 | 91 | 698 | | 1864 | 26.4 | | | | | |
| GI043 | 00114 | 00839 | G008D | 177190099300 | D02 | 06/21/2003 | SEM | GL | | O | | 30 | | |
| | 1220 | 529 | 95.24 | 300 | 34 | 18 | | 684 | 32.6 | | | | | |
| GI043 | 00114 | 00839 | G011 | 177190099601 | S01 | 06/24/2003 | SEM | GL | | O | | 48 | | |
| | 1100 | 650 | 91.65 | 325 | 157 | 102 | | 1725 | 29.9 | | | | | |
| GI043 | 00114 | 00839 | V002D | 177192011600 | D03 | 06/21/2003 | SEM | FL | | G | | 18 | | |
| | 1550 | 9999999 | 99 | 1190 | 0 | 784 | | 948 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00114 | 00839 | V003 | 177192014900 | S01 | 06/23/2003 | SEM | GL | | O | | 80 | | |
| | 1450 | 1794 | 93.63 | 390 | 68 | 122 | | 999 | 28.6 | | | | | |
| GI043 | 00114 | 00839 | V006 | 177192016900 | D04 | 06/24/2003 | SEM | GL | | G | | 50 | | |
| | 1200 | 1129 | 91.69 | 300 | 93 | 105 | | 1026 | 35.3 | | | | | |
| GI043 | 00114 | 00839 | V015 | 177194064000 | S01 | 06/21/2003 | SEM | FL | | O | | 28 | | |
| | 1200 | 2951 | 93.13 | 330 | 103 | 304 | | 1396 | 26.7 | | | | | |
| GI043 | 00114 | 00839 | V016 | 177194063902 | S01 | 06/21/2003 | SEM | GL | | O | | 38 | | |
| | 1200 | 1380 | 85.17 | 350 | 121 | 167 | | 696 | 26.7 | | | | | |
| WD105 | 00105 | 00841 | C009A | 177190101402 | S03 | 03/11/2003 | POT | FL | | G | 24 | 12 | | |
| | 2400 | 83654 | 3.7 | 2325 | 26 | 2175 | | 1 | 57.6 | .592 | | | | N |
| WD105 | 00105 | 00841 | D010 | 177190119801 | S01 | 10/20/2003 | POT | GL | | O | 12 | 48 | | |
| | | 1453 | 42.18 | 175 | 170 | 247 | | 124 | 30.5 | .592 | | | | N |
| WD105 | 00105 | 00841 | E020 | 177194064901 | S03 | 04/01/2003 | POT | FL | | G | 24 | 40 | | |
| | 2250 | 9999999 | 100 | 370 | 0 | 490 | | 1121 | | .591 | | | | N |
| WC225 | 00282 | G00900 | 006 | 177004106700 | S01 | 06/28/2003 | SEM | FL | | G | | 22 | | |
| | 1755 | 3602000 | 98.86 | 1590 | 1 | 3602 | | 87 | 54.5 | | | | | |
| WC225 | 00282 | G00900 | C001 | 177004093800 | D02 | 06/26/2003 | SEM | FL | | G | | 10 | | |
| | 2250 | 9999999 | 99 | 1630 | 0 | 635 | | 265 | | | | | | |
| WC225 | 00282 | G00900 | C001D | 177004093800 | D03 | 06/23/2003 | SEM | FL | | G | | 11 | | |
| | 1700 | 9999999 | 0 | 1605 | 0 | 1773 | | 0 | | | | | | |
| EC049 | 01376 | G00932 | B001 | 177030033200 | S01 | 06/10/2003 | SEM | FL | | G | | 15 | | |
| | 1650 | 111692 | 70.45 | 1250 | 13 | 1452 | | 31 | 42 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC089 | 02441 | G00935 | 015 | 177034087100 | S02 | 06/13/2003 | SEM | UK | | G | | 11 | | |
| | 2200 | 9999999 | 99 | 1600 | 0 | 700 | | 240 | | | | | | |
| EC089 | 02441 | G00935 | 016 | 177034089000 | S01 | 06/12/2003 | SEM | UK | | G | | 34 | | |
| | 775 | 9999999 | 99 | 500 | 0 | 4131 | | 15 | | | | | | |
| EC089 | 02441 | G00935 | 017 | 177034090600 | S01 | 06/11/2003 | SEM | UK | | G | | 12 | | |
| | 1800 | 1568 | 30.18 | 1175 | 236 | 370 | | 102 | 39 | | | | | |
| EC245 | 02421 | G00970 | A004 | 177044015700 | D01 | 05/16/2003 | SEM | UK | | G | | 10 | | |
| | 1260 | 9999999 | 99 | 760 | 0 | 104 | | 30 | | | | | | |
| EC245 | 02421 | G00970 | A005A | 177044015800 | S03 | 05/17/2003 | SEM | UK | | G | | 38 | | |
| | 540 | 9999999 | 0 | 125 | 0 | 425 | | 0 | | | | | | |
| EC265 | 00105 | G00972 | B011 | 177044072300 | S02 | 04/12/2003 | SEM | FL | | | 24 | 17 | | |
| | 1150 | 9999999 | | 1040 | 0 | 3605 | | 0 | | | | | 171 | N |
| EC265 | 00105 | G00974 | B002 | 177044062200 | S02 | 04/12/2003 | SEM | FL | | | 24 | 128 | | |
| | 291 | 9999999 | | 183 | 0 | 475 | | 1110 | | | | | 165 | N |
| EC265 | 00771 | G00974 | B016 | 177044100100 | S01 | 04/12/2003 | SEM | FL | | | 24 | 64 | | |
| | 436 | 9999999 | | 198 | 0 | 2050 | | 1840 | | | | | 172 | N |
| EI231 | 00078 | G00977 | A002 | 177094129400 | S01 | 03/26/2003 | SEM | FL | | | 24 | 100 | | |
| | 2237 | 142240 | | 460 | 25 | 3556 | | 221 | 46 | | | | 365 | N |
| EI231 | 00078 | G00977 | A003 | 177094130600 | S01 | 03/29/2003 | SEM | FL | | | 24 | 100 | | |
| | 2600 | 12527 | | 376 | 55 | 689 | | 0 | 46.8 | | | | 350 | N |
| EI231 | 00078 | G00977 | A005 | 177094129700 | S02 | 03/27/2003 | SEM | FL | | | 24 | 100 | | |
| | 1750 | 206000 | | 407 | 12 | 2472 | | 9 | 49.7 | | | | 400 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI238 | 00078 | G00979 | J005 | 177094083702 | S01 | 05/02/2003 | SEM | FL | | | 24 | 90 | | |
| | 2300 | 9999999 | | 1296 | 0 | 9412 | | 0 | | | | | 1111 | N |
| EI238 | 00078 | G00979 | CD007 | 177094085300 | S01 | 03/29/2003 | SEM | FL | | | 24 | 64 | | |
| | 850 | 2901000 | | 374 | 1 | 2901 | | 0 | 55.5 | | | | 344 | N |
| EI238 | 00078 | G00979 | CD008 | 177094096400 | S01 | 03/29/2003 | SEM | FL | | | 24 | 64 | | |
| | 810 | 228000 | | 371 | 16 | 3648 | | 42 | 56.9 | | | | 349 | N |
| EI231 | 00078 | G00980 | A004 | 177094130500 | S02 | 05/02/2003 | SEM | FL | | | 24 | 7 | | |
| | 2660 | 1355500 | | 1533 | 2 | 2711 | | 0 | 46.2 | | | | 1089 | N |
| EI231 | 00078 | G00980 | A004 | 177094130500 | S03 | 10/08/2003 | POT | FL | | G | 24 | 8 | | |
| | 2750 | 2469500 | 0 | 1967 | 2 | 4939 | | 0 | 50 | | .6 | | | N |
| EI231 | 00078 | G00980 | A007 | 177094132800 | S02 | 05/05/2003 | SEM | FL | | G | | 33 | | |
| | 3141 | 107923 | 0 | 2744 | 39 | 4209 | | 0 | 52.5 | | | | | |
| EI238 | 00078 | G00981 | J001 | 177094051901 | S02 | 08/04/2003 | POT | FL | | G | 16 | 19 | | |
| | 1669 | 9999999 | 0 | 1425 | 0 | 979 | | 0 | | | .6 | | | N |
| EI238 | 00078 | G00981 | K006 | 177094124501 | S41 | 03/26/2003 | SEM | GL | | | 24 | 100 | | |
| | 1036 | 286 | | 232 | 660 | 189 | | 0 | 39.6 | | | | 229 | N |
| EI238 | 00078 | G00981 | K008 | 177094130400 | S01 | 03/25/2003 | SEM | GL | | | 24 | 100 | | |
| | 0 | 1747 | | 279 | 217 | 379 | | 145 | 36.5 | | | | 203 | N |
| EI238 | 00078 | G00981 | K010 | 177094131100 | S01 | 03/31/2003 | SEM | GL | | | 24 | 100 | | |
| | 1234 | 1886 | | 236 | 175 | 330 | | 9 | 33.8 | | | | 225 | N |
| EI238 | 00078 | G00982 | E007 | 177094103801 | S01 | 03/24/2003 | SEM | FL | | | 24 | 100 | | |
| | 610 | 9999999 | | 340 | 0 | 926 | | 0 | | | | | 340 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI238 | 00078 | G00982 | E009 | 177094129200 | S01 | 03/28/2003 | SEM | FL | | | 24 | 100 | | |
| | 610 | 423000 | | 350 | 3 | 1269 | | 0 | 49.5 | | | | 345 | N |
| EI238 | 00078 | G00982 | H006 | 177094041601 | S01 | 07/09/2003 | POT | FL | | G | 6 | 21 | | |
| | 2330 | 312952 | 0 | 1722 | 21 | 6572 | | 0 | 51.7 | .6 | | | | N |
| EI238 | 00078 | G00982 | AA002 | 177094106200 | S04 | 04/16/2003 | SEM | FL | | | 24 | 64 | | |
| | 1650 | 390000 | | 336 | 2 | 780 | | 0 | 52.3 | | | | 310 | N |
| EI238 | 00078 | G00983 | C006 | 177090068102 | S01 | 04/02/2003 | SEM | GL | | | 24 | 100 | | |
| | 2056 | 4704 | | 521 | 560 | 2634 | | 511 | 39.6 | | | | 381 | N |
| EI238 | 00078 | G00983 | C007 | 177090068001 | S01 | 04/01/2003 | SEM | GL | | | 24 | 100 | | |
| | 1537 | 527 | | 296 | 586 | 309 | | 63 | 39 | | | | 254 | N |
| EI238 | 00078 | G00983 | C010 | 177090072101 | S01 | 04/08/2003 | SEM | GL | | | 24 | 100 | | |
| | 1504 | 4257 | | 678 | 944 | 4019 | | 629 | 39.7 | | | | 407 | N |
| EI238 | 00078 | G00983 | C014 | 177090071902 | S02 | 05/05/2003 | SEM | FL | | G | | 7 | | |
| | 2350 | 67071 | 0 | 2194 | 98 | 6573 | | 0 | 49 | | | | | |
| EI238 | 00078 | G00983 | C014 | 177090071902 | S03 | 06/03/2003 | POT | FL | | G | 12 | 14 | | |
| | 2350 | 9999999 | 100 | 2208 | 0 | 6139 | | 21 | 48.7 | .6 | | | | N |
| EI238 | 00078 | G00983 | C018 | 177094124200 | S02 | 04/01/2003 | SEM | GL | | | 24 | 100 | | |
| | 1551 | 210 | | 272 | 752 | 158 | | 507 | 36.6 | | | | 246 | N |
| EI238 | 00078 | G00983 | C019 | 177094125700 | S02 | 04/04/2003 | SEM | FL | | | 24 | 100 | | |
| | 1600 | 685 | | 275 | 1334 | 914 | | 1228 | 42.2 | | | | 261 | N |
| EI238 | 00078 | G00983 | C020 | 177094126000 | S01 | 03/26/2003 | SEM | GL | | | 24 | 100 | | |
| | 980 | 505 | | 269 | 1632 | 824 | | 288 | 39.3 | | | | 262 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI238 | 00078 | G00983 | H001 | 177094026501 | S01 | 10/02/2003 | POT | FL | | G | 17 | 100 | | |
| | 2160 | 648167 | 25 | 1166 | 12 | 7778 | | 4 | 50.4 | .6 | | | N | |
| EI238 | 00078 | G00983 | H010 | 177094045701 | S01 | 03/31/2003 | SEM | FL | | | 24 | 64 | | |
| | 636 | 301600 | | 336 | 5 | 1508 | | 8 | 52.6 | | | 321 | N | |
| EI238 | 00078 | G00983 | H017 | 177094075301 | S01 | 08/09/2003 | POT | FL | | O | 6 | 28 | | |
| | 2986 | 633 | 0 | 1434 | 2278 | 1442 | | 0 | 38.6 | .6 | | | N | |
| EI238 | 00078 | G00983 | I004 | 177094057101 | S01 | 07/01/2003 | POT | FL | | G | 22 | 34 | | |
| | 1900 | 123944 | 45.45 | 350 | 18 | 2231 | | 15 | 53 | .6 | | | N | |
| EI238 | 00078 | G00983 | I006 | 177094058001 | S01 | 05/29/2003 | POT | GL | | O | 8 | 60 | | |
| | 2720 | 5349 | 0 | 351 | 295 | 1578 | | 0 | 34.2 | .6 | | | N | |
| EI238 | 00078 | G00983 | L001 | 177094133600 | S01 | 04/08/2003 | SEM | GL | | | 24 | 100 | | |
| | 1148 | 576 | | 291 | 2129 | 1226 | | 0 | 42.2 | | | 259 | N | |
| EI238 | 00078 | G00983 | L002 | 177094133700 | S01 | 04/02/2003 | SEM | GL | | | 24 | 100 | | |
| | 594 | 713 | | 269 | 164 | 117 | | 326 | 38.8 | | | 2238 | N | |
| EI238 | 00078 | G00983 | L003 | 177094134000 | S01 | 04/03/2003 | SEM | GL | | | 24 | 100 | | |
| | 1200 | 1241 | | 229 | 216 | 268 | | 44 | 34.5 | | | 222 | N | |
| EI238 | 00078 | G00983 | L004 | 177094134100 | S02 | 04/04/2003 | SEM | FL | | | 24 | 42 | | |
| | 2640 | 69967 | | 1084 | 61 | 4268 | | 12 | 55.9 | | | 1021 | N | |
| EI276 | 00687 | G00985 | A002A | 177090064500 | S03 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 37417 | 61.29 | 160 | 12 | 449 | | 19 | 48.8 | | | | | |
| EI276 | 00687 | G00985 | A007 | 177090068601 | S01 | 06/24/2003 | SEM | GL | | O | | 64 | | |
| | | 2581 | 84.65 | 140 | 31 | 80 | | 171 | 41.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI276 | 00687 | G00985 | A013F | 177090071400 | S06 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 24500 | 98.1 | 120 | 4 | 98 | | 206 | 39.1 | | | | | |
| EI276 | 00687 | G00985 | B003D | 177090077400 | S02 | 06/04/2003 | SEM | GL | | O | | 64 | | |
| | | 5200 | 85.09 | 90 | 55 | 286 | | 314 | 34.3 | | | | | |
| EI276 | 00687 | G00985 | B006D | 177090081201 | D02 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | | 6340 | 84.94 | 160 | 47 | 298 | | 265 | 40 | | | | | |
| EI276 | 00687 | G00985 | B008A | 177090077000 | S03 | 06/16/2003 | SEM | GL | | O | | 64 | | |
| | | 1357 | 89.97 | 260 | 98 | 133 | | 879 | 29.6 | | | | | |
| EI276 | 00687 | G00985 | B012C | 177090082800 | S05 | 06/17/2003 | SEM | GL | | O | | 64 | | |
| | | 2429 | 89.96 | 150 | 49 | 119 | | 439 | 26.1 | | | | | |
| EI276 | 00687 | G00985 | B015 | 177090084501 | S01 | 06/04/2003 | SEM | GL | | O | | 64 | | |
| | | 1435 | 85.01 | 250 | 85 | 122 | | 482 | 34 | | | | | |
| EI276 | 00687 | G00985 | B017 | 177090084901 | S01 | 06/02/2003 | SEM | GL | | G | | 64 | | |
| | | 25056 | 98.02 | 185 | 18 | 451 | | 889 | 43 | | | | | |
| EI276 | 00687 | G00985 | B018 | 177090084801 | S01 | 06/04/2003 | SEM | FL | | G | | 29 | | |
| | 1250 | 118537 | 10.87 | 880 | 41 | 4860 | | 5 | 60 | | | | | |
| EI276 | 00687 | G00985 | B019 | 177094113100 | D03 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 1843 | 90 | 100 | 51 | 94 | | 459 | 29 | | | | | |
| EI276 | 00687 | G00985 | C005A | 177090091901 | S03 | 06/09/2003 | SEM | GL | | O | | 24 | | |
| | | 27222 | 97.86 | 300 | 9 | 245 | | 411 | 35.4 | | | | | |
| EI276 | 00687 | G00985 | C009 | 177090094000 | D01 | 06/04/2003 | SEM | GL | | O | | 80 | | |
| | | 20143 | 50 | 100 | 7 | 141 | | 7 | 20.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI276 | 00687 | G00985 | C014 | 177092002001 | D01 | 06/04/2003 | SEM | GL | | G | | 64 | | |
| | | 21364 | 97.99 | 125 | 11 | 235 | | 537 | 51 | | | | | |
| EI276 | 00687 | G00985 | C014D | 177092002001 | D02 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 8308 | 94.54 | 120 | 26 | 216 | | 450 | 27.7 | | | | | |
| EI276 | 00687 | G00985 | C024 | 177092008000 | S02 | 06/11/2003 | SEM | GL | | O | | 24 | | |
| | | 1339 | 0 | 200 | 192 | 257 | | 0 | 31.6 | | | | | |
| EI276 | 00687 | G00985 | C028D | 177094103202 | D02 | 06/02/2003 | SEM | GL | | G | | 64 | | |
| | | 6917 | 89.04 | 150 | 24 | 166 | | 195 | 30.6 | | | | | |
| EI273 | 00078 | G00987 | B012 | 177104093403 | S02 | 10/26/2003 | POT | FL | | G | 24 | 12 | | |
| | 2500 | 9999999 | 0 | 2450 | 0 | 2508 | | 0 | 50.3 | .6 | | | | N |
| EI276 | 00003 | G00989 | B004 | 177100003201 | S03 | 06/05/2003 | SEM | FL | | O | 24 | | | |
| | | 1974 | | 100 | 156 | 308 | | 0 | 34.8 | | | | | N |
| EI276 | 00003 | G00989 | B005 | 177100003301 | S02 | 06/02/2003 | SEM | FL | | O | 24 | | | |
| | | 2418 | | 85 | 98 | 237 | | 0 | 40 | | | | | N |
| EI276 | 00003 | G00989 | B009 | 177100002900 | S02 | 06/06/2003 | SEM | FL | | O | 24 | | | |
| | | 3167 | | 100 | 54 | 171 | | 134 | 37.5 | | | | | N |
| EI276 | 00003 | G00989 | B010 | 177100004600 | S02 | 06/08/2003 | SEM | FL | | O | 24 | | | |
| | | 1696 | | 100 | 79 | 134 | | 0 | 37.2 | | | | | N |
| EI276 | 00003 | G00989 | B011 | 177100003700 | S05 | 06/07/2003 | SEM | GL | | O | 24 | | | |
| | | 13167 | | 80 | 6 | 79 | | 52 | 36 | | | | | N |
| EI276 | 00003 | G00989 | B014 | 177100004902 | S01 | 06/06/2003 | SEM | GL | | O | 24 | | | |
| | | 306 | | 100 | 206 | 63 | | 0 | 27.9 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI276 | 00003 | G00989 | C007 | 177100006600 | S02 | 06/07/2003 | SEM | FL | | O | 24 | | | |
| | | 3778 | | 120 | 27 | 102 | | 82 | 37.6 | | | | | N |
| EI276 | 00003 | G00989 | C008 | 177100006701 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1640 | 292500 | | 1020 | 2 | 585 | | 0 | 51 | | | | 950 | N |
| EI276 | 00003 | G00989 | D002 | 177100008601 | S01 | 05/26/2003 | SEM | FL | | O | 24 | | | |
| | | 1557 | | 190 | 318 | 495 | | 179 | 21.3 | | | | | N |
| EI276 | 00003 | G00989 | D005 | 177100009402 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 48 | | |
| | 950 | 80000 | | 125 | 9 | 720 | | 0 | 51.9 | | | | 867 | N |
| EI276 | 00003 | G00989 | D006 | 177100009701 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 64 | | |
| | 610 | 5748 | | 200 | 278 | 1598 | | 0 | 36.7 | | | | 852 | N |
| EI276 | 00003 | G00989 | D007 | 177104130000 | S01 | 06/04/2003 | SEM | FL | | O | 24 | 22 | | |
| | | 2576 | | 325 | 278 | 716 | | 0 | 26.2 | | | | | N |
| EI276 | 00003 | G00989 | D009 | 177104145100 | S01 | 06/12/2003 | SEM | FL | | O | 24 | | | |
| | | 1297 | | 170 | 512 | 664 | | 92 | 21.7 | | | | | N |
| EI276 | 00003 | G00989 | D011 | 177104147402 | S01 | 06/03/2003 | SEM | FL | | O | 24 | | | |
| | | 92571 | | 150 | 7 | 648 | | 118 | 30.6 | | | | | N |
| EI276 | 00003 | G00989 | E007 | 177104099601 | S01 | 05/18/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1520 | 234917 | | 1080 | 12 | 2819 | | 0 | 38.5 | | | | 987 | N |
| EI276 | 00003 | G00989 | E008 | 177104138900 | S03 | 05/18/2003 | SEM | FL | | G | 24 | 14 | | |
| | 1125 | 9999999 | | 560 | 0 | 930 | | 0 | | | | | 987 | N |
| EI292 | 00222 | G00993 | K001A | 177104140201 | D03 | 05/24/2003 | SEM | FL | | G | | 10 | | |
| | 2200 | 9999999 | 99 | 1325 | 0 | 340 | | 166 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI292 | 00222 | G00993 | K001A | 177104140201 | D03 | 06/22/2003 | SEM | FL | | G | | 10 | | |
| | 1525 | 9999999 | 99 | 1175 | 0 | 549 | | 202 | | | | | | |
| EI292 | 00222 | G00993 | K001D | 177104140201 | D02 | 05/11/2003 | SEM | FL | | G | | 12 | | |
| | 1500 | 9999999 | 99 | 725 | 0 | 275 | | 363 | | | | | | |
| EI292 | 00222 | G00993 | K001E | 177104140201 | D04 | 09/26/2003 | POT | FL | | G | 4 | 12 | | |
| | 850 | 9999999 | 0 | 460 | 0 | 280 | | 0 | | | .562 | | | N |
| EI292 | 00222 | G00993 | K002 | 177104143800 | S01 | 06/14/2003 | SEM | FL | | G | | 18 | | |
| | 1400 | 9999999 | 99 | 560 | 0 | 192 | | 108 | | | | | | |
| EI292 | 00222 | G00993 | K003C | 177104141300 | D05 | 08/24/2003 | POT | FL | | G | 24 | 16 | | |
| | 1250 | 9999999 | 0 | 1050 | 0 | 740 | | 0 | | | .56 | | | N |
| EI292 | 00185 | G00993 | K004 | 177104143901 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 325 | 9999999 | 99 | 235 | 0 | 2675 | | 39 | | | | | | |
| EI292 | 00048 | G00995 | I004 | 177104137400 | S01 | 05/27/2003 | SEM | FL | | G | | 10 | | |
| | 1580 | 394000 | 98.57 | 1250 | 1 | 394 | | 69 | 39.4 | | | | | |
| EI292 | 00222 | G00997 | H001B | 177104086500 | S03 | 02/19/2003 | SEM | FL | | G | | 7 | | |
| | 2100 | 401500 | 95.24 | 1550 | 2 | 803 | | 40 | 39 | | | | | |
| EI292 | 00222 | G00997 | H001B | 177104086500 | S03 | 05/19/2003 | SEM | FL | | G | | 7 | | |
| | 2100 | 470000 | 97.78 | 1500 | 1 | 470 | | 44 | 39.4 | | | | | |
| EI292 | 00222 | G00997 | H015C | 177104150800 | S04 | 01/26/2003 | POT | FL | | G | 24 | 7 | | |
| | 1400 | 9999999 | 0 | 330 | 0 | 100 | | 0 | | | .58 | | | N |
| EI292 | 00222 | G00997 | H015C | 177104150800 | S04 | 05/19/2003 | SEM | FL | | G | | 7 | | |
| | 600 | 9999999 | 0 | 175 | 0 | 30 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI292 | 00222 | G00997 | J001D | 177104129701 | D02 | 05/25/2003 | SEM | FL | | G | | 7 | | |
| | 2050 | 9999999 | 0 | 1450 | 0 | 417 | | 0 | | | | | | |
| EI292 | 00222 | G00997 | J001D | 177104129701 | D02 | 06/21/2003 | SEM | FL | | G | | 5 | | |
| | 2050 | 9999999 | 99 | 1680 | 0 | 585 | | 17 | | | | | | |
| EI292 | 00222 | G00997 | J003A | 177104150300 | S02 | 02/19/2003 | SEM | FL | | O | | 35 | | |
| | 1200 | 1324 | 33.07 | 300 | 510 | 675 | | 252 | 39 | | | | | |
| SS169 | 00078 | G01019 | B014 | 177114130100 | S01 | 03/28/2003 | SEM | GL | | | 24 | 100 | | |
| | 900 | 771 | | 230 | 249 | 192 | | 785 | 28.4 | | | | 159 | N |
| SS169 | 00078 | G01019 | C001 | 177114026101 | S03 | 03/09/2003 | SEM | GL | | | 24 | 74 | | |
| | 1390 | 359 | | 120 | 145 | 52 | | 850 | 28 | | | | 100 | N |
| SS169 | 00078 | G01019 | C003 | 177114034000 | S03 | 03/16/2003 | SEM | GL | | | 24 | 96 | | |
| | 1030 | 206 | | 100 | 102 | 21 | | 166 | 29 | | | | 100 | N |
| SS169 | 00078 | G01019 | C004 | 177114034800 | S02 | 03/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 1010 | 3908 | | 140 | 65 | 254 | | 611 | 26.7 | | | | 140 | N |
| SS169 | 00078 | G01019 | E001 | 177114067700 | S02 | 04/08/2003 | SEM | GL | | | 24 | 96 | | |
| | 990 | 568 | | 120 | 88 | 50 | | 875 | 29 | | | | 100 | N |
| SS169 | 00078 | G01019 | E004 | 177114069300 | S01 | 03/08/2003 | SEM | GL | | | 24 | 96 | | |
| | 1200 | 3232 | | 150 | 56 | 181 | | 704 | 25.7 | | | | 110 | N |
| SS169 | 00078 | G01019 | E005 | 177114069500 | S02 | 03/02/2003 | SEM | GL | | | 24 | 46 | | |
| | 1100 | 536 | | 200 | 84 | 45 | | 2012 | 26.4 | | | | 95 | N |
| SS230 | 00774 | G01022 | B007A | 177114118400 | S02 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1140 | 9999999 | 0 | 340 | 0 | 633 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS222 | 02647 | G01023 | D003A | 177114050601 | D01 | 06/08/2003 | SEM | FL | | G | | 18 | | |
| | 2500 | 9000 | 89.88 | 2200 | 99 | 891 | | 879 | 34 | | | | | |
| SS222 | 02647 | G01023 | D003B | 177114050601 | D02 | 06/14/2003 | SEM | FL | | G | | 12 | | |
| | 4600 | 4400 | 93.06 | 850 | 50 | 220 | | 670 | 32.8 | | | | | |
| SS222 | 02647 | G01023 | D010B | 177114126700 | D02 | 06/09/2003 | SEM | FL | | O | | 12 | | |
| | 2400 | 7938 | 90.06 | 2100 | 65 | 516 | | 589 | 32.2 | | | | | |
| SS222 | 02647 | G01023 | D011A | 177114128001 | S01 | 06/05/2003 | SEM | FL | | O | | 10 | | |
| | 3600 | 2213 | 55.06 | 3300 | 240 | 531 | | 294 | 34 | | | | | |
| SS222 | 02647 | G01023 | E005B | 177114043200 | S02 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 886 | 0 | 140 | 114 | 101 | | 0 | 37.2 | | | | | |
| SS222 | 02647 | G01023 | E007B | 177114045400 | D02 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 1822 | 60.87 | 145 | 45 | 82 | | 70 | 35 | | | | | |
| SS222 | 02647 | G01023 | PP002B | 177110060800 | D02 | 05/20/2003 | SEM | FL | | O | | 10 | | |
| | 2850 | 3500 | 89.06 | 2100 | 42 | 147 | | 342 | 32.2 | | | | | |
| SS246 | 00282 | G01027 | A004 | 177124008200 | S02 | 06/14/2003 | SEM | FL | | G | | 20 | | |
| | 1300 | 206500 | 98.88 | 420 | 2 | 413 | | 177 | 53.8 | | | | | |
| SS246 | 00282 | G01027 | A005 | 177124008300 | S03 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 930 | 31533 | 66.67 | 200 | 15 | 473 | | 30 | 54.8 | | | | | |
| SS246 | 00282 | G01027 | A007 | 177124009100 | S06 | 06/09/2003 | SEM | FL | | G | | 12 | | |
| | 2700 | 3564 | 85.23 | 1650 | 78 | 278 | | 450 | 36 | | | | | |
| SS246 | 00282 | G01027 | A011 | 177124011500 | S01 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 625 | 9222 | 95.2 | 140 | 27 | 249 | | 535 | 34.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS246 | 00282 | G01027 | A014 | 177124014600 | S08 | 06/02/2003 | SEM | FL | | G | | 12 | | |
| | 3700 | 7906 | 86 | 2700 | 64 | 506 | | 393 | 39.9 | | | | | |
| SS246 | 00282 | G01027 | A020 | 177124012901 | S01 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 1165 | 14447 | 87.5 | 100 | 38 | 549 | | 266 | 33 | | | | | |
| SS246 | 00282 | G01027 | J001 | 177124061800 | D04 | 06/13/2003 | SEM | FL | | G | | 16 | | |
| | 680 | 9999999 | 0 | 550 | 0 | 716 | | 0 | | | | | | |
| SS246 | 00282 | G01027 | J001E | 177124061800 | D05 | 06/13/2003 | SEM | FL | | G | | 16 | | |
| | 590 | 9999999 | 0 | 500 | 0 | 644 | | 0 | | | | | | |
| SS246 | 00282 | G01028 | D012 | 177124017903 | S01 | 06/19/2003 | SEM | FL | | G | | 11 | | |
| | 900 | 9999999 | 99 | 840 | 0 | 36 | | 41 | | | | | | |
| SS246 | 00282 | G01028 | F002 | 177124019702 | S01 | 06/19/2003 | SEM | FL | | G | | 16 | | |
| | 3550 | 1480 | 85.72 | 2300 | 202 | 299 | | 1213 | | | | | | |
| SS246 | 00282 | G01028 | F014 | 177124022301 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 325 | 9999999 | 0 | 95 | 0 | 500 | | 0 | | | | | | |
| SS246 | 00282 | G01028 | F017 | 177124022901 | S02 | 06/21/2003 | SEM | FL | | O | | 64 | | |
| | 1625 | 2571 | 18.09 | 100 | 77 | 198 | | 17 | 36.1 | | | | | |
| SS246 | 00282 | G01028 | F018 | 177124023201 | S01 | 06/26/2003 | SEM | FL | | G | | 16 | | |
| | 1900 | 9999999 | 0 | 1600 | 0 | 1820 | | 0 | | | | | | |
| SS246 | 00282 | G01028 | F018 | 177124023201 | S01 | 06/26/2003 | POT | FL | | G | 24 | 16 | | |
| | 1900 | 9999999 | 0 | 1600 | 0 | 1820 | | 0 | | | .56 | | | N |
| SS246 | 00282 | G01029 | D016 | 177124021000 | S02 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 320 | 9999999 | 0 | 140 | 0 | 1834 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS246 | 00282 | G01029 | D020 | 177124022000 | S07 | 06/28/2003 | SEM | FL | | G | | 19 | | |
| | 975 | 9999999 | 0 | 945 | 0 | 1489 | | 0 | | | | | | |
| SS246 | 00282 | G01029 | G001 | 177124049500 | S01 | 06/12/2003 | SEM | FL | | G | | 128 | | |
| | 360 | 9999999 | 99 | 20 | 0 | 1998 | | 8 | | | | | | |
| SS246 | 00282 | G01029 | G002 | 177124053000 | S01 | 06/13/2003 | SEM | FL | | G | | 128 | | |
| | 600 | 9999999 | 99 | 200 | 0 | 1044 | | 15 | | | | | | |
| SS246 | 00282 | G01029 | G003 | 177124053300 | D02 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 9999999 | 0 | 220 | 0 | 3010 | | 0 | | | | | | |
| SS246 | 00282 | G01029 | G003D | 177124053300 | D01 | 06/13/2003 | SEM | FL | | G | | 17 | | |
| | 550 | 9999999 | 0 | 550 | 0 | 422 | | 0 | | | | | | |
| SS246 | 00282 | G01030 | D005 | 177124014200 | S02 | 05/08/2003 | SEM | FL | | O | | 64 | | |
| | 1480 | 5532 | 19.26 | 150 | 109 | 603 | | 26 | 34.9 | | | | | |
| SS246 | 00282 | G01030 | H002 | 177124056300 | S01 | 06/07/2003 | SEM | FL | | G | | 28 | | |
| | 1260 | 9999999 | 99 | 460 | 0 | 1502 | | 217 | | | | | | |
| SS253 | 00003 | G01031 | E001 | 177124024200 | S03 | 06/05/2003 | SEM | FL | | G | 24 | | | |
| | 2700 | 9999999 | | 140 | 0 | 216 | | 338 | | | | | 1020 | N |
| SS253 | 00003 | G01031 | E003 | 177124025301 | S03 | 06/09/2003 | SEM | FL | | G | 24 | 18 | | |
| | 2200 | 13721 | | 1300 | 61 | 837 | | 47 | 58.7 | | | | 997 | N |
| SS253 | 00003 | G01031 | E004 | 177124025400 | S03 | 06/07/2003 | SEM | GL | | O | 24 | | | |
| | | 4684 | | 150 | 38 | 178 | | 4 | 27.6 | | | | | N |
| SS253 | 00003 | G01031 | E005 | 177124025500 | S01 | 05/19/2003 | SEM | GL | | O | 24 | | | |
| | | 783 | | 100 | 23 | 18 | | 0 | 30.5 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS253 | 00003 | G01034 | A002 | 177120011700 | S03 | 05/27/2003 | SEM | GL | | O | 24 | | | |
| | | 2340 | | 90 | 47 | 110 | | 39 | 30.2 | | | | | N |
| SS253 | 00003 | G01034 | A006 | 177122001901 | S01 | 06/11/2003 | SEM | FL | | G | 24 | 36 | | |
| | 420 | 9999999 | | 150 | 0 | 1410 | | 0 | | | | | 865 | N |
| SS253 | 00003 | G01034 | A008 | 177122003000 | S03 | 05/24/2003 | SEM | FL | | O | 24 | | | |
| | | 658 | | 100 | 295 | 194 | | 26 | 29.6 | | | | | N |
| SS253 | 00003 | G01034 | A013 | 177124050400 | S01 | 05/21/2003 | SEM | GL | | O | 24 | | | |
| | | 1724 | | 135 | 326 | 562 | | 63 | 30.1 | | | | | N |
| SS253 | 00003 | G01034 | A015 | 177124056901 | S01 | 05/23/2003 | SEM | GL | | O | 24 | | | |
| | | 305 | | 100 | 177 | 54 | | 45 | 33.5 | | | | | N |
| SS253 | 00003 | G01034 | A016 | 177124059502 | S01 | 06/11/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 5640 | | 1110 | 50 | 282 | | 1205 | 31.8 | | | | | N |
| SS253 | 00003 | G01034 | B001 | 177122003501 | S02 | 06/14/2003 | SEM | GL | | O | 24 | | | |
| | | 6480 | | 140 | 25 | 162 | | 31 | 41.5 | | | | | N |
| SS253 | 00003 | G01034 | B002 | 177124001500 | S03 | 06/14/2003 | SEM | FL | | G | 24 | | | |
| | 680 | 7071 | | 140 | 28 | 198 | | 158 | 20.7 | | | | 1025 | N |
| SS253 | 00003 | G01034 | B007 | 177124002501 | S02 | 06/01/2003 | SEM | GL | | O | 24 | | | |
| | | 2000 | | 120 | 33 | 66 | | 1 | 28.8 | | | | | N |
| SS253 | 00003 | G01034 | B010 | 177124004301 | S01 | 06/28/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 8564 | | 575 | 606 | 5190 | | 6 | 44.2 | | | | | N |
| SS253 | 00003 | G01034 | B011 | 177124004701 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1500 | 5231 | | 540 | 468 | 2448 | | 91 | 34.9 | | | | 1030 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS274 | 02409 | G01036 | A013 | 177120005400 | S03 | 04/20/2003 | SEM | GL | | O | | 64 | | |
| | | 292 | 52.37 | 175 | 161 | 47 | | 177 | 32.5 | | | | | |
| SS274 | 02409 | G01036 | B004 | 177124003700 | S02 | 06/28/2003 | SEM | FL | | G | | 64 | | |
| | 580 | 9999999 | 0 | 120 | 0 | 315 | | 0 | | | | | | |
| SS274 | 02409 | G01036 | B005 | 177124003800 | S02 | 04/07/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 120 | 0 | 108 | | 0 | | | | | | |
| SS274 | 02409 | G01036 | B007 | 177124004000 | S01 | 04/12/2003 | SEM | FL | | G | | 64 | | |
| | 620 | 9999999 | 0 | 120 | 0 | 578 | | 0 | | | | | | |
| SS274 | 02409 | G01036 | B011 | 177124006600 | S01 | 04/05/2003 | SEM | FL | | G | | 64 | | |
| | 590 | 9999999 | 0 | 120 | 0 | 101 | | 0 | | | | | | |
| WD030 | 02409 | G01067 | 003 | 177190104500 | D01 | 06/03/2003 | SEM | GL | | O | | 99 | | |
| | | 253 | 77.28 | 205 | 87 | 22 | | 296 | 32.8 | | | | | |
| GI043 | 00276 | G01082 | E026 | 177194065701 | S02 | 05/30/2003 | SEM | FL | | G | | 29 | | |
| | 6000 | 9999999 | 99 | 4150 | 0 | 13343 | | 69 | 34 | | | | | |
| WD073 | 00276 | G01083 | A003 | 177190061100 | S05 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 150 | 531000 | 99 | 140 | 1 | 531 | | 1001 | 0 | | | | | |
| WD073 | 00276 | G01083 | C003D | 177190080900 | S03 | 06/07/2003 | SEM | GL | | O | | 88 | | |
| | | 896 | 42.74 | 225 | 67 | 60 | | 50 | 25.2 | | | | | |
| WD073 | 00276 | G01083 | C017 | 177190097900 | D01 | 05/31/2003 | SEM | GL | | O | | 37 | | |
| | | 898 | 89.02 | 225 | 118 | 106 | | 957 | 26.9 | | | | | |
| WD073 | 00276 | G01083 | C038 | 177190080802 | S01 | 06/07/2003 | SEM | FL | | G | | 19 | | |
| | 2810 | 9999999 | 99 | 1110 | 0 | 21566 | | 38 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD073 | 00276 | G01083 | C040 | 177194019600 | D04 | 06/01/2003 | POT | GL | | O | 4 | 18 | | |
| | | 888 | .99 | 850 | 501 | 445 | | 5 | 28.6 | .6 | | | N | |
| WD073 | 00276 | G01083 | C040D | 177194019600 | D05 | 06/07/2003 | POT | GL | | O | 4 | 24 | | |
| | | 2339 | 85.96 | 150 | 56 | 131 | | 343 | 25.3 | .6 | | | N | |
| WD073 | 00276 | G01083 | D010 | 177190097102 | S01 | 05/22/2003 | SEM | GL | | O | | 88 | | |
| | | 848 | 83.01 | 160 | 369 | 313 | | 1803 | 24 | | | | | |
| WD073 | 00276 | G01083 | D018D | 177190096501 | D02 | 06/05/2003 | SEM | GL | | O | | 72 | | |
| | | 2866 | 83.95 | 150 | 82 | 235 | | 429 | 24.7 | | | | | |
| WD073 | 00276 | G01083 | D021 | 177190096604 | S01 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | 2200 | 9999999 | 99 | 130 | 0 | 1225 | | 6 | 0 | | | | | |
| WD073 | 00276 | G01083 | D034 | 177194036301 | S02 | 01/12/2003 | POT | FL | | G | 22 | 16 | | |
| | 1310 | 25444 | 25 | 350 | 18 | 458 | | 6 | 25.2 | .6 | | | N | |
| WD073 | 00276 | G01083 | D041 | 177194043701 | S01 | 06/04/2003 | SEM | FL | | O | | 18 | | |
| | | 5114 | 81.93 | 460 | 88 | 450 | | 399 | 29.3 | | | | | |
| WD073 | 00276 | G01083 | D045 | 177194044602 | S01 | 06/03/2003 | SEM | GL | | O | | 40 | | |
| | | 850 | 70.02 | 275 | 594 | 505 | | 1387 | 26.8 | | | | | |
| WD073 | 00276 | G01084 | B002 | 177190085501 | S01 | 02/08/2003 | SEM | GL | | O | | 88 | | |
| | | 651 | 85.98 | 190 | 255 | 166 | | 1564 | 23.6 | | | | | |
| WD073 | 00276 | G01084 | B034 | 177190082002 | S02 | 06/08/2003 | SEM | GL | | O | | 72 | | |
| | | 1124 | 80 | 250 | 137 | 154 | | 548 | 25.7 | | | | | |
| WD073 | 00276 | G01084 | B035 | 177194038200 | D03 | 06/09/2003 | SEM | GL | | O | | 72 | | |
| | | 2366 | 77.96 | 300 | 41 | 97 | | 145 | 26.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD073 | 00276 | G01084 | B035D | 177194038200 | D02 | 05/23/2003 | SEM | GL | | O | | 72 | | |
| | | 9333 | 98.08 | 230 | 9 | 84 | | 459 | 26 | | | | | |
| WD073 | 00276 | G01084 | B038 | 177194038602 | S01 | 06/08/2003 | SEM | GL | | O | | 88 | | |
| | | 344 | 75 | 225 | 384 | 132 | | 1152 | 22.3 | | | | | |
| WD073 | 00276 | G01084 | B039 | 177194038801 | S01 | 02/03/2003 | SEM | GL | | O | | 49 | | |
| | | 785 | 85.2 | 260 | 247 | 194 | | 1422 | 25.2 | | | | | |
| WD073 | 00276 | G01084 | D020 | 177190096701 | D01 | 06/06/2003 | SEM | GL | | O | | 72 | | |
| | | 6444 | 94.92 | 140 | 27 | 174 | | 504 | 26.3 | | | | | |
| WD073 | 00276 | G01084 | D020D | 177190096701 | D02 | 06/06/2003 | SEM | GL | | O | | 72 | | |
| | | 7333 | 90.91 | 120 | 36 | 264 | | 360 | 24.5 | | | | | |
| WD073 | 00276 | G01084 | D033 | 177194034802 | S01 | 06/02/2003 | SEM | FL | | O | | 23 | | |
| | | 3890 | 65.99 | 491 | 218 | 848 | | 423 | 29.2 | | | | | |
| WD073 | 00276 | G01084 | D044 | 177194043901 | S01 | 05/22/2003 | SEM | GL | | O | | 72 | | |
| | | 1115 | 85.02 | 180 | 331 | 369 | | 1878 | 25.7 | | | | | |
| WD073 | 00276 | G01084 | F011 | 177190108401 | S01 | 05/22/2003 | SEM | FL | | G | | 88 | | |
| | 850 | 9999999 | 0 | 190 | 0 | 1678 | | 0 | 0 | | | | | |
| WD073 | 00276 | G01084 | F030 | 177194004300 | S01 | 06/07/2003 | SEM | GL | | O | | 98 | | |
| | | 870 | 89.97 | 200 | 92 | 80 | | 825 | 22.2 | | | | | |
| WD073 | 00162 | G01088 | A001 | 177194048700 | S02 | 05/27/2003 | SEM | GL | | O | | 50 | | |
| | | 2560 | 97.9 | 150 | 25 | 64 | | 1164 | 34.2 | | | | | |
| WD073 | 00162 | G01088 | A002 | 177194048900 | S02 | 04/24/2003 | SEM | GL | | O | | 60 | | |
| | | 2500 | 91.38 | 80 | 66 | 165 | | 700 | 36.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD073 | 00162 | G01088 | A003 | 177194048801 | S01 | 05/28/2003 | SEM | GL | | O | | 23 | | |
| | | 9999999 | 99 | 280 | 0 | 58 | | 425 | 33.7 | | | | | |
| WD073 | 00162 | G01088 | A005 | 177194049100 | S02 | 05/05/2003 | SEM | GL | | O | | 64 | | |
| | | 5588 | 93.81 | 70 | 34 | 190 | | 515 | 34.7 | | | | | |
| WD073 | 00162 | G01088 | A006 | 177194049301 | S01 | 05/14/2003 | SEM | GL | | O | | 23 | | |
| | | 22000 | 99 | 260 | 2 | 44 | | 306 | 34.7 | | | | | |
| WD073 | 00162 | G01088 | A007 | 177194049501 | S03 | 02/13/2003 | SEM | GL | | G | | 64 | | |
| | | 4167 | 97.59 | 270 | 12 | 50 | | 486 | 36.4 | | | | | |
| WD073 | 00162 | G01088 | A010D | 177194049900 | D02 | 06/12/2003 | SEM | FL | | O | | 25 | | |
| | 0 | 22640 | 56.98 | 1230 | 111 | 2513 | | 147 | 43.3 | | | | | |
| WD073 | 00162 | G01088 | A013 | 177194050403 | S01 | 02/06/2003 | SEM | GL | | G | | 26 | | |
| | | 15226 | 57.58 | 1760 | 252 | 3837 | | 342 | 41.8 | | | | | |
| WD073 | 00162 | G01088 | A015 | 177194050800 | S01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 978 | 80.46 | 80 | 135 | 132 | | 556 | 34.1 | | | | | |
| WD073 | 00162 | G01088 | A016 | 177194051100 | S01 | 02/09/2003 | SEM | GL | | O | | 64 | | |
| | | 7625 | 88.24 | 90 | 8 | 61 | | 60 | 35.3 | | | | | |
| WD073 | 00162 | G01088 | A019 | 177194051200 | S01 | 02/07/2003 | SEM | GL | | O | | 64 | | |
| | | 4000 | 96.71 | 70 | 13 | 52 | | 382 | 35 | | | | | |
| WD073 | 00162 | G01088 | A020 | 177194051501 | S01 | 02/04/2003 | SEM | GL | | O | | 58 | | |
| | | 18500 | 98.56 | 70 | 4 | 74 | | 273 | 35.9 | | | | | |
| WD073 | 00162 | G01088 | A021 | 177194051402 | S01 | 02/12/2003 | SEM | GL | | O | | 27 | | |
| | | 1279 | 89.83 | 90 | 104 | 133 | | 919 | 33.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD073 | 00162 | G01088 | A024 | 177194051800 | S01 | 05/19/2003 | SEM | FL | | G | | 20 | | |
| | 0 | 11056 | 74.49 | 1200 | 125 | 1382 | | 365 | 41.5 | | | | | |
| WD073 | 00276 | G01090 | G001D | 177194036700 | D04 | 05/23/2003 | SEM | FL | | O | | 26 | | |
| | | 991 | 69.03 | 360 | 340 | 337 | | 758 | 37.8 | | | | | |
| WD073 | 00276 | G01090 | G002 | 177194046104 | D01 | 05/24/2003 | SEM | FL | | O | | 38 | | |
| | 1660 | 1451 | 80.01 | 350 | 657 | 953 | | 2629 | 42.2 | | | | | |
| WD073 | 00276 | G01090 | G003D | 177194058300 | D04 | 04/20/2003 | SEM | FL | | G | | 14 | | |
| | 2350 | 13545 | 4.35 | 800 | 66 | 894 | | 3 | 39.2 | | | | | |
| WD073 | 00276 | G01091 | C015 | 177190089901 | S03 | 06/10/2003 | SEM | GL | | O | | 72 | | |
| | | 3456 | 89.08 | 300 | 57 | 197 | | 465 | 24.9 | | | | | |
| WD073 | 00276 | G01091 | C039 | 177194020001 | D03 | 05/22/2003 | SEM | FL | | G | | 26 | | |
| | 2720 | 72722 | 88.24 | 1060 | 18 | 1309 | | 135 | 54.2 | | | | | |
| WD073 | 00276 | G01091 | C039 | 177194020001 | D02 | 06/08/2003 | SEM | FL | | G | | 21 | | |
| | 2200 | 120917 | 97.99 | 950 | 12 | 1451 | | 586 | 50.4 | | | | | |
| WD073 | 00276 | G01091 | D002D | 177190092001 | D02 | 06/05/2003 | SEM | GL | | O | | 88 | | |
| | | 2095 | 76.92 | 180 | 105 | 220 | | 350 | 25.4 | | | | | |
| WD073 | 00276 | G01091 | D018 | 177190096501 | D01 | 06/05/2003 | SEM | GL | | O | | 72 | | |
| | | 2560 | 77.9 | 120 | 116 | 297 | | 409 | 29.1 | | | | | |
| WD073 | 00276 | G01091 | D039D | 177194041200 | D02 | 05/24/2003 | SEM | GL | | O | | 88 | | |
| | | 3667 | 85.06 | 140 | 69 | 253 | | 393 | 28.2 | | | | | |
| GI043 | 00276 | G01092 | E003D | 177192019601 | D02 | 05/08/2003 | SEM | FL | | O | | 72 | | |
| | | 3383 | 88 | 220 | 115 | 389 | | 843 | 32 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00276 | G01092 | E006D | 177190099101 | D01 | 02/11/2003 | SEM | GL | | O | | 64 | | |
| | | 488 | 82.99 | 200 | 82 | 40 | | 400 | 27.9 | | | | | |
| GI043 | 00276 | G01092 | E011 | 177194000300 | S05 | 02/06/2003 | SEM | FL | | G | | 44 | | |
| | 800 | 9999999 | 0 | 450 | 0 | 5029 | | 0 | 0 | | | | | |
| GI043 | 00276 | G01092 | E011 | 177194000300 | S05 | 05/12/2003 | SEM | FL | | G | | 64 | | |
| | 800 | 9999999 | 0 | 335 | 0 | 7068 | | 0 | 0 | | | | | |
| GI043 | 00276 | G01092 | E013 | 177190099005 | S01 | 09/08/2003 | SEM | GL | | O | | 24 | | |
| | | 4909 | 89.88 | 250 | 33 | 162 | | 293 | 29.3 | | | | | |
| GI043 | 00276 | G01092 | E013D | 177190099005 | D03 | 06/06/2003 | POT | GL | | O | 13 | 22 | | |
| | | 8970 | 21.43 | 350 | 33 | 296 | | 9 | 29.8 | .6 | | | | N |
| GI043 | 00276 | G01092 | E017D | 177194022900 | S02 | 06/01/2003 | SEM | GL | | O | | 20 | | |
| | | 1205 | 49.48 | 1150 | 537 | 647 | | 526 | 30.2 | | | | | |
| GI043 | 00276 | G01092 | E019 | 177194025400 | S03 | 06/03/2003 | SEM | GL | | O | | 28 | | |
| | | 1261 | 21.06 | 325 | 371 | 468 | | 99 | 32.4 | | | | | |
| GI043 | 00276 | G01092 | E021 | 177192004805 | S01 | 06/14/2003 | POT | FL | | O | 4 | 14 | | |
| | | 1155 | 1.99 | 935 | 541 | 625 | | 11 | 30.6 | .6 | | | | N |
| GI043 | 00276 | G01092 | E021 | 177192004805 | S01 | 09/08/2003 | SEM | FL | | O | | 26 | | |
| | | 919 | 20.04 | 575 | 830 | 763 | | 208 | 30.6 | | | | | |
| GI043 | 00276 | G01092 | E025 | 177194047201 | D01 | 06/07/2003 | SEM | GL | | O | | 96 | | |
| | | 2528 | 87.88 | 240 | 36 | 91 | | 261 | 28.5 | | | | | |
| GI043 | 00276 | G01092 | E025D | 177194047201 | D02 | 06/06/2003 | SEM | GL | | O | | 72 | | |
| | | 1537 | 77.13 | 240 | 67 | 103 | | 226 | 26 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD117 | 00276 | G01096 | B002 | 177194028800 | S01 | 06/15/2003 | SEM | FL | | G | | 88 | | |
| | 210 | 143462 | 18.75 | 215 | 13 | 1865 | | 3 | 56.8 | | | | | |
| WD117 | 00276 | G01096 | B006 | 177194028300 | S01 | 05/16/2003 | SEM | GL | | O | | 72 | | |
| | | 833 | 97.12 | 220 | 6 | 5 | | 202 | 34.8 | | | | | |
| WD117 | 00276 | G01096 | B010 | 177194048101 | D01 | 02/21/2003 | POT | FL | | G | 4 | 32 | | |
| | 1800 | 9999999 | 0 | 1300 | 0 | 7769 | | 0 | | .6 | | | | N |
| WD117 | 00276 | G01096 | B010D | 177194048101 | D02 | 02/20/2003 | POT | FL | | G | 4 | 28 | | |
| | 1690 | 9999999 | 0 | 1400 | 0 | 7023 | | 0 | | .6 | | | | N |
| WD117 | 00276 | G01096 | B010D | 177194048101 | D02 | 04/12/2003 | SEM | FL | | G | | 34 | | |
| | 1690 | 9999999 | 0 | 1250 | 0 | 7956 | | 0 | 0 | | | | | |
| WD117 | 00078 | G01101 | C001 | 177200005702 | S01 | 05/26/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1110 | 1481 | | 199 | 104 | 154 | | 1385 | 29.5 | | | | 168 | N |
| WD117 | 00078 | G01101 | C007 | 177200007700 | S05 | 05/19/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1100 | 1700 | | 150 | 70 | 119 | | 55 | 31.3 | | | | 110 | N |
| WD117 | 00078 | G01101 | C012 | 177200010600 | S05 | 06/10/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1120 | 2733 | | 141 | 60 | 164 | | 797 | 33.5 | | | | 82 | N |
| WD117 | 00078 | G01101 | C013 | 177204014500 | S02 | 05/18/2003 | SEM | FL | | G | 24 | 79 | | |
| | 1400 | 9999999 | | 624 | 0 | 2360 | | 1351 | | | | | 385 | N |
| WD117 | 00078 | G01101 | D001 | 177200012702 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1125 | 2440 | | 208 | 84 | 205 | | 2 | 31 | | | | 169 | N |
| WD117 | 00078 | G01101 | D004 | 177202000900 | S02 | 06/06/2003 | SEM | GL | | O | 24 | 79 | | |
| | 2120 | 963 | | 214 | 80 | 77 | | 149 | 36.5 | | | | 201 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD117 | 00078 | G01101 | D005 | 177202000201 | S01 | 06/26/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 3231 | | 225 | 65 | 210 | | 151 | 30 | | | 190 | N | |
| WD117 | 00078 | G01101 | D007 | 177202000401 | S01 | 06/10/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1112 | 623 | | 230 | 61 | 38 | | 174 | 31.7 | | | 68 | N | |
| WD117 | 00078 | G01101 | D008 | 177202000102 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 64 | | |
| | 2110 | 18 | | 260 | 113 | 2 | | 1019 | 33.2 | | | 210 | N | |
| WD117 | 00078 | G01101 | D010 | 177204014000 | S02 | 05/20/2003 | POT | FL | | O | 24 | 24 | | |
| | | 1045 | 14.98 | 350 | 176 | 184 | | 31 | 35.1 | .6 | | | N | |
| WD117 | 00078 | G01101 | D010 | 177204014000 | S02 | 05/28/2003 | SEM | GL | | O | 24 | 20 | | |
| | 525 | 2110 | | 379 | 218 | 460 | | 48 | 35.1 | | | 213 | N | |
| WD117 | 00078 | G01101 | D011 | 177204014101 | S02 | 06/21/2003 | SEM | FL | | G | 24 | 22 | | |
| | 3000 | 6400 | | 1145 | 20 | 128 | | 486 | 35.1 | | | 1020 | N | |
| WD117 | 00078 | G01101 | E002 | 177202001600 | D01 | 06/21/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1100 | 1013 | | 145 | 79 | 80 | | 169 | 36.2 | | | 130 | N | |
| WD117 | 00078 | G01101 | E011 | 177204001300 | S03 | 05/23/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1120 | 3111 | | 280 | 72 | 224 | | 408 | 36.6 | | | 180 | N | |
| WD117 | 00078 | G01101 | F009 | 177204004401 | S03 | 05/25/2003 | SEM | GL | | O | 24 | 52 | | |
| | | 2058 | | 240 | 69 | 142 | | 623 | 39.3 | | | 220 | N | |
| WD117 | 00078 | G01101 | F015 | 177204005303 | S01 | 06/26/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1650 | 698 | | 189 | 172 | 120 | | 333 | 30.4 | | | 170 | N | |
| WD117 | 00078 | G01101 | G004 | 177204007500 | S02 | 06/14/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1765 | 121 | | 175 | 99 | 12 | | 728 | 29.1 | | | 118 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD117 | 00078 | G01101 | G006D | 177204007901 | D02 | 06/20/2003 | SEM | GL | | G | 24 | 72 | | |
| | 1250 | 424 | | 128 | 85 | 36 | | 854 | 56.6 | | | | 118 | N |
| WD117 | 00078 | G01101 | G012 | 177204008900 | S03 | 06/15/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1185 | 565 | | 140 | 62 | 35 | | 629 | 31.3 | | | | 133 | N |
| WD117 | 00078 | G01101 | G015 | 177204009300 | S05 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1060 | 2902 | | 114 | 41 | 119 | | 4 | 22.5 | | | | 111 | N |
| WD117 | 00078 | G01101 | G020 | 177204013300 | S02 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1125 | 340 | | 101 | 53 | 18 | | 476 | 32.3 | | | | 92 | N |
| WD117 | 00078 | G01101 | G021 | 177204013600 | S02 | 06/24/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1050 | 1870 | | 112 | 69 | 129 | | 220 | 20.4 | | | | 109 | N |
| WD117 | 00078 | G01101 | G023 | 177204013502 | S01 | 05/08/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1380 | 1247 | | 149 | 77 | 96 | | 1021 | 27.7 | | | | 129 | N |
| VR162 | 00185 | G01127 | BJ006 | 177054111102 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 64 | | |
| | 730 | 112184 | | 420 | 38 | 4263 | | 19 | 52 | | | | 878 | N |
| VR162 | 00185 | G01127 | BJ007 | 177054113200 | S04 | 06/27/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3380 | 35918 | | 2220 | 49 | 1760 | | 68 | 52 | | | | 878 | N |
| VR171 | 01764 | G01130 | A006 | 177054045901 | S05 | 05/17/2003 | SEM | FL | | G | | 6 | | |
| | 3180 | 59750 | 0 | 3080 | 24 | 1434 | | 0 | 40 | | | | | |
| VR171 | 01764 | G01130 | A009 | 177054106100 | S05 | 08/14/2003 | POT | FL | | O | 24 | 7 | | |
| | 1420 | 458 | 0 | 1350 | 212 | 97 | | 0 | 41 | | .569 | | | N |
| VR218 | 02607 | G01143 | A010B | 177054097600 | S03 | 05/28/2003 | SEM | FL | | G | | 14 | | |
| | 2550 | 9999999 | 0 | 950 | 0 | 60 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR218 | 02607 | G01143 | B005B | 177054090600 | S03 | 06/18/2003 | SEM | FL | | G | | 16 | | |
| | 2650 | 97026 | 2.56 | 2445 | 38 | 3687 | | 1 | 52.8 | | | | | |
| VR218 | 02607 | G01144 | A012 | 177054101500 | S01 | 01/05/2003 | SEM | FL | | O | | 76 | | |
| | 4065 | 2712 | 94.87 | 1325 | 73 | 198 | | 1349 | 34.8 | | | | | |
| VR218 | 02607 | G01144 | A012 | 177054101500 | S01 | 06/18/2003 | SEM | FL | | O | | 14 | | |
| | | 5742 | 96.39 | 950 | 62 | 356 | | 1656 | 34.8 | | | | | |
| VR245 | 00078 | G01146 | B008 | 177050034200 | S07 | 03/15/2003 | SEM | FL | | | 24 | 64 | | |
| | 1489 | 188000 | | 452 | 3 | 564 | | 4 | 47 | | | | 443 | N |
| VR245 | 00078 | G01146 | C009 | 177050035200 | S05 | 03/29/2003 | SEM | GL | | | 24 | 64 | | |
| | 1080 | 268 | | 165 | 291 | 78 | | 822 | 31.2 | | | | 165 | N |
| VR245 | 00078 | G01146 | E002 | 177054026900 | S02 | 03/20/2003 | SEM | FL | | | 24 | 30 | | |
| | 300 | 9999999 | | 195 | 0 | 578 | | 0 | | | | | 130 | N |
| VR245 | 00078 | G01146 | E010 | 177054069500 | S01 | 03/29/2003 | SEM | GL | | | 24 | 64 | | |
| | 1110 | 970 | | 140 | 67 | 65 | | 1525 | 34 | | | | 110 | N |
| VR245 | 00078 | G01146 | E012 | 177054073900 | S01 | 03/30/2003 | SEM | GL | | | 24 | 48 | | |
| | 1130 | 646 | | 400 | 96 | 62 | | 925 | 30.1 | | | | 110 | N |
| VR245 | 00078 | G01146 | F001 | 177054067400 | D04 | 04/03/2003 | SEM | FL | | | 24 | 18 | | |
| | 815 | 476500 | | 480 | 2 | 953 | | 1 | 48.8 | | | | 190 | N |
| VR245 | 00078 | G01146 | F004 | 177054094600 | S01 | 04/07/2003 | SEM | GL | | | 24 | 128 | | |
| | 1070 | 2000 | | 215 | 120 | 240 | | 312 | 34.5 | | | | 165 | N |
| VR245 | 00078 | G01146 | F006 | 177054084800 | S04 | 05/01/2003 | SEM | FL | | | 24 | 15 | | |
| | 2340 | 217231 | | 2150 | 13 | 2824 | | 89 | 52.6 | | | | 510 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR245 | 00078 | G01146 | F008 | 177054089602 | S01 | 03/15/2003 | SEM | FL | | | 24 | 42 | | |
| | 370 | 354571 | | 200 | 7 | 2482 | | 10 | 50.8 | | | | 185 | N |
| VR250 | 00491 | G01149 | C002 | 177054006100 | S02 | 06/17/2003 | SEM | FL | | G | | 13 | | |
| | 3400 | 6365 | 72.4 | 3200 | 260 | 1655 | | 682 | 39.8 | | | | | |
| VR255 | 01834 | G01152 | A003 | 177060002600 | S02 | 05/23/2003 | SEM | FL | | O | | 64 | | |
| | 1850 | 1211 | 45.93 | 240 | 279 | 338 | | 237 | 39.1 | | | | | |
| VR255 | 01834 | G01152 | A004D | 177060003300 | D02 | 05/24/2003 | SEM | FL | | G | | 20 | | |
| | 750 | 294500 | 20 | 525 | 4 | 1178 | | 1 | 38.2 | | | | | |
| VR255 | 01834 | G01152 | A006 | 177062000201 | D01 | 06/18/2003 | SEM | FL | | G | | 24 | | |
| | 2050 | 1793 | 63.22 | 845 | 377 | 676 | | 648 | 39.1 | | | | | |
| VR255 | 01834 | G01152 | A007 | 177062000002 | S05 | 05/23/2003 | SEM | FL | | O | | 13 | | |
| | 1800 | 721 | 3.83 | 425 | 276 | 199 | | 11 | 42 | | | | | |
| VR255 | 01834 | G01152 | H001D | 177064068900 | D05 | 06/18/2003 | SEM | FL | | G | | 64 | | |
| | 1240 | 1903 | 93.08 | 220 | 72 | 137 | | 969 | 32.8 | | | | | |
| VR255 | 01834 | G01152 | H002 | 177064070200 | D05 | 06/18/2003 | SEM | FL | | G | | 64 | | |
| | 1200 | 1091 | 93.18 | 220 | 33 | 36 | | 451 | 32.1 | | | | | |
| VR255 | 01834 | G01152 | H002D | 177064070200 | D06 | 06/18/2003 | SEM | FL | | G | | 64 | | |
| | 1170 | 3710 | 83.42 | 240 | 31 | 115 | | 156 | 32.8 | | | | | |
| VR255 | 01834 | G01152 | H005 | 177064083100 | S05 | 05/11/2003 | SEM | FL | | G | | 18 | | |
| | 2900 | 48634 | 0 | 1680 | 82 | 3988 | | 0 | 52.3 | | | | | |
| VR255 | 01834 | G01153 | D003 | 177064008101 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 1600 | 9999999 | 99 | 260 | 0 | 1198 | | 1500 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR255 | 01834 | G01153 | D005A | 177064067700 | S02 | 06/03/2003 | SEM | FL | | O | | 19 | | |
| | 3200 | 1494 | 83.65 | 1000 | 164 | 245 | | 839 | 37.6 | | | | | |
| VR255 | 01834 | G01153 | H006 | 177064089700 | S01 | 05/02/2003 | SEM | FL | | G | | 18 | | |
| | 2840 | 41931 | 91.42 | 1120 | 29 | 1216 | | 309 | 53 | | | | | |
| VR310 | 00282 | G01172 | B003 | 177064030100 | S04 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1115 | 75 | 91.41 | 200 | 53 | 4 | | 564 | 38.9 | | | | | |
| VR310 | 00282 | G01172 | B005 | 177064032800 | S04 | 05/11/2003 | SEM | FL | | G | | 64 | | |
| | 1190 | 22969 | 81.4 | 465 | 32 | 735 | | 140 | 39.5 | | | | | |
| VR310 | 00282 | G01172 | B010 | 177064035700 | S04 | 05/11/2003 | SEM | FL | | G | | 26 | | |
| | 650 | 9999999 | 99 | 150 | 0 | 167 | | 25 | | | | | | |
| VR310 | 00282 | G01172 | B012 | 177064036200 | D01 | 05/19/2003 | SEM | FL | | G | | 64 | | |
| | 1300 | 18793 | 91.24 | 155 | 29 | 545 | | 302 | 28.7 | | | | | |
| VR310 | 00282 | G01172 | C001 | 177064071700 | D03 | 06/10/2003 | SEM | FL | | G | | 18 | | |
| | 1250 | 9999999 | 99 | 840 | 0 | 678 | | 415 | | | | | | |
| VR310 | 00282 | G01172 | C001D | 177064071700 | D04 | 06/09/2003 | SEM | FL | | G | | 26 | | |
| | 1300 | 9999999 | 99 | 1250 | 0 | 2884 | | 1 | | | | | | |
| VR310 | 00282 | G01172 | C004 | 177064072000 | S02 | 06/20/2003 | SEM | FL | | G | | 16 | | |
| | 960 | 9999999 | 99 | 750 | 0 | 624 | | 163 | | | | | | |
| VR310 | 00282 | G01172 | D002 | 177064090201 | S01 | 06/28/2003 | SEM | FL | | G | | 19 | | |
| | 1900 | 9999999 | 99 | 1320 | 0 | 849 | | 249 | | | | | | |
| SM006 | 00003 | G01181 | A017 | 177074032300 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 8250 | | 180 | 16 | 132 | | 146 | 34.1 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM006 | 00003 | G01181 | A021 | 177074075200 | S02 | 05/22/2003 | SEM | FL | | G | 24 | 18 | | |
| | 1625 | 9999999 | | 1300 | 0 | 2160 | | 0 | | | | 1047 | N | |
| SM006 | 00003 | G01182 | 050 | 177074050900 | S02 | 06/03/2003 | SEM | FL | | G | 24 | 20 | | |
| | 750 | 1043 | | 115 | 46 | 48 | | 0 | 33.6 | | | 890 | N | |
| SM006 | 00003 | G01182 | K034 | 177072004300 | S03 | 05/21/2003 | SEM | GL | | O | 24 | 40 | | |
| | | 1239 | | 320 | 397 | 492 | | 125 | 33.6 | | | | N | |
| SM006 | 00003 | G01182 | K053 | 177074071900 | S04 | 05/22/2003 | SEM | FL | | G | 24 | 22 | | |
| | 350 | 9999999 | | 165 | 0 | 180 | | 0 | | | | 1035 | N | |
| SM006 | 00003 | G01182 | M054 | 177074072400 | S03 | 05/22/2003 | SEM | GL | | O | 24 | 33 | | |
| | | 38426 | | 1300 | 94 | 3612 | | 335 | 51.7 | | | | N | |
| SM016 | 00774 | G01184 | JA004 | 177074080900 | S02 | 06/17/2003 | SEM | FL | | G | | 64 | | |
| | 800 | 1457 | 75 | 175 | 140 | 204 | | 420 | 38.9 | | | | | |
| SM027 | 00774 | G01187 | A012 | 177074077800 | S01 | 06/20/2003 | SEM | FL | | O | | 19 | | |
| | | 2329 | 67.33 | 1460 | 474 | 1104 | | 977 | 32 | | | | | |
| SM027 | 00774 | G01187 | JA004 | 177074083901 | S01 | 10/09/2003 | POT | FL | | G | 18 | 15 | | |
| | 3160 | 44945 | 0 | 3080 | 127 | 5708 | | 0 | 55.4 | .65 | | | N | |
| SM027 | 00774 | G01187 | JA006 | 177074084100 | S01 | 09/28/2003 | POT | FL | | O | 17 | 6 | | |
| | | 13831 | 0 | 2450 | 59 | 816 | | 0 | 36.3 | .65 | | | N | |
| VR191 | 00689 | G01189 | 006 | 177074075900 | S02 | 01/05/2003 | SEM | FL | | G | | 13 | | |
| | 3200 | 35491 | 80.63 | 2295 | 55 | 1952 | | 229 | 57 | | | | | |
| VR191 | 00689 | G01189 | 006 | 177074075900 | S02 | 06/23/2003 | SEM | FL | | G | | 13 | | |
| | | 43750 | 86.44 | 1940 | 32 | 1400 | | 204 | 52.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM041 | 02421 | G01192 | CA013C | 177074047700 | S04 | 06/02/2003 | SEM | FL | | G | 24 | 20 | | |
| | 4900 | 2398 | | 2900 | 1080 | 2590 | | 0 | 0 | | | | 0 | N |
| SM073 | 00105 | G01194 | JA005 | 177074045602 | S02 | 11/10/2003 | POT | FL | | G | 24 | 8 | | |
| | 3537 | 9999999 | 0 | 3000 | 0 | 1291 | | 0 | | | .59 | | | N |
| SM066 | 00078 | G01196 | B004 | 177074008200 | S02 | 04/11/2003 | SEM | FL | | | 24 | 100 | | |
| | 320 | 490000 | | 95 | 1 | 490 | | 2 | 50.5 | | | | 60 | N |
| SM066 | 00078 | G01196 | B007 | 177074009700 | S05 | 05/04/2003 | SEM | FL | | | 24 | 21 | | |
| | 3725 | 1083500 | | 3470 | 2 | 2167 | | 0 | 56.4 | | | | 875 | N |
| SM066 | 00078 | G01196 | C001 | 177074011100 | S02 | 04/09/2003 | SEM | FL | | | 24 | 10 | | |
| | 840 | 9999999 | | 340 | 0 | 1024 | | 72 | 42.1 | | | | 52 | N |
| SM066 | 00003 | G01198 | C002D | 177070049000 | D03 | 05/19/2003 | SEM | FL | | G | 24 | 13 | | |
| | 3200 | 9999999 | | 1500 | 0 | 1414 | | 0 | | | | | 770 | N |
| SM066 | 00003 | G01198 | C012 | 177074073500 | S04 | 05/16/2003 | SEM | FL | | G | 24 | 30 | | |
| | 3300 | 9999999 | | 2300 | 0 | 3193 | | 26 | | | | | 770 | N |
| SM073 | 00774 | G01201 | B026D | 177074052201 | D02 | 06/15/2003 | SEM | GL | | O | | 64 | | |
| | | 2074 | 86.08 | 300 | 54 | 112 | | 334 | 32.5 | | | | | |
| SM073 | 00774 | G01201 | B029 | 177074053602 | S01 | 06/05/2003 | SEM | GL | | O | | 64 | | |
| | | 2239 | 73.73 | 200 | 67 | 150 | | 188 | 32.5 | | | | | |
| SM073 | 00774 | G01201 | B030 | 177074059300 | S01 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 3395 | 84.74 | 155 | 38 | 129 | | 211 | 36 | | | | | |
| SM073 | 00774 | G01201 | B032 | 177074073000 | S01 | 06/06/2003 | SEM | GL | | O | | 64 | | |
| | | 4412 | 84.62 | 125 | 34 | 150 | | 187 | 32.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM073 | 00774 | G01201 | B033 | 177074073300 | S01 | 06/03/2003 | SEM | GL | | O | | 64 | | |
| | | 2759 | 70 | 275 | 54 | 149 | | 126 | 33 | | | | | |
| SM073 | 00774 | G01201 | D004 | 177084084900 | S01 | 06/14/2003 | SEM | GL | | O | | 64 | | |
| | | 3017 | 74.11 | 175 | 58 | 175 | | 166 | 38.1 | | | | | |
| SM073 | 00774 | G01201 | D006 | 177084087200 | S02 | 06/12/2003 | SEM | FL | | O | | 18 | | |
| | | 1391 | 60.05 | 570 | 161 | 224 | | 242 | 30.9 | | | | | |
| SM073 | 00774 | G01201 | D008 | 177084087500 | S01 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | | 5185 | 87.17 | 150 | 54 | 280 | | 367 | 31.7 | | | | | |
| SM073 | 00774 | G01204 | C010 | 177084086500 | S01 | 06/15/2003 | SEM | FL | | O | | 20 | | |
| | | 601 | 12 | 650 | 616 | 370 | | 84 | 34.2 | | | | | |
| SM073 | 00774 | G01204 | C011 | 177084086600 | S01 | 06/14/2003 | SEM | FL | | O | | 19 | | |
| | | 659 | 50.07 | 550 | 349 | 230 | | 350 | 36.8 | | | | | |
| SM073 | 00774 | G01205 | A006 | 177080003302 | S01 | 05/23/2003 | SEM | GL | | O | | 24 | | |
| | | 426 | 74.96 | 500 | 148 | 63 | | 443 | 33 | | | | | |
| SM073 | 00774 | G01205 | A007 | 177080003202 | S01 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 882 | 4.12 | 250 | 186 | 164 | | 8 | 38.8 | | | | | |
| SM073 | 00774 | G01205 | A008 | 177084060900 | S01 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 807 | 11.96 | 240 | 243 | 196 | | 33 | 36.9 | | | | | |
| SM073 | 00774 | G01205 | A009 | 177084066703 | S01 | 06/23/2003 | SEM | GL | | O | | 22 | | |
| | | 623 | 90.03 | 455 | 69 | 43 | | 623 | 36.4 | | | | | |
| SM073 | 00774 | G01205 | A010 | 177084088400 | S01 | 06/13/2003 | SEM | FL | | O | | 17 | | |
| | | 396 | 0 | 875 | 868 | 344 | | 0 | 34.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM073 | 00774 | G01205 | A011 | 177084088501 | S01 | 06/20/2003 | SEM | GL | | O | | 26 | | |
| | | 1099 | 91.01 | 400 | 91 | 100 | | 921 | 28.1 | | | | | |
| SM073 | 00774 | G01205 | A012 | 177084090700 | S01 | 06/01/2003 | POT | FL | | O | 4 | 17 | | |
| | | 262 | 0 | 1075 | 825 | 216 | | 0 | 33.7 | .614 | | | N | |
| SM073 | 00774 | G01205 | A012 | 177084090700 | S01 | 06/22/2003 | SEM | FL | | O | | 17 | | |
| | | 272 | 0 | 1040 | 810 | 220 | | 0 | 33.7 | | | | | |
| SM073 | 00774 | G01205 | A013 | 177084090800 | S01 | 05/23/2003 | POT | FL | | O | 4 | 18 | | |
| | | 265 | 2.52 | 825 | 929 | 246 | | 24 | 36 | .618 | | | N | |
| SM073 | 00774 | G01205 | A013 | 177084090800 | S01 | 06/22/2003 | SEM | FL | | O | | 20 | | |
| | | 257 | 0 | 840 | 1010 | 260 | | 0 | 36 | | | | | |
| SM073 | 00774 | G01205 | B025 | 177074000800 | D62 | 06/10/2003 | SEM | FL | | O | | 99 | | |
| | | 2368 | 15.56 | 180 | 76 | 180 | | 14 | 30.9 | | | | | |
| SM073 | 00774 | G01205 | B027 | 177074052301 | S02 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 698 | 0 | 185 | 116 | 81 | | 0 | 30 | | | | | |
| SM073 | 00774 | G01205 | B028 | 177074052800 | S02 | 06/19/2003 | SEM | GL | | O | | 40 | | |
| | | 1188 | 4.95 | 170 | 96 | 114 | | 5 | 32 | | | | | |
| SM073 | 00774 | G01205 | C004 | 177084002302 | S01 | 05/01/2003 | SEM | FL | | O | | 16 | | |
| | 1800 | 39250 | 89.29 | 680 | 12 | 471 | | 100 | 42.8 | | | | | |
| SM073 | 00774 | G01205 | C006 | 177084002101 | S01 | 06/17/2003 | SEM | FL | | O | | 21 | | |
| | | 461 | 0 | 1000 | 1066 | 491 | | 0 | 38.9 | | | | | |
| SM073 | 00774 | G01205 | C008 | 177084086100 | S01 | 06/20/2003 | SEM | FL | | O | | 20 | | |
| | | 1050 | 86.07 | 440 | 100 | 105 | | 618 | 35.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM073 | 00774 | G01205 | D001 | 177084084300 | S02 | 06/17/2003 | SEM | GL | | O | | 64 | | |
| | | 440 | 35.01 | 125 | 284 | 125 | | 153 | 30.4 | | | | | |
| SM073 | 00774 | G01205 | D003 | 177084084600 | S03 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 1614 | 80.14 | 180 | 57 | 92 | | 230 | 33.1 | | | | | |
| SM073 | 00774 | G01205 | D007 | 177084087301 | S01 | 03/24/2003 | POT | FL | | G | 6 | 8 | | |
| | 2250 | 9999999 | 100 | 2150 | 0 | 1125 | | 2200 | 48 | .61 | | | | N |
| SM073 | 00774 | G01205 | D007 | 177084087301 | S01 | 05/26/2003 | SEM | FL | | G | | 8 | | |
| | | 544500 | 0 | 1900 | 2 | 1089 | | 0 | 48 | | | | | |
| SM076 | 00003 | G01208 | B011 | 177084039602 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 60 | | |
| | 800 | 564000 | | 395 | 5 | 2820 | | 3 | | | | | 1040 | N |
| SM076 | 00003 | G01208 | B014 | 177084089500 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 44 | | |
| | 5700 | 320600 | | 3900 | 60 | 19236 | | 24 | | | | | 1030 | N |
| SM079 | 00078 | G01210 | B001 | 177084065900 | S02 | 04/04/2003 | SEM | FL | | | 24 | 64 | | |
| | 410 | 9999999 | | 159 | 0 | 53 | | 0 | | | | | 156 | N |
| SM079 | 00078 | G01210 | B003 | 177084070000 | S01 | 04/04/2003 | SEM | FL | | | 24 | 128 | | |
| | 360 | 9999999 | | 159 | 0 | 346 | | 0 | | | | | 156 | N |
| SM079 | 00078 | G01210 | B004 | 177084070100 | S03 | 04/03/2003 | SEM | FL | | | 24 | 128 | | |
| | 370 | 9999999 | | 155 | 0 | 131 | | 0 | | | | | 155 | N |
| SM079 | 00078 | G01210 | B008 | 177084071500 | S01 | 03/22/2003 | SEM | FL | | | 24 | 64 | | |
| | 580 | 465600 | | 160 | 5 | 2328 | | 17 | 48.1 | | | | 156 | N |
| SM142 | 00222 | G01216 | C002 | 177084084201 | D01 | 05/21/2003 | SEM | GL | | O | | 48 | | |
| | 1140 | 2372 | 95.02 | 300 | 43 | 102 | | 821 | 34.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM142 | 00222 | G01216 | C002 | 177084084201 | D01 | 06/14/2003 | SEM | GL | | O | | 48 | | |
| | 1150 | 793 | 78.07 | 350 | 116 | 92 | | 413 | 34.1 | | | | | |
| SM142 | 00222 | G01216 | C003A | 177084085000 | D03 | 05/20/2003 | SEM | FL | | O | | 14 | | |
| | 2975 | 643 | 0 | 1750 | 569 | 366 | | 0 | 34.3 | | | | | |
| SM142 | 00222 | G01216 | C003D | 177084085000 | D02 | 06/16/2003 | SEM | FL | | G | | 10 | | |
| | 2400 | 586 | 0 | 1535 | 526 | 308 | | 0 | 34.3 | | | | | |
| SM142 | 00222 | G01216 | C004 | 177084085400 | S01 | 06/08/2003 | SEM | FL | | G | | 24 | | |
| | 1300 | 188773 | 60.71 | 780 | 22 | 4153 | | 34 | 34.3 | | | | | |
| EI175 | 00105 | G01220 | 032 | 177094111400 | D01 | 06/12/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 96 | | 160 | 178 | 17 | | 1710 | 32.8 | | | | | N |
| EI175 | 00105 | G01220 | 032D | 177094111400 | D02 | 05/16/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 31500 | | 160 | 6 | 189 | | 186 | 39.3 | | | | | N |
| EI175 | 00105 | G01220 | B003A | 177090066202 | S02 | 04/30/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1050 | 9999999 | | 440 | 0 | 828 | | 52 | 30 | | | | 920 | N |
| EI175 | 00105 | G01220 | B010F | 177092001800 | S06 | 06/15/2003 | SEM | FL | | G | 24 | 16 | | |
| | 4150 | 40917 | | 830 | 24 | 982 | | 176 | 49.3 | | | | 820 | N |
| EI175 | 00105 | G01220 | B011 | 177094104902 | S02 | 06/10/2003 | SEM | GL | | G | 24 | 72 | | |
| | 3200 | 101087 | | 500 | 69 | 6975 | | 36 | 44.5 | | | | 940 | N |
| EI175 | 00105 | G01220 | B012 | 177094105000 | S02 | 09/29/2003 | POT | FL | | G | 6 | 12 | | |
| | 4990 | 65269 | 0 | 4200 | 52 | 3394 | | 0 | 43.7 | .61 | | | | N |
| EI175 | 00105 | G01220 | C002F | 177092015200 | S07 | 06/14/2003 | SEM | FL | | O | 24 | 34 | | |
| | | 211 | | 350 | 57 | 12 | | 1579 | 40.4 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI175 | 00105 | G01220 | JB008 | 177090091401 | S05 | 05/18/2003 | SEM | FL | | G | 24 | 20 | | |
| | 4100 | 132167 | | 2500 | 36 | 4758 | | 1 | 47 | | | | 810 | N |
| EI175 | 00105 | G01220 | JB019F | 177092002101 | S07 | 05/20/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1625 | | 180 | 32 | 52 | | 377 | 33.3 | | | | | N |
| EI175 | 00105 | G01220 | JB030D | 177094100300 | D02 | 05/18/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1910 | 68673 | | 600 | 98 | 6730 | | 25 | 46 | | | | 835 | N |
| EI175 | 00105 | G01220 | JB033C | 177094111100 | S06 | 06/15/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 396 | | 380 | 101 | 40 | | 828 | 34.7 | | | | | N |
| SS208 | 00003 | G01228 | E004 | 177110038600 | S03 | 06/14/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2031 | | 175 | 65 | 132 | | 6 | 32.2 | | | | | N |
| SS208 | 00003 | G01228 | E012 | 177114048700 | S01 | 06/05/2003 | SEM | FL | | G | 24 | 128 | | |
| | 390 | 9999999 | | 185 | 0 | 1468 | | 0 | | | | | 1030 | N |
| SS208 | 00003 | G01228 | F001 | 177110042300 | S03 | 06/01/2003 | SEM | FL | | O | 24 | 38 | | |
| | | 878 | | 250 | 255 | 224 | | 784 | 27.8 | | | | | N |
| SS208 | 00003 | G01228 | H001 | 177110075700 | S02 | 05/16/2003 | SEM | FL | | O | 24 | | | |
| | | 224 | | 225 | 107 | 24 | | 201 | 31.3 | | | | | N |
| SS208 | 00003 | G01228 | H002 | 177110076800 | S03 | 06/01/2003 | SEM | FL | | O | 24 | | | |
| | | 1050 | | 250 | 240 | 252 | | 50 | 31.8 | | | | | N |
| SS208 | 00003 | G01228 | H007 | 177114129100 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 730 | | 490 | 781 | 570 | | 1197 | 30.4 | | | | | N |
| SS208 | 00003 | G01228 | H010 | 177114130300 | S01 | 06/05/2003 | SEM | FL | | O | 24 | | | |
| | | 0 | | 260 | 41 | 0 | | 1 | 30.2 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS208 | 00003 | G01228 | J006 | 177114010102 | S01 | 06/05/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1422 | | 220 | 329 | 468 | | 37 | 28 | | | | | N |
| SS208 | 00003 | G01228 | L002 | 177114120501 | S01 | 06/15/2003 | SEM | FL | | O | 24 | | | |
| | | 670 | | 220 | 115 | 77 | | 7 | 31.1 | | | | | N |
| SS208 | 00003 | G01228 | M002 | 177114129401 | S01 | 05/24/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 913 | | 180 | 92 | 84 | | 2 | 32.7 | | | | | N |
| SS208 | 00003 | G01230 | E006 | 177110038801 | S03 | 06/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 700 | 1529 | | 180 | 51 | 78 | | 1 | 35.8 | | | | 1020 | N |
| SS208 | 00003 | G01230 | E010 | 177110046600 | S04 | 06/22/2003 | SEM | FL | | O | 24 | 128 | | |
| | | 2305 | | 180 | 203 | 468 | | 8 | 34.6 | | | | | N |
| SS208 | 00003 | G01230 | H003 | 177110081700 | S02 | 06/02/2003 | SEM | FL | | O | 24 | | | |
| | | 3327 | | 240 | 110 | 366 | | 353 | 34.6 | | | | | N |
| SS208 | 00003 | G01230 | H008 | 177114129801 | S01 | 06/02/2003 | SEM | FL | | O | 24 | | | |
| | | 1415 | | 270 | 258 | 365 | | 11 | 34.6 | | | | | N |
| SS208 | 00003 | G01230 | I006 | 177114000401 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 128 | | |
| | 1250 | 307000 | | 190 | 12 | 3684 | | 4 | 51.3 | | | | 180 | N |
| SS208 | 00003 | G01230 | I008 | 177114082801 | S01 | 05/19/2003 | SEM | FL | | G | 24 | | | |
| | 400 | 9999999 | | 225 | 0 | 150 | | 0 | | | | | 984 | N |
| SS208 | 00003 | G01230 | I010 | 177114129900 | S01 | 05/26/2003 | SEM | FL | | G | 24 | 128 | | |
| | 450 | 9999999 | | 215 | 0 | 150 | | 0 | | | | | 987 | N |
| SS208 | 00003 | G01230 | L001 | 177114119100 | S02 | 06/18/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1000 | 9999999 | | 220 | 0 | 2112 | | 0 | | | | | 1020 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS208 | 00003 | G01230 | L003 | 177114121502 | S03 | 06/21/2003 | SEM | FL | | O | 24 | | | |
| | | 0 | | 205 | 5 | 0 | | 0 | 27.3 | | | | | N |
| SS208 | 00003 | G01230 | L004 | 177114122500 | S02 | 06/12/2003 | SEM | FL | | O | 24 | | | |
| | | 4909 | | 230 | 121 | 594 | | 92 | 37.2 | | | | | N |
| SS208 | 00003 | G01230 | L005 | 177114133200 | S02 | 06/12/2003 | SEM | FL | | G | 24 | 28 | | |
| | 2050 | 220138 | | 1150 | 29 | 6384 | | 1 | 42.9 | | | | 964 | N |
| PL023 | 01834 | G01238 | 019 | 177130010801 | S01 | 05/21/2003 | SEM | GL | | O | | 44 | | |
| | 1020 | 0 | 93.17 | 135 | 31 | 0 | | 423 | 35.7 | | | | | |
| PL023 | 01834 | G01238 | C001 | 177134019901 | S02 | 05/23/2003 | SEM | FL | | G | | 12 | | |
| | 7550 | 14380 | 0 | 7200 | 395 | 5680 | | 0 | 47.3 | | | | | |
| PL023 | 01834 | G01238 | C004 | 177134024102 | S01 | 10/10/2003 | POT | FL | | G | 24 | 29 | | |
| | 5600 | 8743 | 1.53 | 4080 | 643 | 5622 | | 10 | 42.7 | .65 | | | | N |
| PL023 | 01834 | G01238 | D001 | 177134020100 | S02 | 05/04/2003 | SEM | FL | | G | | 37 | | |
| | 2325 | 1102250 | 80.95 | 975 | 4 | 4409 | | 17 | 49 | | | | | |
| PL023 | 01834 | G01238 | D002 | 177134020400 | S02 | 05/07/2003 | SEM | FL | | O | | 33 | | |
| | 3200 | 45358 | 8.75 | 1680 | 240 | 10886 | | 23 | 52.2 | | | | | |
| PL023 | 01834 | G01238 | D003 | 177134020500 | S01 | 05/12/2003 | SEM | FL | | G | | 44 | | |
| | 3350 | 143000 | 98.82 | 1140 | 22 | 3146 | | 1845 | 45.1 | | | | | |
| PL023 | 01834 | G01238 | E001 | 177134020900 | S01 | 05/12/2003 | SEM | FL | | G | | 64 | | |
| | 1538 | 38891 | 52.9 | 440 | 138 | 5367 | | 155 | 53.9 | | | | | |
| PL023 | 01834 | G01238 | E002 | 177134021001 | S02 | 05/03/2003 | SEM | FL | | G | | 42 | | |
| | 1950 | 27816 | 27.12 | 1100 | 223 | 6203 | | 83 | 48.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST052 | 00078 | G01240 | 004 | 177150086401 | S02 | 06/09/2003 | SEM | FL | | G | 24 | 12 | | |
| | 420 | 9999999 | | 363 | 0 | 978 | | 0 | | | | 154 | N | |
| ST052 | 00078 | G01240 | 012 | 177154055900 | S01 | 06/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 2369 | | 221 | 195 | 462 | | 1575 | 35.3 | | | 164 | N | |
| ST052 | 00078 | G01240 | 013 | 177154059201 | S02 | 01/11/2003 | POT | FL | | G | 4 | 22 | | |
| | 3483 | 74167 | 0 | 1886 | 72 | 5340 | | 0 | 48.2 | .65 | | | N | |
| ST052 | 00078 | G01240 | 013 | 177154059201 | S02 | 06/01/2003 | SEM | FL | | G | 24 | 40 | | |
| | 3075 | 50800 | | 263 | 25 | 1270 | | 253 | 47.6 | | | 106 | N | |
| ST052 | 00078 | G01240 | 014 | 177154058202 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1046 | 745 | | 171 | 314 | 234 | | 1337 | 34.9 | | | 150 | N | |
| ST052 | 00078 | G01240 | 017D | 177154062700 | D03 | 06/03/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1180 | 5118 | | 186 | 68 | 348 | | 1297 | 35.6 | | | 176 | N | |
| ST052 | 00078 | G01240 | 021D | 177154092200 | D02 | 05/22/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1060 | 982 | | 162 | 110 | 108 | | 1108 | 37.7 | | | 143 | N | |
| ST052 | 00078 | G01240 | 022 | 177154093802 | S01 | 05/25/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1060 | 3209 | | 167 | 86 | 276 | | 1144 | 36.6 | | | 141 | N | |
| ST052 | 00078 | G01240 | 023 | 177154065801 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 79 | | |
| | 1054 | 1820 | | 350 | 206 | 375 | | 823 | 37.7 | | | 323 | N | |
| ST052 | 00078 | G01240 | 024 | 177154084001 | S03 | 06/02/2003 | SEM | FL | | G | 24 | 34 | | |
| | 3700 | 28410 | | 2486 | 517 | 14688 | | 33 | 51.2 | | | 1218 | N | |
| ST052 | 00078 | G01240 | 025 | 177154095000 | D01 | 06/04/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1085 | 920 | | 165 | 362 | 333 | | 1450 | 37.7 | | | 154 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST052 | 00078 | G01240 | 025D | 177154095000 | D02 | 06/03/2003 | SEM | FL | | O | 24 | 62 | | |
| | 1085 | 10281 | | 165 | 32 | 329 | | 606 | 35.9 | | | | 158 | N |
| ST052 | 00078 | G01240 | 028 | 177154060402 | S01 | 03/04/2003 | POT | FL | | G | 4 | 17 | | |
| | 300 | 9999999 | 100 | 300 | 0 | 54 | | 462 | | .65 | | | | N |
| ST052 | 00078 | G01240 | CC015 | 177154059700 | S02 | 06/09/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1037 | 2057 | | 141 | 140 | 288 | | 496 | 35.2 | | | | 128 | N |
| ST052 | 00078 | G01240 | CE032 | 177154111301 | S01 | 02/20/2003 | POT | FL | | G | 4 | 12 | | |
| | 6000 | 29532 | 10 | 5400 | 308 | 9096 | | 34 | 45.6 | .65 | | | | N |
| ST052 | 00078 | G01240 | CE032 | 177154111301 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 44 | | |
| | 2245 | 168508 | | 1495 | 59 | 9942 | | 332 | 45.5 | | | | 1152 | N |
| ST052 | 00078 | G01240 | CE032 | 177154111301 | S02 | 09/15/2003 | POT | FL | | G | 6 | 16 | | |
| | 4800 | 9999999 | 0 | 4675 | 0 | 7708 | | 0 | | .65 | | | | N |
| ST052 | 00078 | G01241 | 003 | 177152014002 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 62 | | |
| | 1147 | 1821 | | 255 | 112 | 204 | | 1490 | 27.2 | | | | 195 | N |
| ST052 | 00078 | G01241 | 007 | 177154006501 | S01 | 06/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1060 | 5333 | | 275 | 45 | 240 | | 2187 | 34.3 | | | | 221 | N |
| ST052 | 00078 | G01241 | 008 | 177154007001 | S03 | 09/21/2003 | POT | FL | | G | 6 | 9 | | |
| | 2355 | 9999999 | 0 | 2181 | 0 | 240 | | 0 | | .65 | | | | N |
| ST052 | 00078 | G01241 | 020 | 177154055301 | S02 | 06/07/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1072 | 800 | | 197 | 60 | 48 | | 342 | 33.1 | | | | 184 | N |
| ST052 | 00078 | G01241 | 021 | 177154070100 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1066 | 1220 | | 136 | 91 | 111 | | 2189 | 33.6 | | | | 120 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST052 | 00078 | G01241 | 022 | 177154081503 | S01 | 06/27/2003 | POT | FL | | G | 6 | 13 | | |
| | 2200 | 9999999 | 0 | 1795 | 0 | 2100 | | 0 | | .65 | | | N | |
| ST052 | 00078 | G01241 | 022 | 177154081503 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 13 | | |
| | 2200 | 9999999 | | 1795 | 0 | 2100 | | 0 | | | | 1113 | N | |
| ST052 | 00078 | G01241 | 023 | 177154083900 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 74 | | |
| | 1054 | 1852 | | 250 | 115 | 213 | | 2189 | 35.8 | | | 181 | N | |
| ST052 | 00078 | G01241 | 024 | 177154086601 | D01 | 06/08/2003 | SEM | FL | | O | 24 | 79 | | |
| | 1526 | 5516 | | 240 | 62 | 342 | | 1480 | 36.1 | | | 232 | N | |
| ST052 | 00078 | G01241 | 026 | 177154098000 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 96 | | |
| | 3140 | 164283 | | 1215 | 113 | 18564 | | 38 | 47.8 | | | 1122 | N | |
| ST052 | 00078 | G01241 | 029 | 177154010201 | S03 | 06/10/2003 | SEM | FL | | G | 24 | 79 | | |
| | 1550 | 4884000 | | 263 | 1 | 4884 | | 5 | | | | 231 | N | |
| ST052 | 00078 | G01241 | CA004 | 177154004400 | S02 | 06/09/2003 | SEM | GL | | O | 24 | 87 | | |
| | 2527 | 2500 | | 230 | 120 | 300 | | 2286 | 33.7 | | | 155 | N | |
| ST052 | 00078 | G01241 | CA006 | 177154005702 | S01 | 06/10/2003 | SEM | GL | | O | 24 | 57 | | |
| | 1050 | 1542 | | 258 | 144 | 222 | | 1296 | 38.6 | | | 206 | N | |
| ST052 | 00078 | G01241 | CH028 | 177154099201 | S05 | 06/03/2003 | SEM | FL | | G | 24 | 62 | | |
| | 3750 | 123266 | | 2150 | 79 | 9738 | | 23 | 47.1 | | | 1130 | N | |
| ST176 | 00491 | G01249 | B006 | 177154071902 | S02 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 9999999 | 99 | 180 | 0 | 97 | | 1 | 0 | | | | | |
| ST176 | 01767 | G01249 | B007D | 177154086700 | D02 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 490 | 9999999 | 0 | 165 | 0 | 281 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST176 | 00491 | G01249 | C001 | 177154102201 | S01 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 200 | 9999999 | 0 | 168 | 0 | 201 | | 0 | 0 | | | | | |
| ST176 | 00491 | G01249 | C002D | 177154102300 | D02 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 500 | 2042000 | 50 | 210 | 1 | 2042 | | 1 | 48.1 | | | | | |
| ST172 | 00981 | G01250 | C004 | 177154028100 | S01 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 250 | 9999999 | 0 | 120 | 0 | 36 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01250 | C010 | 177154087400 | S01 | 06/22/2003 | SEM | FL | | G | | 34 | | |
| | 1350 | 9261 | 93.04 | 395 | 92 | 852 | | 1229 | 37.3 | | | | | |
| ST172 | 00981 | G01250 | C012 | 177154088100 | S04 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1130 | 23000 | 98.99 | 135 | 14 | 322 | | 1375 | 37.5 | | | | | |
| ST172 | 00981 | G01250 | C013 | 177154091100 | S02 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1060 | 9999999 | 99 | 135 | 0 | 164 | | 155 | 0 | | | | | |
| ST172 | 00981 | G01250 | C017 | 177154094301 | S01 | 06/21/2003 | SEM | FL | | G | | 19 | | |
| | 2850 | 9999999 | 0 | 2650 | 0 | 3183 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01250 | C018 | 177154088300 | S02 | 05/29/2003 | SEM | GL | | O | | 64 | | |
| | 1060 | 1216 | 89 | 130 | 125 | 152 | | 1011 | 36.4 | | | | | |
| ST172 | 00981 | G01250 | C024D | 177154087700 | D02 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 275 | 9999999 | 0 | 125 | 0 | 786 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01250 | C025 | 177154090800 | S01 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 250 | 9999999 | 0 | 120 | 0 | 36 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01251 | B004 | 177154019401 | S01 | 03/17/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 110 | 0 | 622 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST172 | 00981 | G01251 | E004D | 177154045100 | D04 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 425 | 9999999 | 99 | 90 | 0 | 1287 | | 1 | 0 | | | | | |
| ST172 | 00981 | G01251 | E010 | 177154041600 | D02 | 01/19/2003 | SEM | FL | | G | | 64 | | |
| | 250 | 9999999 | 0 | 90 | 0 | 31 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01251 | E012 | 177154049900 | S04 | 03/04/2003 | SEM | FL | | G | | 64 | | |
| | 1600 | 9999999 | 99 | 115 | 0 | 626 | | 576 | 0 | | | | | |
| ST172 | 00981 | G01251 | E013 | 177154045901 | S01 | 06/14/2003 | SEM | FL | | G | | 36 | | |
| | 300 | 9999999 | 0 | 120 | 0 | 846 | | 0 | 0 | | | | | |
| ST172 | 00981 | G01251 | E019 | 177154069002 | S03 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 785 | 9999999 | 0 | 90 | 0 | 403 | | 0 | 0 | | | | | |
| ST196 | 00185 | G01253 | A002D | 177154000900 | D02 | 06/22/2003 | SEM | FL | | O | 24 | 22 | | |
| | | 1509 | | 400 | 116 | 175 | | 784 | 36.9 | | | | | N |
| ST196 | 00185 | G01253 | A005D | 177154001200 | D03 | 06/22/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 1250 | | 420 | 32 | 40 | | 376 | 36.9 | | | | | N |
| ST196 | 00185 | G01253 | A007 | 177154112301 | S01 | 02/27/2003 | POT | FL | | G | 24 | 18 | | |
| | 2320 | 498125 | 36 | 1430 | 16 | 7970 | | 9 | 44.8 | .59 | | | | N |
| ST196 | 00185 | G01253 | A007 | 177154112301 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 30 | | |
| | 2380 | 509333 | | 1490 | 18 | 9168 | | 4 | 41.9 | | | | 874 | N |
| ST196 | 00185 | G01253 | B002 | 177154092300 | D01 | 06/08/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2667 | | 180 | 36 | 96 | | 1054 | 36.9 | | | | | N |
| ST196 | 00185 | G01253 | B002D | 177154092300 | D02 | 06/08/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 926 | | 200 | 81 | 75 | | 872 | 36.9 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST172 | 00185 | G01256 | B005 | 177154039101 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 380 | 9999999 | | 135 | 0 | 1877 | | 0 | | | | 100 | N | |
| ST172 | 00185 | G01256 | C003 | 177154060700 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 128 | | |
| | | 9090 | | 110 | 67 | 609 | | 42 | 36.9 | | | | N | |
| ST172 | 00185 | G01256 | C006 | 177154079501 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 128 | | |
| | 340 | 9999999 | | 110 | 0 | 1128 | | 0 | | | | 1050 | N | |
| ST172 | 00185 | G01256 | E001 | 177154085900 | S04 | 06/21/2003 | SEM | FL | | G | 24 | 12 | | |
| | 2000 | 9999999 | | 1595 | 0 | 1273 | | 0 | | | | 1090 | N | |
| ST176 | 00078 | G01259 | A009 | 177154097302 | S01 | 05/10/2003 | SEM | FL | | O | 24 | 28 | | |
| | 1766 | 16800 | | 590 | 55 | 924 | | 267 | 37.5 | | | 146 | N | |
| ST176 | 00078 | G01259 | A010 | 177154106802 | D02 | 06/20/2003 | SEM | FL | | G | 24 | 36 | | |
| | 1268 | 9999999 | | 385 | 0 | 1533 | | 0 | | | | 121 | N | |
| ST176 | 00078 | G01259 | A010D | 177154106802 | D03 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1200 | 9999999 | | 729 | 0 | 3383 | | 0 | | | | 689 | N | |
| ST176 | 00078 | G01259 | A011 | 177154106902 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1229 | 9999999 | | 110 | 0 | 368 | | 0 | 55.8 | | | 112 | N | |
| ST176 | 00078 | G01260 | E001 | 177150095000 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 30 | | |
| | 1512 | 8771 | | 147 | 48 | 421 | | 7 | 36.6 | | | 113 | N | |
| ST176 | 00078 | G01260 | E012 | 177154024601 | S03 | 06/19/2003 | SEM | GL | | O | 24 | 25 | | |
| | 1044 | 11792 | | 650 | 24 | 283 | | 588 | 37.2 | | | 119 | N | |
| ST176 | 00078 | G01260 | E016 | 177154082502 | S03 | 06/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1890 | 98000 | | 800 | 37 | 3626 | | 2 | 38.8 | | | 672 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST176 | 00078 | G01260 | E017 | 177154101302 | S01 | 06/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1624 | 874 | | 161 | 151 | 132 | | 926 | 33.7 | | | | 132 | N |
| ST176 | 00078 | G01260 | E018 | 177154108700 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 96 | | |
| | 1500 | 676852 | | 786 | 27 | 18275 | | 0 | 49 | | | | 718 | N |
| ST190 | 00083 | G01261 | A001 | 177154010101 | S01 | 01/03/2003 | SEM | FL | | G | | 32 | | |
| | 2041 | 735429 | 97.73 | 1181 | 7 | 5148 | | 301 | 40.8 | | | | | |
| ST190 | 00083 | G01261 | A001 | 177154010101 | S01 | 06/20/2003 | SEM | FL | | G | | 29 | | |
| | | 9999999 | 99 | 1002 | 0 | 3931 | | 261 | 38.9 | | | | | |
| ST190 | 02608 | G01261 | A002 | 177154015501 | S04 | 01/01/2003 | SEM | FL | | G | | 64 | | |
| | 1901 | 9999999 | 99 | 1003 | 0 | 2108 | | 31 | | | | | | |
| ST190 | 02608 | G01261 | A002 | 177154015501 | S04 | 06/12/2003 | SEM | FL | | G | | 6 | | |
| | | 1684000 | 96 | 653 | 1 | 1684 | | 24 | 46.6 | | | | | |
| ST190 | 00083 | G01261 | A005 | 177154020801 | S01 | 01/04/2003 | SEM | FL | | G | | 34 | | |
| | 2760 | 9999999 | 99 | 414 | 0 | 1791 | | 227 | | | | | | |
| ST190 | 00083 | G01261 | A005 | 177154020801 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 99 | 437 | 0 | 1396 | | 188 | 51.6 | | | | | |
| ST190 | 02608 | G01261 | A007D | 177154090300 | D01 | 06/14/2003 | SEM | FL | | G | | 62 | | |
| | | 697000 | 99 | 425 | 1 | 697 | | 205 | 46.6 | | | | | |
| ST190 | 02608 | G01261 | A008 | 177154094000 | S01 | 01/02/2003 | SEM | FL | | G | | 64 | | |
| | 3200 | 9999999 | 0 | 999 | 0 | 2111 | | 0 | | | | | | |
| ST190 | 02608 | G01261 | A008 | 177154094000 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 0 | 913 | 0 | 626 | | 0 | 48.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST190 | 00083 | G01261 | A009 | 177154105300 | S02 | 02/19/2003 | POT | FL | | G | 11 | 19 | | |
| | 2700 | 1747500 | 99.66 | 2099 | 2 | 3495 | | 589 | | .6 | | | N | |
| ST190 | 00083 | G01261 | A009 | 177154105300 | S02 | 06/21/2003 | SEM | FL | | G | | 21 | | |
| | | 9999999 | 99 | 1500 | 0 | 2196 | | 714 | | | | | | |
| ST190 | 02608 | G01269 | A003 | 177154019201 | S02 | 06/20/2003 | SEM | FL | | G | | 24 | | |
| | | 544727 | 8.33 | 1517 | 11 | 5992 | | 1 | 51.6 | | | | | |
| ST190 | 02608 | G01269 | A004 | 177154020201 | S03 | 06/23/2003 | SEM | FL | | G | | 64 | | |
| | | 144500 | 77.78 | 418 | 2 | 289 | | 7 | | | | | | |
| ST190 | 02608 | G01269 | A006 | 177154021901 | S01 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | | 676000 | 95.24 | 426 | 1 | 676 | | 20 | 46.3 | | | | | |
| ST190 | 02608 | G01269 | B001 | 177154071800 | S01 | 06/23/2003 | SEM | FL | | G | | 12 | | |
| | | 172417 | 95.35 | 6925 | 24 | 4138 | | 492 | 39.3 | | | | | |
| SP062 | 00105 | G01294 | B014 | 177230006400 | S05 | 03/02/2003 | POT | GL | | O | 24 | 40 | | |
| | | 1500 | 0 | 105 | 24 | 36 | | 0 | 31.7 | .65 | | | N | |
| SP062 | 00105 | G01294 | B018 | 177230007300 | D07 | 08/22/2003 | POT | GL | | O | 24 | 16 | | |
| | | 5932 | 18.25 | 650 | 103 | 611 | | 23 | 31.2 | .63 | | | N | |
| SP062 | 00105 | G01294 | B019 | 177230007200 | S04 | 06/12/2003 | POT | GL | | O | 24 | 28 | | |
| | | 2510 | 29.73 | 270 | 104 | 261 | | 44 | 31.6 | .65 | | | N | |
| SP062 | 00105 | G01294 | D009 | 177234013000 | S03 | 03/04/2003 | POT | GL | | O | 24 | 20 | | |
| | | 516 | 27.96 | 290 | 219 | 113 | | 85 | 31.5 | .65 | | | N | |
| SP062 | 00105 | G01294 | D014 | 177234014100 | S04 | 03/10/2003 | POT | GL | | O | 24 | 26 | | |
| | | 1220 | 72.11 | 250 | 82 | 100 | | 212 | 31.3 | .64 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP062 | 00105 | G01294 | D035 | 177234016900 | S06 | 06/21/2003 | POT | GL | | O | 24 | 22 | | |
| | | 770 | .94 | 680 | 527 | 406 | | 5 | 31.5 | .65 | | | | N |
| MP041 | 00078 | G01295 | 003 | 177250083500 | D01 | 06/09/2003 | SEM | GL | | O | 24 | 100 | | |
| | 2150 | 1319 | | 300 | 47 | 62 | | 87 | 21.5 | | | | 290 | N |
| MP041 | 00078 | G01295 | 010 | 177254061702 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 16 | | |
| | | 657 | | 1459 | 1029 | 676 | | 54 | 21.5 | | | | 293 | N |
| MP041 | 00078 | G01295 | 010 | 177254061702 | S01 | 07/24/2003 | POT | FL | | O | 24 | 16 | | |
| | | 593 | 4.96 | 1459 | 1015 | 602 | | 53 | 22 | .62 | | | | N |
| MP041 | 00078 | G01295 | 011 | 177254063200 | S01 | 06/18/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1200 | 84100 | | 332 | 10 | 841 | | 8 | 19.5 | | | | 320 | N |
| MP041 | 00078 | G01295 | P007 | 177254061801 | S01 | 02/11/2003 | POT | GL | | O | 24 | 22 | | |
| | | 1884 | 73.04 | 317 | 86 | 162 | | 233 | 31.2 | .62 | | | | N |
| MP041 | 00078 | G01295 | BE012 | 177254072800 | S01 | 06/10/2003 | SEM | GL | | O | 24 | 40 | | |
| | | 692 | | 432 | 611 | 423 | | 480 | 21.5 | | | | 313 | N |
| MP299 | 00078 | G01313 | C001 | 177250086500 | S04 | 06/18/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1130 | 688 | | 140 | 266 | 183 | | 17 | 35.8 | | | | 110 | N |
| MP299 | 00078 | G01313 | C003 | 177252003500 | S04 | 05/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 12000 | | 135 | 5 | 60 | | 0 | 39.5 | | | | 135 | N |
| MP299 | 00078 | G01313 | C005 | 177252004100 | S02 | 06/18/2003 | SEM | GL | | O | 24 | 30 | | |
| | 1080 | 438 | | 230 | 89 | 39 | | 357 | 37.1 | | | | 136 | N |
| MP299 | 00078 | G01313 | C009 | 177252005900 | S05 | 06/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 957 | | 150 | 230 | 220 | | 0 | 35.8 | | | | 145 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01313 | C014 | 177254053100 | S03 | 05/20/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1020 | 2435 | | 150 | 23 | 56 | | 0 | 34.5 | | | 154 | N | |
| MP299 | 00078 | G01313 | BA002 | 177244051603 | S01 | 06/21/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1200 | 1241 | | 119 | 29 | 36 | | 2 | 37.3 | | | 117 | N | |
| MP299 | 00078 | G01313 | BA002 | 177244051603 | S02 | 09/23/2003 | POT | GL | | O | 24 | 18 | | |
| | | 2463 | 0 | 137 | 67 | 165 | | 0 | 38.7 | .62 | | | N | |
| MP299 | 00078 | G01313 | BA005 | 177244055301 | S01 | 06/20/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1250 | 12 | | 123 | 83 | 1 | | 15 | 29.2 | | | 107 | N | |
| MP299 | 00078 | G01313 | BA008 | 177244053202 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 792 | | 656 | 552 | 437 | | 552 | 38.6 | | | 177 | N | |
| MP299 | 00078 | G01313 | BA010 | 177244073400 | S01 | 06/29/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1000 | 6363 | | 284 | 124 | 789 | | 1115 | 20 | | | 173 | N | |
| MP299 | 00078 | G01315 | A009A | 177240003800 | S03 | 06/28/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1280 | 656 | | 205 | 93 | 61 | | 278 | 29.7 | | | 191 | N | |
| MP299 | 00078 | G01315 | AA009 | 177244080300 | D01 | 05/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1400 | 1126 | | 222 | 87 | 98 | | 784 | 28 | | | 152 | N | |
| MP299 | 00078 | G01315 | AA009D | 177244080300 | D02 | 05/17/2003 | SEM | GL | | O | 24 | 42 | | |
| | 1700 | 1315 | | 244 | 73 | 96 | | 660 | 29.5 | | | 195 | N | |
| MP299 | 00078 | G01315 | DA001 | 177244026100 | D01 | 06/18/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1500 | 1919 | | 233 | 99 | 190 | | 120 | 34.3 | | | 146 | N | |
| MP299 | 00078 | G01315 | DA002 | 177244032200 | S03 | 06/14/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1500 | 3475 | | 170 | 120 | 417 | | 60 | 32.9 | | | 188 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01315 | DA010 | 177244085201 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 20 | | 224 | 197 | 4 | | 590 | 20.1 | | | | 216 | N |
| MP299 | 00078 | G01315 | DA012 | 177244089500 | S01 | 06/18/2003 | SEM | GL | | O | 24 | 28 | | |
| | 1900 | 2324 | | 403 | 262 | 609 | | 151 | 21.5 | | | | 187 | N |
| MP299 | 00078 | G01316 | A014 | 177240001401 | S01 | 06/29/2003 | SEM | GL | | O | 24 | 38 | | |
| | 1200 | 794 | | 472 | 545 | 433 | | 0 | 35.1 | | | | 108 | N |
| MP299 | 00078 | G01316 | B004 | 177240011801 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2100 | 11600 | | 90 | 40 | 464 | | 7 | 39.3 | | | | 80 | N |
| MP299 | 00078 | G01316 | B005 | 177240010801 | S02 | 06/30/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1020 | 949 | | 95 | 99 | 94 | | 33 | 34.8 | | | | 80 | N |
| MP299 | 00078 | G01316 | C010 | 177252006500 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1050 | 514 | | 125 | 35 | 18 | | 9 | 34.5 | | | | 123 | N |
| MP299 | 00078 | G01316 | D002 | 177242006200 | S05 | 06/13/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1060 | 75 | | 168 | 80 | 6 | | 54 | 23.1 | | | | 165 | N |
| MP299 | 00078 | G01316 | D006 | 177242008000 | S04 | 06/27/2003 | SEM | GL | | O | 24 | 20 | | |
| | 1050 | 3000 | | 360 | 116 | 348 | | 173 | 20.5 | | | | 182 | N |
| MP299 | 00078 | G01316 | D010 | 177242010002 | S02 | 06/24/2003 | SEM | GL | | O | 24 | 32 | | |
| | 1000 | 560 | | 262 | 359 | 201 | | 0 | 37 | | | | 201 | N |
| MP299 | 00078 | G01316 | D011 | 177242010702 | S01 | 06/20/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 15 | | 167 | 200 | 3 | | 371 | 28 | | | | 167 | N |
| MP299 | 00078 | G01316 | D016 | 177242012101 | S01 | 06/12/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1120 | 269 | | 169 | 134 | 36 | | 134 | 39.9 | | | | 152 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01316 | AA002 | 177244038000 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1000 | 5813 | | 241 | 96 | 558 | | 24 | 36.3 | | | 208 | N | |
| MP299 | 00078 | G01316 | AA003 | 177244038200 | D01 | 06/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1020 | 1985 | | 220 | 66 | 131 | | 100 | 34.6 | | | 190 | N | |
| MP299 | 00078 | G01316 | AA003D | 177244038200 | D02 | 06/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1400 | 389 | | 284 | 288 | 112 | | 51 | 35.2 | | | 220 | N | |
| MP299 | 00078 | G01316 | AA004 | 177244038500 | D02 | 06/01/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 4016 | | 220 | 62 | 249 | | 188 | 37.1 | | | 200 | N | |
| MP299 | 00078 | G01316 | AA004D | 177244038500 | D03 | 06/01/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1650 | 941 | | 176 | 540 | 508 | | 35 | 33.7 | | | 168 | N | |
| MP299 | 00078 | G01316 | AA007 | 177244039901 | S03 | 06/12/2003 | SEM | GL | | O | 24 | 38 | | |
| | 1081 | 636 | | 240 | 453 | 288 | | 3 | 35 | | | 149 | N | |
| MP299 | 00078 | G01316 | AA008 | 177244040302 | S01 | 06/12/2003 | SEM | GL | | O | 24 | 48 | | |
| | | 327 | | 435 | 382 | 125 | | 1507 | 34.7 | | | 210 | N | |
| MP299 | 00078 | G01316 | BA004 | 177244052500 | S03 | 06/29/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 2304 | | 159 | 138 | 318 | | 7 | 36.3 | | | 149 | N | |
| MP299 | 00078 | G01316 | BA011D | 177244088000 | D02 | 06/27/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 4971 | | 145 | 69 | 343 | | 46 | 35 | | | 130 | N | |
| MP299 | 00078 | G01316 | BB001 | 177244035401 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 1518 | | 175 | 278 | 422 | | 49 | 31 | | | 153 | N | |
| MP299 | 00078 | G01316 | BB002 | 177244066401 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1083 | | 160 | 60 | 65 | | 11 | 37.8 | | | 149 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01316 | BB003 | 177244068700 | S01 | 06/29/2003 | SEM | GL | | O | 24 | 72 | | |
| | 720 | 875 | | 158 | 24 | 21 | | 56 | 38.1 | | | 153 | N | |
| MP299 | 00078 | G01316 | BB004 | 177244066701 | S02 | 06/29/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1080 | 5149 | | 160 | 47 | 242 | | 140 | 32.2 | | | 154 | N | |
| MP299 | 00078 | G01316 | BB008 | 177244068902 | S01 | 06/27/2003 | SEM | GL | | O | 24 | 32 | | |
| | 1050 | 874 | | 275 | 206 | 180 | | 618 | 29.3 | | | 149 | N | |
| MP299 | 00078 | G01316 | BB009 | 177244068100 | D01 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 36 | | 137 | 112 | 4 | | 262 | 35.7 | | | 109 | N | |
| MP299 | 00078 | G01316 | DA003 | 177244033801 | S01 | 06/24/2003 | SEM | FL | | O | 24 | 18 | | |
| | 1050 | 637 | | 657 | 540 | 344 | | 95 | 41.2 | | | 203 | N | |
| MP299 | 00078 | G01316 | DA004 | 177244033701 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 24 | | |
| | | 1124 | | 236 | 299 | 336 | | 51 | 20.5 | | | 183 | N | |
| MP299 | 00078 | G01316 | DA005 | 177244034701 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 18 | | |
| | 1060 | 1061 | | 953 | 701 | 744 | | 1 | 35.4 | | | 217 | N | |
| MP299 | 00078 | G01316 | DA008 | 177244035200 | D04 | 06/15/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1072 | 3800 | | 194 | 100 | 380 | | 12 | 38 | | | 185 | N | |
| MP299 | 00078 | G01316 | DA008D | 177244035200 | D03 | 06/16/2003 | SEM | GL | | O | 24 | 60 | | |
| | | 966 | | 170 | 59 | 57 | | 1 | 26.2 | | | 160 | N | |
| MP299 | 00078 | G01316 | DA009D | 177244085100 | D02 | 06/16/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 3754 | | 253 | 57 | 214 | | 107 | 20.5 | | | 200 | N | |
| MP299 | 00078 | G01316 | DA011 | 177244085301 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1868 | | 268 | 159 | 297 | | 239 | 21.5 | | | 260 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01317 | B001 | 177240000500 | S03 | 05/28/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1200 | 3134 | | 88 | 67 | 210 | | 605 | 35.2 | | | | 84 | N |
| MP299 | 00078 | G01317 | B002 | 177244067200 | S01 | 06/04/2003 | SEM | FL | | O | | 48 | | |
| | | 22 | 18.02 | 225 | 91 | 2 | | 20 | 31.8 | | | | | |
| MP299 | 00078 | G01317 | B003 | 177240007501 | S01 | 06/25/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1888 | | 91 | 134 | 253 | | 52 | 34.6 | | | | 85 | N |
| MP299 | 00078 | G01317 | B006 | 177240010302 | S02 | 06/27/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1150 | 331 | | 95 | 157 | 52 | | 157 | 35.7 | | | | 85 | N |
| MP299 | 00078 | G01317 | B008 | 177240006102 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 5775 | | 95 | 71 | 410 | | 24 | 20.5 | | | | 85 | N |
| MP299 | 00078 | G01317 | B016 | 177242001900 | S01 | 06/29/2003 | SEM | GL | | O | 24 | 128 | | |
| | 0 | 263 | | 100 | 57 | 15 | | 322 | 36.9 | | | | 85 | N |
| MP299 | 00078 | G01317 | BA001 | 177244043702 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 28 | | |
| | 1400 | 949 | | 285 | 527 | 500 | | 176 | 20 | | | | 175 | N |
| MP299 | 00078 | G01317 | BA006 | 177244055201 | S02 | 06/28/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 280 | | 148 | 254 | 71 | | 28 | 37.3 | | | | 175 | N |
| MP299 | 00078 | G01317 | BA012 | 177244082800 | S03 | 06/21/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1492 | | 129 | 61 | 91 | | 0 | 20.1 | | | | 121 | N |
| MP299 | 00078 | G01317 | BB005 | 177244068501 | S01 | 06/19/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1590 | | 165 | 322 | 512 | | 57 | 36.3 | | | | 114 | N |
| MP299 | 00078 | G01317 | BB010 | 177244078200 | D03 | 06/27/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 6171 | | 183 | 82 | 506 | | 464 | 35 | | | | 155 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 00078 | G01317 | BB012 | 177244077603 | S01 | 06/27/2003 | SEM | GL | | O | 24 | 34 | | |
| | | 847 | | 256 | 137 | 116 | | 776 | 36.6 | | | | 120 | N |
| WD027 | 02522 | G01331 | 004 | 177190138400 | S04 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 440 | 902000 | 66.67 | 130 | 1 | 902 | | 2 | 45 | | | | | |
| WD027 | 02522 | G01331 | 010 | 177190078000 | S03 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 660 | 118923 | 35 | 140 | 13 | 1546 | | 7 | 45 | | | | | |
| WD027 | 02522 | G01331 | 016 | 177190130800 | S01 | 06/19/2003 | SEM | FL | | G | | 72 | | |
| | 1000 | 381333 | 90 | 130 | 3 | 1144 | | 27 | 45 | | | | | |
| WD030 | 02409 | G01332 | E002 | 177194020700 | S01 | 06/26/2003 | SEM | GL | | O | | 99 | | |
| | | 2927 | 8.89 | 130 | 82 | 240 | | 8 | 32.8 | | | | | |
| WD030 | 02409 | G01332 | E003 | 177194021000 | S02 | 06/21/2003 | SEM | FL | | G | | 21 | | |
| | 1330 | 20250 | 99 | 405 | 8 | 162 | | 1040 | 33.1 | | | | | |
| WD030 | 02409 | G01332 | E004 | 177194021500 | S01 | 06/25/2003 | SEM | GL | | O | | 99 | | |
| | | 233 | 92.52 | 160 | 86 | 20 | | 1064 | 33.1 | | | | | |
| WC017 | 00078 | G01351 | 015 | 177004020601 | S03 | 04/05/2003 | SEM | FL | | | 24 | 7 | | |
| | 2675 | 9999999 | | 1258 | 0 | 1379 | | 200 | | | | | 1063 | N |
| WC017 | 00078 | G01351 | 015 | 177004020601 | S04 | 06/13/2003 | POT | FL | | G | 24 | 10 | | |
| | 3878 | 338105 | 0 | 3123 | 19 | 6424 | | 0 | 47 | .6 | | | | N |
| WC017 | 00078 | G01351 | 024 | 177004106000 | S06 | 06/14/2003 | POT | FL | | G | 24 | 29 | | |
| | 2518 | 85625 | 94.39 | 2010 | 40 | 3425 | | 673 | 45 | .6 | | | | N |
| WC017 | 00078 | G01351 | 025 | 177004105200 | S01 | 05/02/2003 | SEM | FL | | | 24 | 42 | | |
| | 528 | 743500 | | 265 | 4 | 2974 | | 16 | 44.1 | | | | 255 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC017 | 00078 | G01351 | H002 | 177004108100 | S01 | 05/02/2003 | SEM | FL | | | 24 | 50 | | |
| | 1632 | 193756 | | 1140 | 45 | 8719 | | 25 | 43.8 | | | | 1065 | N |
| SS028 | 02219 | G01359 | A001 | 177114116700 | S02 | 01/08/2003 | SEM | FL | 0 | G | 24 | 20 | 0 | 0 |
| 0 | 4050 | 27846 | 66.7 | 745 | 13 | 362 | | 26 | 52.7 | 0 | | | 730 | N |
| BM002 | 02266 | G01361 | A009 | 177150076800 | S01 | 06/21/2003 | SEM | GL | | O | | 128 | | |
| | | 101 | 92.53 | 125 | 89 | 9 | | 1102 | 27.1 | | | | | |
| BM002 | 02266 | G01361 | F008 | 177154037500 | S02 | 06/19/2003 | SEM | GL | | O | | 128 | | |
| | | 640 | 3.45 | 285 | 840 | 538 | | 30 | 32.9 | | | | | |
| ST021 | 00145 | G01362 | F012 | 177150070200 | S04 | 05/18/2003 | SEM | FL | | G | | 14 | | |
| | 2425 | 9999999 | 0 | 2325 | 0 | 2648 | | 0 | 52.1 | | | | | |
| MP041 | 00078 | G01372 | 010 | 177260024901 | S01 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1850 | 873 | | 212 | 71 | 62 | | 48 | 21.5 | | | | 205 | N |
| MP041 | 00078 | G01372 | 013 | 177264003500 | S01 | 02/10/2003 | POT | FL | | O | 24 | 40 | | |
| | | 1919 | 66 | 230 | 322 | 618 | | 625 | 38 | .6 | | | | N |
| MP041 | 00078 | G01372 | 013 | 177264003500 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 44 | | |
| | | 240 | | 290 | 413 | 99 | | 679 | 35.2 | | | | 232 | N |
| MP041 | 00078 | G01372 | E004 | 177250101800 | D03 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1160 | 4866 | | 262 | 67 | 326 | | 603 | 32.4 | | | | 237 | N |
| MP041 | 00078 | G01372 | E016 | 177254059600 | S05 | 10/25/2003 | POT | FL | | O | 24 | 16 | | |
| | | 1018 | 1.03 | 945 | 385 | 392 | | 4 | 33.6 | .62 | | | | N |
| MP041 | 00078 | G01373 | 005 | 177250011401 | S02 | 03/10/2003 | POT | GL | | O | 24 | 46 | | |
| | | 801 | 5.99 | 363 | 769 | 616 | | 49 | 33 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | G01373 | 005 | 177250011401 | S02 | 06/29/2003 | SEM | GL | | O | 24 | 50 | | |
| | 1265 | 552 | | 296 | 828 | 457 | | 53 | 21.5 | | | | 248 | N |
| MP041 | 00078 | G01373 | 010 | 177254033601 | S01 | 01/28/2003 | POT | GL | | O | 24 | 64 | | |
| | | 9691 | 5.17 | 180 | 55 | 533 | | 3 | 25.2 | .62 | | | | N |
| MP041 | 00078 | G01373 | 015 | 177254066801 | D01 | 01/11/2003 | POT | FL | | O | 24 | 30 | | |
| | | 2815 | 90.59 | 249 | 27 | 76 | | 260 | 10 | .62 | | | | N |
| MP041 | 00078 | G01373 | 015D | 177254066801 | D02 | 01/12/2003 | POT | FL | | O | 24 | 34 | | |
| | | 30200 | 96.64 | 241 | 5 | 151 | | 144 | 10 | .62 | | | | N |
| MP041 | 00078 | G01373 | 016D | 177254068500 | D02 | 01/27/2003 | POT | GL | | O | 24 | 32 | | |
| | | 426 | 55.05 | 326 | 298 | 127 | | 365 | 22 | .62 | | | | N |
| MP041 | 00078 | G01373 | 016D | 177254068500 | D02 | 06/15/2003 | SEM | GL | | O | 24 | 32 | | |
| | | 325 | | 354 | 271 | 88 | | 331 | 21.5 | | | | 230 | N |
| MP041 | 00078 | G01373 | BA012D | 177254060000 | D02 | 06/01/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1060 | 36 | | 299 | 140 | 5 | | 250 | 21.5 | | | | 291 | N |
| MP041 | 00078 | G01373 | BA014 | 177254062300 | D01 | 06/10/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1700 | 3092 | | 267 | 65 | 201 | | 344 | 21.5 | | | | 263 | N |
| MP041 | 00078 | G01373 | BA014D | 177254062300 | D02 | 06/13/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1350 | 3105 | | 250 | 86 | 267 | | 342 | 24.2 | | | | 237 | N |
| WC017 | 00078 | G01438 | H001 | 177004106300 | S01 | 04/06/2003 | SEM | FL | | | 24 | 50 | | |
| | 1696 | 184891 | | 1181 | 55 | 10169 | | 28 | 44 | | | | 1179 | N |
| WC017 | 00078 | G01439 | H003 | 177004109700 | S01 | 04/10/2003 | SEM | FL | | | 24 | 50 | | |
| | 1702 | 178604 | | 1172 | 53 | 9466 | | 28 | 45.7 | | | | 1174 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST021 | 00145 | G01442 | D005 | 177150095800 | D01 | 04/29/2003 | SEM | GL | | O | | 20 | | |
| | 975 | 9999999 | 99 | 680 | 0 | 108 | | 1027 | 33.1 | | | | | |
| ST021 | 00145 | G01443 | IA016 | 177150089400 | S02 | 05/18/2003 | SEM | GL | | O | | 28 | | |
| | 1470 | 3569 | 0 | 200 | 102 | 364 | | 0 | 38.3 | | | | | |
| ST021 | 00145 | G01443 | IA026 | 177154110600 | S01 | 05/18/2003 | SEM | FL | | G | | 26 | | |
| | 1800 | 10942 | 0 | 500 | 69 | 755 | | 0 | 40.3 | | | | | |
| GI016 | 00276 | G01445 | W032 | 177174017200 | S02 | 02/15/2003 | SEM | GL | | O | | 88 | | |
| | | 4105 | 76.54 | 220 | 19 | 78 | | 62 | 27.1 | | | | | |
| GI016 | 00276 | G01445 | W034 | 177174017101 | S03 | 10/03/2003 | POT | FL | | O | 24 | 30 | | |
| | | 719 | 1.52 | 650 | 1556 | 1118 | | 24 | 27.8 | .6 | | | | N |
| GI016 | 00276 | G01445 | W034D | 177174017101 | D02 | 06/08/2003 | SEM | FL | | O | | 88 | | |
| | | 56857 | 97.01 | 240 | 14 | 796 | | 454 | 24.7 | | | | | |
| GI016 | 00276 | G01445 | W037 | 177174026000 | S01 | 05/25/2003 | SEM | GL | | G | | 56 | | |
| | | 2011 | 48.99 | 250 | 354 | 712 | | 340 | 29.3 | | | | | |
| WD030 | 00276 | G01447 | 006 | 177194070800 | S01 | 04/27/2003 | SEM | FL | | G | | 24 | | |
| | 5550 | 50283 | 5.06 | 5100 | 300 | 15085 | | 16 | 42.1 | | | | | |
| WD030 | 00276 | G01447 | Z005 | 177194023400 | S02 | 06/10/2003 | SEM | FL | | G | | 16 | | |
| | 2500 | 1071333 | 88 | 2400 | 3 | 3214 | | 22 | 47.1 | | | | | |
| WD079 | 00059 | G01449 | A005 | 177190124200 | D01 | 06/30/2003 | SEM | GL | | O | | 40 | | |
| | 1300 | 5427 | 93.5 | 640 | 96 | 521 | | 1381 | 32 | | | | | |
| WD079 | 00059 | G01449 | A019A | 177192006800 | S02 | 06/19/2003 | SEM | FL | | O | | 42 | | |
| | 3500 | 3777 | 92.01 | 700 | 130 | 491 | | 1498 | 34.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD079 | 00059 | G01449 | A021 | 177192012700 | S01 | 06/18/2003 | SEM | FL | | O | | 29 | | |
| | 4300 | 2597 | 92.74 | 980 | 134 | 348 | | 1712 | 31 | | | | | |
| WD079 | 00059 | G01449 | A022B | 177192014100 | S03 | 06/24/2003 | SEM | GL | | O | | 128 | | |
| | 3800 | 9700 | 95.92 | 210 | 30 | 291 | | 706 | 29.4 | | | | | |
| WD079 | 00059 | G01449 | A025A | 177192017100 | S02 | 06/17/2003 | SEM | FL | | O | | 30 | | |
| | 2000 | 2725 | 96.64 | 660 | 80 | 218 | | 2298 | 34 | | | | | |
| WD079 | 00059 | G01449 | D023 | 177194006600 | S01 | 04/05/2003 | SEM | FL | | O | | 12 | | |
| | 3200 | 14444 | 99 | 1300 | 9 | 130 | | 1032 | 34.4 | | | | | |
| WD079 | 00059 | G01449 | D024A | 177194007300 | S02 | 04/19/2003 | SEM | FL | | O | | 10 | | |
| | 2600 | 4875 | 88.19 | 1075 | 32 | 156 | | 239 | 41.5 | | | | | |
| WD079 | 00059 | G01449 | D031 | 177194037800 | S01 | 06/29/2003 | SEM | FL | | O | | 27 | | |
| | 1125 | 9999999 | 0 | 350 | 0 | 195 | | 0 | 30.3 | | | | | |
| WD079 | 00059 | G01449 | D035 | 177194046200 | S01 | 04/17/2003 | SEM | FL | | O | | 12 | | |
| | 1850 | 3556 | 75 | 350 | 9 | 32 | | 27 | 30.4 | | | | | |
| WD079 | 00059 | G01449 | D036 | 177194047400 | S01 | 06/12/2003 | SEM | FL | | O | | 29 | | |
| | 1860 | 4855 | 96.09 | 550 | 55 | 267 | | 1351 | 32.6 | | | | | |
| WD079 | 00059 | G01449 | E004 | 177194054000 | S01 | 06/22/2003 | SEM | FL | | O | | 16 | | |
| | 1900 | 4258 | 93.98 | 1250 | 66 | 281 | | 1030 | 33.4 | | | | | |
| MP041 | 00078 | G01452 | 013 | 177264003600 | D01 | 02/08/2003 | POT | GL | | O | 24 | 34 | | |
| | | 8563 | 2.74 | 165 | 71 | 608 | | 2 | 22 | .62 | | | | N |
| MP041 | 00078 | G01452 | 013D | 177264003600 | D02 | 02/08/2003 | POT | GL | | O | 24 | 83 | | |
| | 1050 | 7393 | 47.83 | 186 | 84 | 621 | | 77 | 22 | .62 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC192 | 00236 | G01477 | 011C | 177034060001 | S02 | 06/14/2003 | SEM | FL | | G | | 18 | | |
| | 3375 | 89956 | 18.03 | 2900 | 45 | 4048 | | 10 | 48.9 | | | | | |
| WC192 | 00236 | G01477 | A004 | 177034093700 | S01 | 03/21/2003 | POT | FL | | G | 24 | 21 | | |
| | 6830 | 15475 | 6.01 | 6100 | 621 | 9610 | | 40 | 45.2 | .711 | | | | N |
| WC192 | 00236 | G01477 | A004 | 177034093700 | S01 | 05/31/2003 | SEM | FL | | G | | 24 | | |
| | 5725 | 44752 | 31.16 | 4825 | 327 | 14634 | | 148 | 45.2 | | | | | |
| WC192 | 02058 | G01477 | B001 | 177034090901 | S01 | 06/17/2003 | SEM | FL | | G | | 54 | | |
| | 2840 | 73661 | 75.48 | 1785 | 180 | 13259 | | 554 | 49.4 | | | | | |
| WC192 | 02058 | G01477 | B002 | 177034092300 | S01 | 06/02/2003 | SEM | FL | | G | | 63 | | |
| | 2800 | 66601 | 76.84 | 1260 | 148 | 9857 | | 491 | 49.4 | | | | | |
| WC192 | 00236 | G01477 | C002 | 177034092100 | S01 | 05/23/2003 | SEM | FL | | G | | 45 | | |
| | 3650 | 67771 | 24.36 | 1975 | 249 | 16875 | | 80 | 43 | | | | | |
| WC192 | 00236 | G01477 | C003 | 177034092800 | S01 | 06/15/2003 | SEM | FL | | G | | 29 | | |
| | 3850 | 44479 | 20.58 | 3150 | 336 | 14945 | | 87 | 43 | | | | | |
| GI043 | 00114 | G01497 | X003D | 177194003200 | S02 | 06/21/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 424 | 88.67 | 157 | 151 | 64 | | 1183 | 26.9 | | | | | |
| GI043 | 00114 | G01497 | X010 | 177194055300 | S01 | 06/26/2003 | SEM | GL | | O | | 64 | | |
| | 1350 | 390 | 92.74 | 490 | 59 | 23 | | 756 | 30.8 | | | | | |
| GI043 | 00114 | G01497 | X011 | 177194055700 | D01 | 06/17/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 1208 | 91.53 | 210 | 96 | 116 | | 1038 | 28.7 | | | | | |
| GI043 | 00114 | G01497 | X011D | 177194055700 | D02 | 06/17/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 469 | 82.91 | 150 | 128 | 60 | | 621 | 27.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI043 | 00114 | G01497 | X012 | 177194055900 | D01 | 06/28/2003 | SEM | GL | | O | | 80 | | |
| | 1700 | 481 | 90.61 | 185 | 106 | 51 | | 1024 | 29.8 | | | | | |
| GI043 | 00114 | G01497 | X012D | 177194055900 | D02 | 06/27/2003 | SEM | GL | | O | | 80 | | |
| | 3200 | 759 | 72.28 | 465 | 79 | 60 | | 206 | 29.1 | | | | | |
| GI043 | 00114 | G01498 | R005 | 177190122401 | S02 | 06/29/2003 | SEM | FL | | G | | 16 | | |
| | 2300 | 21963 | 94.33 | 1390 | 27 | 593 | | 449 | 30.7 | | | | | |
| GI043 | 00114 | G01498 | R010 | 177190125801 | S02 | 06/25/2003 | SEM | GL | | O | | 21 | | |
| | 1700 | 1612 | 78.96 | 420 | 85 | 137 | | 319 | 30.7 | | | | | |
| GI043 | 00114 | G01498 | R011 | 177190127201 | D01 | 06/03/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 1393 | 90.59 | 185 | 56 | 78 | | 539 | 29 | | | | | |
| GI043 | 00114 | G01498 | R011D | 177190127201 | D02 | 06/26/2003 | SEM | FL | | O | | 16 | | |
| | 2800 | 54194 | 91.58 | 2320 | 31 | 1680 | | 337 | 30.2 | | | | | |
| MP006 | 00105 | G01500 | B002 | 177254070201 | S01 | 02/04/2003 | POT | FL | | G | 24 | 20 | | |
| | 1752 | 9999999 | 100 | 1675 | 0 | 4161 | | 7 | | | .61 | | | N |
| SS230 | 00148 | G01520 | A015 | 177112003401 | S02 | 07/14/2003 | POT | GL | | G | 24 | 25 | | |
| | 2150 | 48257 | 4.04 | 1760 | 109 | 5260 | | 5 | 55 | | .634 | | | N |
| SS207 | 00148 | G01523 | A031 | 177114117702 | S01 | 10/24/2003 | POT | GL | | O | 24 | 64 | | |
| | 460 | 9999999 | 0 | 115 | 0 | 138 | | 0 | 36.5 | | .6 | | | N |
| SS207 | 00148 | G01523 | A036 | 177114137700 | S01 | 03/27/2003 | POT | FL | | G | 24 | 17 | | |
| | 5447 | 3364 | 1.98 | 4734 | 396 | 1332 | | 8 | 34.1 | | .6 | | | N |
| SS207 | 00148 | G01523 | A036 | 177114137700 | S02 | 04/28/2003 | POT | FL | | G | 24 | 27 | | |
| | 5590 | 4899 | 12.11 | 3210 | 733 | 3591 | | 101 | 19.3 | | .597 | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS222 | 01764 | G01525 | A005 | 177112004300 | D02 | 10/19/2003 | POT | FL | | G | 23 | 17 | | |
| | 1450 | 1923 | 39.33 | 210 | 91 | 175 | | 59 | 35.9 | .65 | | | N | |
| SS222 | 01764 | G01525 | A006 | 177112009800 | S03 | 08/01/2003 | POT | FL | | G | 20 | 7 | | |
| | 2150 | 9999999 | 0 | 1800 | 0 | 540 | | 0 | | .65 | | | N | |
| SS222 | 01764 | G01525 | A009D | 177112004600 | D04 | 07/11/2003 | POT | FL | | G | 12 | 6 | | |
| | 2550 | 9999999 | 0 | 2000 | 0 | 480 | | 0 | | .65 | | | N | |
| SS222 | 01764 | G01525 | D010 | 177114103400 | S01 | 04/17/2003 | SEM | GL | | O | | 64 | | |
| | 1160 | 791 | 77.07 | 220 | 86 | 68 | | 289 | 33.6 | | | | | |
| SS222 | 01764 | G01525 | D011A | 177114109800 | S03 | 04/18/2003 | SEM | GL | | O | | 64 | | |
| | 130 | 1629 | 69.43 | 210 | 70 | 114 | | 159 | 34.4 | | | | | |
| SS222 | 02647 | G01526 | B002A | 177114028201 | S01 | 06/14/2003 | SEM | GL | | G | | 64 | | |
| | 0 | 600 | 14.29 | 95 | 30 | 18 | | 5 | 34 | | | | | |
| SS222 | 02647 | G01526 | B004C | 177114029601 | S02 | 04/27/2003 | SEM | FL | | G | | 12 | | |
| | 2500 | 191857 | 80 | 1700 | 7 | 1343 | | 28 | 51 | | | | | |
| SS222 | 02647 | G01526 | B006A | 177114032002 | D01 | 06/15/2003 | SEM | FL | | G | | 25 | | |
| | 700 | 2211 | 90.04 | 360 | 76 | 168 | | 687 | 34.5 | | | | | |
| SS222 | 02647 | G01526 | B006B | 177114032002 | D02 | 06/09/2003 | SEM | FL | | G | | 16 | | |
| | 1400 | 140692 | 13.33 | 850 | 13 | 1829 | | 2 | 52.6 | | | | | |
| SS222 | 02647 | G01526 | B009C | 177114033000 | S02 | 06/08/2003 | SEM | FL | | G | | 12 | | |
| | 200 | 9999999 | 0 | 150 | 0 | 177 | | 0 | 0 | | | | | |
| SS222 | 02647 | G01526 | B012E | 177114034600 | D04 | 06/06/2003 | SEM | FL | | G | | 32 | | |
| | 1050 | 3833 | 54.9 | 200 | 221 | 847 | | 269 | 35.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS222 | 02647 | G01526 | E015A | 177114061500 | S01 | 05/18/2003 | SEM | GL | | O | | 22 | | |
| | 0 | 1677 | 14.74 | 700 | 133 | 223 | | 23 | 38.5 | | | | | |
| SS222 | 02647 | G01526 | G001A | 177114116100 | S01 | 05/19/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 393 | 67.63 | 200 | 56 | 22 | | 117 | 34.5 | | | | | |
| SS239 | 00035 | G01528 | B004 | 177114060400 | S01 | 01/05/2003 | SEM | FL | 0 | O | 4 | 28 | 0 | 0 |
| 0 | 1000 | 26897 | 90 | 710 | 29 | 780 | | 264 | 37.2 | 0 | | | 0 | N |
| SS239 | 00035 | G01528 | B010 | 177114069901 | S01 | 01/03/2003 | SEM | GL | 0 | O | 4 | 64 | 0 | 0 |
| 0 | 0 | 3816 | 75 | 150 | 228 | 870 | | 685 | 32.6 | 0 | | | 0 | N |
| ST185 | 00083 | G01569 | A006 | 177154095301 | S02 | 06/17/2003 | SEM | FL | | G | | 21 | | |
| | | 101247 | 0 | 2667 | 85 | 8606 | | 0 | 44.4 | | | | | |
| ST185 | 02266 | G01569 | C001 | 177154097403 | S04 | 06/11/2003 | POT | FL | | G | 24 | 19 | | |
| | 6000 | 27788 | 0 | 5150 | 466 | 12949 | | 0 | 36.9 | .62 | | | | N |
| ST185 | 02266 | G01569 | C001 | 177154097403 | S04 | 06/13/2003 | SEM | FL | | G | | 19 | | |
| | 6600 | 1000 | 0 | 5150 | 12858 | 12858 | | 0 | 43.3 | | | | | |
| ST190 | 01138 | G01572 | B004 | 177154106000 | S01 | 06/03/2003 | SEM | FL | | G | | 86 | | |
| | 1900 | 73862 | 35.07 | 1187 | 261 | 19278 | | 141 | 41.5 | | | | | |
| ST190 | 01138 | G01572 | B007 | 177154108200 | S01 | 06/02/2003 | SEM | FL | | G | | 72 | | |
| | 2245 | 48097 | 41.38 | 811 | 432 | 20778 | | 305 | 50.4 | | | | | |
| ST190 | 01138 | G01572 | C001 | 177154103800 | S01 | 05/20/2003 | SEM | FL | | G | | 44 | | |
| | 1680 | 660800 | 81.01 | 550 | 15 | 9912 | | 64 | 49.8 | | | | | |
| ST190 | 01138 | G01572 | C003 | 177154106100 | S01 | 05/20/2003 | SEM | FL | | G | | 128 | | |
| | 1050 | 9999999 | 99 | 550 | 0 | 1344 | | 2 | 44.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST176 | 00078 | G01572 | CA004 | 177154113300 | S01 | 03/08/2003 | POT | FL | | O | 24 | 28 | | |
| | | 3568 | 0 | 3860 | 2284 | 8150 | | 0 | 41.4 | .6 | | | N | |
| ST176 | 00078 | G01572 | CA007 | 177154111402 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 38 | | |
| | 6582 | 7882 | | 3282 | 2328 | 18350 | | 48 | 40.6 | | | 1100 | N | |
| GI043 | 00114 | G01580 | CC001D | 177174012500 | D02 | 05/24/2003 | SEM | GL | | G | | 80 | | |
| | 900 | 754 | 90.4 | 260 | 61 | 46 | | 576 | 22.5 | | | | | |
| GI043 | 00114 | G01580 | CC003 | 177174038900 | D01 | 06/21/2003 | SEM | FL | | G | | 17 | | |
| | 2300 | 4600 | 91.17 | 1500 | 90 | 414 | | 929 | 29.3 | | | | | |
| GI043 | 00114 | G01580 | CC003D | 177174038900 | D02 | 04/22/2003 | SEM | FL | | O | | 80 | | |
| | 900 | 4000 | 88.56 | 390 | 80 | 320 | | 618 | 29.3 | | | | | |
| SP089 | 00724 | G01618 | B002D | 177224005700 | D03 | 02/11/2003 | SEM | GL | | O | | 128 | | |
| | | 13 | 17.39 | 250 | 76 | 1 | | 16 | 36.8 | | | | | |
| SP089 | 00724 | G01618 | B007 | 177224008501 | S01 | 02/11/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 9999999 | 0 | 230 | 0 | 96 | | 0 | 0 | | | | | |
| SP089 | 00724 | G01618 | B018 | 177224017602 | S01 | 03/25/2003 | SEM | GL | | O | | 128 | | |
| | | 8467 | 99 | 290 | 15 | 127 | | 1998 | 34 | | | | | |
| SP089 | 00724 | G01618 | B020 | 177224016203 | S01 | 02/11/2003 | SEM | GL | | O | | 128 | | |
| | | 553 | 64.18 | 300 | 360 | 199 | | 645 | 25.8 | | | | | |
| SP089 | 00724 | G01618 | C006 | 177224021400 | S01 | 02/16/2003 | SEM | GL | | O | | 46 | | |
| | | 42200 | 99 | 240 | 20 | 844 | | 2232 | 32.6 | | | | | |
| SP089 | 00724 | G01618 | C010 | 177224022400 | S01 | 01/13/2003 | SEM | GL | | O | | 64 | | |
| | | 20600 | 90.2 | 220 | 5 | 103 | | 46 | 35.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP089 | 00276 | G01619 | A001 | 177224003003 | S01 | 02/08/2003 | SEM | FL | | O | | 64 | | |
| | | 1642 | 52.25 | 160 | 106 | 174 | | 116 | 36 | | | | | |
| SP089 | 00276 | G01619 | A003 | 177224003604 | S01 | 06/05/2003 | SEM | FL | | O | | 28 | | |
| | | 5337 | 0 | 1500 | 1024 | 5465 | | 0 | 35 | | | | | |
| SP089 | 00276 | G01619 | A010 | 177224005203 | D01 | 05/15/2003 | SEM | GL | | O | | 64 | | |
| | | 4833 | 58.62 | 120 | 12 | 58 | | 17 | 32.8 | | | | | |
| SP089 | 00276 | G01619 | A010 | 177224005203 | D01 | 09/08/2003 | SEM | GL | | O | | 192 | | |
| | | 3364 | 68.12 | 125 | 66 | 222 | | 141 | 32.3 | | | | | |
| SP089 | 00276 | G01619 | A012 | 177224007100 | S01 | 06/02/2003 | SEM | FL | | O | | 64 | | |
| | | 995 | 2.83 | 170 | 206 | 205 | | 6 | 30 | | | | | |
| SP089 | 00276 | G01619 | A016D | 177224009000 | D02 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 1500 | 9999999 | 0 | 900 | 0 | 8645 | | 0 | 0 | | | | | |
| SP089 | 00276 | G01619 | A017 | 177224009401 | S01 | 06/02/2003 | SEM | FL | | | | 50 | | |
| | 1700 | 273813 | 91.06 | 450 | 16 | 4381 | | 163 | 47.9 | | | | | |
| SP089 | 00276 | G01619 | A020 | 177224010200 | D01 | 06/04/2003 | SEM | FL | | O | | 20 | | |
| | | 48635 | 0 | 1650 | 85 | 4134 | | 0 | 50.2 | | | | | |
| SP089 | 00276 | G01619 | A020 | 177224010200 | D01 | 09/15/2003 | SEM | FL | | O | | 18 | | |
| | | 35694 | 0 | 1650 | 121 | 4319 | | 0 | 50.2 | | | | | |
| SP089 | 00276 | G01619 | A024D | 177224021800 | D01 | 02/23/2003 | SEM | GL | | O | | 28 | | |
| | | 11043 | 50.44 | 1050 | 280 | 3092 | | 285 | 39.9 | | | | | |
| SP089 | 00276 | G01619 | A027 | 177224012400 | D01 | 03/08/2003 | SEM | FL | | O | | 19 | | |
| | | 102 | 32.88 | 150 | 49 | 5 | | 24 | 49.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP089 | 00276 | G01619 | A029 | 177224004702 | S01 | 06/03/2003 | SEM | FL | | O | | 34 | | |
| | | 22028 | 8.28 | 900 | 144 | 3172 | | 13 | 35 | | | | | |
| SP089 | 00276 | G01619 | A030 | 177224013101 | S01 | 02/27/2003 | SEM | FL | | O | | 18 | | |
| | | 23386 | 2.07 | 2600 | 189 | 4420 | | 4 | 41.3 | | | | | |
| SP089 | 00276 | G01619 | A031 | 177224022503 | S01 | 03/10/2003 | SEM | FL | | G | | 50 | | |
| | | 18 | 97.33 | 1350 | 223 | 4 | | 8116 | 40.8 | | | | | |
| SP089 | 00276 | G01619 | B001 | 177224010703 | S01 | 06/24/2003 | SEM | GL | | O | | 64 | | |
| | | 6176 | 25.68 | 160 | 301 | 1859 | | 104 | 26.7 | | | | | |
| SP089 | 00276 | G01619 | B008 | 177224013300 | D01 | 06/28/2003 | SEM | GL | | | | 64 | | |
| | | 2360 | 85.55 | 125 | 25 | 59 | | 148 | 25.8 | | | | | |
| SP089 | 00276 | G01619 | B010 | 177224014201 | S04 | 05/17/2003 | SEM | GL | | O | | 64 | | |
| | | 1717 | 36.14 | 90 | 53 | 91 | | 30 | 34.8 | | | | | |
| SP089 | 00276 | G01619 | B011 | 177224014102 | S01 | 05/17/2003 | SEM | GL | | O | | 144 | | |
| | | 2219 | 67.01 | 85 | 32 | 71 | | 65 | 36.2 | | | | | |
| SP089 | 00276 | G01619 | B012 | 177224016701 | S03 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | | 1333 | 16.67 | 85 | 30 | 40 | | 6 | 32.8 | | | | | |
| SP089 | 00276 | G01619 | B017 | 177224014901 | S02 | 03/08/2003 | POT | FL | | G | 4 | 24 | | |
| | 2825 | 9999999 | 0 | 2410 | 0 | 8139 | | 0 | | .6 | | | | N |
| SP089 | 00276 | G01619 | B021D | 177224015700 | D02 | 06/06/2003 | SEM | FL | | O | | 47 | | |
| | | 14392 | .51 | 590 | 194 | 2792 | | 1 | 38.4 | | | | | |
| SP089 | 00276 | G01619 | B023 | 177224020400 | S02 | 06/05/2003 | SEM | FL | | G | | 28 | | |
| | 2050 | 336571 | 0 | 600 | 7 | 2356 | | 0 | 34 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP089 | 00276 | G01619 | B030D | 177224019500 | D02 | 03/08/2003 | SEM | FL | | O | | 20 | | |
| | | 88941 | 0 | 1600 | 34 | 3024 | | 0 | 39 | | | | | |
| SP089 | 00276 | G01619 | B030D | 177224019500 | D02 | 06/03/2003 | SEM | FL | | O | | 20 | | |
| | 1900 | 73841 | 0 | 1450 | 44 | 3249 | | 0 | 39 | | | | | |
| SP089 | 00276 | G01619 | B031 | 177224020201 | S01 | 02/11/2003 | SEM | GL | | O | | 64 | | |
| | | 610 | 42.91 | 110 | 141 | 86 | | 106 | 34.8 | | | | | |
| SP089 | 00276 | G01620 | A006 | 177224013801 | S01 | 06/01/2003 | SEM | FL | | O | | 192 | | |
| | | 660 | 15.93 | 115 | 153 | 101 | | 29 | 34.5 | | | | | |
| SP089 | 00276 | G01620 | A007 | 177224004800 | S01 | 05/29/2003 | SEM | FL | | O | | 24 | | |
| | | 15599 | 2.87 | 1420 | 237 | 3697 | | 7 | 32.8 | | | | | |
| SP089 | 00276 | G01620 | A015 | 177224008102 | D01 | 06/02/2003 | SEM | FL | | O | | 38 | | |
| | | 4313 | 0 | 425 | 476 | 2053 | | 0 | 35 | | | | | |
| SP089 | 00276 | G01620 | A018 | 177224010003 | S02 | 01/11/2003 | POT | FL | | G | 5 | 20 | | |
| | 1725 | 170958 | 50 | 1660 | 24 | 4103 | | 24 | 48.5 | .6 | | | | N |
| SP089 | 00276 | G01620 | A025 | 177224022100 | S01 | 06/04/2003 | SEM | FL | | O | | 24 | | |
| | | 31126 | 4.78 | 1550 | 199 | 6194 | | 10 | 38.3 | | | | | |
| MP133 | 02513 | G01633 | A006 | 177254005801 | S01 | 06/16/2003 | SEM | GL | | G | | 64 | | |
| | | 1491 | 50 | 220 | 342 | 510 | | 342 | 37 | | | | | |
| MP133 | 02513 | G01633 | A009D | 177254013802 | D02 | 06/15/2003 | SEM | FL | | G | | 16 | | |
| | | 185500 | 0 | 360 | 2 | 371 | | 0 | 36 | | | | | |
| MP133 | 02513 | G01633 | A010D | 177254014601 | D02 | 06/17/2003 | SEM | GL | | O | | 72 | | |
| | | 13792 | 90 | 160 | 24 | 331 | | 216 | 38 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP133 | 00078 | G01633 | C002 | 177254016200 | S05 | 06/12/2003 | SEM | FL | | G | | 72 | | |
| | 500 | 9999999 | 0 | 130 | 0 | 112 | | 0 | | | | | | |
| MP133 | 02513 | G01633 | C006 | 177254017000 | S02 | 06/18/2003 | SEM | FL | | G | | 9 | | |
| | 1985 | 9999999 | 0 | 1100 | 0 | 525 | | 0 | | | | | | |
| MP133 | 02513 | G01633 | C010 | 177254017900 | S01 | 06/17/2003 | SEM | FL | | G | | 46 | | |
| | 950 | 9999999 | 99 | 280 | 0 | 672 | | 510 | | | | | | |
| MP144 | 00078 | G01634 | A001 | 177250092600 | S03 | 06/28/2003 | SEM | GL | | O | 24 | 128 | | |
| | 580 | 764 | | 90 | 195 | 149 | | 159 | 34.4 | | | | 80 | N |
| MP144 | 00078 | G01634 | A003 | 177250098400 | D01 | 06/21/2003 | SEM | GL | | O | 24 | 42 | | |
| | 1090 | 754 | | 150 | 142 | 107 | | 646 | 34.4 | | | | 90 | N |
| MP144 | 00078 | G01634 | A005 | 177250098900 | S04 | 06/22/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1900 | 9999999 | | 500 | 0 | 408 | | 395 | | | | | 100 | N |
| MP144 | 00078 | G01634 | A006 | 177250100000 | S04 | 05/23/2003 | POT | GL | | O | 4 | 84 | | |
| | 1050 | 67 | 80.26 | 105 | 30 | 2 | | 122 | 30 | .62 | | | | N |
| MP144 | 00078 | G01634 | A006 | 177250100000 | S04 | 06/22/2003 | SEM | GL | | O | 24 | 84 | | |
| | 1050 | 1393 | | 75 | 28 | 39 | | 113 | 29.5 | | | | 75 | N |
| MP144 | 00078 | G01634 | A011 | 177252001300 | S03 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 550 | | 90 | 131 | 72 | | 33 | 29.2 | | | | 60 | N |
| MP144 | 00078 | G01634 | A013 | 177252002100 | D01 | 05/25/2003 | POT | GL | | O | 4 | 48 | | |
| | 1050 | 1304 | 92.08 | 170 | 46 | 60 | | 535 | 35 | .62 | | | | N |
| MP144 | 00078 | G01634 | A013 | 177252002100 | D01 | 06/30/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1050 | 1283 | | 170 | 46 | 59 | | 524 | 34.7 | | | | 105 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP144 | 00078 | G01634 | A014D | 177252002400 | D02 | 05/24/2003 | POT | GL | | O | 4 | 84 | | |
| | 1050 | 696 | 88.04 | 110 | 69 | 48 | | 508 | 28 | .62 | | | N | |
| MP144 | 00078 | G01634 | A014D | 177252002400 | D02 | 06/23/2003 | SEM | GL | | O | 24 | 84 | | |
| | 1050 | 746 | | 110 | 59 | 44 | | 435 | 27.9 | | | 85 | N | |
| MP144 | 00078 | G01634 | A016 | 177252003200 | S03 | 06/21/2003 | SEM | GL | | O | 24 | 84 | | |
| | 1050 | 351 | | 100 | 74 | 26 | | 297 | 32.8 | | | 74 | N | |
| MP144 | 00078 | G01634 | A017 | 177250098602 | S02 | 05/25/2003 | POT | GL | | O | 4 | 42 | | |
| | 1050 | 403 | 85.09 | 200 | 119 | 48 | | 679 | 26 | .62 | | | N | |
| MP144 | 00078 | G01634 | A017 | 177250098602 | S02 | 06/29/2003 | SEM | GL | | O | 24 | 42 | | |
| | 1050 | 904 | | 150 | 104 | 94 | | 587 | 26 | | | 140 | N | |
| MP144 | 00078 | G01634 | B001 | 177252008801 | S01 | 06/25/2003 | SEM | GL | | O | 24 | 84 | | |
| | 1005 | 2920 | | 132 | 25 | 73 | | 24 | 29.5 | | | 135 | N | |
| MP144 | 00078 | G01634 | B001 | 177252008801 | S02 | 08/18/2003 | POT | GL | | O | 24 | 18 | | |
| | | 967 | 3.91 | 383 | 123 | 119 | | 5 | 30.6 | .62 | | | N | |
| MP144 | 00078 | G01634 | B003D | 177252009300 | D02 | 06/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 14875 | | 184 | 8 | 119 | | 785 | 29.5 | | | 150 | N | |
| MP144 | 00078 | G01634 | B005 | 177252009600 | S03 | 06/30/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 273 | | 210 | 344 | 94 | | 843 | 29.5 | | | 105 | N | |
| MP144 | 00078 | G01634 | B006 | 177252009900 | S01 | 05/22/2003 | POT | GL | | O | 4 | 64 | | |
| | 1080 | 1612 | 75.25 | 149 | 49 | 79 | | 149 | 30 | .62 | | | N | |
| MP144 | 00078 | G01634 | B006 | 177252009900 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 783 | | 160 | 92 | 72 | | 75 | 29.5 | | | 150 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP144 | 00078 | G01634 | B011 | 177254001001 | S01 | 06/30/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1040 | 909 | | 205 | 208 | 189 | | 782 | 29.5 | | | | 146 | N |
| MP144 | 00078 | G01634 | B014 | 177254002001 | S02 | 05/23/2003 | POT | GL | | O | 4 | 34 | | |
| | 1200 | 314 | 60.02 | 330 | 385 | 121 | | 578 | 30 | .62 | | | | N |
| MP144 | 00078 | G01634 | B014 | 177254002001 | S02 | 06/23/2003 | SEM | GL | | O | 24 | 34 | | |
| | 1200 | 320 | | 142 | 375 | 120 | | 562 | 29.5 | | | | 124 | N |
| MP144 | 00078 | G01634 | B016 | 177254001102 | S03 | 06/30/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1100 | 396 | | 200 | 326 | 129 | | 662 | 28 | | | | 152 | N |
| MP144 | 00078 | G01634 | B017 | 177254063700 | D01 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 710 | | 355 | 238 | 169 | | 5 | 34.7 | | | | 130 | N |
| MP144 | 00078 | G01634 | B017D | 177254063700 | D02 | 06/29/2003 | SEM | GL | | O | 24 | 60 | | |
| | 0 | 1449 | | 170 | 98 | 142 | | 167 | 27.4 | | | | 151 | N |
| MP144 | 00078 | G01634 | BA001 | 177254024900 | S02 | 04/12/2003 | POT | GL | | O | 4 | 128 | | |
| | 1080 | 1085 | 68.14 | 167 | 94 | 102 | | 201 | 30 | .62 | | | | N |
| MP144 | 00078 | G01634 | BA001 | 177254024900 | S02 | 06/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1080 | 819 | | 162 | 116 | 95 | | 246 | 29.5 | | | | 135 | N |
| MP144 | 00078 | G01634 | BA004 | 177254029500 | S01 | 06/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1060 | 694 | | 159 | 219 | 152 | | 98 | 29.5 | | | | 138 | N |
| MP144 | 00078 | G01634 | BA005 | 177254029601 | S01 | 06/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1000 | 1313 | | 184 | 131 | 172 | | 1319 | 29.5 | | | | 131 | N |
| MP144 | 00078 | G01634 | BA008D | 177254059700 | D02 | 06/22/2003 | SEM | GL | | O | 24 | 92 | | |
| | 0 | 1209 | | 159 | 115 | 139 | | 931 | 29.5 | | | | 113 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP133 | 02513 | G01649 | B007 | 177244012100 | S03 | 06/15/2003 | SEM | FL | | G | | 54 | | |
| | 550 | 9999999 | 99 | 120 | 0 | 55 | | 72 | | | | | | |
| MP290 | 01834 | G01665 | A007D | 177244010600 | D02 | 05/08/2003 | SEM | GL | | O | | 48 | | |
| | 1100 | 4286 | 94.26 | 220 | 7 | 30 | | 115 | 29.3 | | | | | |
| MP290 | 01834 | G01665 | A010 | 177244011000 | S01 | 05/10/2003 | SEM | GL | | O | | 99 | | |
| | 1100 | 1611 | 50 | 100 | 36 | 58 | | 36 | 25.5 | | | | | |
| MP290 | 01834 | G01665 | A017 | 177244012301 | S01 | 05/12/2003 | SEM | GL | | O | | 64 | | |
| | 1100 | 185 | 14.74 | 100 | 162 | 30 | | 28 | 37 | | | | | |
| MP290 | 01834 | G01665 | A024 | 177244037701 | D01 | 05/22/2003 | SEM | GL | | O | | 108 | | |
| | 1100 | 1056 | 33.33 | 130 | 18 | 19 | | 9 | 28 | | | | | |
| MP290 | 01834 | G01665 | A024D | 177244037701 | D02 | 05/23/2003 | SEM | GL | | O | | 108 | | |
| | 1100 | 750 | 32.08 | 110 | 36 | 27 | | 17 | 33.8 | | | | | |
| MP290 | 01834 | G01666 | A014 | 177244012000 | D01 | 05/21/2003 | SEM | FL | | O | | 12 | | |
| | 900 | 9999999 | 0 | 340 | 0 | 168 | | 0 | | | | | | |
| MP290 | 01834 | G01666 | A014D | 177244012000 | D02 | 05/22/2003 | SEM | FL | | O | | 14 | | |
| | 900 | 9999999 | 0 | 180 | 0 | 101 | | 0 | | | | | | |
| MP290 | 01834 | G01666 | A019E | 177244012400 | D04 | 05/14/2003 | SEM | GL | | O | | 108 | | |
| | 1100 | 1179 | 45.07 | 110 | 78 | 92 | | 64 | 35.7 | | | | | |
| MP290 | 01834 | G01666 | A020 | 177244012500 | S03 | 05/11/2003 | SEM | GL | | O | | 80 | | |
| | 1100 | 573 | 7.74 | 140 | 143 | 82 | | 12 | 33.6 | | | | | |
| MP290 | 00105 | G01666 | A021 | 177244012703 | S01 | 05/13/2003 | SEM | GL | | O | | 64 | | |
| | 1100 | 826 | 11.54 | 120 | 46 | 38 | | 6 | 38.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP290 | 01834 | G01666 | A026 | 177244038401 | S02 | 05/26/2003 | SEM | GL | | O | | 64 | | |
| | 1100 | 509 | 29.49 | 120 | 55 | 28 | | 23 | 23.6 | | | | | |
| MP290 | 00105 | G01666 | C031 | 177244090200 | S01 | 10/31/2003 | POT | FL | | G | 24 | 18 | | |
| | 1581 | 9999999 | 100 | 1397 | 0 | 2706 | | 22 | | | .59 | | | N |
| MP144 | 02451 | G01673 | C004 | 177244021403 | S01 | 02/04/2003 | POT | FL | | O | 24 | 22 | | |
| | | 31309 | 9.33 | 950 | 68 | 2129 | | 7 | 15.7 | | .575 | | | N |
| MP306 | 00185 | G01676 | A006 | 177242004200 | D01 | 05/24/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 56000 | | 60 | 1 | 56 | | 2 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | A007B | 177242005500 | S04 | 06/07/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 300 | | 160 | 10 | 3 | | 0 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | A009D | 177242006500 | D02 | 06/22/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 182 | | 175 | 66 | 12 | | 7 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | A010 | 177242006700 | D01 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1667 | | 150 | 18 | 30 | | 3 | 33.6 | | | | | N |
| MP306 | 00185 | G01676 | A011D | 177242007500 | D02 | 06/08/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1804 | | 165 | 51 | 92 | | 165 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | A013 | 177242008101 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 64 | | |
| | 750 | 64000 | | 180 | 4 | 256 | | 10 | 33.5 | | | | 1030 | N |
| MP306 | 00185 | G01676 | A015B | 177242008800 | D05 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 308 | | 190 | 120 | 37 | | 103 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | A017 | 177242010801 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5222 | | 85 | 9 | 47 | | 17 | 33.6 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01676 | A022 | 177242002902 | S02 | 06/23/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 838 | | 180 | 74 | 62 | | 0 | 33.6 | | | | | N |
| MP306 | 00185 | G01676 | A023 | 177244019801 | S03 | 06/21/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2692 | | 160 | 26 | 70 | | 3 | 33.6 | | | | | N |
| MP306 | 00185 | G01676 | B002 | 177242002601 | S01 | 05/31/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5636 | | 60 | 11 | 62 | | 82 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B004 | 177242003900 | S02 | 06/05/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1440 | | 50 | 25 | 36 | | 792 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B006 | 177242006101 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2232 | | 50 | 69 | 154 | | 3 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B007 | 177242007201 | S01 | 06/09/2003 | SEM | FL | | O | 24 | 12 | | |
| | | 393000 | | 445 | 1 | 393 | | 0 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B010 | 177242008900 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1176 | | 60 | 34 | 40 | | 3 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B014 | 177242012601 | S02 | 06/28/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 11333 | | 55 | 9 | 102 | | 6 | 33.6 | | | | | N |
| MP306 | 00185 | G01676 | B016S | 177242013400 | S02 | 06/24/2003 | SEM | FL | | O | 24 | 27 | | |
| | | 3000 | | 200 | 9 | 27 | | 153 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B018 | 177244001600 | S02 | 06/25/2003 | SEM | FL | | O | 24 | 32 | | |
| | | 1581 | | 140 | 31 | 49 | | 1 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | B019 | 177242004602 | S02 | 05/30/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 10833 | | 60 | 6 | 65 | | 0 | 33.5 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01676 | B020A | 177242007801 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 765 | | 60 | 34 | 26 | | 43 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C001 | 177242002000 | D01 | 06/21/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 8250 | | 80 | 12 | 99 | | 9 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C002 | 177242003002 | D01 | 06/08/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 75 | 50 | 0 | | 110 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C002D | 177242003002 | D02 | 06/23/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 600 | | 80 | 60 | 36 | | 54 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C003 | 177242004800 | D04 | 06/21/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 80 | 21 | 0 | | 139 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C003D | 177242004800 | D05 | 06/22/2003 | SEM | FL | | O | 24 | 14 | | |
| | | 3571 | | 420 | 21 | 75 | | 0 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C005 | 177242007100 | D03 | 06/23/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 250 | | 85 | 40 | 10 | | 271 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C009 | 177242010401 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 704 | | 100 | 27 | 19 | | 43 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C010 | 177242010900 | D01 | 06/24/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 75 | 29 | 0 | | 19 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C011 | 177242011600 | D01 | 06/04/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4385 | | 90 | 13 | 57 | | 99 | 33.5 | | | | | N |
| MP306 | 00185 | G01676 | C014D | 177244000901 | D02 | 06/18/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 357 | | 80 | 70 | 25 | | 34 | 33.5 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01677 | D001D | 177242001700 | D02 | 06/26/2003 | SEM | FL | | O | 24 | 12 | | |
| | | 0 | | 350 | 4 | 0 | | 1 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D002A | 177242002100 | S03 | 06/21/2003 | SEM | FL | | O | 24 | 35 | | |
| | | 769 | | 150 | 39 | 30 | | 46 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D003 | 177242002401 | S01 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3438 | | 200 | 16 | 55 | | 2 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D005D | 177242007300 | D02 | 06/11/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 0 | | 500 | 12 | 0 | | 25 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D006 | 177242004301 | S02 | 06/12/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 515 | | 300 | 68 | 35 | | 4 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D007 | 177242005200 | D01 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 150 | 18 | 0 | | 155 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D008 | 177242005900 | D03 | 01/29/2003 | POT | GL | | O | 24 | 17 | | |
| | | 17909 | 90.18 | 280 | 11 | 197 | | 101 | 33.1 | .67 | | | | N |
| MP306 | 00185 | G01677 | D009 | 177242007001 | S01 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1000 | | 200 | 41 | 41 | | 7 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D010 | 177242008701 | S01 | 06/09/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3000 | | 100 | 3 | 9 | | 4 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D012B | 177242009500 | S04 | 06/11/2003 | SEM | FL | | O | 24 | 21 | | |
| | | 2719 | | 500 | 32 | 87 | | 154 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | D013 | 177242009801 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 789 | | 100 | 38 | 30 | | 118 | 33.5 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01677 | D015 | 177244000102 | S02 | 06/22/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1500 | | 100 | 54 | 81 | | 47 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | D016D | 177244001100 | S04 | 06/19/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1167 | | 160 | 18 | 21 | | 11 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | D017 | 177242003401 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2333 | | 90 | 6 | 14 | | 0 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | D020D | 177244009500 | D02 | 06/20/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 250 | 29 | 0 | | 90 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | D021 | 177244021000 | S01 | 06/10/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1571 | | 160 | 21 | 33 | | 41 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | D022 | 177244021301 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4357 | | 200 | 14 | 61 | | 47 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | E005 | 177242007401 | S02 | 06/21/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4375 | | 70 | 16 | 70 | | 0 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | E009A | 177242011400 | S03 | 06/16/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 925 | | 75 | 40 | 37 | | 97 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | E010 | 177242012301 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 800 | | 300 | 35 | 28 | | 84 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | E014 | 177244002400 | S03 | 06/24/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 263 | | 95 | 99 | 26 | | 13 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | E016 | 177244000501 | S02 | 06/29/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3000 | | 70 | 8 | 24 | | 50 | 33.5 | | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01677 | E017 | 177244000801 | S02 | 06/02/2003 | SEM | FL | | O | 24 | 17 | | |
| | | 687000 | | 710 | 1 | 687 | | 5 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E018A | 177244001400 | D03 | 06/25/2003 | SEM | FL | | O | 24 | 35 | | |
| | | 1500 | | 169 | 44 | 66 | | 80 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E019 | 177244001703 | S01 | 06/13/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1900 | | 70 | 10 | 19 | | 172 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E020 | 177242009603 | S02 | 04/02/2003 | POT | GL | | O | 24 | 64 | | |
| | | 278 | 95.62 | 88 | 18 | 5 | | 393 | 33.2 | .669 | | | | N |
| MP306 | 00185 | G01677 | E024 | 177244008201 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 737 | | 82 | 38 | 28 | | 4 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E026 | 177244000302 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 541 | | 76 | 157 | 85 | | 0 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E027 | 177242013102 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 326 | | 73 | 46 | 15 | | 84 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | E029D | 177242006802 | D04 | 06/16/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 455 | | 130 | 55 | 25 | | 634 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | F001 | 177244013400 | S01 | 06/01/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5000 | | 105 | 9 | 45 | | 12 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | F002A | 177244013500 | D06 | 06/02/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 9444 | | 150 | 9 | 85 | | 379 | 33.5 | | | | | N |
| MP306 | 00185 | G01677 | F003A | 177244013700 | S02 | 06/04/2003 | SEM | FL | | G | 24 | 64 | | |
| | 680 | 171000 | | 100 | 1 | 171 | | 40 | 33.5 | | | | 1040 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G01677 | F004A | 177244013800 | D04 | 06/27/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 10250 | | 100 | 8 | 82 | | 320 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F005A | 177244014000 | S02 | 06/03/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1000 | | 110 | 13 | 13 | | 198 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F006A | 177244014200 | S02 | 06/05/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 0 | | 140 | 9 | 0 | | 250 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F007 | 177244014600 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 13000 | | 110 | 9 | 117 | | 190 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F008A | 177244015100 | S03 | 06/28/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1083 | | 100 | 36 | 39 | | 2 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F009B | 177244015400 | S04 | 06/06/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3000 | | 90 | 59 | 177 | | 0 | 33.6 | | | | N | |
| MP306 | 00185 | G01677 | F012A | 177244016700 | S02 | 06/30/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 314 | | 110 | 118 | 37 | | 432 | 33.5 | | | | N | |
| MP306 | 00185 | G01677 | F016 | 177244018100 | D03 | 05/28/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3958 | | 105 | 24 | 95 | | 119 | 33.5 | | | | N | |
| BA105A | 00003 | G01754 | A002 | 427054002500 | S01 | 05/16/2003 | SEM | FL | | G | 24 | 12 | | |
| | 4100 | 71500 | | 800 | 4 | 286 | | 33 | 54.6 | | | 1078 | N | |
| BA105A | 00003 | G01757 | B002 | 427054012600 | S01 | 05/18/2003 | SEM | FL | | G | 24 | 128 | | |
| | 2025 | 3280000 | | 660 | 4 | 13120 | | 40 | 40.2 | | | 640 | N | |
| BA105A | 00003 | G01757 | B003 | 427054012800 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 128 | | |
| | 2000 | 9999999 | | 670 | 0 | 13408 | | 38 | | | | 644 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BA105A | 00003 | G01757 | B004 | 427054013000 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 128 | | |
| | 2200 | 9999999 | | 835 | 0 | 4297 | | 83 | | | | | 671 | N |
| GA255 | 00491 | G01772 | A005 | 427064001500 | S01 | 05/05/2003 | SEM | FL | | O | | 27 | | |
| | 1675 | 2833 | 96.71 | 640 | 60 | 170 | | 1766 | 35 | | | | | |
| GA255 | 00491 | G01773 | B004 | 427064036401 | S01 | 05/05/2003 | SEM | FL | | O | | 40 | | |
| | 1425 | 1341 | 93.94 | 700 | 214 | 287 | | 3320 | 35 | | | | | |
| HI088 | 02189 | G01812 | B001 | 427084020600 | D02 | 05/08/2003 | SEM | FL | | G | | 64 | | |
| | 950 | 375500 | 29.41 | 400 | 2 | 751 | | 1 | 43.4 | | | | | |
| HI088 | 02189 | G01812 | B003 | 427084040500 | D03 | 05/19/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 9999999 | 0 | 400 | 0 | 129 | | 0 | 0 | | | | | |
| HI088 | 02189 | G01812 | B003D | 427084040500 | D01 | 05/01/2003 | SEM | FL | | G | | 64 | | |
| | 530 | 9999999 | 0 | 400 | 0 | 29 | | 0 | 0 | | | | | |
| HI129 | 00981 | G01848 | 016 | 427104015201 | S01 | 09/03/2003 | POT | FL | | G | 24 | 21 | | |
| | 8610 | 109370 | 8.73 | 8123 | 184 | 20124 | | 18 | 43.8 | .613 | | | | N |
| WC066 | 00114 | G01860 | A015 | 177004096100 | S02 | 06/14/2003 | SEM | FL | | O | | 64 | | |
| | 2200 | 3805 | 0 | 1085 | 287 | 1092 | | 0 | 41 | | | | | |
| WC066 | 00114 | G01860 | A016 | 177004096601 | S01 | 06/02/2003 | SEM | GL | | O | | 15 | | |
| | 600 | 893 | 82.64 | 400 | 121 | 108 | | 576 | 42 | | | | | |
| WC066 | 00114 | G01860 | C001 | 177004010502 | S01 | 06/07/2003 | SEM | GL | | G | | 19 | | |
| | 1280 | 2034 | 82.98 | 340 | 206 | 419 | | 1004 | 41 | | | | | |
| WC066 | 00114 | G01860 | C002 | 177004036602 | D01 | 03/01/2003 | SEM | GL | | O | | 40 | | |
| | 700 | 9999999 | 99 | 325 | 0 | 32 | | 344 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC066 | 00114 | G01860 | C005 | 177004098302 | S03 | 06/07/2003 | SEM | FL | | G | | 19 | | |
| | 2655 | 56903 | 0 | 2490 | 103 | 5861 | | 0 | 55.2 | | | | | |
| WC066 | 00114 | G01860 | D005 | 177004039101 | S01 | 06/01/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 8214 | 81.33 | 170 | 14 | 115 | | 61 | 40 | | | | | |
| EI064 | 00078 | G01865 | 004 | 177094017800 | S02 | 04/02/2003 | SEM | FL | | | 24 | 12 | | |
| | 2580 | 65667 | | 2416 | 18 | 1182 | | 0 | 56.4 | | | | 1040 | N |
| EI064 | 00078 | G01865 | 006 | 177094114300 | D01 | 04/05/2003 | SEM | FL | | | 24 | 100 | | |
| | 2485 | 53793 | | 1362 | 242 | 13018 | | 32 | 53.6 | | | | 1302 | N |
| EI064 | 00078 | G01865 | 007 | 177094120400 | D03 | 03/26/2003 | SEM | FL | | | 24 | 23 | | |
| | 2980 | 68640 | | 1630 | 111 | 7619 | | 12 | 53 | | | | | N |
| EI064 | 00078 | G01865 | 007D | 177094120400 | D02 | 04/06/2003 | SEM | FL | | | 24 | 45 | | |
| | 1635 | 116458 | | 1068 | 24 | 2795 | | 7 | 56.7 | | | | 1041 | N |
| EI064 | 00078 | G01865 | 008 | 177094137400 | S01 | 04/04/2003 | SEM | FL | | | 24 | 73 | | |
| | 2350 | 62046 | | 1531 | 194 | 12037 | | 24 | 57.5 | | | | 1301 | N |
| BM002 | 02266 | G01870 | D031 | 177154096701 | S01 | 06/27/2003 | SEM | GL | | O | | 64 | | |
| | 1080 | 1684 | 85.27 | 130 | 57 | 96 | | 330 | 37.5 | | | | | |
| BM002 | 02266 | G01870 | D032 | 177154096900 | S03 | 06/28/2003 | SEM | FL | | G | | 40 | | |
| | 1100 | 16243 | 38.46 | 400 | 152 | 2469 | | 95 | 39.8 | | | | | |
| BM002 | 02266 | G01870 | D033 | 177154102800 | S01 | 06/27/2003 | SEM | GL | | O | | 64 | | |
| | 2000 | 792 | 78.38 | 150 | 72 | 57 | | 261 | 29 | | | | | |
| BM002 | 02266 | G01870 | F002 | 177154033400 | S06 | 06/28/2003 | SEM | GL | | O | | 64 | | |
| | 1410 | 9999999 | 99 | 140 | 0 | 0 | | 340 | 26.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BM002 | 02266 | G01870 | F003 | 177154051001 | S02 | 06/19/2003 | SEM | GL | | O | | 26 | | |
| | | 2958 | 59.31 | 300 | 166 | 491 | | 242 | 34.1 | | | | | |
| BM002 | 02266 | G01870 | F015 | 177154044101 | S01 | 06/19/2003 | SEM | GL | | O | | 128 | | |
| | 1125 | 0 | 52.04 | 350 | 376 | 0 | | 408 | 27.8 | | | | | |
| BM002 | 02266 | G01870 | F025 | 177154054100 | S03 | 06/16/2003 | SEM | GL | | O | | 64 | | |
| | | 514 | 90.63 | 220 | 105 | 54 | | 1016 | 31.9 | | | | | |
| BM002 | 02266 | G01870 | F026 | 177154101100 | S03 | 06/20/2003 | SEM | GL | | O | | 64 | | |
| | 1425 | 1545 | 82.29 | 350 | 297 | 459 | | 1380 | 33.8 | | | | | |
| BM002 | 02266 | G01870 | F027 | 177154102704 | D03 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | 2500 | 395 | 61.15 | 220 | 162 | 64 | | 255 | 25.2 | | | | | |
| BM002 | 02266 | G01870 | F029 | 177154105901 | S02 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | 1700 | 2636 | 95.95 | 440 | 107 | 282 | | 2532 | 23 | | | | | |
| WD079 | 00059 | G01874 | A010A | 177190136300 | S02 | 06/20/2003 | SEM | FL | | O | | 29 | | |
| | 1850 | 2882 | 97.81 | 430 | 34 | 98 | | 1521 | 32 | | | | | |
| WD079 | 00059 | G01874 | B002D | 177192004000 | D02 | 06/22/2003 | SEM | GL | | O | | 33 | | |
| | 1400 | 1735 | 96.01 | 600 | 34 | 59 | | 818 | 37.6 | | | | | |
| WD079 | 00059 | G01874 | B003B | 177192001900 | S04 | 06/23/2003 | SEM | GL | | O | | 32 | | |
| | 1750 | 7000 | 89.97 | 1060 | 148 | 1036 | | 1328 | 31.5 | | | | | |
| WD079 | 00059 | G01874 | B006E | 177192008500 | S06 | 06/25/2003 | SEM | GL | | G | | 34 | | |
| | 1525 | 1700 | 97.99 | 750 | 30 | 51 | | 1463 | 34.8 | | | | | |
| WD079 | 00059 | G01874 | B011A | 177192015100 | S02 | 06/20/2003 | SEM | FL | | O | | 16 | | |
| | 4500 | 8377 | 92.96 | 1800 | 53 | 444 | | 700 | 37.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD079 | 00059 | G01874 | B013 | 177192013400 | S01 | 06/15/2003 | SEM | GL | | O | | 128 | | |
| | 1450 | 2263 | 86.06 | 380 | 76 | 172 | | 469 | 31.8 | | | | | |
| WD079 | 00059 | G01874 | B018A | 177192020001 | S02 | 06/18/2003 | SEM | FL | | O | | 25 | | |
| | 2750 | 12486 | 97.98 | 975 | 35 | 437 | | 1701 | 42.2 | | | | | |
| WD079 | 00059 | G01874 | B021 | 177194013600 | S01 | 06/14/2003 | SEM | GL | | O | | 128 | | |
| | 1500 | 2276 | 97.98 | 400 | 29 | 66 | | 1408 | 31 | | | | | |
| WD079 | 00059 | G01874 | B027B | 177194018900 | S04 | 06/27/2003 | SEM | GL | | O | | 28 | | |
| | 900 | 3250 | 97.96 | 720 | 16 | 52 | | 768 | 29.3 | | | | | |
| WD079 | 00059 | G01874 | C017B | 177192013800 | S03 | 04/19/2003 | SEM | GL | | O | | 136 | | |
| | 1250 | 2172 | 88.96 | 340 | 145 | 315 | | 1169 | 32.1 | | | | | |
| WD079 | 00059 | G01874 | C024 | 177192005801 | S01 | 06/08/2003 | SEM | GL | | O | | 136 | | |
| | 1200 | 9999999 | 99 | 300 | 0 | 146 | | 195 | 29.5 | | | | | |
| WD079 | 00059 | G01874 | C025 | 177194008701 | S01 | 06/05/2003 | SEM | GL | | O | | 136 | | |
| | 600 | 80000 | 97.14 | 320 | 4 | 320 | | 136 | 27 | | | | | |
| WD079 | 00059 | G01874 | C032D | 177194019400 | D02 | 05/31/2003 | SEM | GL | | O | | 136 | | |
| | 1650 | 3313 | 90.72 | 350 | 32 | 106 | | 313 | 29.7 | | | | | |
| WD079 | 00059 | G01874 | C033 | 177192009101 | S01 | 06/02/2003 | SEM | GL | | O | | 87 | | |
| | 1125 | 2500 | 96.99 | 350 | 18 | 45 | | 580 | 34.1 | | | | | |
| WD079 | 00059 | G01874 | C034 | 177194050600 | S01 | 06/01/2003 | SEM | GL | | G | | 87 | | |
| | 800 | 9999999 | 99 | 350 | 0 | 398 | | 120 | 0 | | | | | |
| WD079 | 00059 | G01874 | D034 | 177192019501 | S01 | 04/21/2003 | SEM | FL | | O | | 22 | | |
| | 2000 | 4778 | 97.21 | 800 | 45 | 215 | | 1570 | 33.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD079 | 00059 | G01874 | D037A | 177194048300 | S03 | 06/27/2003 | SEM | FL | | O | | 15 | | |
| | 4600 | 776 | 97.47 | 2950 | 49 | 38 | | 1884 | 28.2 | | | | | |
| ST176 | 00078 | G01899 | CA002 | 177154041902 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 72 | | |
| | 1412 | 125966 | | 1081 | 29 | 3653 | | 2 | 41.3 | | | | 1062 | N |
| ST176 | 00078 | G01899 | CA003 | 177154111100 | S01 | 06/21/2003 | POT | FL | | G | 4 | 28 | | |
| | 6548 | 65319 | 90.04 | 1881 | 69 | 4507 | | 624 | 42.8 | .6 | | | | N |
| ST176 | 00078 | G01899 | CA003 | 177154111100 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 24 | | |
| | 6548 | 94250 | | 1577 | 36 | 3393 | | 412 | 42.8 | | | | 1076 | N |
| WC180 | 00105 | G01953 | 009 | 177004038401 | S04 | 03/03/2003 | POT | FL | | G | 24 | 40 | | |
| | 1180 | 253480 | 19.35 | 730 | 25 | 6337 | | 6 | 55 | .595 | | | | N |
| VR265 | 00059 | G01955 | A002 | 177064004701 | D01 | 06/02/2003 | SEM | FL | | O | | 64 | | |
| | 950 | 4591 | 52.17 | 190 | 22 | 101 | | 24 | 29.5 | | | | | |
| VR265 | 00981 | G01955 | A010 | 177064006200 | D01 | 06/08/2003 | SEM | FL | | O | | 64 | | |
| | 700 | 1532 | 92.99 | 210 | 47 | 72 | | 623 | 32.2 | | | | | |
| VR265 | 00981 | G01955 | A010D | 177064006200 | D02 | 05/23/2003 | SEM | GL | | O | | 64 | | |
| | 800 | 3325 | 46.67 | 180 | 80 | 266 | | 70 | 33 | | | | | |
| VR265 | 00981 | G01955 | A021 | 177064057100 | S04 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 1680 | 9999999 | 99 | 900 | 0 | 1818 | | 158 | 38.1 | | | | | |
| VR265 | 00981 | G01955 | A025 | 177064057400 | D01 | 06/23/2003 | SEM | FL | | O | | 64 | | |
| | 1050 | 819 | 63.73 | 300 | 144 | 118 | | 253 | 27 | | | | | |
| VR265 | 00981 | G01955 | A025D | 177064057400 | D02 | 06/17/2003 | SEM | FL | | O | | 64 | | |
| | 2300 | 791 | 65.4 | 400 | 201 | 159 | | 380 | 26.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR265 | 00059 | G01955 | A027 | 177064058101 | D01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 800 | 50000 | 99 | 210 | 1 | 50 | | 340 | 41.3 | | | | | |
| EI276 | 00369 | G01958 | H001 | 177094092100 | D01 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 511 | 64.93 | 450 | 94 | 48 | | 174 | 28.4 | | | | | |
| EI276 | 00369 | G01958 | H001D | 177094092100 | D02 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 881 | 20.75 | 500 | 42 | 37 | | 11 | 31.6 | | | | | |
| EI276 | 00369 | G01958 | H002 | 177094092200 | D01 | 06/01/2003 | SEM | GL | | O | | 64 | | |
| | | 2578 | 51.61 | 350 | 45 | 116 | | 48 | 26.5 | | | | | |
| EI276 | 00369 | G01958 | H002D | 177094092200 | D02 | 06/03/2003 | SEM | GL | | O | | 64 | | |
| | | 735 | 64.99 | 525 | 264 | 194 | | 490 | 26.5 | | | | | |
| EI276 | 00687 | G01958 | H003 | 177094127500 | D01 | 06/11/2003 | SEM | GL | | O | | 64 | | |
| | | 162 | 11.97 | 450 | 228 | 37 | | 31 | 31.4 | | | | | |
| EI276 | 00687 | G01958 | H003D | 177094127500 | D02 | 06/11/2003 | SEM | GL | | G | | 64 | | |
| | 1240 | 103 | 12.91 | 450 | 263 | 27 | | 39 | 32.4 | | | | | |
| EI258 | 00687 | G01959 | A015 | 177094005302 | S01 | 06/19/2003 | SEM | GL | | G | | 64 | | |
| | | 601 | 0 | 250 | 1631 | 980 | | 0 | 38.7 | | | | | |
| EI258 | 00687 | G01959 | A015 | 177094005302 | S01 | 09/23/2003 | POT | GL | | O | 4 | 64 | | |
| | | 594 | 0 | 200 | 1500 | 891 | | 0 | 38.8 | .626 | | | | N |
| EI258 | 00687 | G01959 | A018 | 177094114700 | S01 | 06/20/2003 | SEM | GL | | O | | 64 | | |
| | | 1130 | 38 | 200 | 837 | 946 | | 513 | 32.5 | | | | | |
| EI258 | 00687 | G01959 | I001 | 177094095200 | S01 | 06/04/2003 | SEM | GL | | O | | 64 | | |
| | | 989 | 88.02 | 320 | 95 | 94 | | 698 | 25.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI258 | 00687 | G01959 | I002 | 177094095700 | D01 | 06/09/2003 | SEM | FL | | G | | 16 | | |
| | 1420 | 9739 | 94.99 | 725 | 69 | 672 | | 1308 | 26 | | | | | |
| EI258 | 00687 | G01959 | I002D | 177094095700 | D02 | 06/06/2003 | SEM | GL | | O | | 48 | | |
| | | 1667 | 85.92 | 370 | 126 | 210 | | 769 | 30.4 | | | | | |
| EI258 | 00687 | G01959 | J001D | 177094091700 | D02 | 06/24/2003 | SEM | GL | | O | | 64 | | |
| | | 2000 | 84.97 | 245 | 43 | 86 | | 243 | 35.2 | | | | | |
| EI258 | 00687 | G01959 | J002 | 177094099901 | D01 | 06/18/2003 | SEM | GL | | O | | 64 | | |
| | | 6071 | 94.49 | 240 | 28 | 170 | | 480 | 34.9 | | | | | |
| EI258 | 00687 | G01959 | J002D | 177094099901 | D02 | 06/04/2003 | SEM | GL | | O | | 64 | | |
| | | 2887 | 90.04 | 260 | 71 | 205 | | 642 | 34.4 | | | | | |
| ST176 | 00078 | G01960 | A002 | 177154013200 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1650 | 98031 | | 1040 | 32 | 3137 | | 365 | 49.6 | | | | 165 | N |
| ST176 | 00078 | G01960 | A003 | 177154015800 | S02 | 06/06/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1230 | 81333 | | 1005 | 42 | 3416 | | 9 | 51.5 | | | | 820 | N |
| ST176 | 00078 | G01960 | A007 | 177154089000 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 72 | | |
| | 743 | 241769 | | 167 | 13 | 3143 | | 13 | 51 | | | | 132 | N |
| ST176 | 00078 | G01960 | A008 | 177154090501 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 35 | | |
| | 2811 | 79721 | | 1649 | 147 | 11719 | | 20 | 51.1 | | | | 826 | N |
| ST176 | 00078 | G01960 | A009 | 177154095103 | S02 | 06/18/2003 | SEM | FL | | G | 24 | 32 | | |
| | 3129 | 75145 | | 1074 | 76 | 5711 | | 4 | 50.9 | | | | 833 | N |
| ST176 | 00078 | G01960 | B002 | 177154094400 | S03 | 06/24/2003 | SEM | FL | | G | 24 | 38 | | |
| | 2352 | 57104 | | 503 | 67 | 3826 | | 3 | 50.5 | | | | 143 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC033 | 02560 | G01972 | A002 | 177032004501 | S01 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | 720 | 223500 | 0 | 120 | 2 | 447 | | 0 | 41 | | | | | |
| EC033 | 02560 | G01972 | A003 | 177032005000 | S03 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | 760 | 221600 | 25 | 240 | 15 | 3324 | | 5 | 37 | | | | | |
| SS222 | 01764 | G01984 | B004 | 177114008800 | S04 | 07/03/2003 | POT | GL | | O | 24 | 17 | | |
| | 800 | 440 | 58.33 | 120 | 25 | 11 | | 35 | 35 | | .585 | | | N |
| SS222 | 01764 | G01984 | B005D | 177114008900 | D02 | 05/14/2003 | SEM | FL | | O | | 40 | | |
| | 1325 | 1256 | 87.92 | 230 | 121 | 152 | | 881 | 29.1 | | | | | |
| SS222 | 01764 | G01984 | B009A | 177114012200 | D01 | 05/13/2003 | SEM | GL | | O | | 64 | | |
| | 690 | 2667 | 98.49 | 160 | 15 | 40 | | 977 | 33.3 | | | | | |
| SS222 | 01764 | G01984 | B014B | 177114016500 | S04 | 07/17/2003 | POT | FL | | G | 24 | 6 | | |
| | 3350 | 9999999 | 0 | 3300 | 0 | 755 | | 0 | | | .6 | | | N |
| SS222 | 01764 | G01984 | B015D | 177114016800 | D02 | 05/13/2003 | SEM | GL | | O | | 64 | | |
| | 780 | 3119 | 87.57 | 135 | 42 | 131 | | 296 | 30.8 | | | | | |
| SS222 | 01764 | G01984 | E001A | 177114078700 | S02 | 05/06/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 0 | 97.48 | 190 | 6 | 0 | | 232 | 33.5 | | | | | |
| SS222 | 01764 | G01984 | E002 | 177114078800 | S01 | 05/05/2003 | SEM | GL | | O | | 64 | | |
| | 820 | 583 | 22.58 | 110 | 24 | 14 | | 7 | 33.4 | | | | | |
| SS222 | 01764 | G01984 | E008 | 177114109600 | S01 | 05/07/2003 | SEM | GL | | O | | 16 | | |
| | | 240 | 24.24 | 100 | 25 | 6 | | 8 | 25.8 | | | | | |
| WC180 | 02525 | G01998 | 007D | 177004003400 | S02 | 06/07/2003 | SEM | FL | | G | | 19 | | |
| | 450 | 9999999 | 0 | 295 | 0 | 178 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC504 | 00491 | G02006 | A006 | 177024058103 | S01 | 05/18/2003 | SEM | GL | | G | | 64 | | |
| | 535 | 9999999 | 99 | 100 | 0 | 23 | | 14 | 0 | | | | | |
| WC504 | 00491 | G02006 | A010 | 177024107300 | S01 | 05/18/2003 | SEM | GL | | G | | 64 | | |
| | 545 | 9999999 | 99 | 90 | 0 | 11 | | 2 | 0 | | | | | |
| WC504 | 00491 | G02006 | A014 | 177024127701 | D03 | 06/16/2003 | SEM | GL | | G | | 128 | | |
| | 1060 | 9999999 | 99 | 100 | 0 | 169 | | 2568 | 46 | | | | | |
| WC504 | 00491 | G02006 | A014D | 177024127701 | D02 | 06/16/2003 | SEM | FL | | G | | 128 | | |
| | 1200 | 37333 | 99 | 95 | 3 | 112 | | 753 | 43.9 | | | | | |
| WC504 | 00491 | G02006 | A015 | 177024128301 | S02 | 06/22/2003 | POT | FL | | G | 24 | 19 | | |
| | 4300 | 208813 | 37.25 | 3200 | 32 | 6682 | | 19 | 48.5 | .589 | | | | N |
| WC504 | 00491 | G02006 | A016 | 177024128700 | S01 | 06/16/2003 | SEM | GL | | G | | 128 | | |
| | 1650 | 9999999 | 99 | 120 | 0 | 810 | | 1134 | 0 | | | | | |
| WC504 | 00491 | G02006 | B007 | 177024122301 | S02 | 05/20/2003 | SEM | GL | | G | | 64 | | |
| | 1080 | 9999999 | 99 | 185 | 0 | 412 | | 285 | 0 | | | | | |
| WC587 | 00689 | G02015 | A003 | 177024031701 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 64 | | |
| | 210 | 9999999 | | 135 | 0 | 583 | | 12 | 30 | | | | 811 | N |
| WC587 | 00689 | G02015 | A004 | 177024032001 | S01 | 06/09/2003 | SEM | GL | | G | 24 | 64 | | |
| | 780 | 9999999 | | 125 | 0 | 1339 | | 0 | 30 | | | | 812 | N |
| WC587 | 00689 | G02015 | A012B | 177024036300 | S03 | 02/06/2003 | SEM | FL | | G | 24 | 64 | | |
| | 400 | 9999999 | | 165 | 0 | 2626 | | 25 | 30 | | | | 813 | N |
| WC587 | 00689 | G02015 | A013 | 177024036501 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 64 | | |
| | 260 | 9999999 | | 150 | 0 | 2182 | | 40 | 30 | | | | 812 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC587 | 00689 | G02015 | A016A | 177024037700 | S02 | 06/08/2003 | SEM | FL | | G | 24 | 64 | | |
| | 700 | 9999999 | | 200 | 0 | 1188 | | 677 | 30 | | | | 812 | N |
| WC587 | 02421 | G02021 | A007C | 177024008900 | S05 | 06/07/2003 | SEM | FL | | G | 24 | 12 | | |
| | 1550 | 9999999 | | 1325 | 0 | 1116 | | 0 | 0 | | | | 0 | N |
| WC587 | 02421 | G02021 | A012 | 177024012600 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1350 | 1945 | | 440 | 238 | 463 | | 90 | 0 | | | | 0 | N |
| WC587 | 02421 | G02021 | A016 | 177024126000 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 50 | | |
| | 700 | 9999999 | | 480 | 0 | 2433 | | 2113 | 0 | | | | 0 | N |
| WC587 | 02421 | G02021 | A017 | 177024126100 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 20 | | |
| | 430 | 9999999 | | 340 | 0 | 5919 | | 0 | 0 | | | | 0 | N |
| WC587 | 00003 | G02023 | A001 | 177024030500 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1100 | 51462 | | 330 | 13 | 669 | | 41 | 58.9 | | | | 833 | N |
| WC587 | 00003 | G02024 | A003 | 177024031802 | S02 | 06/27/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1800 | 129000 | | 300 | 28 | 3612 | | 60 | 57.6 | | | | 835 | N |
| WC587 | 00003 | G02024 | A009 | 177024093702 | S04 | 06/25/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1500 | 23586 | | 285 | 29 | 684 | | 99 | 52.5 | | | | 822 | N |
| WC639 | 02522 | G02027 | A027 | 177024129200 | S01 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 2000 | 9999999 | 99 | 110 | 0 | 670 | | 43 | | | | | | |
| WC639 | 02522 | G02027 | A031 | 177024130700 | S01 | 06/09/2003 | SEM | FL | | G | | 37 | | |
| | 2000 | 6513500 | 60 | 1500 | 2 | 13027 | | 3 | 54.5 | | | | | |
| EC222 | 01764 | G02037 | A006D | 177034006700 | D04 | 05/17/2003 | SEM | FL | | G | | 64 | | |
| | 360 | 9999999 | 99 | 160 | 0 | 139 | | 132 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC222 | 01764 | G02037 | A011 | 177034033400 | S04 | 05/18/2003 | SEM | FL | | G | | 12 | | |
| | 2300 | 321250 | 76.47 | 1990 | 4 | 1285 | | 13 | | | | | | |
| EC222 | 02222 | G02037 | A016 | 177034095500 | S01 | 07/11/2003 | POT | FL | | G | 24 | 29 | | |
| | 2715 | 136479 | 0 | 2400 | 71 | 9690 | | 0 | 50.2 | .65 | | | N | |
| EC222 | 01764 | G02037 | B001 | 177034063100 | S01 | 08/25/2003 | SEM | FL | | G | | 26 | | |
| | 1125 | 9999999 | 99 | 680 | 0 | 1424 | | 3901 | | | | | | |
| EC222 | 01764 | G02037 | B002 | 177034063600 | S01 | 05/21/2003 | SEM | FL | | G | | 64 | | |
| | 820 | 161500 | 99 | 220 | 6 | 969 | | 1145 | | | | | | |
| EC231 | 01764 | G02038 | B002 | 177034016100 | D01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1440 | 9999999 | 99 | 120 | 0 | 1276 | | 44 | | | | | | |
| EC231 | 01764 | G02038 | C001A | 177034035600 | S04 | 05/22/2003 | SEM | FL | | G | | 9 | | |
| | 2750 | 142000 | 66.67 | 2490 | 7 | 994 | | 14 | 45.8 | | | | | |
| EC231 | 01764 | G02038 | F004 | 177034061900 | S03 | 05/15/2003 | SEM | FL | | G | | 17 | | |
| | 2150 | 174720 | 32.43 | 1690 | 25 | 4368 | | 12 | 53.8 | | | | | |
| EC271 | 02589 | G02039 | B003 | 177044008202 | S01 | 05/20/2003 | SEM | FL | | G | | 25 | | |
| | 1500 | 9999999 | 99 | 200 | 0 | 1295 | | 557 | | | | | | |
| EC271 | 02589 | G02039 | B005 | 177044012201 | S01 | 05/29/2003 | SEM | FL | | G | | 64 | | |
| | 520 | 9999999 | 0 | 200 | 0 | 46 | | 0 | | | | | | |
| EC271 | 02589 | G02039 | B005 | 177044012201 | S02 | 06/28/2003 | POT | FL | | G | 12 | 13 | | |
| | 2480 | 196385 | 0 | 2390 | 13 | 2553 | | 0 | 52 | .6 | | | N | |
| EC271 | 02589 | G02039 | B011 | 177044082000 | S01 | 05/10/2003 | SEM | FL | | G | | 17 | | |
| | 760 | 9999999 | 0 | 1000 | 0 | 156 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC271 | 01750 | G02039 | B013 | 177044096300 | S02 | 07/19/2003 | POT | FL | | G | 24 | 14 | | |
| | 2400 | 163412 | 29.17 | 2375 | 17 | 2778 | | 7 | 52.4 | .6 | | | N | |
| EC271 | 00148 | G02045 | B010 | 177044013200 | S04 | 03/04/2003 | POT | FL | | G | 24 | 20 | | |
| | 2700 | 221625 | 88.28 | 2150 | 16 | 3546 | | 119 | 50 | .574 | | | N | |
| EC271 | 00148 | G02045 | B012 | 177044014400 | D01 | 05/06/2003 | COM | FL | | G | 24 | | | |
| | | 9999999 | 100 | | 0 | 220 | | 96 | | | | | N | |
| EC271 | 00078 | G02047 | A003 | 177044007400 | S06 | 03/19/2003 | SEM | GL | | | 24 | 26 | | |
| | 540 | 1856 | | 441 | 188 | 349 | | 550 | 25.8 | | | 168 | N | |
| EC271 | 00078 | G02047 | A004 | 177044008000 | S03 | 03/17/2003 | SEM | FL | | | 24 | 24 | | |
| | 540 | 9999999 | | 354 | 0 | 826 | | 323 | | | | 165 | N | |
| EC271 | 00078 | G02047 | A008 | 177044011000 | S08 | 03/14/2003 | SEM | FL | | | 24 | 14 | | |
| | 1080 | 9999999 | | 903 | 0 | 874 | | 0 | | | | 605 | N | |
| EC271 | 00078 | G02047 | A009 | 177044012700 | S06 | 03/17/2003 | SEM | FL | | | 24 | 14 | | |
| | 1460 | 9999999 | | 1063 | 0 | 1767 | | 0 | | | | 608 | N | |
| EC271 | 00078 | G02047 | A009 | 177044012700 | S06 | 04/28/2003 | COM | FL | | G | 24 | | | |
| | | 9999999 | 100 | | 0 | 1910 | | 41 | | | | | N | |
| EC271 | 00078 | G02047 | C002 | 177044014001 | S01 | 04/03/2003 | SEM | GL | | | 24 | 34 | | |
| | 650 | 803 | | 129 | 218 | 175 | | 421 | 28.8 | | | 90 | N | |
| EC271 | 00078 | G02047 | C003 | 177044015500 | D01 | 04/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 1060 | 211 | | 93 | 71 | 15 | | 106 | 29.6 | | | 80 | N | |
| EC271 | 00078 | G02047 | C008 | 177044017401 | S01 | 04/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 959 | | 102 | 195 | 187 | | 558 | 30.5 | | | 89 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC271 | 00078 | G02047 | C013 | 177044057700 | S01 | 04/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 1060 | 2153 | | 76 | 72 | 155 | | 0 | 31.3 | | | 70 | N | |
| EC271 | 00078 | G02047 | C014 | 177044084200 | S01 | 03/11/2003 | SEM | GL | | | 24 | 64 | | |
| | 125 | 786 | | 86 | 14 | 11 | | 0 | 30.5 | | | 78 | N | |
| EC271 | 00078 | G02047 | D007 | 177044018000 | S02 | 03/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 1019 | | 94 | 108 | 110 | | 87 | 32.2 | | | 80 | N | |
| EC271 | 00078 | G02047 | D008 | 177044018501 | S01 | 04/08/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 3245 | | 207 | 53 | 172 | | 1289 | 32.2 | | | 80 | N | |
| EC271 | 00078 | G02047 | D010 | 177044019200 | S03 | 04/07/2003 | SEM | GL | | | 24 | 42 | | |
| | 1040 | 1286 | | 165 | 98 | 126 | | 73 | 32.2 | | | 90 | N | |
| EC271 | 00078 | G02047 | D011 | 177044019700 | S04 | 04/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 4419 | | 105 | 43 | 190 | | 565 | 30.4 | | | 80 | N | |
| EC271 | 00078 | G02047 | D012 | 177044019800 | S02 | 04/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 778 | | 113 | 162 | 126 | | 314 | 32.2 | | | 80 | N | |
| EC271 | 00078 | G02047 | E001 | 177044020500 | S01 | 03/04/2003 | SEM | GL | | | 24 | 64 | | |
| | 1030 | 316 | | 107 | 38 | 12 | | 1 | 29 | | | 80 | N | |
| EC271 | 00078 | G02047 | E002 | 177044021301 | S01 | 03/13/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 2350 | | 95 | 20 | 47 | | 10 | 28 | | | 85 | N | |
| EC271 | 00078 | G02047 | E003 | 177044021400 | S04 | 03/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 125 | | 167 | 80 | 10 | | 1875 | 30.3 | | | 85 | N | |
| EC271 | 00078 | G02047 | E004 | 177044021701 | S03 | 03/03/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 213 | | 84 | 47 | 10 | | 1 | 30.3 | | | 80 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC271 | 00078 | G02047 | E005 | 177044021900 | S05 | 03/02/2003 | SEM | FL | | | 24 | 16 | | |
| | 1350 | 9999999 | | 1135 | 0 | 925 | | 0 | | | | | 1080 | N |
| EC271 | 00078 | G02047 | E007 | 177044022101 | S01 | 03/14/2003 | SEM | GL | | | 24 | 64 | | |
| | 1040 | 684 | | 70 | 79 | 54 | | 208 | 30.3 | | | | 80 | N |
| EC271 | 00078 | G02047 | E008 | 177044039700 | S02 | 03/01/2003 | SEM | GL | | | 24 | 128 | | |
| | 1040 | 738 | | 96 | 80 | 59 | | 618 | 30.3 | | | | 85 | N |
| EC271 | 00078 | G02047 | H005 | 177044059300 | S01 | 03/02/2003 | SEM | GL | | | 24 | 64 | | |
| | 1010 | 500 | | 156 | 52 | 26 | | 51 | 37.3 | | | | 141 | N |
| EC271 | 00078 | G02047 | H009 | 177044094500 | S04 | 05/06/2003 | SEM | FL | | | 24 | 55 | | |
| | 1264 | 9999999 | | 170 | 0 | 811 | | 0 | | | | | 141 | N |
| WC533 | 01834 | G02050 | A004 | 177044030100 | S01 | 05/17/2003 | SEM | FL | | G | | 31 | | |
| | 1020 | 9999999 | 99 | 360 | 0 | 1359 | | 4 | | | | | | |
| WC533 | 01834 | G02050 | A005 | 177044030200 | S01 | 05/18/2003 | SEM | FL | | G | | 33 | | |
| | 1680 | 9999999 | 99 | 320 | 0 | 835 | | 3 | | | | | | |
| EC321 | 00724 | G02061 | A004 | 177044016601 | S01 | 01/31/2003 | SEM | GL | | O | | 128 | | |
| | | 1889 | 97.5 | 175 | 36 | 68 | | 1403 | 28.8 | | | | | |
| EC321 | 00724 | G02061 | A004 | 177044016601 | S02 | 05/14/2003 | POT | FL | | G | 6 | 14 | | |
| | 2590 | 147250 | 0 | 2515 | 16 | 2356 | | 0 | 65.6 | | .69 | | | N |
| EC321 | 00724 | G02061 | A005A | 177044017500 | S03 | 01/15/2003 | SEM | GL | | O | | 32 | | |
| | | 1286 | 89.81 | 260 | 105 | 135 | | 925 | 25.2 | | | | | |
| EC321 | 00724 | G02061 | A005A | 177044017500 | S03 | 09/07/2003 | SEM | GL | | O | | 36 | | |
| | | 4767 | 96.11 | 310 | 43 | 205 | | 1063 | 25.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC321 | 00724 | G02061 | A007 | 177044019402 | S01 | 02/01/2003 | SEM | GL | | O | | 23 | | |
| | | 2667 | 0 | 180 | 3 | 8 | | 0 | 32.9 | | | | | |
| EC321 | 00724 | G02061 | A007 | 177044019402 | S01 | 09/07/2003 | SEM | GL | | O | | 23 | | |
| | | 1000 | 58.33 | 190 | 10 | 10 | | 14 | 32.9 | | | | | |
| EC321 | 00724 | G02061 | A009S | 177044020301 | D03 | 01/14/2003 | SEM | GL | | O | | 34 | | |
| | | 1346 | 81.43 | 160 | 26 | 35 | | 114 | 28.1 | | | | | |
| EC321 | 00724 | G02061 | A009S | 177044020301 | D03 | 09/11/2003 | SEM | GL | | O | | 34 | | |
| | | 2611 | 84.07 | 180 | 18 | 47 | | 95 | 28.1 | | | | | |
| EC321 | 00724 | G02061 | A011 | 177044020600 | S01 | 01/18/2003 | SEM | GL | | O | | 128 | | |
| | | 147 | 19.37 | 145 | 204 | 30 | | 49 | 33.1 | | | | | |
| EC321 | 00724 | G02061 | A011 | 177044020600 | S01 | 09/01/2003 | SEM | GL | | O | | 128 | | |
| | | 132 | 2.7 | 145 | 144 | 19 | | 4 | 33.1 | | | | | |
| EC321 | 00724 | G02061 | A012D | 177044020800 | S02 | 03/23/2003 | SEM | GL | | O | | 30 | | |
| | | 10200 | 93.24 | 210 | 5 | 51 | | 69 | 33.8 | | | | | |
| EC321 | 00724 | G02061 | A015 | 177044022201 | S01 | 09/05/2003 | SEM | GL | | O | | 128 | | |
| | | 2500 | 99 | 185 | 16 | 40 | | 1624 | 29.4 | | | | | |
| EC321 | 00724 | G02061 | A016 | 177044021602 | D01 | 02/12/2003 | SEM | GL | | O | | 128 | | |
| | | 1077 | 43.48 | 175 | 26 | 28 | | 20 | 31.3 | | | | | |
| EC321 | 00724 | G02061 | A016 | 177044021602 | D01 | 09/02/2003 | SEM | GL | | O | | 128 | | |
| | | 2000 | 98.47 | 170 | 2 | 4 | | 129 | 31.3 | | | | | |
| EC321 | 00724 | G02061 | A017D | 177044022500 | D03 | 03/04/2003 | SEM | GL | | O | | 128 | | |
| | | 3667 | 96.19 | 200 | 24 | 88 | | 606 | 29.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC321 | 00724 | G02061 | A018 | 177044022800 | S01 | 03/12/2003 | SEM | GL | | O | | 128 | | |
| | | 667 | 2.33 | 150 | 84 | 56 | | 2 | 34.3 | | | | | |
| EC321 | 00724 | G02061 | A018 | 177044022800 | S01 | 09/10/2003 | SEM | GL | | O | | 128 | | |
| | | 1045 | 18.35 | 125 | 89 | 93 | | 20 | 34.3 | | | | | |
| EC321 | 00724 | G02061 | A023B | 177044027300 | D04 | 01/22/2003 | SEM | GL | | O | | 128 | | |
| | | 559 | 94.34 | 170 | 59 | 33 | | 984 | 29 | | | | | |
| EC321 | 00724 | G02061 | A023B | 177044027300 | D04 | 09/13/2003 | SEM | GL | | O | | 128 | | |
| | | 692 | 95.01 | 155 | 52 | 36 | | 990 | 29 | | | | | |
| EC321 | 00724 | G02061 | A025D | 177044044600 | D02 | 03/14/2003 | SEM | GL | | O | | 128 | | |
| | | 701 | 90.3 | 200 | 117 | 82 | | 1089 | 30.7 | | | | | |
| EC321 | 00724 | G02061 | A025D | 177044044600 | D02 | 09/06/2003 | SEM | GL | | O | | 128 | | |
| | | 2677 | 94.99 | 240 | 62 | 166 | | 1175 | 30.7 | | | | | |
| EC321 | 00724 | G02061 | A026S | 177044045302 | S01 | 02/02/2003 | SEM | GL | | O | | 32 | | |
| | | 121 | 42.98 | 225 | 207 | 25 | | 156 | 24.4 | | | | | |
| EC321 | 00724 | G02061 | A026S | 177044045302 | S01 | 09/02/2003 | SEM | GL | | O | | 32 | | |
| | | 33 | 31.72 | 260 | 183 | 6 | | 85 | 24.4 | | | | | |
| EC321 | 00724 | G02061 | A027D | 177044046300 | D02 | 02/12/2003 | SEM | GL | | O | | 128 | | |
| | | 700 | 74.75 | 165 | 50 | 35 | | 148 | 34 | | | | | |
| EC321 | 00724 | G02061 | A027D | 177044046300 | D02 | 09/03/2003 | SEM | GL | | O | | 128 | | |
| | | 179 | 65.85 | 175 | 56 | 10 | | 108 | 34 | | | | | |
| EC321 | 00724 | G02061 | A028D | 177044015202 | D02 | 01/15/2003 | SEM | GL | | O | | 25 | | |
| | | 2000 | 11.11 | 170 | 8 | 16 | | 1 | 34.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC321 | 00724 | G02061 | A028D | 177044015202 | D02 | 09/10/2003 | SEM | GL | | O | | 25 | | |
| | | 3800 | 0 | 175 | 5 | 19 | | 0 | 34.6 | | | | | |
| EC321 | 00724 | G02061 | A031A | 177044055500 | S02 | 01/23/2003 | SEM | FL | | O | | 34 | | |
| | | 873 | 26.07 | 350 | 723 | 631 | | 255 | 33 | | | | | |
| EC321 | 00724 | G02061 | A031A | 177044055500 | S02 | 09/25/2003 | SEM | GL | | O | | 39 | | |
| | | 726 | 34.42 | 300 | 602 | 437 | | 316 | 33 | | | | | |
| EC321 | 00724 | G02061 | A032 | 177044055400 | S01 | 03/15/2003 | SEM | GL | | O | | 128 | | |
| | | 2008 | 65.06 | 225 | 254 | 510 | | 473 | 33.5 | | | | | |
| EC321 | 00724 | G02061 | A032 | 177044055400 | S01 | 09/05/2003 | SEM | GL | | O | | 128 | | |
| | | 2053 | 61.26 | 225 | 265 | 544 | | 419 | 33.5 | | | | | |
| EC321 | 00724 | G02061 | A033D | 177044055900 | D02 | 02/11/2003 | SEM | GL | | O | | 128 | | |
| | | 691 | 41.61 | 190 | 94 | 65 | | 67 | 36.5 | | | | | |
| EC321 | 00724 | G02061 | A033D | 177044055900 | D02 | 09/04/2003 | SEM | GL | | O | | 128 | | |
| | | 1246 | 4.69 | 190 | 122 | 152 | | 6 | 36.5 | | | | | |
| EC321 | 00724 | G02061 | A034B | 177044056400 | S04 | 09/10/2003 | SEM | GL | | O | | 128 | | |
| | | 1449 | 73.36 | 150 | 69 | 100 | | 190 | 34.3 | | | | | |
| EC321 | 00724 | G02061 | A035 | 177044065600 | D01 | 02/03/2003 | SEM | GL | | O | | 128 | | |
| | | 539 | 75.4 | 170 | 243 | 131 | | 745 | 32 | | | | | |
| EC321 | 00724 | G02061 | A035 | 177044065600 | D01 | 09/05/2003 | SEM | GL | | O | | 128 | | |
| | | 2927 | 73.6 | 150 | 330 | 966 | | 920 | 32 | | | | | |
| EC321 | 00724 | G02061 | B003 | 177044052700 | S01 | 01/24/2003 | SEM | GL | | O | | 128 | | |
| | | 516 | 34.69 | 170 | 64 | 33 | | 34 | 32.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC321 | 00724 | G02061 | B003 | 177044052700 | S01 | 09/25/2003 | SEM | GL | | O | | 128 | | |
| | | 644 | 20.65 | 185 | 73 | 47 | | 19 | 32.4 | | | | | |
| EC321 | 00724 | G02061 | B005 | 177044057900 | S01 | 01/29/2003 | SEM | GL | | O | | 128 | | |
| | | 11231 | 98.05 | 300 | 26 | 292 | | 1304 | 34 | | | | | |
| EC321 | 00724 | G02061 | B005 | 177044057900 | S01 | 09/16/2003 | SEM | GL | | O | | 128 | | |
| | | 2760 | 92.08 | 275 | 96 | 265 | | 1116 | 34 | | | | | |
| EC321 | 00724 | G02061 | B006 | 177044058000 | S01 | 01/29/2003 | SEM | GL | | O | | 128 | | |
| | | 1778 | 67.86 | 190 | 27 | 48 | | 57 | 30.2 | | | | | |
| EC321 | 00724 | G02061 | B006 | 177044058000 | S01 | 09/09/2003 | SEM | GL | | O | | 128 | | |
| | | 20000 | 66.67 | 190 | 1 | 20 | | 2 | 30.2 | | | | | |
| EC321 | 00724 | G02061 | B007A | 177044059200 | S02 | 01/30/2003 | SEM | GL | | O | | 128 | | |
| | | 1429 | 77.66 | 170 | 21 | 30 | | 73 | 33.2 | | | | | |
| EC321 | 00724 | G02061 | B007A | 177044059200 | S02 | 09/25/2003 | SEM | GL | | O | | 128 | | |
| | | 189 | 71.04 | 180 | 53 | 10 | | 130 | 33.2 | | | | | |
| EC321 | 00724 | G02061 | B010 | 177044059400 | S01 | 01/30/2003 | SEM | GL | | O | | 128 | | |
| | | 1794 | 88.11 | 180 | 34 | 61 | | 252 | 30 | | | | | |
| EC321 | 00724 | G02061 | B010 | 177044059400 | S01 | 09/01/2003 | SEM | GL | | O | | 128 | | |
| | | 6458 | 89.43 | 205 | 24 | 155 | | 203 | 30 | | | | | |
| EC321 | 00724 | G02061 | B015 | 177044075300 | D01 | 02/01/2003 | SEM | GL | | O | | 128 | | |
| | | 64000 | 50 | 175 | 1 | 64 | | 1 | 30.4 | | | | | |
| EC321 | 00724 | G02061 | B015 | 177044075300 | D01 | 09/26/2003 | SEM | GL | | O | | 128 | | |
| | | 6444 | 40 | 180 | 9 | 58 | | 6 | 30.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC321 | 00724 | G02061 | B015D | 177044075300 | D02 | 02/04/2003 | SEM | GL | | O | | 128 | | |
| | | 571 | 50 | 155 | 7 | 4 | | 7 | 31.3 | | | | | |
| EC321 | 00724 | G02061 | B015D | 177044075300 | D02 | 09/27/2003 | SEM | GL | | O | | 128 | | |
| | | 4167 | 42.86 | 165 | 24 | 100 | | 18 | 31.3 | | | | | |
| EC321 | 00724 | G02061 | B017A | 177044074900 | D03 | 03/04/2003 | POT | GL | | O | 6 | 30 | | |
| | | 1712 | 5.71 | 260 | 66 | 113 | | 4 | 36.3 | .65 | | | | N |
| EC321 | 00724 | G02061 | B017A | 177044074900 | D03 | 09/24/2003 | SEM | GL | | O | | 128 | | |
| | | 800 | 14.29 | 160 | 30 | 24 | | 5 | 36.3 | | | | | |
| EC334 | 01750 | G02062 | B008 | 177044036700 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 18 | | |
| | 2850 | 306000 | | 1850 | 1 | 306 | | 1555 | 0 | | | | 0 | N |
| EC334 | 01750 | G02062 | C008 | 177044049400 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 26 | | |
| | 2525 | 9999999 | | 540 | 0 | 529 | | 206 | 0 | | | | 0 | N |
| EC334 | 00231 | G02062 | D001 | 177044080900 | S02 | 06/19/2003 | SEM | FL | | G | | 13 | | |
| | 3141 | 9999999 | 99 | 2139 | 0 | 645 | | 929 | | | | | | |
| EC334 | 00231 | G02062 | D001 | 177044080900 | S02 | 06/23/2003 | SEM | FL | | G | 24 | 12 | | |
| | 3940 | 9999999 | | 2200 | 0 | 833 | | 1092 | 0 | | | | 0 | N |
| EC334 | 00231 | G02062 | D002 | 177044083900 | S01 | 06/14/2003 | SEM | FL | | G | | 30 | | |
| | 2135 | 9999999 | 99 | 500 | 0 | 1105 | | 30 | | | | | | |
| EC334 | 00231 | G02062 | E001 | 177044083200 | S01 | 06/16/2003 | SEM | FL | | G | | 19 | | |
| | 2650 | 43258 | 99 | 1080 | 66 | 2855 | | 8540 | 45.3 | | | | | |
| EC334 | 01750 | G02062 | F001 | 177044084000 | S02 | 06/10/2003 | SEM | FL | | G | 24 | 12 | | |
| | 8840 | 15521 | | 7599 | 380 | 5898 | | 896 | 0 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC338 | 01284 | G02063 | A003D | 177044025000 | S02 | 06/21/2003 | SEM | GL | | O | | 54 | | |
| | | 3561 | 25 | 160 | 57 | 203 | | 19 | 44 | | | | | |
| EC338 | 01284 | G02063 | A013 | 177044031300 | S03 | 06/21/2003 | SEM | FL | | G | | 12 | | |
| | 750 | 9999999 | 0 | 180 | 0 | 194 | | 0 | | | | | | |
| EC338 | 01284 | G02063 | A015Z | 177044032000 | D03 | 06/23/2003 | SEM | GL | | O | | 52 | | |
| | | 1866 | 69.88 | 150 | 97 | 181 | | 225 | 44.4 | | | | | |
| EC338 | 01284 | G02063 | A016Z | 177044034601 | S03 | 06/25/2003 | SEM | GL | | O | | 64 | | |
| | | 392 | 70.05 | 170 | 227 | 89 | | 531 | 42 | | | | | |
| EC338 | 01284 | G02063 | A022 | 177044025101 | S01 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 646 | 7.02 | 170 | 424 | 274 | | 32 | 44.2 | | | | | |
| VR182 | 01764 | G02075 | A005 | 177054009902 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 1250 | 785 | 22.5 | 215 | 93 | 73 | | 27 | 39 | | | | | |
| VR182 | 01764 | G02075 | A007 | 177054100702 | S01 | 05/23/2003 | SEM | FL | | G | | 192 | | |
| | 2725 | 9999999 | 0 | 2350 | 0 | 194 | | 0 | | | | | | |
| VR182 | 01764 | G02075 | A007 | 177054100702 | S02 | 06/01/2003 | POT | FL | | G | 24 | 4 | | |
| | 2725 | 9999999 | 0 | 2405 | 0 | 520 | | 0 | | | .586 | | | N |
| VR182 | 01764 | G02075 | A008 | 177054112500 | S01 | 05/15/2003 | SEM | GL | | O | | 64 | | |
| | 940 | 829 | 75.2 | 230 | 123 | 102 | | 373 | 37 | | | | | |
| VR214 | 00078 | G02076 | A007 | 177054007400 | S04 | 03/31/2003 | SEM | FL | | | 24 | 20 | | |
| | 1540 | 9999999 | | 1339 | 0 | 2544 | | 0 | | | | | 1007 | N |
| VR214 | 00078 | G02076 | A009 | 177054008900 | S02 | 05/05/2003 | SEM | FL | | | 24 | 64 | | |
| | 1156 | 1437 | | 518 | 87 | 125 | | 877 | 36.3 | | | | 385 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR214 | 00078 | G02076 | A014 | 177054011100 | S03 | 05/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 975 | 5556 | | 411 | 54 | 300 | | 545 | 38.9 | | | 406 | N | |
| VR214 | 00078 | G02076 | B003 | 177054019900 | S01 | 05/06/2003 | SEM | FL | | | 24 | 10 | | |
| | 1186 | 260769 | | 668 | 13 | 3390 | | 5 | 54.2 | | | 391 | N | |
| VR214 | 00078 | G02076 | B010D | 177054103500 | D02 | 04/18/2003 | SEM | GL | | | 24 | 50 | | |
| | 1234 | 1064 | | 175 | 94 | 100 | | 114 | 36.2 | | | 116 | N | |
| VR214 | 00078 | G02076 | B011 | 177054111600 | S01 | 04/17/2003 | SEM | FL | | | 24 | 24 | | |
| | 1487 | 459 | | 575 | 220 | 101 | | 1017 | 36.9 | | | 153 | N | |
| VR214 | 00078 | G02076 | C001 | 177054100200 | S03 | 04/07/2003 | SEM | GL | | | 24 | 64 | | |
| | 2250 | 1260 | | 261 | 538 | 678 | | 1426 | 37.3 | | | 198 | N | |
| VR214 | 00078 | G02076 | C002 | 177054101200 | S06 | 04/07/2003 | SEM | GL | | | 24 | 57 | | |
| | 1583 | 1626 | | 324 | 538 | 875 | | 1384 | 37 | | | 204 | N | |
| VR214 | 00078 | G02076 | C003 | 177054102300 | D01 | 04/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 1425 | 837 | | 250 | 43 | 36 | | 2139 | 39.4 | | | 185 | N | |
| VR214 | 00078 | G02076 | C003D | 177054102300 | D02 | 04/08/2003 | SEM | GL | | | 24 | 64 | | |
| | 1177 | 692 | | 208 | 52 | 36 | | 172 | 36.6 | | | 194 | N | |
| VR214 | 00078 | G02076 | C004 | 177054107501 | S02 | 04/08/2003 | SEM | GL | | | 24 | 64 | | |
| | 1224 | 476 | | 189 | 126 | 60 | | 146 | 37.6 | | | 196 | N | |
| VR214 | 00078 | G02076 | C005 | 177054102600 | S05 | 04/07/2003 | SEM | GL | | | 24 | 28 | | |
| | 1563 | 799 | | 795 | 956 | 764 | | 1379 | 36.3 | | | 200 | N | |
| VR214 | 00078 | G02076 | C006 | 177054107301 | S03 | 04/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 996 | 717 | | 177 | 46 | 33 | | 139 | 37.5 | | | 160 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR214 | 00078 | G02076 | C007 | 177054106701 | S01 | 05/02/2003 | SEM | FL | | | 24 | 29 | | |
| | 1133 | 9999999 | | 452 | 0 | 639 | | 1975 | | | | | 194 | N |
| VR214 | 00078 | G02076 | D002 | 177054110300 | S03 | 04/15/2003 | SEM | GL | | | 24 | 100 | | |
| | 1257 | 2818 | | 144 | 55 | 155 | | 165 | 39.4 | | | | 120 | N |
| VR214 | 00078 | G02076 | D003 | 177054109100 | S02 | 04/14/2003 | SEM | GL | | | 24 | 100 | | |
| | 1252 | 1275 | | 189 | 102 | 130 | | 409 | 39.5 | | | | 139 | N |
| VR214 | 00078 | G02076 | D004 | 177054110900 | S01 | 05/04/2003 | SEM | FL | | | 24 | 40 | | |
| | 2849 | 9999999 | | 1043 | 0 | 1150 | | 1380 | | | | | 1042 | N |
| VR255 | 01834 | G02082 | C011 | 177064031301 | S01 | 05/22/2003 | SEM | FL | | G | | 64 | | |
| | 295 | 318333 | 0 | 160 | 3 | 955 | | 0 | 52.9 | | | | | |
| VR255 | 01834 | G02082 | G001 | 177064060400 | D01 | 05/16/2003 | SEM | FL | | O | | 64 | | |
| | 1550 | 3444 | 97.58 | 240 | 18 | 62 | | 727 | 30.2 | | | | | |
| VR255 | 01834 | G02082 | G002D | 177064060900 | D02 | 05/16/2003 | SEM | FL | | O | | 20 | | |
| | 3350 | 1904 | 80.89 | 625 | 188 | 358 | | 796 | 28.9 | | | | | |
| VR255 | 01834 | G02082 | G005 | 177064085400 | S02 | 05/17/2003 | SEM | FL | | G | | 14 | | |
| | 3700 | 278286 | 0 | 1500 | 7 | 1948 | | 0 | 45.6 | | | | | |
| VR255 | 01834 | G02082 | J004 | 177064087800 | S01 | 06/19/2003 | SEM | FL | | O | | 14 | | |
| | 4400 | 4413000 | 50 | 4200 | 1 | 4413 | | 1 | 45.3 | | | | | |
| VR320 | 02266 | G02087 | C001 | 177064080600 | S04 | 06/13/2003 | SEM | FL | | G | | 10 | | |
| | 1125 | 9999999 | 0 | 860 | 0 | 267 | | 0 | 0 | | | | | |
| VR320 | 02266 | G02087 | C003 | 177064087300 | S01 | 06/13/2003 | SEM | FL | | G | | 128 | | |
| | 300 | 9999999 | 99 | 200 | 0 | 749 | | 1 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR320 | 00687 | G02088 | A004 | 177064008203 | S01 | 06/19/2003 | SEM | FL | | G | | 128 | | |
| | 450 | 296188 | 54.29 | 195 | 16 | 4739 | | 19 | 52 | | | | | |
| VR320 | 00687 | G02088 | A023 | 177064014803 | S01 | 06/21/2003 | SEM | FL | | G | | 128 | | |
| | 435 | 257563 | 48.39 | 215 | 16 | 4121 | | 15 | 51 | | | | | |
| VR340 | 00687 | G02090 | A014 | 177064026301 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 650 | 9999999 | 0 | 130 | 0 | 1100 | | 0 | | | | | | |
| VR340 | 00687 | G02091 | A001A | 177064023000 | S02 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | | 7263 | 97.44 | 120 | 19 | 138 | | 723 | 43.2 | | | | | |
| VR340 | 00687 | G02091 | A006D | 177064024301 | D02 | 06/23/2003 | SEM | FL | | G | | 50 | | |
| | 600 | 9999999 | 0 | 110 | 0 | 47 | | 0 | | | | | | |
| VR340 | 00687 | G02091 | A015 | 177064026102 | S01 | 06/23/2003 | SEM | FL | | G | | 128 | | |
| | 460 | 9999999 | 0 | 110 | 0 | 55 | | 0 | | | | | | |
| VR340 | 00687 | G02091 | A017 | 177064027002 | S01 | 06/17/2003 | SEM | GL | | O | | 80 | | |
| | | 4976 | 55.43 | 120 | 41 | 204 | | 51 | 42.1 | | | | | |
| SM115 | 00048 | G02094 | A006 | 177084018401 | S01 | 06/04/2003 | SEM | FL | | O | 24 | 40 | | |
| | | 11733 | | 125 | 15 | 176 | | 149 | 37.7 | | | | | N |
| EI074 | 00078 | G02099 | 002 | 177092019500 | S02 | 03/23/2003 | SEM | FL | | | 24 | 20 | | |
| | 1845 | 186143 | | 1395 | 28 | 5212 | | 103 | 50 | | | | 940 | N |
| EI258 | 00231 | G02102 | A001 | 177094032001 | S01 | 06/10/2003 | SEM | FL | | G | | 12 | | |
| | 2100 | 1015500 | 0 | 2060 | 2 | 2031 | | 0 | 52.8 | | | | | |
| EI258 | 00687 | G02103 | C001B | 177094002600 | D03 | 06/15/2003 | SEM | FL | | G | | 20 | | |
| | 835 | 9999999 | 0 | 80 | 0 | 179 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI258 | 00687 | G02103 | C003D | 177094013500 | D02 | 06/16/2003 | SEM | FL | | G | | 30 | | |
| | 300 | 9999999 | 0 | 80 | 0 | 43 | | 0 | | | | | | |
| EI258 | 00687 | G02103 | C009 | 177094017400 | S01 | 06/09/2003 | SEM | GL | | O | | 48 | | |
| | | 1515 | 42.11 | 140 | 33 | 50 | | 24 | 36.5 | | | | | |
| EI258 | 00687 | G02103 | C012 | 177094023101 | S02 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 735 | 16.05 | 100 | 68 | 50 | | 13 | 36.5 | | | | | |
| EI258 | 00687 | G02103 | C014 | 177094092300 | D01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 245 | 63.89 | 160 | 143 | 35 | | 253 | 37.5 | | | | | |
| EI258 | 00687 | G02103 | C014D | 177094092300 | D02 | 06/10/2003 | SEM | GL | | G | | 64 | | |
| | 1020 | 1452 | 88.6 | 140 | 31 | 45 | | 241 | 36 | | | | | |
| EI258 | 00687 | G02103 | C015D | 177094092400 | D02 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 150 | 0 | 2400 | | 0 | | | | | | |
| EI258 | 00687 | G02103 | C016D | 177094092500 | D02 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 90 | 0 | 52 | | 0 | | | | | | |
| EI258 | 00687 | G02103 | C017 | 177094094600 | D01 | 06/10/2003 | SEM | FL | | G | | 48 | | |
| | 380 | 9999999 | 0 | 70 | 0 | 30 | | 0 | | | | | | |
| EI258 | 00687 | G02103 | C018 | 177094107400 | D01 | 06/08/2003 | SEM | GL | | G | | 64 | | |
| | 1300 | 2000 | 93.33 | 80 | 10 | 20 | | 140 | 35.6 | | | | | |
| EI258 | 00687 | G02103 | C018D | 177094107400 | D02 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 5063 | 93.89 | 160 | 79 | 400 | | 1213 | 35.6 | | | | | |
| EI258 | 00687 | G02103 | D006D | 177094012700 | D02 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 871 | 89.99 | 140 | 85 | 74 | | 764 | 34.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI258 | 00687 | G02103 | D009D | 177094099000 | D02 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 1188 | 80 | 275 | 234 | 278 | | 936 | 28.4 | | | | | |
| EI258 | 00687 | G02103 | D010 | 177094098901 | D01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 2621 | 84.9 | 100 | 29 | 76 | | 163 | 36.4 | | | | | |
| EI258 | 00687 | G02103 | D010D | 177094098901 | D02 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 1431 | 94.96 | 275 | 51 | 73 | | 961 | 34.3 | | | | | |
| EI296 | 00687 | G02104 | A001 | 177104007900 | S02 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 500 | 9999999 | 0 | 50 | 0 | 586 | | 0 | | | | | | |
| EI296 | 00687 | G02104 | A010 | 177104015100 | S03 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 9999999 | 0 | 55 | 0 | 186 | | 0 | | | | | | |
| EI296 | 00687 | G02104 | A012 | 177104016800 | T01 | 06/03/2003 | SEM | FL | | G | | 45 | | |
| | 1630 | 191800 | 68.75 | 460 | 10 | 1918 | | 22 | 55.6 | | | | | |
| EI296 | 02111 | G02104 | A014 | 177104018201 | S01 | 06/05/2003 | SEM | FL | | G | | 128 | | |
| | 440 | 9999999 | 0 | 60 | 0 | 1485 | | 0 | | | | | | |
| EI296 | 02111 | G02104 | A015 | 177104020401 | S01 | 06/06/2003 | SEM | FL | | G | | 128 | | |
| | 440 | 9999999 | 0 | 135 | 0 | 4403 | | 0 | | | | | | |
| EI296 | 00687 | G02104 | A019 | 177104034901 | S01 | 06/09/2003 | SEM | FL | | G | | 35 | | |
| | 230 | 9999999 | 0 | 115 | 0 | 870 | | 0 | | | | | | |
| EI296 | 00687 | G02104 | A025 | 177104116802 | D01 | 06/03/2003 | SEM | FL | | G | | 32 | | |
| | 1840 | 275625 | 40.74 | 1130 | 16 | 4410 | | 11 | 55 | | | | | |
| EI296 | 00687 | G02104 | A025D | 177104116802 | D02 | 06/03/2003 | SEM | FL | | G | | 32 | | |
| | 2325 | 206644 | 10.61 | 1770 | 59 | 12192 | | 7 | 54 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI296 | 02111 | G02104 | A026 | 177104125302 | S01 | 06/04/2003 | SEM | FL | | G | | 128 | | |
| | 670 | 9999999 | 0 | 50 | 0 | 549 | | 0 | | | | | | |
| EI296 | 02421 | G02108 | B005 | 177104060601 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 46 | | |
| | 3740 | 94545 | | 685 | 22 | 2080 | | 2188 | 0 | | | | 0 | N |
| EI296 | 02421 | G02108 | B006 | 177104068102 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 34 | | |
| | 2600 | 55808 | | 895 | 26 | 1451 | | 2595 | 0 | | | | 0 | N |
| EI296 | 02421 | G02108 | B011 | 177104139700 | S01 | 06/08/2003 | SEM | FL | | G | 24 | 52 | | |
| | 1650 | 388333 | | 430 | 3 | 1165 | | 100 | 60.1 | | | | 0 | N |
| EI306 | 00148 | G02109 | A005 | 177104023900 | S01 | 04/20/2003 | POT | GL | | O | 24 | 64 | | |
| | 1500 | 3231 | 90.06 | 200 | 65 | 210 | | 589 | 16.4 | .57 | | | | N |
| EI306 | 00148 | G02109 | A017 | 177104041700 | S01 | 04/18/2003 | POT | FL | | G | 24 | 64 | | |
| | 1350 | 9999999 | 100 | 120 | 0 | 373 | | 87 | | .57 | | | | N |
| EI306 | 02189 | G02110 | A002 | 177104042401 | S01 | 05/07/2003 | SEM | FL | | G | | 12 | | |
| | 2450 | 86000 | 14.29 | 960 | 12 | 1032 | | 2 | 36.5 | | | | | |
| EI306 | 02189 | G02110 | B006 | 177104151200 | S01 | 05/07/2003 | SEM | FL | | G | | 12 | | |
| | 540 | 9999999 | 0 | 460 | 0 | 374 | | 0 | 0 | | | | | |
| EI330 | 00276 | G02111 | A001 | 177104021701 | S01 | 06/16/2003 | SEM | GL | | O | | 88 | | |
| | | 1389 | 79.03 | 200 | 350 | 486 | | 1319 | 35.7 | | | | | |
| EI330 | 00276 | G02111 | A005 | 177104029503 | S01 | 05/17/2003 | SEM | FL | | G | | 88 | | |
| | 1900 | 9999999 | 99 | 110 | 0 | 206 | | 66 | 0 | | | | | |
| EI330 | 00276 | G02111 | A006 | 177104029700 | D02 | 06/14/2003 | SEM | GL | | O | | 88 | | |
| | | 103 | 93.11 | 100 | 29 | 3 | | 392 | 31.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 00276 | G02111 | A006D | 177104029700 | D03 | 01/13/2003 | SEM | GL | | O | | 88 | | |
| | | 210 | 82.75 | 125 | 124 | 26 | | 595 | 31.6 | | | | | |
| EI330 | 00276 | G02111 | A007 | 177104038502 | S01 | 05/08/2003 | POT | FL | | G | 9 | 16 | | |
| | 1825 | 270538 | 0 | 1550 | 13 | 3517 | | 0 | 31.8 | .6 | | | N | |
| EI330 | 00276 | G02111 | A007 | 177104038502 | S01 | 06/02/2003 | SEM | FL | | G | | 21 | | |
| | 1860 | 210333 | 88.24 | 1380 | 12 | 2524 | | 90 | 59.6 | | | | | |
| EI330 | 00276 | G02111 | A008D | 177104046500 | S02 | 06/15/2003 | SEM | FL | | O | | 88 | | |
| | | 42 | 79.57 | 140 | 142 | 6 | | 553 | 32.6 | | | | | |
| EI330 | 00276 | G02111 | A009 | 177104033402 | S01 | 06/03/2003 | SEM | FL | | G | | 48 | | |
| | 1682 | 263667 | 25 | 480 | 6 | 1582 | | 2 | 65.9 | | | | | |
| EI330 | 00276 | G02111 | B007D | 177104068601 | D03 | 05/18/2003 | SEM | FL | | O | | 88 | | |
| | | 3098 | 68.22 | 180 | 41 | 127 | | 88 | 29.9 | | | | | |
| EI330 | 00276 | G02111 | B013 | 177104071900 | S04 | 01/09/2003 | SEM | FL | | G | | 40 | | |
| | 1250 | 9999999 | 99 | 220 | 0 | 356 | | 135 | 0 | | | | | |
| EI330 | 00276 | G02111 | B018 | 177104066100 | S01 | 06/07/2003 | SEM | FL | | O | | 54 | | |
| | | 1626 | 43.83 | 150 | 455 | 740 | | 355 | 30.8 | | | | | |
| EI330 | 00276 | G02111 | B019 | 177104072900 | D02 | 05/22/2003 | SEM | GL | | O | | 88 | | |
| | | 140 | 79.17 | 180 | 50 | 7 | | 190 | 30.6 | | | | | |
| EI330 | 00276 | G02111 | B019D | 177104072900 | D03 | 05/19/2003 | SEM | GL | | O | | 48 | | |
| | | 969 | 65.55 | 170 | 226 | 219 | | 430 | 31.1 | | | | | |
| EI330 | 00276 | G02111 | B025 | 177104103101 | S01 | 06/15/2003 | SEM | GL | | O | | 88 | | |
| | | 1116 | 70.12 | 200 | 225 | 251 | | 528 | 33.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 00276 | G02111 | C001D | 177104092801 | D02 | 02/28/2003 | SEM | FL | | O | | 34 | | |
| | | 1141 | 61.92 | 106 | 198 | 226 | | 322 | 30.3 | | | | | |
| EI330 | 00276 | G02111 | C002 | 177104092001 | S01 | 02/09/2003 | SEM | GL | | O | | 88 | | |
| | | 378 | 64.01 | 175 | 325 | 123 | | 578 | 32.1 | | | | | |
| EI330 | 00276 | G02111 | C003 | 177104096801 | S01 | 05/18/2003 | SEM | GL | | O | | 88 | | |
| | | 1576 | 85.1 | 130 | 59 | 93 | | 337 | 35.4 | | | | | |
| EI330 | 00276 | G02111 | C005 | 177104094101 | D01 | 06/03/2003 | SEM | FL | | O | | 32 | | |
| | | 579 | 78.94 | 330 | 347 | 201 | | 1301 | 32.9 | | | | | |
| EI330 | 00276 | G02111 | C005D | 177104094101 | D02 | 05/19/2003 | SEM | FL | | O | | 26 | | |
| | | 673 | 92.03 | 200 | 55 | 37 | | 635 | 31.3 | | | | | |
| EI330 | 00276 | G02111 | C006 | 177104096102 | S01 | 05/05/2003 | SEM | FL | | O | | 14 | | |
| | | 1179 | 88.14 | 750 | 84 | 99 | | 624 | 35.2 | | | | | |
| EI330 | 00276 | G02111 | C007 | 177104097301 | D01 | 06/09/2003 | SEM | FL | | O | | 20 | | |
| | | 3212 | 85.91 | 650 | 113 | 363 | | 689 | 31.2 | | | | | |
| EI330 | 00276 | G02111 | C010 | 177104099901 | S01 | 02/13/2003 | SEM | FL | | O | | 24 | | |
| | | 425 | 72.11 | 270 | 106 | 45 | | 274 | 30.2 | | | | | |
| EI330 | 00276 | G02111 | C010 | 177104099903 | S01 | 05/23/2003 | POT | FL | | G | 24 | 32 | | |
| | 1680 | 78513 | 1.74 | 1510 | 113 | 8872 | | 2 | 30.6 | .6 | | | | N |
| EI330 | 00276 | G02111 | C011D | 177104111400 | D04 | 03/14/2003 | SEM | GL | | O | | 88 | | |
| | | 652 | 74.04 | 160 | 155 | 101 | | 442 | 31.2 | | | | | |
| EI330 | 00276 | G02111 | C012 | 177104108300 | S01 | 06/20/2003 | SEM | GL | | O | | 88 | | |
| | | 729 | 87.03 | 260 | 48 | 35 | | 322 | 32.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 00276 | G02111 | C013 | 177104098201 | S02 | 05/17/2003 | SEM | FL | | O | | 88 | | |
| | | 400 | 83.19 | 130 | 20 | 8 | | 99 | 29 | | | | | |
| EI322 | 01689 | G02113 | B002B | 177104143600 | D01 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 942 | 9999999 | 99 | 317 | 0 | 780 | | 126 | | | | | | |
| EI322 | 01689 | G02113 | B002C | 177104143600 | D02 | 05/24/2003 | SEM | FL | | G | | 64 | | |
| | 864 | 9999999 | 99 | 305 | 0 | 669 | | 12 | | | | | | |
| EI330 | 02421 | G02115 | A002B | 177104004201 | S03 | 06/27/2003 | SEM | GL | | O | 24 | 50 | | |
| | 520 | 564 | | 420 | 296 | 167 | | 1184 | 35.2 | | | | 0 | N |
| EI330 | 02421 | G02115 | A005 | 177104007301 | S01 | 06/12/2003 | SEM | GL | | O | 24 | 64 | | |
| | 750 | 843 | | 80 | 102 | 86 | | 306 | 27.3 | | | | 0 | N |
| EI330 | 02421 | G02115 | A008 | 177104009001 | S01 | 06/12/2003 | SEM | GL | | O | 24 | 64 | | |
| | 525 | 300 | | 100 | 140 | 42 | | 172 | 30.4 | | | | 0 | N |
| EI330 | 02421 | G02115 | A010 | 177104010301 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 64 | | |
| | 690 | 1636 | | 225 | 77 | 126 | | 434 | 26.4 | | | | 0 | N |
| EI330 | 02421 | G02115 | A014B | 177104022800 | S03 | 06/02/2003 | SEM | FL | | G | 24 | 46 | | |
| | 480 | 453333 | | 320 | 3 | 1360 | | 6 | 58.1 | | | | 0 | N |
| EI330 | 02421 | G02115 | A019A | 177104024702 | S02 | 06/14/2003 | SEM | GL | | O | 24 | 64 | | |
| | 780 | 239 | | 80 | 46 | 11 | | 260 | 23.6 | | | | 0 | N |
| EI330 | 02421 | G02115 | A020 | 177104009402 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 64 | | |
| | 520 | 2657 | | 70 | 67 | 178 | | 17 | 30 | | | | 0 | N |
| EI330 | 02421 | G02115 | A022A | 177104132300 | S02 | 06/11/2003 | SEM | GL | | O | 24 | 58 | | |
| | 775 | 1843 | | 450 | 477 | 879 | | 2705 | 30.6 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 02421 | G02115 | B001 | 177104004301 | S01 | 05/25/2003 | POT | FL | | O | 24 | 64 | | |
| | | 420 | 58.45 | 175 | 364 | 153 | | 512 | 30 | .65 | | | N | |
| EI330 | 02421 | G02115 | B003A | 177104008001 | S02 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | 910 | 32 | | 130 | 93 | 3 | | 305 | 27.6 | | | 0 | N | |
| EI330 | 02421 | G02115 | B004 | 177104008701 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 32 | | |
| | 910 | 783 | | 570 | 1383 | 1083 | | 18 | 25.6 | | | 0 | N | |
| EI330 | 02421 | G02115 | B006 | 177104010501 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | 680 | 1000 | | 125 | 101 | 101 | | 201 | 35.5 | | | 0 | N | |
| EI330 | 02421 | G02115 | B007 | 177104011601 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 540 | 1022 | | 80 | 136 | 139 | | 96 | 37.7 | | | 0 | N | |
| EI330 | 02421 | G02115 | B010 | 177104017101 | S01 | 06/24/2003 | SEM | FL | | O | 24 | 42 | | |
| | 1220 | 1974 | | 125 | 305 | 602 | | 21 | 31.1 | | | 0 | N | |
| EI330 | 02421 | G02115 | B011D | 177104025200 | D02 | 06/29/2003 | SEM | FL | | O | 24 | 27 | | |
| | 1180 | 600 | | 795 | 1286 | 772 | | 0 | 32.2 | | | 0 | N | |
| EI330 | 02421 | G02115 | B015 | 177104028601 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1225 | 143750 | | 880 | 28 | 4025 | | 2 | 67.9 | | | 0 | N | |
| EI330 | 02421 | G02115 | B016D | 177104030200 | D02 | 06/21/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1160 | 1439 | | 140 | 66 | 95 | | 279 | 29.6 | | | 0 | N | |
| EI330 | 02421 | G02115 | B018D | 177104031200 | D02 | 06/20/2003 | SEM | GL | | O | 24 | 64 | | |
| | 855 | 345 | | 110 | 84 | 29 | | 123 | 27.3 | | | 0 | N | |
| EI330 | 02421 | G02115 | C001D | 177104011100 | D02 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | 880 | 335 | | 120 | 200 | 67 | | 40 | 23.4 | | | 0 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 02421 | G02115 | C003D | 177104012601 | D02 | 06/04/2003 | SEM | GL | | O | 24 | 30 | | |
| | 900 | 628 | | 360 | 374 | 235 | | 749 | 28.4 | | | | 0 | N |
| EI330 | 02421 | G02115 | C004D | 177104012700 | S02 | 06/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 620 | 2417 | | 90 | 36 | 87 | | 0 | 24.6 | | | | 0 | N |
| EI330 | 02421 | G02115 | C007 | 177104029602 | S01 | 06/08/2003 | SEM | GL | | O | 24 | 30 | | |
| | 860 | 2611 | | 200 | 72 | 188 | | 168 | 27.2 | | | | 0 | N |
| EI330 | 02421 | G02115 | C008D | 177104015000 | D02 | 06/02/2003 | SEM | FL | | G | 24 | 38 | | |
| | 1350 | 187778 | | 575 | 18 | 3380 | | 225 | 35.3 | | | | 0 | N |
| EI330 | 02421 | G02115 | C010D | 177104020101 | D02 | 06/06/2003 | SEM | FL | | O | 24 | 48 | | |
| | 570 | 104 | | 220 | 852 | 89 | | 1140 | 40.4 | | | | 0 | N |
| EI330 | 02421 | G02115 | C014D | 177104038900 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 16 | | |
| | 740 | 13361 | | 280 | 36 | 481 | | 252 | 31 | | | | 0 | N |
| EI330 | 02421 | G02115 | C015 | 177104036801 | S01 | 06/04/2003 | SEM | FL | | G | 24 | 16 | | |
| | 500 | 9999999 | | 250 | 0 | 392 | | 0 | 0 | | | | 0 | N |
| EI330 | 02421 | G02115 | C016 | 177104039701 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 64 | | |
| | 600 | 1385 | | 200 | 213 | 295 | | 555 | 24.8 | | | | 0 | N |
| EI330 | 02421 | G02115 | C018 | 177104042801 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 22 | | |
| | 1580 | 1473 | | 360 | 262 | 386 | | 0 | 24.5 | | | | 0 | N |
| EI330 | 02421 | G02115 | C020 | 177104133300 | S01 | 06/29/2003 | SEM | GL | | O | 24 | 64 | | |
| | 835 | 1457 | | 140 | 304 | 443 | | 292 | 23.5 | | | | 0 | N |
| EI330 | 02421 | G02115 | C022 | 177104146600 | S02 | 05/18/2003 | POT | FL | | O | 24 | 26 | | |
| | | 616 | 41.52 | 650 | 831 | 512 | | 590 | 26 | .65 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 02421 | G02115 | C024 | 177104148100 | S01 | 06/03/2003 | SEM | FL | | O | 24 | 37 | | |
| | 1600 | 773 | | 820 | 1922 | 1486 | | 473 | 31.8 | | | | 0 | N |
| EI330 | 01046 | G02116 | A007A | 177104012400 | S03 | 05/05/2003 | SEM | GL | | O | 24 | 80 | | |
| | | 3667 | | 120 | 45 | 165 | | 402 | 39.1 | | | | | N |
| EI330 | 01046 | G02116 | A013 | 177104016200 | S02 | 05/19/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1727 | | 160 | 99 | 171 | | 11 | 37.8 | | | | | N |
| EI330 | 01046 | G02116 | A026B | 177104022301 | S03 | 03/01/2003 | POT | FL | | G | 24 | 80 | | |
| | 580 | 9999999 | 0 | 150 | 0 | 1014 | | 0 | 30 | .65 | | | | N |
| EI330 | 01046 | G02116 | B003 | 177104013801 | S01 | 05/10/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2575 | | 270 | 80 | 206 | | 860 | 36.1 | | | | | N |
| EI330 | 01046 | G02116 | B003 | 177104013801 | S01 | 06/16/2003 | SEM | FL | | O | | 64 | | |
| | 890 | 14227 | 92.21 | 380 | 66 | 939 | | 781 | 37.7 | | | | | |
| EI330 | 01046 | G02116 | B005A | 177104015200 | S02 | 05/12/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1025 | 18000 | | 120 | 6 | 108 | | 192 | 39.8 | | | | 1100 | N |
| EI330 | 01046 | G02116 | B005A | 177104015200 | S02 | 05/27/2003 | SEM | FL | | O | | 64 | | |
| | 1025 | 17375 | 96 | 120 | 8 | 139 | | 192 | 35.4 | | | | | |
| EI330 | 01046 | G02116 | B010 | 177104019101 | S01 | 05/13/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1375 | | 240 | 40 | 55 | | 624 | 39.8 | | | | | N |
| EI330 | 01046 | G02116 | B010 | 177104019101 | S01 | 05/27/2003 | SEM | FL | | O | | 64 | | |
| | 600 | 5567 | 96.5 | 180 | 30 | 167 | | 828 | 35.3 | | | | | |
| EI330 | 01046 | G02116 | B012 | 177104020801 | S01 | 05/14/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1078 | | 160 | 128 | 138 | | 168 | 37 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 01046 | G02116 | B012 | 177104020801 | S01 | 06/17/2003 | SEM | FL | | O | | 64 | | |
| | 825 | 2190 | 61.72 | 130 | 116 | 254 | | 187 | 38.3 | | | | | |
| EI330 | 01046 | G02116 | B016A | 177104023800 | S02 | 05/11/2003 | SEM | FL | | O | 24 | 44 | | |
| | | 1695 | | 110 | 128 | 217 | | 256 | 37.3 | | | | | N |
| EI330 | 01046 | G02116 | B016A | 177104023800 | S02 | 06/14/2003 | SEM | FL | | O | | 45 | | |
| | 950 | 1974 | 77.19 | 190 | 39 | 77 | | 132 | 39.3 | | | | | |
| EI330 | 01046 | G02116 | B020 | 177104025600 | S01 | 05/15/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1550 | 6145 | | 260 | 124 | 762 | | 768 | 40 | | | | 1100 | N |
| EI330 | 01046 | G02116 | B020 | 177104025600 | S01 | 06/12/2003 | SEM | FL | | O | | 64 | | |
| | 1550 | 3980 | 86.72 | 120 | 102 | 406 | | 666 | 35.4 | | | | | |
| EI330 | 01046 | G02116 | B025 | 177104030100 | S01 | 06/11/2003 | SEM | FL | | O | | 64 | | |
| | 1100 | 55500 | 96.63 | 150 | 6 | 333 | | 172 | 53.3 | | | | | |
| EI330 | 01046 | G02116 | B032 | 177104037300 | S01 | 05/18/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4306 | | 140 | 36 | 155 | | 572 | 31.5 | | | | | N |
| EI330 | 01046 | G02116 | B037 | 177104139301 | S02 | 06/08/2003 | SEM | FL | | G | | 999 | | |
| | 4050 | 3257 | 6.44 | 1990 | 218 | 710 | | 15 | 50.2 | | | | | |
| EI330 | 01046 | G02116 | B038A | 177104139600 | D02 | 05/19/2003 | SEM | FL | | G | 24 | 66 | | |
| | 1200 | 17000 | | 176 | 40 | 680 | | 720 | 55 | | | | 1100 | N |
| EI330 | 01046 | G02116 | B038A | 177104139600 | D02 | 06/13/2003 | SEM | FL | | G | | 54 | | |
| | 1090 | 6556 | 87.92 | 110 | 72 | 472 | | 524 | 37 | | | | | |
| EI330 | 01046 | G02116 | B038D | 177104139600 | D03 | 05/19/2003 | SEM | FL | | G | 24 | 54 | | |
| | 1090 | 3405 | | 180 | 84 | 286 | | 560 | 37 | | | | 1135 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 01046 | G02116 | B038D | 177104139600 | D03 | 06/13/2003 | SEM | FL | | G | | 54 | | |
| | 1090 | 6556 | 87.92 | 110 | 72 | 472 | | 524 | 37 | | | | | |
| EI330 | 00078 | G02118 | A004 | 177104007102 | S01 | 04/09/2003 | SEM | FL | | | 24 | 22 | | |
| | 2511 | 1581 | | 617 | 446 | 705 | | 545 | 25.2 | | | | 109 | N |
| EI330 | 00078 | G02118 | A005 | 177104007203 | S01 | 04/09/2003 | SEM | GL | | | 24 | 128 | | |
| | 1039 | 744 | | 105 | 121 | 90 | | 1 | 32.2 | | | | 85 | N |
| EI330 | 00078 | G02118 | A006 | 177104010404 | S01 | 03/31/2003 | SEM | FL | | | 24 | 24 | | |
| | 1830 | 1012 | | 1175 | 1257 | 1272 | | 0 | 24 | | | | 85 | N |
| EI330 | 00078 | G02118 | A007 | 177104010601 | S01 | 04/09/2003 | SEM | FL | | | 24 | 21 | | |
| | 1580 | 739 | | 459 | 487 | 360 | | 595 | 22.1 | | | | 85 | N |
| EI330 | 00078 | G02118 | A008 | 177104014601 | S01 | 04/07/2003 | SEM | GL | | O | | 128 | | |
| | 633 | 2454 | 0 | 88 | 97 | 238 | | 0 | 30.8 | | | | | |
| EI330 | 00078 | G02118 | A012 | 177104019901 | S01 | 04/09/2003 | SEM | GL | | | 24 | 128 | | |
| | 800 | 1410 | | 90 | 39 | 55 | | 17 | 30.9 | | | | 80 | N |
| EI330 | 00078 | G02118 | A017 | 177104017201 | S04 | 04/08/2003 | SEM | GL | | | 24 | 128 | | |
| | 832 | 897 | | 100 | 68 | 61 | | 46 | 28.9 | | | | 80 | N |
| EI330 | 00078 | G02118 | B006 | 177104027301 | S01 | 04/07/2003 | SEM | GL | | | 24 | 128 | | |
| | 1072 | 378 | | 105 | 222 | 84 | | 333 | 34.2 | | | | 101 | N |
| EI330 | 00078 | G02118 | B011 | 177104035100 | S01 | 04/03/2003 | SEM | GL | | | 24 | 128 | | |
| | 1046 | 260 | | 170 | 104 | 27 | | 296 | 29.3 | | | | 114 | N |
| EI330 | 00078 | G02118 | B012 | 177104034306 | S02 | 04/02/2003 | SEM | GL | | | 24 | 128 | | |
| | 937 | 540 | | 133 | 126 | 68 | | 502 | 28.2 | | | | 98 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 00078 | G02118 | B014 | 177104038101 | S01 | 04/09/2003 | SEM | GL | | | 24 | 128 | | |
| | 1193 | 843 | | 130 | 293 | 247 | | 685 | 37.5 | | | | 108 | N |
| EI330 | 00078 | G02118 | B015 | 177104038000 | S01 | 04/04/2003 | SEM | GL | | | 24 | 128 | | |
| | 959 | 1282 | | 97 | 110 | 141 | | 49 | 37.5 | | | | 87 | N |
| EI330 | 00078 | G02118 | B017 | 177104040401 | S01 | 04/06/2003 | SEM | FL | | | 24 | 15 | | |
| | 3341 | 805 | | 2625 | 1019 | 820 | | 322 | 23.1 | | | | 1030 | N |
| EI330 | 00078 | G02118 | B019 | 177104042601 | S01 | 04/01/2003 | SEM | GL | | | 24 | 28 | | |
| | 1405 | 18904 | | 930 | 52 | 983 | | 24 | 32.6 | | | | 432 | N |
| EC033 | 02522 | G02127 | A003 | 177034005000 | S04 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 1025 | 1283000 | 86.67 | 250 | 2 | 2566 | | 13 | 45 | | | | | |
| EC033 | 02522 | G02127 | A005 | 177034005400 | D01 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | 760 | 9999999 | 0 | 265 | 0 | 60 | | 0 | | | | | | |
| EC033 | 02522 | G02127 | B005 | 177034090500 | D03 | 06/04/2003 | SEM | FL | | G | | 29 | | |
| | 3300 | 224741 | 0 | 1120 | 27 | 6068 | | 0 | 44 | | | | | |
| EC033 | 02522 | G02127 | B005D | 177034090500 | D02 | 06/09/2003 | SEM | FL | | G | | 16 | | |
| | 1890 | 9999999 | 99 | 1000 | 0 | 1119 | | 124 | 44 | | | | | |
| SM107 | 01764 | G02130 | A001 | 177084016900 | S01 | 05/11/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 0 | 34.78 | 50 | 30 | 0 | | 16 | 37 | | | | | |
| SM107 | 01764 | G02130 | A006A | 177084040200 | S02 | 05/12/2003 | SEM | GL | | O | | 64 | | |
| | 975 | 0 | 4.88 | 50 | 78 | 0 | | 4 | 27.5 | | | | | |
| SM107 | 01764 | G02130 | A010 | 177084041700 | S01 | 05/12/2003 | SEM | GL | | O | | 64 | | |
| | 945 | 0 | 64.81 | 45 | 19 | 0 | | 35 | 37.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM107 | 01764 | G02130 | A014 | 177084045400 | S01 | 05/14/2003 | SEM | GL | | O | | 64 | | |
| | 1000 | 0 | 50 | 45 | 21 | 0 | | 21 | 32.7 | | | | | |
| SM107 | 01764 | G02130 | A016B | 177084048100 | S03 | 05/15/2003 | SEM | GL | | O | | 64 | | |
| | 460 | 0 | 70.18 | 45 | 17 | 0 | | 40 | 32.7 | | | | | |
| SP049 | 00078 | G02177 | A011 | 177214040400 | S02 | 07/20/2003 | POT | FL | | G | 24 | 28 | | |
| | 2500 | 46133 | 25 | 1995 | 180 | 8304 | | 60 | 54 | .65 | | | | N |
| SP049 | 00078 | G02177 | A015 | 177214027300 | S02 | 08/22/2003 | POT | FL | | G | 24 | 44 | | |
| | 2500 | 58464 | 25.15 | 1217 | 125 | 7308 | | 42 | 53 | .65 | | | | N |
| SP078 | 00078 | G02184 | B012 | 177214024900 | S03 | 06/17/2003 | POT | FL | | O | 24 | 16 | | |
| | | 695 | 0 | 945 | 708 | 492 | | 0 | 31.6 | .65 | | | | N |
| SP078 | 00078 | G02184 | B014 | 177214027201 | S05 | 02/01/2003 | POT | FL | | G | 24 | 20 | | |
| | 2200 | 66417 | 93.41 | 1827 | 24 | 1594 | | 340 | 31.9 | .65 | | | | N |
| SP078 | 00078 | G02184 | C014 | 177224013000 | S03 | 10/09/2003 | POT | GL | | O | 24 | 52 | | |
| | | 756 | 3.07 | 182 | 221 | 167 | | 7 | 27 | .65 | | | | N |
| WC507 | 00222 | G02220 | A001 | 177024010002 | S01 | 02/12/2003 | SEM | FL | | G | | 56 | | |
| | 295 | 176111 | 0 | 165 | 9 | 1585 | | 0 | 52.2 | | | | | |
| WC507 | 00222 | G02220 | A001 | 177024010002 | S01 | 05/15/2003 | SEM | FL | | G | | 56 | | |
| | 295 | 580000 | 66.67 | 170 | 3 | 1740 | | 6 | 48.4 | | | | | |
| WC507 | 00222 | G02220 | A010 | 177024117800 | S01 | 02/23/2003 | SEM | FL | | G | | 30 | | |
| | 295 | 9999999 | 99 | 145 | 0 | 106 | | 1 | 0 | | | | | |
| WC507 | 00222 | G02220 | A010 | 177024117800 | S01 | 06/30/2003 | SEM | FL | | G | | 30 | | |
| | 295 | 9999999 | 0 | 140 | 0 | 137 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC507 | 00222 | G02220 | A011 | 177024118300 | S01 | 02/11/2003 | SEM | FL | | G | | 48 | | |
| | 300 | 9999999 | 0 | 145 | 0 | 80 | | 0 | 0 | | | | | |
| WC507 | 00222 | G02220 | B006 | 177024108300 | S01 | 02/24/2003 | SEM | FL | | G | | 30 | | |
| | 660 | 190500 | 7.69 | 530 | 12 | 2286 | | 1 | 52.2 | | | | | |
| WC533 | 02421 | G02224 | A008 | 177024125702 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 27 | | |
| | 1450 | 5353000 | | 1010 | 1 | 5353 | | 350 | 0 | | | | 0 | N |
| WC533 | 02421 | G02224 | A013 | 177024105201 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 64 | | |
| | 480 | 9999999 | | 90 | 0 | 1113 | | 93 | 0 | | | | 0 | N |
| WC533 | 02421 | G02225 | A001C | 177024024100 | S03 | 06/30/2003 | SEM | FL | | G | 24 | 35 | | |
| | 650 | 9999999 | | 185 | 0 | 87 | | 116 | 0 | | | | 0 | N |
| WC533 | 02421 | G02225 | A005C | 177024027300 | S03 | 06/05/2003 | SEM | FL | | G | 24 | 64 | | |
| | 500 | 9999999 | | 185 | 0 | 36 | | 0 | 0 | | | | 0 | N |
| WC533 | 02421 | G02225 | A006D | 177024029900 | S03 | 06/07/2003 | SEM | FL | | G | 24 | 64 | | |
| | 460 | 9999999 | | 195 | 0 | 1235 | | 7 | 0 | | | | 0 | N |
| WC533 | 02421 | G02225 | A009A | 177024111200 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 64 | | |
| | 340 | 9999999 | | 310 | 0 | 5371 | | 0 | 0 | | | | 0 | N |
| WC533 | 02421 | G02226 | A009 | 177024125901 | S02 | 06/19/2003 | SEM | FL | | G | 24 | 19 | | |
| | 3200 | 2037750 | | 2820 | 4 | 8151 | | 2 | 0 | | | | 0 | N |
| HI370A | 00105 | G02238 | A009A | 427114022800 | S02 | 06/07/2003 | SEM | FL | | G | 24 | 32 | | |
| | 1510 | 9999999 | | 130 | 0 | 17 | | 0 | 30 | | | | 903 | N |
| WC643 | 00078 | G02240 | A009 | 177024025600 | S02 | 04/04/2003 | SEM | FL | | | 24 | 64 | | |
| | 719 | 9999999 | | 354 | 0 | 811 | | 0 | | | | | 350 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC643 | 00078 | G02240 | A010 | 177024026001 | S03 | 04/04/2003 | SEM | FL | | | 24 | 21 | | |
| | 1790 | 9999999 | | 358 | 0 | 1165 | | 10 | | | | | 344 | N |
| WC643 | 00078 | G02241 | A006 | 177024024700 | S02 | 04/04/2003 | SEM | FL | | | 24 | 64 | | |
| | 710 | 9999999 | | 355 | 0 | 431 | | 0 | | | | | 349 | N |
| WC643 | 00078 | G02241 | A017 | 177024029500 | D05 | 04/05/2003 | SEM | FL | | | 24 | 19 | | |
| | 1487 | 9999999 | | 1310 | 0 | 4272 | | 0 | | | | | 370 | N |
| WC643 | 00078 | G02241 | A017D | 177024029500 | D03 | 04/05/2003 | SEM | FL | | | 24 | 80 | | |
| | 1107 | 9999999 | | 356 | 0 | 405 | | 12 | | | | | 355 | N |
| EC322 | 01935 | G02254 | A001 | 177044025900 | S01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 1078 | 86.86 | 220 | 77 | 83 | | 509 | 33.2 | | | | | |
| EC322 | 01935 | G02254 | A008 | 177044028901 | S01 | 06/25/2003 | SEM | GL | | O | | 64 | | |
| | | 35500 | 60 | 95 | 2 | 71 | | 3 | 34.5 | | | | | |
| EC322 | 01935 | G02254 | A021 | 177044079800 | D01 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | | 1081 | 78.11 | 120 | 37 | 40 | | 132 | 37.6 | | | | | |
| EC322 | 01935 | G02254 | A021D | 177044079800 | D02 | 06/16/2003 | SEM | GL | | O | | 64 | | |
| | | 1265 | 95.98 | 145 | 68 | 86 | | 1624 | 28.2 | | | | | |
| EC322 | 01935 | G02254 | A024 | 177044094900 | S03 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 2316 | 83.9 | 135 | 38 | 88 | | 198 | 33.9 | | | | | |
| EC322 | 01935 | G02254 | A025 | 177044095300 | D03 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 101 | 86.04 | 110 | 158 | 16 | | 974 | 33.2 | | | | | |
| EC322 | 01935 | G02254 | A025D | 177044095300 | D02 | 06/11/2003 | SEM | GL | | O | | 64 | | |
| | | 7571 | 87.98 | 325 | 238 | 1802 | | 1742 | 31.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC322 | 01935 | G02254 | A028 | 177044104400 | S01 | 10/23/2003 | POT | FL | | O | 16 | 14 | | |
| | | 1069 | 35.01 | 780 | 245 | 262 | | 132 | 34.2 | .65 | | | N | |
| EC322 | 01935 | G02255 | A007 | 177044028100 | D01 | 06/19/2003 | SEM | GL | | O | | 64 | | |
| | | 2667 | 40 | 120 | 15 | 40 | | 10 | 34.8 | | | | | |
| EC322 | 01935 | G02255 | A011A | 177044029500 | D03 | 06/11/2003 | SEM | GL | | O | | 64 | | |
| | | 37667 | 95.83 | 150 | 3 | 113 | | 69 | 35.2 | | | | | |
| EC322 | 01935 | G02255 | A022D | 177044079700 | D02 | 05/13/2003 | SEM | GL | | O | | 64 | | |
| | | 5643 | 70.05 | 140 | 56 | 316 | | 131 | 34.7 | | | | | |
| EC322 | 01935 | G02255 | A023 | 177044095900 | S02 | 06/18/2003 | SEM | FL | | G | | 64 | | |
| | | 54857 | 0 | 90 | 7 | 384 | | 0 | 40.1 | | | | | |
| EC322 | 01935 | G02255 | A026 | 177044096200 | S01 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 6524 | 75.58 | 160 | 21 | 137 | | 65 | 37.4 | | | | | |
| EC322 | 01935 | G02255 | A027 | 177044096100 | S01 | 06/25/2003 | SEM | GL | | O | | 64 | | |
| | | 579 | 97.03 | 140 | 38 | 22 | | 1240 | 29.4 | | | | | |
| EC353 | 00981 | G02264 | A002 | 177044043900 | S01 | 01/02/2003 | SEM | FL | | G | | 64 | | |
| | 360 | 9999999 | 0 | 250 | 0 | 1936 | | 0 | 0 | | | | | |
| WC643 | 00078 | G02267 | A002 | 177044094300 | S01 | 04/07/2003 | SEM | FL | | | 24 | 45 | | |
| | 4041 | 19571 | | 1197 | 42 | 822 | | 20 | 47 | | | | 1185 | N |
| VR369 | 01046 | G02274 | A002A | 177064038600 | S02 | 06/23/2003 | SEM | FL | | O | | 64 | | |
| | 770 | 123000 | 0 | 70 | 1 | 123 | | 0 | 33.3 | | | | | |
| VR369 | 01046 | G02274 | A004A | 177064039400 | S02 | 06/20/2003 | SEM | FL | | O | | 64 | | |
| | 890 | 3125 | 78.95 | 100 | 16 | 50 | | 60 | 33.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR369 | 01046 | G02274 | A010 | 177064040900 | S01 | 06/22/2003 | SEM | FL | | O | | 64 | | |
| | 460 | 4571 | 70.21 | 85 | 14 | 64 | | 33 | 33.3 | | | | | |
| VR369 | 01046 | G02274 | A011 | 177064042300 | S01 | 06/13/2003 | SEM | FL | | O | | 64 | | |
| | 480 | 100 | 0 | 775 | 710 | 71 | | 0 | 33.3 | | | | | |
| VR369 | 01046 | G02274 | D001 | 177064087000 | D03 | 06/21/2003 | SEM | FL | | G | | 13 | | |
| | 750 | 636 | 66.67 | 450 | 44 | 28 | | 88 | 33.3 | | | | | |
| VR369 | 01046 | G02274 | D001 | 177064087000 | D01 | 06/23/2003 | SEM | FL | | G | | 20 | | |
| | 820 | 9999999 | 0 | 800 | 0 | 2472 | | 0 | 33.3 | | | | | |
| VR369 | 02108 | G02274 | D002 | 177064089601 | S01 | 06/16/2003 | SEM | FL | | G | | 30 | | |
| | 800 | 5559 | 78.88 | 340 | 34 | 189 | | 127 | 33.3 | | | | | |
| VR369 | 01046 | G02275 | A006A | 177064040000 | S02 | 06/20/2003 | SEM | FL | | O | | 64 | | |
| | 560 | 422 | 6.8 | 80 | 192 | 81 | | 14 | 33.3 | | | | | |
| SM115 | 00048 | G02279 | A003 | 177084016801 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 48 | | |
| | | 4000 | | 100 | 36 | 144 | | 138 | 37.4 | | | | | N |
| SM115 | 00003 | G02279 | A004 | 177084021300 | S02 | 06/05/2003 | SEM | FL | | G | 24 | 64 | | |
| | 700 | 9999999 | | 100 | 0 | 229 | | 70 | | | | | 835 | N |
| SM115 | 00003 | G02279 | A008A | 177084018801 | S01 | 06/05/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 12464 | | 120 | 28 | 349 | | 97 | 33.4 | | | | | N |
| SM115 | 00003 | G02279 | A009 | 177084022201 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 28 | | |
| | | 22500 | | 105 | 18 | 405 | | 37 | 34 | | | | | N |
| SM115 | 00003 | G02279 | A017 | 177084030802 | S01 | 06/11/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2879 | | 100 | 58 | 167 | | 1 | 35 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM115 | 00003 | G02279 | A020 | 177084082200 | S01 | 05/30/2003 | SEM | GL | | O | 24 | 128 | | |
| | | 1080 | | 125 | 25 | 27 | | 59 | 33.3 | | | | | N |
| SM115 | 00003 | G02279 | A021 | 177084090000 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 30 | | |
| | 1725 | 140941 | | 1200 | 34 | 4792 | | 4 | | | | | 937 | N |
| SM130 | 01764 | G02280 | A001A | 177084009400 | S02 | 05/13/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 958 | 25 | 100 | 24 | 23 | | 8 | 21.3 | | | | | |
| SM130 | 01764 | G02280 | A004A | 177084009700 | S02 | 05/08/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 1306 | 80.04 | 140 | 98 | 128 | | 393 | 21 | | | | | |
| SM130 | 01764 | G02280 | A014A | 177084013200 | S02 | 05/11/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 612 | 4.13 | 125 | 209 | 128 | | 9 | 23.1 | | | | | |
| SM130 | 01764 | G02280 | A017A | 177084014000 | S02 | 05/09/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 208 | 55.14 | 145 | 48 | 10 | | 59 | 38.3 | | | | | |
| SM130 | 01764 | G02280 | A020C | 177084017500 | S02 | 05/27/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 82133 | 6.25 | 140 | 15 | 1232 | | 1 | 30 | | | | | |
| SM130 | 01764 | G02280 | A023B | 177084017400 | S03 | 05/22/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 11.54 | 120 | 23 | 0 | | 3 | 24.7 | | | | | |
| SM130 | 01764 | G02280 | A024A | 177084017600 | S02 | 05/12/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 238 | 10.64 | 260 | 42 | 10 | | 5 | 32 | | | | | |
| SM130 | 01764 | G02280 | A026A | 177084018000 | S02 | 05/17/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 6367 | 71.29 | 130 | 60 | 382 | | 149 | 28.5 | | | | | |
| SM130 | 01764 | G02280 | A034A | 177084026201 | S02 | 05/28/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 22000 | 0 | 110 | 3 | 66 | | 0 | 30.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM130 | 01764 | G02280 | A039 | 177084027701 | S01 | 05/10/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 244 | 74.86 | 130 | 45 | 11 | | 134 | 30.5 | | | | | |
| SM130 | 01764 | G02280 | B001B | 177084016700 | S03 | 05/20/2003 | SEM | GL | | O | | 58 | | |
| | 1200 | 1390 | 1.67 | 100 | 59 | 82 | | 1 | 29 | | | | | |
| SM130 | 01764 | G02280 | B007A | 177084019800 | D02 | 05/12/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 77.01 | 100 | 20 | 0 | | 67 | 31 | | | | | |
| SM130 | 01764 | G02280 | B007D | 177084019800 | D03 | 05/11/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 94.05 | 20 | 20 | 0 | | 316 | 36 | | | | | |
| SM130 | 01764 | G02280 | B009 | 177084019901 | S01 | 05/19/2003 | SEM | GL | | O | | 12 | | |
| | 1200 | 227 | 1.79 | 450 | 110 | 25 | | 2 | 30 | | | | | |
| SM130 | 01764 | G02280 | B010A | 177084020100 | S02 | 05/21/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 94.96 | 100 | 14 | 0 | | 264 | 32 | | | | | |
| SM130 | 01764 | G02280 | B011 | 177084020201 | S01 | 05/14/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 7273 | 94.66 | 90 | 22 | 160 | | 390 | 23 | | | | | |
| SM130 | 01764 | G02280 | B013A | 177084021400 | S02 | 05/14/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 35.63 | 80 | 56 | 0 | | 31 | 35 | | | | | |
| SM130 | 01764 | G02280 | C011C | 177084017300 | S04 | 05/03/2003 | SEM | FL | | G | | 80 | | |
| | 140 | 9999999 | 0 | 80 | 0 | 1110 | | 0 | | | | | | |
| SM130 | 01764 | G02280 | C024 | 177084025600 | S01 | 05/23/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 548 | 64.94 | 120 | 115 | 63 | | 213 | 40.2 | | | | | |
| SM130 | 01764 | G02280 | C026A | 177084022900 | S02 | 05/22/2003 | SEM | GL | | G | | 52 | | |
| | 1200 | 16 | 46.89 | 180 | 256 | 4 | | 226 | 38.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM130 | 01764 | G02280 | D003 | 177084037900 | S03 | 05/26/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 1862 | 6.11 | 145 | 246 | 458 | | 16 | 33 | | | | | |
| SM130 | 01764 | G02280 | D008A | 177084046400 | S02 | 05/13/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 86.01 | 125 | 68 | 0 | | 418 | 34 | | | | | |
| SM130 | 01764 | G02280 | D012B | 177084047600 | S03 | 05/10/2003 | SEM | GL | | O | | 46 | | |
| | 1200 | 556 | 10 | 180 | 54 | 30 | | 6 | 28 | | | | | |
| SM130 | 01764 | G02280 | D013 | 177084047801 | S01 | 05/20/2003 | SEM | GL | | O | | 28 | | |
| | 1200 | 0 | 11.54 | 200 | 23 | 0 | | 3 | 38 | | | | | |
| SM130 | 01764 | G02280 | D015 | 177084048001 | S01 | 05/19/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 45.19 | 250 | 57 | 0 | | 47 | 29 | | | | | |
| SM130 | 01764 | G02280 | D016B | 177084048500 | S03 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | 1200 | 0 | 15.38 | 140 | 22 | 0 | | 4 | 29 | | | | | |
| SM130 | 01764 | G02280 | D017 | 177084050703 | S01 | 05/27/2003 | SEM | GL | | O | | 58 | | |
| | 1200 | 0 | 79.93 | 225 | 120 | 0 | | 478 | 27 | | | | | |
| SM130 | 01764 | G02280 | D019 | 177084050500 | S01 | 05/11/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 94.17 | 150 | 14 | 0 | | 226 | 36 | | | | | |
| SM130 | 01764 | G02280 | D020A | 177084050900 | S02 | 05/24/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 91.97 | 150 | 134 | 0 | | 1535 | 29 | | | | | |
| SM130 | 01764 | G02280 | D021 | 177084051501 | S01 | 05/30/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 25 | 140 | 36 | 0 | | 12 | 28 | | | | | |
| SM130 | 01764 | G02280 | D022 | 177084051101 | S01 | 05/22/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 80 | 130 | 44 | 0 | | 176 | 17 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM130 | 01764 | G02280 | D028A | 177084053900 | S02 | 05/06/2003 | SEM | GL | | O | | 44 | | |
| | 1200 | 508 | 50 | 320 | 358 | 182 | | 358 | 29 | | | | | |
| SM130 | 01764 | G02280 | D032 | 177084057701 | S01 | 05/29/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 88.89 | 130 | 5 | 0 | | 40 | 30 | | | | | |
| SM130 | 01764 | G02280 | D033 | 177084057401 | S01 | 05/12/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 84.04 | 150 | 75 | 0 | | 395 | 45 | | | | | |
| SM130 | 01764 | G02280 | D034B | 177084058800 | S03 | 05/29/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 0 | 125 | 17 | 0 | | 0 | 38 | | | | | |
| SM130 | 01764 | G02280 | E004 | 177084064400 | S03 | 07/23/2003 | POT | GL | | G | 12 | 80 | | |
| | 1200 | 58500 | 98.99 | 140 | 10 | 585 | | 984 | 43.6 | .597 | | | | N |
| SM130 | 01764 | G02280 | E004 | 177084064400 | S02 | 10/06/2003 | POT | GL | | G | 23 | 80 | | |
| | 1200 | 5880 | 16.67 | 120 | 25 | 147 | | 5 | 43 | .597 | | | | N |
| SM130 | 01764 | G02280 | E004A | 177084064400 | S02 | 05/07/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 4738 | 12.5 | 120 | 42 | 199 | | 6 | 43.6 | | | | | |
| SM130 | 01764 | G02280 | E005 | 177084064500 | S01 | 05/03/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 767 | 80.04 | 160 | 206 | 158 | | 826 | 28.3 | | | | | |
| SM130 | 01764 | G02280 | E008 | 177084065300 | S01 | 05/15/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 2235 | 19.05 | 140 | 34 | 76 | | 8 | 35.9 | | | | | |
| SM130 | 01764 | G02280 | E009A | 177084065701 | S02 | 05/08/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 3301 | 92.05 | 280 | 93 | 307 | | 1077 | 32.9 | | | | | |
| SM130 | 01764 | G02280 | E010 | 177084065800 | S03 | 05/09/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 4132 | 79.91 | 130 | 91 | 376 | | 362 | 34.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM130 | 01764 | G02280 | E011 | 177084066000 | S01 | 05/10/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 620 | 68.06 | 180 | 92 | 57 | | 196 | 25.5 | | | | | |
| SM130 | 01764 | G02280 | E013 | 177084066200 | S01 | 05/13/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 456 | 84.02 | 200 | 195 | 89 | | 1025 | 27.3 | | | | | |
| SM130 | 01764 | G02280 | E017 | 177084066800 | S01 | 05/12/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 2770 | 88.11 | 180 | 152 | 421 | | 1126 | 29 | | | | | |
| SM130 | 01764 | G02281 | A007 | 177084010600 | S01 | 05/15/2003 | SEM | FL | | O | | 80 | | |
| | 0 | 1796 | 35.08 | 120 | 211 | 379 | | 114 | 30.2 | | | | | |
| SM130 | 01764 | G02281 | B016 | 177084024501 | S01 | 05/15/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 89.95 | 100 | 57 | 0 | | 510 | 29 | | | | | |
| SM130 | 01764 | G02281 | B026 | 177084028900 | S01 | 05/13/2003 | SEM | GL | | O | | 42 | | |
| | 1200 | 3882 | 96.01 | 310 | 51 | 198 | | 1228 | 28 | | | | | |
| SM130 | 01764 | G02281 | D026A | 177084053100 | S02 | 05/15/2003 | SEM | GL | | O | | 44 | | |
| | 1200 | 8833 | 98.03 | 120 | 6 | 53 | | 298 | 35 | | | | | |
| SM130 | 01764 | G02281 | D040 | 177084074200 | S01 | 05/14/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 4000 | 64.22 | 160 | 39 | 156 | | 70 | 20 | | | | | |
| SM130 | 01764 | G02281 | D042 | 177084074100 | S01 | 05/20/2003 | SEM | GL | | O | | 80 | | |
| | 1200 | 0 | 55.85 | 140 | 132 | 0 | | 167 | 26 | | | | | |
| SM137 | 00003 | G02282 | B003 | 177084031601 | S01 | 05/25/2003 | SEM | GL | | O | 24 | 36 | | |
| | | 1352 | | 290 | 142 | 192 | | 695 | 31.8 | | | | | N |
| SM137 | 00003 | G02282 | B011A | 177084037800 | S02 | 05/22/2003 | SEM | GL | | O | 24 | 40 | | |
| | | 28960 | | 140 | 25 | 724 | | 79 | 32.2 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM249 | 01834 | G02301 | CA005 | 177074007501 | S05 | 05/21/2003 | SEM | FL | | G | | 12 | | |
| | 2350 | 1941000 | 50 | 2150 | 1 | 1941 | | 1 | 43.7 | | | | | |
| SM261 | 01513 | G02305 | A003 | 177074031000 | S02 | 06/02/2003 | SEM | FL | | G | | 16 | | |
| | 240 | 9999999 | 0 | 120 | 0 | 396 | | 0 | 0 | | | | | |
| SM009 | 00078 | G02316 | CA004 | 177074063000 | S07 | 03/13/2003 | SEM | FL | | | 24 | 14 | | |
| | 1365 | 49000 | | 1070 | 23 | 1127 | | 0 | 53.4 | | | | 1060 | N |
| SM009 | 00078 | G02316 | CA005 | 177074079800 | S01 | 03/12/2003 | SEM | FL | | | 24 | 18 | | |
| | 2237 | 36000 | | 1250 | 102 | 3672 | | 0 | 54.1 | | | | 1090 | N |
| SM009 | 00078 | G02316 | CB002 | 177074035701 | S01 | 04/08/2003 | SEM | FL | | | 24 | 36 | | |
| | 4236 | 12080 | | 3980 | 451 | 5448 | | 0 | 52.8 | | | | 1140 | N |
| SM009 | 00078 | G02316 | CB002 | 177074035701 | S01 | 04/18/2003 | POT | FL | | G | 24 | 22 | | |
| | 4236 | 25182 | 0 | 3633 | 314 | 7907 | | 0 | 55.9 | .6 | | | | N |
| SM009 | 00078 | G02316 | CB002 | 177074035701 | S01 | 07/10/2003 | POT | FL | | G | 4 | 29 | | |
| | 3362 | 17553 | 0 | 3291 | 170 | 2984 | | 0 | 55.9 | .6 | | | | N |
| SM009 | 00078 | G02316 | CB002 | 177074035701 | S02 | 09/08/2003 | POT | FL | | G | 24 | 23 | | |
| | 4260 | 71776 | 0 | 4175 | 49 | 3517 | | 0 | 40 | .6 | | | | N |
| SM009 | 00078 | G02316 | CB003 | 177074062900 | S01 | 04/07/2003 | SEM | GL | | | 24 | 64 | | |
| | 1004 | 2130 | | 402 | 131 | 279 | | 1401 | 31.6 | | | | 333 | N |
| SM009 | 00078 | G02316 | CB004 | 177074063401 | S01 | 04/04/2003 | SEM | FL | | | 24 | 24 | | |
| | 5892 | 143071 | | 6014 | 14 | 2003 | | 0 | 44.4 | | | | 1177 | N |
| SM009 | 00078 | G02316 | CB005 | 177074074801 | S01 | 04/03/2003 | SEM | FL | | | 24 | 18 | | |
| | 6117 | 13284 | | 3787 | 998 | 13257 | | 0 | 35.6 | | | | 1178 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM009 | 00078 | G02316 | CB005 | 177074074801 | S02 | 06/22/2003 | POT | FL | | G | 24 | 128 | | |
| | 8307 | 9999999 | 0 | 5692 | 0 | 5130 | | 0 | 38.5 | .6 | | | N | |
| SM009 | 00078 | G02316 | CB005 | 177074074801 | S03 | 08/07/2003 | POT | FL | | G | 4 | 13 | | |
| | 8688 | 9211 | 0 | 8091 | 691 | 6365 | | 0 | 45.3 | .6 | | | N | |
| SM009 | 00078 | G02316 | CB006 | 177074081700 | S01 | 03/21/2003 | SEM | FL | | | 24 | 30 | | |
| | 2650 | 47545 | | 2317 | 101 | 4802 | | 3 | 56.1 | | | 1183 | N | |
| SM009 | 00078 | G02316 | CD002 | 177074081600 | S01 | 04/02/2003 | SEM | FL | | | 24 | 33 | | |
| | 6615 | 39852 | | 3794 | 600 | 23911 | | 0 | 43.2 | | | 1713 | N | |
| EI330 | 00078 | G02318 | B001 | 177104024901 | S01 | 04/04/2003 | SEM | GL | | | 24 | 29 | | |
| | 1090 | 4033 | | 990 | 243 | 980 | | 216 | 35.2 | | | 142 | N | |
| EI330 | 00078 | G02318 | B003 | 177104027801 | S01 | 04/07/2003 | SEM | FL | | | 24 | 14 | | |
| | 3041 | 656 | | 1963 | 305 | 200 | | 1146 | 24.7 | | | 1038 | N | |
| EI330 | 00078 | G02318 | B004 | 177104028300 | S02 | 03/28/2003 | SEM | GL | | | 24 | 128 | | |
| | 828 | 132 | | 110 | 287 | 38 | | 737 | 33.6 | | | 102 | N | |
| EI330 | 00078 | G02318 | B007 | 177104033303 | S01 | 04/07/2003 | SEM | GL | | | 24 | 32 | | |
| | 801 | 157 | | 224 | 840 | 132 | | 83 | 32.9 | | | 101 | N | |
| EI330 | 00078 | G02318 | B008 | 177104032700 | S01 | 04/01/2003 | SEM | GL | | | 24 | 128 | | |
| | 1205 | 887 | | 95 | 142 | 126 | | 45 | 30.3 | | | 85 | N | |
| EI330 | 00078 | G02318 | B009 | 177104035801 | S01 | 04/07/2003 | SEM | FL | | | 24 | 30 | | |
| | 1190 | 1711 | | 488 | 570 | 975 | | 142 | 43 | | | 428 | N | |
| EI330 | 00078 | G02318 | B013 | 177104038300 | S03 | 04/09/2003 | SEM | GL | | | 24 | 128 | | |
| | 945 | 147 | | 110 | 374 | 55 | | 249 | 32.7 | | | 92 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI330 | 00078 | G02318 | B016 | 177104040502 | S02 | 04/01/2003 | SEM | GL | | | 24 | 128 | | |
| | 1161 | 763 | | 100 | 194 | 148 | | 6 | 36.5 | | | | 97 | N |
| EI330 | 00078 | G02318 | C005 | 177104047200 | S01 | 04/01/2003 | SEM | GL | | | 24 | 17 | | |
| | 1087 | 964 | | 520 | 389 | 375 | | 4 | 36.5 | | | | 145 | N |
| EI330 | 00078 | G02318 | C017 | 177104148801 | S01 | 03/28/2003 | SEM | GL | | | 24 | 128 | | |
| | 2381 | 1844 | | 148 | 77 | 142 | | 38 | 28.9 | | | | 163 | N |
| EI330 | 00078 | G02318 | C018 | 177104148600 | S01 | 03/27/2003 | SEM | GL | | | 24 | 50 | | |
| | 870 | 2095 | | 164 | 84 | 176 | | 2 | 65.2 | | | | 134 | N |
| EI348 | 01750 | G02321 | A002 | 177104073300 | S01 | 06/03/2003 | SEM | FL | | G | 24 | 15 | | |
| | 1840 | 26026 | | 620 | 38 | 989 | | 29 | 56.7 | | | | 0 | N |
| EI342 | 02561 | G02322 | B001D | 177104081500 | D02 | 06/16/2003 | SEM | GL | | O | | 112 | | |
| | 1110 | 1889 | 78.93 | 100 | 63 | 119 | | 236 | 36 | | | | | |
| EI342 | 02561 | G02322 | B002A | 177104081600 | S02 | 06/20/2003 | SEM | GL | | O | | 112 | | |
| | 890 | 2500 | 94.4 | 140 | 30 | 75 | | 506 | 36.1 | | | | | |
| EI342 | 02561 | G02322 | B004S | 177104088001 | S01 | 06/17/2003 | SEM | GL | | O | | 112 | | |
| | 890 | 1923 | 85.31 | 120 | 26 | 50 | | 151 | 34.2 | | | | | |
| EI342 | 02561 | G02322 | B005B | 177104087500 | S03 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 401 | 77.19 | 140 | 182 | 73 | | 616 | 32.6 | | | | | |
| EI342 | 02561 | G02322 | B008S | 177104088802 | S01 | 05/25/2003 | SEM | GL | | O | | 96 | | |
| | 1200 | 436 | 58.1 | 140 | 163 | 71 | | 226 | 32.6 | | | | | |
| EI342 | 02561 | G02322 | B010 | 177104093900 | S01 | 06/07/2003 | SEM | GL | | O | | 96 | | |
| | 1200 | 692 | 71.36 | 120 | 279 | 193 | | 695 | 31.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI342 | 02561 | G02322 | B016 | 177104124001 | S01 | 06/19/2003 | SEM | GL | | O | | 128 | | |
| | 1050 | 1625 | 69.03 | 110 | 48 | 78 | | 107 | 31.8 | | | | | |
| EI342 | 02561 | G02322 | B017D | 177104125900 | D02 | 06/21/2003 | SEM | GL | | O | | 128 | | |
| | 925 | 958 | 45.39 | 115 | 166 | 159 | | 138 | 45.4 | | | | | |
| EI342 | 02561 | G02322 | B023 | 177104144400 | S01 | 05/20/2003 | SEM | GL | | O | | 112 | | |
| | 1000 | 198 | 62.86 | 200 | 91 | 18 | | 154 | 33.8 | | | | | |
| EI361 | 00078 | G02323 | A005 | 177104097400 | S01 | 04/02/2003 | SEM | FL | | | 24 | 96 | | |
| | 365 | 9999999 | | 87 | 0 | 267 | | 0 | | | | | 70 | N |
| EI361 | 00078 | G02323 | A012 | 177104103900 | S01 | 03/08/2003 | SEM | GL | | | 24 | 64 | | |
| | 720 | 4000 | | 71 | 11 | 44 | | 26 | 32.5 | | | | 68 | N |
| EI361 | 00078 | G02323 | C006 | 177104112300 | S01 | 04/05/2003 | SEM | GL | | | 24 | 64 | | |
| | 1000 | 2069 | | 89 | 58 | 120 | | 233 | 28.3 | | | | 90 | N |
| EI361 | 00078 | G02323 | C010 | 177104117200 | S02 | 04/04/2003 | SEM | FL | | | 24 | 24 | | |
| | 1180 | 9999999 | | 459 | 0 | 1979 | | 84 | | | | | 454 | N |
| EI361 | 00078 | G02323 | C017 | 177104145900 | D01 | 03/13/2003 | SEM | GL | | | 24 | 64 | | |
| | 930 | 2887 | | 95 | 142 | 410 | | 180 | 34.2 | | | | 80 | N |
| EI361 | 00078 | G02323 | C017D | 177104145900 | D02 | 03/12/2003 | SEM | GL | | | 24 | 64 | | |
| | 810 | 564 | | 82 | 388 | 219 | | 183 | 33.8 | | | | 80 | N |
| EI361 | 00078 | G02324 | A001 | 177104095200 | S05 | 03/08/2003 | SEM | GL | | | 24 | 64 | | |
| | 260 | 618 | | 72 | 34 | 21 | | 6 | 30.1 | | | | 68 | N |
| EI361 | 00078 | G02324 | A002 | 177104095600 | S03 | 04/02/2003 | SEM | GL | | | 24 | 128 | | |
| | 910 | 849 | | 87 | 338 | 287 | | 312 | 30.5 | | | | 78 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI361 | 00078 | G02324 | A007 | 177104098500 | S01 | 04/06/2003 | SEM | GL | | | 24 | 64 | | |
| | 350 | 1480 | | 77 | 75 | 111 | | 10 | 32.7 | | | 65 | N | |
| EI361 | 00078 | G02324 | A011 | 177104103402 | S01 | 04/08/2003 | SEM | GL | | | 24 | 38 | | |
| | 1100 | 722 | | 431 | 1175 | 848 | | 12 | 30.8 | | | 82 | N | |
| EI361 | 00078 | G02324 | A013 | 177104104400 | S01 | 04/06/2003 | SEM | GL | | | 24 | 128 | | |
| | 790 | 225 | | 82 | 160 | 36 | | 480 | 37.1 | | | 80 | N | |
| EI361 | 00078 | G02324 | A014 | 177104104700 | S03 | 03/03/2003 | SEM | GL | | | 24 | 128 | | |
| | 880 | 1019 | | 95 | 54 | 55 | | 215 | 35.9 | | | 73 | N | |
| EI361 | 00078 | G02324 | A015 | 177104105300 | S02 | 03/14/2003 | SEM | GL | | | 24 | 128 | | |
| | 950 | 1093 | | 98 | 129 | 141 | | 1160 | 32.2 | | | 75 | N | |
| EI361 | 00078 | G02324 | A017 | 177104105800 | S03 | 04/02/2003 | SEM | FL | | | 24 | 72 | | |
| | 300 | 119000 | | 80 | 1 | 119 | | 0 | 32.1 | | | 60 | N | |
| EI361 | 00078 | G02324 | A018 | 177104106600 | S01 | 03/14/2003 | SEM | GL | | | 24 | 128 | | |
| | 1045 | 2862 | | 105 | 109 | 312 | | 620 | 35.7 | | | 79 | N | |
| EI361 | 00078 | G02324 | A019 | 177104107500 | S02 | 03/14/2003 | SEM | GL | | | 24 | 128 | | |
| | 0 | 1809 | | 86 | 47 | 85 | | 264 | 35.7 | | | 69 | N | |
| EI361 | 00078 | G02324 | A021 | 177104108101 | S02 | 04/05/2003 | SEM | GL | | | 24 | 72 | | |
| | 450 | 1448 | | 81 | 163 | 236 | | 22 | 32.1 | | | 70 | N | |
| EI361 | 00078 | G02324 | A022 | 177104144600 | S01 | 03/16/2003 | SEM | GL | | | 24 | 96 | | |
| | 380 | 1742 | | 76 | 89 | 155 | | 134 | 35.7 | | | 73 | N | |
| EI361 | 00078 | G02324 | C012 | 177104118002 | S01 | 03/28/2003 | SEM | GL | | | 24 | 54 | | |
| | 600 | 738 | | 162 | 527 | 389 | | 466 | 34.2 | | | 80 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI361 | 00078 | G02324 | C016 | 177104119800 | S03 | 03/14/2003 | SEM | GL | | | 24 | 72 | | |
| | 925 | 2651 | | 186 | 129 | 342 | | 387 | 34.2 | | | 181 | N | |
| EI361 | 00078 | G02324 | D001 | 177104111102 | S01 | 03/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 1050 | 697 | | 209 | 636 | 443 | | 41 | 36.8 | | | 190 | N | |
| EI361 | 00078 | G02324 | D010 | 177104117100 | S02 | 03/23/2003 | SEM | GL | | | 24 | 64 | | |
| | 1050 | 3550 | | 208 | 151 | 536 | | 1532 | 36.8 | | | 190 | N | |
| EI361 | 00078 | G02324 | D015 | 177104134601 | S01 | 03/29/2003 | SEM | GL | | | 24 | 64 | | |
| | 1050 | 892 | | 200 | 437 | 390 | | 0 | 36.8 | | | 190 | N | |
| EI380 | 02219 | G02327 | A005 | 177104056700 | S01 | 01/12/2003 | SEM | FL | 0 | G | 24 | 64 | 0 | 0 |
| 0 | 600 | 2405000 | 98.8 | 280 | 1 | 2405 | | 54 | 42.5 | 0 | | 240 | N | |
| EI380 | 00981 | G02327 | A018 | 177104156400 | S01 | 11/10/2003 | POT | FL | | G | 24 | 64 | | |
| | 1140 | 9999999 | 100 | 920 | 0 | 8600 | | 1 | | .59 | | | N | |
| HI111 | 01284 | G02353 | A001 | 427084001700 | S05 | 07/21/2003 | POT | FL | | G | 24 | 12 | | |
| | 2810 | 216714 | 74.07 | 1625 | 7 | 1517 | | 20 | 48 | .6 | | | N | |
| HI111 | 01284 | G02353 | A009D | 427084039400 | D02 | 05/08/2003 | SEM | FL | | G | | 23 | | |
| | 1600 | 1250 | 0 | 1075 | 40 | 50 | | 0 | 42.2 | | | | | |
| HI111 | 01284 | G02353 | B010 | 427084039600 | S02 | 06/01/2003 | POT | FL | | G | 24 | 10 | | |
| | 6500 | 71875 | 0 | 4600 | 32 | 2300 | | 0 | 38.8 | .6 | | | N | |
| HI111 | 01284 | G02353 | B010 | 427084039600 | S02 | 06/28/2003 | SEM | FL | | G | | 23 | | |
| | 6600 | 139059 | 0 | 4700 | 17 | 2364 | | 0 | 38.8 | | | | | |
| HI111 | 01284 | G02354 | 003 | 427084046200 | D03 | 06/12/2003 | SEM | FL | | G | | 23 | | |
| | 2025 | 144243 | 5.13 | 1340 | 37 | 5337 | | 2 | 52.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI111 | 01284 | G02354 | A010 | 427084040100 | S04 | 05/22/2003 | POT | FL | | G | 24 | 11 | | |
| | 4075 | 35938 | 0 | 3940 | 112 | 4025 | | 0 | | | | | | N |
| HI111 | 01284 | G02354 | A010 | 427084040100 | S04 | 06/15/2003 | SEM | FL | | G | | 11 | | |
| | 4125 | 59892 | 0 | 4050 | 65 | 3893 | | 0 | 38.8 | | | | | |
| HI154 | 02200 | G02357 | JA002 | 427084054201 | D01 | 06/14/2003 | SEM | FL | | G | 24 | 14 | | |
| | 3700 | 82133 | | 3250 | 15 | 1232 | | 732 | 30 | | | | 1060 | N |
| HI154 | 02200 | G02357 | JA002D | 427084054201 | D02 | 06/14/2003 | SEM | FL | | G | 24 | 8 | | |
| | 3700 | 41722 | | 3250 | 18 | 751 | | 56 | 30 | | | | 975 | N |
| HI448A | 00185 | G02359 | A002B | 427094055700 | S03 | 06/02/2003 | SEM | FL | | G | 24 | 8 | | |
| | 1950 | 9999999 | | 0 | 0 | 83 | | 0 | | | | | 866 | N |
| HI448A | 00185 | G02359 | A006 | 427094056700 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 58 | | |
| | | 2826 | | 90 | 132 | 373 | | 774 | 40.8 | | | | | N |
| HI448A | 00185 | G02359 | A010 | 427094058300 | S01 | 06/13/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 772 | | 90 | 101 | 78 | | 54 | 40.8 | | | | | N |
| HI448A | 00185 | G02359 | A011 | 427094058700 | S01 | 06/06/2003 | SEM | FL | | O | 24 | 36 | | |
| | | 40333 | | 475 | 3 | 121 | | 534 | 40.8 | | | | | N |
| HI448A | 00185 | G02359 | A014 | 427094060900 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 28 | | |
| | | 10789 | | 500 | 38 | 410 | | 54 | 40.8 | | | | | N |
| HI448A | 00185 | G02359 | A015 | 427094061300 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 7667 | | 200 | 15 | 115 | | 81 | 40.8 | | | | | N |
| HI448A | 00185 | G02360 | A001 | 427094046000 | S02 | 05/26/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 2294 | | 70 | 17 | 39 | | 7 | 40.8 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI448A | 00185 | G02360 | A003 | 427094047200 | S01 | 05/25/2003 | SEM | FL | | O | | 18 | | |
| | | 9999999 | 99 | 240 | 0 | 36 | | 23 | 0 | | | | | |
| HI448A | 00185 | G02360 | B003 | 427094065600 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 7750 | | 240 | 12 | 93 | | 2 | 40.8 | | | | | N |
| HI448A | 00185 | G02360 | B011 | 427094068900 | S01 | 06/28/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 12400 | | 70 | 5 | 62 | | 8 | 40.8 | | | | | N |
| HI448A | 00185 | G02360 | B014 | 427094069801 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 64 | | |
| | 600 | 11625 | | 90 | 8 | 93 | | 1 | 40.8 | | | | 903 | N |
| HI448A | 00185 | G02361 | A008 | 427094050402 | S01 | 06/13/2003 | SEM | FL | | G | 24 | 6 | | |
| | 3050 | 40500 | | 2450 | 8 | 324 | | 1 | 40.8 | | | | 311 | N |
| HI555A | 00078 | G02384 | A008 | 427094051100 | S01 | 03/31/2003 | SEM | FL | | | 24 | 15 | | |
| | 1165 | 818 | | 1165 | 99 | 81 | | 722 | 32.8 | | | | 715 | N |
| HI555A | 00078 | G02384 | A010 | 427094053600 | S02 | 03/31/2003 | SEM | FL | | | 24 | 13 | | |
| | 1190 | 4714 | | 1090 | 14 | 66 | | 216 | 31.9 | | | | 710 | N |
| HI555A | 00078 | G02384 | A011 | 427094100700 | S02 | 03/31/2003 | SEM | FL | | | 24 | 10 | | |
| | 2000 | 9999999 | | 1940 | 0 | 514 | | 25 | | | | | 715 | N |
| HI555A | 00078 | G02384 | A012 | 427094100600 | S01 | 03/31/2003 | SEM | FL | | | 24 | 128 | | |
| | 1295 | 4450 | | 570 | 20 | 89 | | 374 | 40.5 | | | | 715 | N |
| HI563A | 00078 | G02388 | B001 | 427094029900 | S01 | 03/17/2003 | SEM | FL | | | 24 | 19 | | |
| | 4500 | 4276 | | 2140 | 214 | 915 | | 1211 | 44.7 | | | | 970 | N |
| HI563A | 00078 | G02388 | B012 | 427094043502 | D01 | 04/03/2003 | SEM | FL | | | 24 | 28 | | |
| | 1500 | 1140 | | 300 | 228 | 260 | | 683 | 37.5 | | | | 127 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI563A | 00078 | G02388 | B016 | 427094048102 | S01 | 04/06/2003 | SEM | FL | | | 24 | 38 | | |
| | 1240 | 9999999 | | 380 | 0 | 852 | | 241 | | | | | 377 | N |
| HI563A | 00078 | G02388 | B017 | 427094045804 | S02 | 04/08/2003 | SEM | FL | | | 24 | 44 | | |
| | 920 | 938 | | 160 | 600 | 563 | | 0 | 33.1 | | | | 1110 | N |
| HI563A | 00078 | G02388 | B022 | 427094055000 | S01 | 04/04/2003 | SEM | FL | | | 24 | 50 | | |
| | 1820 | 9999999 | | 120 | 0 | 802 | | 11 | | | | | 117 | N |
| HI563A | 00078 | G02388 | B026 | 427094066801 | S02 | 04/08/2003 | SEM | FL | | | 24 | 24 | | |
| | 1450 | 9999999 | | 450 | 0 | 1500 | | 9 | | | | | 384 | N |
| HI563A | 00078 | G02388 | C008 | 427094069400 | S03 | 04/14/2003 | SEM | FL | | | 24 | 30 | | |
| | 983 | 9999999 | | 109 | 0 | 13 | | 312 | 25.2 | | | | 80 | N |
| HI571A | 02607 | G02391 | A011 | 427094086000 | S01 | 06/02/2003 | SEM | GL | | G | | 64 | | |
| | 1200 | 1800 | 16.67 | 225 | 10 | 18 | | 2 | 49 | | | | | |
| HI571A | 02607 | G02391 | A016 | 427094094102 | S02 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 970 | 21793 | 47.39 | 310 | 121 | 2637 | | 109 | 47 | | | | | |
| HI571A | 02607 | G02391 | A017 | 427094092500 | S03 | 06/17/2003 | SEM | FL | | G | | 37 | | |
| | 1380 | 135061 | 19.51 | 650 | 33 | 4457 | | 8 | 53 | | | | | |
| HI283A | 01046 | G02404 | A002 | 427114039900 | S04 | 06/16/2003 | SEM | FL | | G | | 41 | | |
| | 500 | 9999999 | 0 | 185 | 0 | 885 | | 0 | 36.2 | | | | | |
| HI283A | 01046 | G02404 | B001D | 427114001400 | D02 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 1240 | 9999999 | 99 | 270 | 0 | 176 | | 234 | 36.2 | | | | | |
| HI317A | 00491 | G02412 | A002 | 427114032400 | D01 | 05/21/2003 | SEM | FL | | G | | 64 | | |
| | 420 | 9999999 | 0 | 200 | 0 | 39 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI317A | 00491 | G02412 | A009 | 427114040300 | S02 | 06/01/2003 | SEM | GL | | G | | 64 | | |
| | 800 | 9999999 | 99 | 200 | 0 | 329 | | 68 | 0 | | | | | |
| HI317A | 00491 | G02412 | A014 | 427114043800 | S01 | 06/01/2003 | SEM | GL | | G | | 104 | | |
| | 980 | 12182 | 80.18 | 200 | 22 | 268 | | 89 | 48 | | | | | |
| HI317A | 00491 | G02412 | A015D | 427114043900 | D02 | 05/06/2003 | SEM | GL | | G | | 64 | | |
| | 240 | 9999999 | 0 | 200 | 0 | 41 | | 0 | 0 | | | | | |
| HI334A | 02409 | G02416 | C001 | 427114073101 | S02 | 04/26/2003 | SEM | FL | | G | | 64 | | |
| | 1180 | 9999999 | 99 | 160 | 0 | 72 | | 36 | 0 | | | | | |
| HI334A | 02409 | G02416 | C001 | 427114073101 | S02 | 06/25/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1180 | 9999999 | | 200 | 0 | 651 | | 26 | | | | | 903 | N |
| HI334A | 02409 | G02416 | C001 | 427114073101 | S03 | 08/19/2003 | POT | FL | | G | 24 | 30 | | |
| | 895 | 9999999 | 0 | 650 | 0 | 3456 | | 0 | | | .597 | | | N |
| HI327A | 02266 | G02418 | B001 | 427114082000 | S02 | 06/13/2003 | SEM | FL | | G | | 128 | | |
| | 520 | 9999999 | 99 | 250 | 0 | 2830 | | 107 | 0 | | | | | |
| HI327A | 02266 | G02418 | B002 | 427114082200 | S01 | 06/13/2003 | SEM | FL | | G | | 128 | | |
| | 560 | 9999999 | 99 | 300 | 0 | 4708 | | 998 | 0 | | | | | |
| HI334A | 00003 | G02423 | A003 | 427114021300 | S03 | 06/07/2003 | SEM | FL | | G | 24 | 48 | | |
| | 720 | 9999999 | | 475 | 0 | 3941 | | 14 | | | | | 909 | N |
| HI334A | 00003 | G02423 | A007 | 427114022900 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 48 | | |
| | 960 | 9999999 | | 420 | 0 | 485 | | 9 | | | | | 916 | N |
| HI334A | 00003 | G02423 | A011 | 427114025700 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 48 | | |
| | 860 | 9999999 | | 390 | 0 | 166 | | 83 | | | | | 886 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI334A | 00003 | G02423 | B001 | 427114025400 | S02 | 06/09/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1198 | | 90 | 126 | 151 | | 194 | 36.4 | | | | | N |
| HI334A | 00003 | G02423 | B002 | 427114027200 | S02 | 06/13/2003 | SEM | FL | | G | 24 | 64 | | |
| | 800 | 9999999 | | 80 | 0 | 30 | | 0 | | | | 842 | | N |
| HI334A | 00003 | G02423 | B003 | 427114027300 | S02 | 06/14/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5333 | | 80 | 12 | 64 | | 18 | 37.9 | | | | | N |
| HI334A | 00003 | G02423 | B008 | 427114031800 | S02 | 06/27/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4007 | | 240 | 291 | 1166 | | 852 | 38 | | | | | N |
| HI334A | 00003 | G02423 | C002 | 427114081400 | S02 | 05/27/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1640 | 9999999 | | 98 | 0 | 735 | | 4 | | | | 870 | | N |
| HI340A | 02589 | G02426 | A017 | 427114026100 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 790 | 9999999 | 99 | 145 | 0 | 1800 | | 305 | | | | | | |
| HI370A | 00105 | G02428 | A001 | 427114016500 | S01 | 01/14/2003 | SEM | FL | | G | 24 | 52 | | |
| | 1010 | 9999999 | | 305 | 0 | 4111 | | 17 | 30 | | | 883 | | N |
| HI370A | 00105 | G02428 | A013 | 427114025900 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1020 | 9999999 | | 120 | 0 | 2091 | | 0 | 0 | | | 915 | | N |
| HI370A | 00105 | G02428 | A019 | 427114029000 | S01 | 06/18/2003 | SEM | FL | | G | 24 | 64 | | |
| | 300 | 9999999 | | 120 | 0 | 2856 | | 0 | 0 | | | 937 | | N |
| HI370A | 00105 | G02428 | A020 | 427114027001 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 54 | | |
| | 1025 | 9999999 | | 200 | 0 | 3290 | | 16 | 30 | | | 915 | | N |
| HI368A | 02421 | G02433 | A008B | 427114055300 | S03 | 06/28/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1180 | 9999999 | | 730 | 0 | 1838 | | 1200 | 0 | | | 0 | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI368A | 02421 | G02433 | A010 | 427114056401 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 46 | | |
| | 891 | 336882 | | 565 | 17 | 5727 | | 24 | 0 | | | | 0 | N |
| HI368A | 00491 | G02433 | B001 | 427114081200 | S01 | 05/20/2003 | SEM | FL | | G | | 128 | | |
| | 600 | 336222 | 0 | 150 | 9 | 3026 | | 0 | 57 | | | | | |
| HI368A | 00491 | G02433 | B002 | 427114081300 | S01 | 03/10/2003 | POT | FL | | G | 24 | 128 | | |
| | 1050 | 9999999 | 0 | 200 | 0 | 1924 | | 0 | | | .65 | | | N |
| HI368A | 00491 | G02433 | B002 | 427114081300 | S01 | 05/31/2003 | SEM | GL | | | | 128 | | |
| | 1900 | 9999999 | 0 | 1650 | 0 | 1227 | | 0 | 0 | | | | | |
| HI368A | 00491 | G02433 | B002 | 427114081300 | S03 | 06/20/2003 | POT | FL | | G | 24 | 15 | | |
| | 2200 | 9999999 | 0 | 850 | 0 | 2381 | | 0 | | | .6 | | | N |
| HI368A | 00491 | G02433 | B002 | 427114081300 | S02 | 10/20/2003 | POT | FL | | G | 24 | 14 | | |
| | 1700 | 9999999 | 0 | 1650 | 0 | 2118 | | 0 | | | .6 | | | N |
| HI368A | 00491 | G02433 | B004 | 427114081800 | S02 | 06/05/2003 | SEM | GL | | | | 128 | | |
| | 1200 | 9999999 | 99 | 575 | 0 | 4212 | | 1083 | 0 | | | | | |
| HI368A | 00491 | G02433 | B006 | 427114081900 | S02 | 04/01/2003 | POT | FL | | G | 24 | 13 | | |
| | 2200 | 9999999 | 0 | 1700 | 0 | 2935 | | 0 | | | .575 | | | N |
| HI368A | 00491 | G02433 | B006 | 427114081900 | S02 | 05/17/2003 | SEM | GL | | | | 128 | | |
| | 2200 | 9999999 | 0 | 980 | 0 | 3613 | | 0 | 0 | | | | | |
| HI368A | 00491 | G02433 | B007 | 427114082900 | S01 | 06/03/2003 | SEM | GL | | G | | 128 | | |
| | 620 | 9999999 | 99 | 360 | 0 | 839 | | 4266 | 0 | | | | | |
| WC587 | 02409 | G02436 | A011 | 177024030300 | S02 | 06/07/2003 | SEM | FL | | G | | 14 | | |
| | 840 | 9999999 | 99 | 720 | 0 | 1401 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC334 | 02421 | G02439 | A009 | 177044068601 | S01 | 06/05/2003 | SEM | FL | | G | 24 | 32 | | |
| | 2240 | 9999999 | | 310 | 0 | 236 | | 991 | 0 | | | 0 | N | |
| EC334 | 02421 | G02439 | B010A | 177044064300 | S02 | 06/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 840 | 9999999 | | 450 | 0 | 257 | | 0 | 0 | | | 0 | N | |
| EC334 | 02421 | G02439 | B011 | 177044074500 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 24 | | |
| | 2950 | 824000 | | 1150 | 1 | 824 | | 899 | 0 | | | 0 | N | |
| EC334 | 02421 | G02439 | C001A | 177044036900 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1210 | 9999999 | | 510 | 0 | 711 | | 113 | 0 | | | 0 | N | |
| SP062 | 00078 | G02445 | A003 | 608164001900 | D03 | 06/21/2003 | SEM | GL | | O | 24 | 24 | | |
| | 1100 | 6231 | | 460 | 143 | 891 | | 114 | 32.7 | | | 110 | N | |
| SP062 | 00078 | G02445 | A005 | 608164001601 | S03 | 06/15/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 6906 | | 100 | 32 | 221 | | 780 | 31.5 | | | 80 | N | |
| SP062 | 00078 | G02445 | A006 | 608164002001 | S02 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 5500 | | 80 | 14 | 77 | | 0 | 31.5 | | | 75 | N | |
| SP062 | 00078 | G02445 | A007 | 608164002100 | D05 | 06/25/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 2326 | | 75 | 43 | 100 | | 168 | 56.9 | | | 75 | N | |
| SP062 | 00078 | G02445 | A008 | 608164002200 | S04 | 06/15/2003 | SEM | GL | | O | 24 | 38 | | |
| | 1100 | 662 | | 140 | 130 | 86 | | 132 | 29.7 | | | 75 | N | |
| SP062 | 00078 | G02445 | A009 | 608164002300 | S04 | 06/16/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 8750 | | 80 | 20 | 175 | | 12 | 39.2 | | | 70 | N | |
| SP062 | 00078 | G02445 | A011 | 608164002700 | S02 | 05/10/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 1589 | | 100 | 124 | 197 | | 6 | 36.1 | | | 93 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP062 | 00078 | G02445 | A014 | 608164002501 | S01 | 06/25/2003 | SEM | GL | | O | 24 | 38 | | |
| | 1100 | 1987 | | 160 | 224 | 445 | | 0 | 39.3 | | | 92 | N | |
| SP062 | 00078 | G02445 | A016 | 608164003501 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 34 | | |
| | 1100 | 4450 | | 200 | 149 | 663 | | 66 | 42.1 | | | 120 | N | |
| SP062 | 00078 | G02445 | A017 | 608164004200 | S05 | 06/22/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1100 | 3481 | | 100 | 54 | 188 | | 6 | 28.5 | | | 65 | N | |
| SP062 | 00078 | G02445 | A018 | 608164003600 | S06 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 1529 | | 152 | 121 | 185 | | 1086 | 38 | | | 113 | N | |
| SP062 | 00078 | G02445 | A019 | 608164002802 | S03 | 05/10/2003 | POT | FL | | G | 24 | 8 | | |
| | 2200 | 9999999 | 0 | 2000 | 0 | 1221 | | 0 | | | .62 | | N | |
| SP062 | 00078 | G02445 | A020 | 608164002401 | S02 | 06/22/2003 | SEM | GL | | O | 24 | 46 | | |
| | 1100 | 3615 | | 100 | 52 | 188 | | 6 | 38 | | | 80 | N | |
| SP062 | 00078 | G02445 | A022 | 608164003901 | S03 | 06/15/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 2210 | | 95 | 100 | 221 | | 6 | 18 | | | 75 | N | |
| SP062 | 00078 | G02445 | A023 | 608164004500 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 1221 | | 102 | 281 | 343 | | 12 | 35.5 | | | 76 | N | |
| SP062 | 00078 | G02445 | A024 | 608164004801 | S01 | 05/25/2003 | SEM | GL | | O | 24 | 62 | | |
| | 1100 | 1331 | | 100 | 133 | 177 | | 48 | 30 | | | 70 | N | |
| SP062 | 00078 | G02445 | A028D | 608164028800 | D03 | 05/23/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1100 | 1446 | | 130 | 92 | 133 | | 6 | 36 | | | 77 | N | |
| SP062 | 00078 | G02445 | A029 | 608164032001 | S01 | 05/27/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1100 | 14808 | | 152 | 73 | 1081 | | 594 | 62.2 | | | 115 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC507 | 00222 | G02549 | A003D | 177024020101 | D02 | 02/22/2003 | SEM | FL | | G | | 30 | | |
| | 610 | 9999999 | 0 | 160 | 0 | 498 | | 0 | 0 | | | | | |
| WC507 | 00222 | G02549 | A007 | 177024094900 | S03 | 02/27/2003 | SEM | FL | | G | | 20 | | |
| | 2000 | 9999999 | 99 | 840 | 0 | 356 | | 298 | 0 | | | | | |
| WC507 | 01364 | G02549 | C001 | 177024130300 | S01 | 03/01/2003 | SEM | FL | | G | | 25 | | |
| | 3480 | 27392 | 0 | 3040 | 434 | 11888 | | 0 | 52.2 | | | | | |
| WC537 | 02421 | G02555 | 007D | 177024054300 | D02 | 06/26/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1045 | 9999999 | | 485 | 0 | 1493 | | 220 | 0 | | | | 0 | N |
| EC038 | 00282 | G02562 | 007 | 177034086002 | S02 | 06/30/2003 | SEM | FL | | G | | 14 | | |
| | 10200 | 25532 | 95.94 | 7600 | 47 | 1200 | | 1110 | 46.8 | | | | | |
| EC359 | 00981 | G02567 | A004D | 177044049200 | D61 | 04/28/2003 | SEM | FL | | G | 24 | 64 | | |
| | 440 | 9999999 | | 62 | 0 | 281 | | 8 | 0 | | | | 1035 | N |
| VR331 | 01764 | G02572 | A001 | 177064021600 | S01 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 1183 | 14.69 | 110 | 273 | 323 | | 47 | 33.2 | | | | | |
| VR331 | 01764 | G02572 | A002 | 177064022000 | S01 | 05/20/2003 | SEM | FL | | G | | 31 | | |
| | 560 | 9999999 | 0 | 300 | 0 | 775 | | 0 | | | | | | |
| VR331 | 01764 | G02572 | A003C | 177064022800 | S04 | 05/05/2003 | SEM | GL | | G | | 64 | | |
| | 500 | 15400 | 88.89 | 90 | 10 | 154 | | 80 | 35.6 | | | | | |
| VR331 | 01764 | G02572 | A004A | 177064024200 | S02 | 03/29/2003 | SEM | GL | | O | | 64 | | |
| | 1975 | 1400 | 86.93 | 135 | 40 | 56 | | 266 | 34.5 | | | | | |
| VR331 | 01764 | G02572 | A005B | 177064024600 | S03 | 05/25/2003 | SEM | FL | | G | | 48 | | |
| | 1975 | 9999999 | 99 | 140 | 0 | 78 | | 880 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR331 | 01764 | G02572 | A006 | 177064026401 | S01 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | 1120 | 1574 | 12.94 | 90 | 148 | 233 | | 22 | 36.9 | | | | | |
| VR331 | 01764 | G02572 | A007 | 177064026901 | S01 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 740 | 1818 | 75.14 | 110 | 44 | 80 | | 133 | 31.4 | | | | | |
| VR331 | 01764 | G02572 | A010A | 177064030000 | D02 | 05/25/2003 | SEM | GL | | O | | 64 | | |
| | 960 | 3229 | 96.09 | 90 | 35 | 113 | | 860 | 33.3 | | | | | |
| VR331 | 01764 | G02572 | A014 | 177064032001 | D01 | 05/20/2003 | SEM | GL | | O | | 64 | | |
| | 460 | 3000 | 87.5 | 110 | 20 | 60 | | 140 | 37.6 | | | | | |
| VR331 | 01764 | G02572 | A017 | 177064035500 | S01 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 21800 | 68.75 | 110 | 5 | 109 | | 11 | 33.8 | | | | | |
| VR331 | 01764 | G02572 | A018A | 177064039700 | D03 | 06/02/2003 | SEM | GL | | O | | 64 | | |
| | 540 | 4500 | 97.14 | 125 | 20 | 90 | | 680 | 37 | | | | | |
| VR331 | 01764 | G02572 | A021S | 177064038701 | D03 | 05/23/2003 | SEM | GL | | G | | 64 | | |
| | 990 | 1429 | 38.24 | 110 | 21 | 30 | | 13 | 32.1 | | | | | |
| VR380 | 00048 | G02580 | A006 | 177064046402 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 2689 | | 90 | 45 | 121 | | 4 | 33.3 | | | | | N |
| VR380 | 00048 | G02580 | A008 | 177064046901 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 39 | | |
| | | 1351 | | 100 | 74 | 100 | | 295 | 37.5 | | | | | N |
| VR380 | 00048 | G02580 | A010 | 177064047600 | S01 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 5049 | | 130 | 82 | 414 | | 547 | 33.5 | | | | | N |
| SM128 | 02421 | G02587 | A004C | 177084014601 | D04 | 06/03/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1090 | 2165 | | 130 | 121 | 262 | | 329 | 41.2 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM128 | 02421 | G02587 | A009D | 177084019100 | D03 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 915 | | 215 | 106 | 97 | | 1205 | 40 | | | | 0 | N |
| SM128 | 02421 | G02587 | A010 | 177084019302 | D01 | 06/02/2003 | SEM | FL | | O | 24 | 27 | | |
| | 1065 | 556 | | 790 | 1421 | 790 | | 21 | 40.1 | | | | 0 | N |
| SM128 | 02421 | G02587 | A010D | 177084019302 | D02 | 06/15/2003 | SEM | FL | | G | 24 | 29 | | |
| | 2110 | 303769 | | 1290 | 13 | 3949 | | 2 | 51.4 | | | | 0 | N |
| SM128 | 02421 | G02587 | A011 | 177084017103 | D01 | 06/01/2003 | SEM | GL | | O | 24 | 21 | | |
| | 1000 | 5269 | | 320 | 26 | 137 | | 45 | 41.8 | | | | 0 | N |
| SM128 | 02421 | G02587 | A012A | 177084023600 | S02 | 06/04/2003 | SEM | FL | | O | 24 | 34 | | |
| | 1000 | 1124 | | 310 | 113 | 127 | | 768 | 40.3 | | | | 0 | N |
| SM128 | 02421 | G02587 | A013 | 177084024002 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 64 | | |
| | 1900 | 670 | | 100 | 112 | 75 | | 73 | 38.2 | | | | 0 | N |
| SM128 | 02421 | G02587 | A023 | 177084037601 | D01 | 06/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1460 | 21667 | | 140 | 12 | 260 | | 69 | 42.4 | | | | 0 | N |
| SM128 | 02421 | G02587 | A025 | 177084040000 | D01 | 06/05/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1100 | 500 | | 300 | 62 | 31 | | 499 | 41.1 | | | | 0 | N |
| SM128 | 02421 | G02587 | A025D | 177084040000 | D02 | 06/07/2003 | SEM | FL | | O | 24 | 35 | | |
| | 1090 | 12495 | | 590 | 91 | 1137 | | 1448 | 39.5 | | | | 0 | N |
| SM128 | 02421 | G02587 | B001A | 177084011000 | S02 | 05/06/2003 | SEM | GL | | O | 24 | 64 | | |
| | 630 | 3290 | | 200 | 62 | 204 | | 223 | 42.9 | | | | 0 | N |
| SM128 | 02421 | G02587 | B005D | 177084012700 | S02 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | 760 | 788 | | 150 | 151 | 119 | | 131 | 43.2 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM128 | 02421 | G02587 | B012 | 177084016401 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 64 | | |
| | 640 | 615 | | 180 | 252 | 155 | | 0 | 43.3 | | | | 0 | N |
| SM128 | 02421 | G02587 | B013D | 177084023500 | D02 | 06/11/2003 | SEM | GL | | O | 24 | 64 | | |
| | 850 | 22 | | 175 | 178 | 4 | | 77 | 43.1 | | | | 0 | N |
| SM128 | 02421 | G02587 | B015D | 177084024700 | D02 | 05/27/2003 | SEM | GL | | O | 24 | 64 | | |
| | 560 | 5240 | | 130 | 25 | 131 | | 18 | 42.8 | | | | 0 | N |
| SM128 | 02421 | G02587 | B018 | 177084029200 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 870 | 1778 | | 200 | 117 | 208 | | 55 | 43.2 | | | | 0 | N |
| SM128 | 02421 | G02587 | B020D | 177084063300 | D02 | 06/07/2003 | SEM | FL | | O | 24 | 64 | | |
| | 960 | 771 | | 200 | 96 | 74 | | 0 | 43.3 | | | | 0 | N |
| SM128 | 02421 | G02587 | B021 | 177084078200 | S01 | 06/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 960 | 667 | | 150 | 156 | 104 | | 319 | 43.3 | | | | 0 | N |
| SM128 | 02421 | G02587 | B024 | 177084088600 | D01 | 06/08/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 171 | | 150 | 41 | 7 | | 310 | 43.3 | | | | 0 | N |
| SM128 | 02421 | G02587 | B024D | 177084088600 | D02 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 540 | 469 | | 200 | 623 | 292 | | 135 | 43.2 | | | | 0 | N |
| SM128 | 02421 | G02587 | C003 | 177084029600 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1080 | 1177 | | 180 | 248 | 292 | | 641 | 24.8 | | | | 0 | N |
| SM128 | 02421 | G02587 | C004 | 177084030000 | D03 | 06/06/2003 | SEM | FL | | O | 24 | 64 | | |
| | 1120 | 463 | | 200 | 482 | 223 | | 807 | 37.4 | | | | 0 | N |
| SM128 | 02421 | G02587 | C004D | 177084030000 | D02 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1120 | 1828 | | 180 | 58 | 106 | | 165 | 24 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM128 | 02421 | G02587 | C005 | 177084030700 | S02 | 06/04/2003 | SEM | FL | | O | 24 | 64 | | |
| | 1140 | 5317 | | 160 | 101 | 537 | | 67 | 40.2 | | | | 0 | N |
| SM128 | 02421 | G02587 | C007 | 177084031700 | S01 | 06/19/2003 | SEM | FL | | G | 24 | 8 | | |
| | 1250 | 9999999 | | 640 | 0 | 288 | | 0 | 0 | | | | 0 | N |
| SM128 | 02421 | G02587 | C008D | 177084032000 | D02 | 06/18/2003 | SEM | GL | | O | 24 | 8 | | |
| | 1220 | 2550 | | 180 | 60 | 153 | | 24 | 40.8 | | | | 0 | N |
| SM128 | 02421 | G02587 | C013 | 177084037700 | D01 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 1707 | | 160 | 41 | 70 | | 65 | 41 | | | | 0 | N |
| SM128 | 02421 | G02587 | C014 | 177084038900 | S01 | 06/16/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1140 | 2750 | | 140 | 24 | 66 | | 321 | 41.4 | | | | 0 | N |
| SM128 | 02421 | G02587 | C015A | 177084039300 | S03 | 06/09/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1060 | 5787 | | 200 | 89 | 515 | | 17 | 39.7 | | | | 0 | N |
| SM128 | 02421 | G02587 | C016D | 177084062000 | D02 | 06/10/2003 | SEM | GL | | O | 24 | 24 | | |
| | 1160 | 8772 | | 350 | 57 | 500 | | 50 | 42.6 | | | | 0 | N |
| SM128 | 02421 | G02587 | C017A | 177084062600 | S02 | 06/13/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1070 | 1353 | | 240 | 119 | 161 | | 678 | 41 | | | | 0 | N |
| SM128 | 02421 | G02587 | C018D | 177084062900 | D02 | 06/11/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1040 | 7063 | | 150 | 16 | 113 | | 82 | 42 | | | | 0 | N |
| SM128 | 02421 | G02587 | C019 | 177084088000 | D01 | 06/04/2003 | SEM | FL | | O | 24 | 64 | | |
| | 1240 | 1663 | | 240 | 386 | 642 | | 385 | 40.2 | | | | 0 | N |
| SM128 | 02421 | G02587 | C019D | 177084088000 | D02 | 06/16/2003 | SEM | FL | | O | 24 | 30 | | |
| | 1580 | 3251 | | 580 | 670 | 2178 | | 6 | 42 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM128 | 02421 | G02587 | C020 | 177084088100 | D01 | 06/17/2003 | SEM | FL | | O | 24 | 22 | | |
| | 1900 | 5576 | | 650 | 177 | 987 | | 633 | 40.5 | | | | 0 | N |
| SM128 | 02421 | G02587 | C021 | 177084088201 | D01 | 06/12/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1560 | 6967 | | 175 | 60 | 418 | | 158 | 41.6 | | | | 0 | N |
| SM128 | 02421 | G02587 | C021D | 177084088201 | D02 | 06/25/2003 | SEM | FL | | O | 24 | 44 | | |
| | 1190 | 12000 | | 140 | 7 | 84 | | 4 | 42.4 | | | | 0 | N |
| SM137 | 00003 | G02588 | A015 | 177084071200 | S02 | 02/22/2003 | POT | FL | | G | 24 | 15 | | |
| | 1715 | 672000 | 0 | 1700 | 3 | 2016 | | 0 | 58.7 | .65 | | | | N |
| SM137 | 00003 | G02588 | A015 | 177084071200 | S02 | 06/04/2003 | SEM | FL | | G | 24 | 19 | | |
| | 2600 | 9999999 | | 1120 | 0 | 2808 | | 3 | 58.7 | | | | 971 | N |
| SM137 | 00003 | G02589 | A001D | 177084007700 | D02 | 05/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 895 | | 140 | 76 | 68 | | 124 | 31.5 | | | | | N |
| SM137 | 00003 | G02589 | A003 | 177084020400 | S02 | 05/21/2003 | SEM | FL | | G | 24 | 26 | | |
| | 1200 | 9999999 | | 1100 | 0 | 1095 | | 838 | | | | | 970 | N |
| SM137 | 00003 | G02589 | A005 | 177084024100 | D03 | 05/29/2003 | SEM | FL | | G | 24 | 35 | | |
| | 1010 | 9999999 | | 325 | 0 | 2429 | | 11 | | | | | 925 | N |
| SM137 | 00003 | G02589 | A014 | 177084045000 | D01 | 05/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 4000 | | 105 | 38 | 152 | | 1104 | 35.3 | | | | | N |
| SM137 | 00003 | G02589 | A018 | 177084072800 | D03 | 05/22/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 5897 | | 100 | 58 | 342 | | 390 | 31.8 | | | | | N |
| SM137 | 00003 | G02592 | C002 | 177084089100 | S01 | 06/19/2003 | SEM | FL | | G | 24 | 44 | | |
| | 1100 | 55250 | | 370 | 64 | 3536 | | 1 | 35.9 | | | | 881 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM137 | 00003 | G02592 | C004 | 177084090300 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 19 | | |
| | | 5099 | | 1610 | 365 | 1861 | | 376 | 39.6 | | | | | N |
| SM137 | 00003 | G02592 | C005 | 177084090400 | S01 | 06/13/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 1815 | | 1370 | 1515 | 2749 | | 0 | 34.1 | | | | | N |
| SM252 | 01046 | G02598 | A001D | 177074022001 | D04 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 2900 | 9999999 | 99 | 1050 | 0 | 0 | | 15 | 50.7 | | | | | |
| SM269 | 00148 | G02600 | C008 | 177074017701 | S01 | 04/18/2003 | POT | FL | | O | 24 | 41 | | |
| | 1668 | 1960 | 0 | 374 | 881 | 1727 | | 0 | 37 | | .67 | | | N |
| SM269 | 00148 | G02600 | C025 | 177074083500 | S01 | 08/12/2003 | POT | FL | | O | 24 | 39 | | |
| | 2306 | 1136 | 9.94 | 1400 | 3281 | 3728 | | 362 | 39.8 | | .615 | | | N |
| SM269 | 00148 | G02600 | I001 | 177074082601 | S02 | 06/08/2003 | POT | FL | | O | 24 | 32 | | |
| | 1560 | 1001 | 0 | 1212 | 2700 | 2703 | | 0 | 38.7 | | .6 | | | N |
| EI057 | 00185 | G02601 | 003 | 177094022400 | S03 | 06/29/2003 | SEM | FL | | G | 24 | 22 | | |
| | 4000 | 63218 | | 3600 | 119 | 7523 | | 0 | 49.9 | | | | 750 | N |
| EI057 | 00185 | G02601 | 003 | 177094022400 | S03 | 07/08/2003 | POT | FL | | G | 24 | 22 | | |
| | 3750 | 71774 | 0 | 3550 | 106 | 7608 | | 0 | 50.4 | | .594 | | | N |
| EI057 | 02268 | G02601 | 014D | 177094126602 | D02 | 01/05/2003 | SEM | FL | | G | | 16 | | |
| | 3850 | 44149 | 88.89 | 3000 | 47 | 2075 | | 376 | 43.9 | | | | | |
| EI057 | 02268 | G02601 | 014D | 177094126602 | D02 | 06/15/2003 | SEM | FL | | G | | 12 | | |
| | 3800 | 119167 | 92.86 | 2880 | 12 | 1430 | | 156 | 44.1 | | | | | |
| EI057 | 02268 | G02601 | H001 | 177094127901 | D01 | 01/06/2003 | SEM | FL | | G | | 16 | | |
| | 3800 | 65412 | 95.63 | 1750 | 17 | 1112 | | 372 | 42.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI057 | 02268 | G02601 | H001 | 177094127901 | D03 | 05/21/2003 | SEM | FL | | G | | 20 | | |
| | 3600 | 155750 | 98.8 | 1100 | 4 | 623 | | 329 | 40.4 | | | | | |
| EI057 | 02268 | G02601 | H001D | 177094127901 | D02 | 05/22/2003 | SEM | FL | | G | | 18 | | |
| | 4000 | 160600 | 99 | 1500 | 5 | 803 | | 1044 | 43.6 | | | | | |
| EI333 | 00771 | G02608 | B002 | 177104058900 | S03 | 04/26/2003 | SEM | FL | | | 24 | 21 | | |
| | 1240 | 9999999 | | 400 | 0 | 246 | | 566 | | | | | 175 | N |
| EI333 | 00771 | G02608 | B006 | 177104064200 | S03 | 04/21/2003 | SEM | FL | | | 24 | 20 | | |
| | 1460 | 9999999 | | 610 | 0 | 42 | | 3120 | | | | | 490 | N |
| EI333 | 00771 | G02608 | B008 | 177104066800 | S01 | 04/25/2003 | SEM | GL | | | 24 | 19 | | |
| | 760 | 1548 | | 125 | 84 | 130 | | 216 | 26.6 | | | | 75 | N |
| EI333 | 00771 | G02608 | B009 | 177104067400 | S06 | 04/25/2003 | SEM | FL | | | 24 | 19 | | |
| | 1460 | 9999999 | | 125 | 0 | 450 | | 6 | | | | | 100 | N |
| EI333 | 00771 | G02608 | B010 | 177104068001 | S01 | 04/26/2003 | SEM | GL | | | 24 | 19 | | |
| | 500 | 1477 | | 100 | 86 | 127 | | 65 | 27.2 | | | | 90 | N |
| EI333 | 00771 | G02608 | B012 | 177104069701 | S03 | 04/26/2003 | SEM | FL | | | 24 | 20 | | |
| | 500 | 91000 | | 100 | 2 | 182 | | 8 | 27.2 | | | | 90 | N |
| EI333 | 00771 | G02608 | B014 | 177104072800 | S02 | 04/27/2003 | SEM | GL | | | 24 | 50 | | |
| | 1420 | 3120 | | 95 | 108 | 337 | | 0 | 27.2 | | | | 120 | N |
| EI333 | 00771 | G02608 | B016 | 177104074901 | S01 | 04/28/2003 | SEM | FL | | | 24 | 19 | | |
| | 820 | 9999999 | | 650 | 0 | 340 | | 1100 | | | | | 100 | N |
| EI292 | 00222 | G02608 | J004 | 177104150600 | S01 | 05/24/2003 | SEM | FL | | G | | 36 | | |
| | 1575 | 388842 | 0 | 1125 | 19 | 7388 | | 0 | 39.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI333 | 02421 | G02613 | A021 | 177104153401 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 39 | | |
| | 2600 | 52179 | | 1600 | 212 | 11062 | | 560 | 53.8 | | | | 0 | N |
| ST036 | 00078 | G02624 | B001 | 177154010001 | S01 | 05/17/2003 | POT | FL | | G | 8 | 36 | | |
| | 1329 | 9999999 | 100 | 970 | 0 | 2652 | | 15 | | | .65 | | | N |
| ST036 | 00078 | G02624 | B001 | 177154010001 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 44 | | |
| | 2380 | 9999999 | | 960 | 0 | 2540 | | 4 | | | | | 956 | N |
| ST036 | 00078 | G02624 | B006 | 177154023701 | S01 | 05/05/2003 | POT | FL | | O | 10 | 34 | | |
| | 2380 | 1553 | 0 | 1930 | 729 | 1132 | | 0 | 35.4 | | .65 | | | N |
| ST036 | 00078 | G02624 | B006 | 177154023701 | S01 | 06/24/2003 | SEM | FL | | O | 24 | 19 | | |
| | 2380 | 663 | | 1403 | 815 | 540 | | 8 | 35.3 | | | | 969 | N |
| ST036 | 00078 | G02624 | B009 | 177154028901 | S02 | 06/02/2003 | SEM | GL | | O | 24 | 79 | | |
| | 1178 | 362 | | 168 | 127 | 46 | | 509 | 37.6 | | | | 144 | N |
| ST036 | 00078 | G02624 | B019 | 177154113100 | S01 | 07/22/2003 | POT | FL | | O | 13 | 64 | | |
| | | 939 | 0 | 1735 | 609 | 572 | | 0 | 36.4 | | .65 | | | N |
| ST036 | 00078 | G02624 | B021 | 177154102000 | S01 | 06/04/2003 | SEM | FL | | G | 24 | 45 | | |
| | 1929 | 9999999 | | 1334 | 0 | 8415 | | 621 | 41.2 | | | | 999 | N |
| ST037 | 00078 | G02625 | A001 | 177154008601 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 24 | | |
| | 1970 | 6907 | | 649 | 107 | 739 | | 379 | 38.1 | | | | 155 | N |
| ST037 | 00078 | G02625 | A002 | 177154011101 | S03 | 06/10/2003 | SEM | FL | | O | 24 | 26 | | |
| | 2267 | 660 | | 1502 | 1455 | 960 | | 15 | 34.7 | | | | 932 | N |
| ST037 | 00078 | G02625 | A004 | 177154014001 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 18 | | |
| | 3281 | 37419 | | 1489 | 31 | 1160 | | 597 | 45.8 | | | | 916 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST037 | 00078 | G02625 | A008 | 177154018601 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 93 | | |
| | 1953 | 551 | | 166 | 490 | 270 | | 434 | 31.1 | | | 155 | N | |
| ST037 | 00078 | G02625 | A010 | 177154017403 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 12 | | |
| | 2434 | 1005 | | 1536 | 215 | 216 | | 97 | 29.2 | | | 160 | N | |
| ST037 | 00078 | G02625 | A011 | 177154097600 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 50 | | |
| | 1015 | 725 | | 280 | 753 | 546 | | 1281 | 35.3 | | | 181 | N | |
| ST037 | 00078 | G02625 | A012 | 177154100200 | S01 | 06/26/2003 | SEM | GL | | O | 24 | 48 | | |
| | 1145 | 288 | | 178 | 146 | 42 | | 583 | 28.4 | | | 168 | N | |
| ST037 | 00078 | G02625 | A013 | 177154100300 | S01 | 06/08/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1640 | 2167 | | 192 | 24 | 52 | | 120 | 32.2 | | | 163 | N | |
| ST037 | 00078 | G02625 | A014 | 177154100400 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 42 | | |
| | 1635 | 656 | | 250 | 686 | 450 | | 1120 | 30 | | | 156 | N | |
| ST037 | 00078 | G02625 | A016 | 177154102500 | D01 | 06/10/2003 | SEM | FL | | G | 24 | 15 | | |
| | 4570 | 2308 | | 2462 | 104 | 240 | | 311 | 15.7 | | | 923 | N | |
| ST037 | 00078 | G02625 | A016D | 177154102500 | D02 | 06/05/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1396 | 863 | | 163 | 160 | 138 | | 374 | 34.2 | | | 148 | N | |
| ST037 | 00078 | G02625 | A017 | 177154110000 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 36 | | |
| | 1657 | 9999999 | | 932 | 0 | 2064 | | 1632 | | | | 903 | N | |
| ST037 | 00078 | G02625 | A018 | 177154110100 | S01 | 06/05/2003 | SEM | FL | | O | 24 | 29 | | |
| | 1972 | 476 | | 551 | 1337 | 636 | | 314 | 30.9 | | | 159 | N | |
| ST037 | 00078 | G02625 | A019 | 177154110200 | S01 | 06/04/2003 | SEM | FL | | O | 24 | 36 | | |
| | 4218 | 254 | | 441 | 2388 | 606 | | 24 | 32.3 | | | 187 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST037 | 00078 | G02625 | C009 | 177154107700 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 13 | | |
| | 2018 | 5045 | | 1269 | 44 | 222 | | 838 | 44.9 | | | 196 | N | |
| ST037 | 00078 | G02625 | C010 | 177154107800 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 13 | | |
| | 3313 | 3500 | | 778 | 270 | 945 | | 27 | 51 | | | 215 | N | |
| ST037 | 00078 | G02625 | H001D | 177154087500 | D02 | 06/06/2003 | SEM | FL | | G | 24 | 40 | | |
| | 2005 | 31481 | | 908 | 54 | 1700 | | 2622 | 45.1 | | | 244 | N | |
| ST037 | 00078 | G02625 | H002 | 177154088000 | D04 | 06/16/2003 | SEM | GL | | O | 24 | 45 | | |
| | 769 | 464 | | 242 | 112 | 52 | | 636 | 29.7 | | | 240 | N | |
| ST037 | 00078 | G02625 | H002D | 177154088000 | D05 | 06/02/2003 | SEM | FL | | O | 24 | 24 | | |
| | 990 | 543 | | 806 | 965 | 524 | | 322 | 30.6 | | | 214 | N | |
| ST037 | 00078 | G02625 | H003 | 177154088500 | D03 | 06/15/2003 | SEM | FL | | O | 24 | 38 | | |
| | 1703 | 787 | | 1027 | 922 | 726 | | 797 | 50.8 | | | 927 | N | |
| ST037 | 00078 | G02625 | H003D | 177154088500 | D04 | 06/15/2003 | SEM | FL | | O | 24 | 22 | | |
| | 1250 | 433 | | 1045 | 563 | 244 | | 25 | 36 | | | 966 | N | |
| ST037 | 00078 | G02625 | H004 | 177154089301 | S01 | 06/12/2003 | POT | FL | | G | 6 | 20 | | |
| | 4869 | 7146 | 0 | 3418 | 724 | 5174 | | 0 | 38.8 | .65 | | | N | |
| ST037 | 00078 | G02625 | H004 | 177154089301 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 20 | | |
| | 4869 | 7816 | | 3418 | 662 | 5174 | | 0 | 38.7 | | | 960 | N | |
| ST037 | 00078 | G02625 | H005D | 177154089500 | D02 | 05/13/2003 | SEM | GL | | O | 24 | 45 | | |
| | 1916 | 692 | | 239 | 156 | 108 | | 1144 | 21.8 | | | 197 | N | |
| ST037 | 00078 | G02625 | H006D | 177154089601 | D02 | 06/05/2003 | SEM | FL | | O | 24 | 34 | | |
| | 1614 | 1089 | | 364 | 292 | 318 | | 1166 | 33.1 | | | 245 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST037 | 00078 | G02625 | H007D | 177154092601 | D61 | 06/10/2003 | SEM | GL | | O | 24 | 39 | | |
| | 990 | 448 | | 348 | 366 | 164 | | 1465 | 33 | | | | 266 | N |
| ST037 | 00078 | G02625 | H008D | 177154092700 | D61 | 06/18/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1341 | 503 | | 301 | 185 | 93 | | 1663 | 30.6 | | | | 249 | N |
| ST037 | 00078 | G02625 | H009D | 177154096500 | D02 | 06/19/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1115 | 1538 | | 280 | 117 | 180 | | 663 | 34.1 | | | | 245 | N |
| ST037 | 00078 | G02625 | I001 | 177154093700 | S01 | 06/04/2003 | SEM | FL | | O | 24 | 38 | | |
| | 2499 | 1212 | | 652 | 1552 | 1881 | | 1376 | 34.1 | | | | 202 | N |
| ST037 | 00078 | G02625 | I002 | 177154101001 | S01 | 06/09/2003 | SEM | FL | | O | 24 | 45 | | |
| | 3381 | 995 | | 473 | 1682 | 1674 | | 1822 | 22 | | | | 233 | N |
| ST037 | 00078 | G02625 | I003 | 177154094104 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 55 | | |
| | 1079 | 1670 | | 202 | 115 | 192 | | 1033 | 26.5 | | | | 188 | N |
| ST037 | 00078 | G02625 | I004D | 177154096100 | D02 | 06/16/2003 | SEM | GL | | O | 24 | 62 | | |
| | 2010 | 1210 | | 207 | 62 | 75 | | 301 | 21.6 | | | | 203 | N |
| ST037 | 00078 | G02625 | I007D | 177154097500 | D02 | 06/15/2003 | SEM | GL | | O | 24 | 50 | | |
| | 2178 | 864 | | 262 | 486 | 420 | | 1134 | 29.6 | | | | 207 | N |
| ST037 | 00078 | G02625 | I008 | 177154112600 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 26 | | |
| | 2080 | 1152 | | 1709 | 1702 | 1960 | | 0 | 30.9 | | | | 943 | N |
| GI095 | 02481 | G02628 | C002 | 177184002701 | S01 | 06/27/2003 | SEM | FL | | G | | 99 | | |
| | 1100 | 40700 | 14.29 | 750 | 150 | 6105 | | 25 | 46.3 | | | | | |
| GI095 | 02316 | G02628 | C009 | 177184010200 | S01 | 06/11/2003 | SEM | FL | | O | | 64 | | |
| | 848 | 865444 | 57.14 | 563 | 9 | 7789 | | 12 | 50.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC194 | 00689 | G02638 | A002 | 608174006801 | S02 | 06/05/2003 | SEM | FL | | G | 24 | 16 | | |
| | 1740 | 359556 | | 1080 | 27 | 9708 | | 357 | 50.4 | | | | 1105 | N |
| MC194 | 00689 | G02638 | A004 | 608174009602 | S01 | 06/10/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 3593 | | 125 | 54 | 194 | | 261 | 32.7 | | | | | N |
| MC194 | 00689 | G02638 | A010 | 608174010306 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 10581 | | 120 | 62 | 656 | | 16 | 40.4 | | | | | N |
| MC194 | 00689 | G02638 | A012 | 608174009801 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 36 | | |
| | | 894 | | 320 | 705 | 630 | | 61 | 36.3 | | | | | N |
| MC194 | 00689 | G02638 | A016 | 608174010402 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 8139 | | 775 | 251 | 2043 | | 34 | 36.6 | | | | | N |
| MC194 | 00689 | G02638 | A034 | 608174011903 | S01 | 06/25/2003 | SEM | FL | | G | 24 | 42 | | |
| | 2250 | 254500 | | 995 | 30 | 7635 | | 0 | 53.3 | | | | 1087 | N |
| MC194 | 00689 | G02638 | A036 | 608174013100 | S02 | 06/22/2003 | SEM | FL | | G | 24 | 21 | | |
| | 1760 | 9999999 | | 435 | 0 | 1514 | | 0 | 46.8 | | | | 1089 | N |
| MC194 | 00689 | G02638 | A038 | 608174012002 | S02 | 06/28/2003 | SEM | FL | | G | 24 | 50 | | |
| | 1080 | 1761 | | 210 | 226 | 398 | | 890 | 21.9 | | | | 1170 | N |
| MC194 | 00689 | G02638 | A040 | 608174013801 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 42 | | |
| | 870 | 9999999 | | 100 | 0 | 26 | | 0 | 42 | | | | 1089 | N |
| MC194 | 00689 | G02638 | A052 | 608174015703 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 90 | | |
| | 960 | 9999999 | | 500 | 0 | 5430 | | 0 | 47.5 | | | | 1087 | N |
| MC194 | 00689 | G02638 | A060 | 608174016501 | S01 | 06/29/2003 | SEM | GL | | G | 24 | 64 | | |
| | 710 | 9999999 | | 145 | 0 | 39 | | 0 | 54.5 | | | | 1174 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC194 | 00689 | G02638 | A062 | 608174016403 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 34 | | |
| | | 1722 | | 130 | 18 | 31 | | 64 | 39.3 | | | | | N |
| MC194 | 00689 | G02638 | A065 | 608174015503 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 80 | | |
| | 1620 | 9999999 | | 155 | 0 | 563 | | 985 | 36.9 | | | | 1087 | N |
| MC194 | 00689 | G02639 | A003 | 608174007902 | S51 | 02/16/2003 | SEM | GL | | G | 24 | 96 | | |
| | 1680 | 323917 | | 520 | 36 | 11661 | | 680 | 49.5 | | | | 1166 | N |
| MC194 | 00689 | G02639 | A008 | 608174007703 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 128 | | |
| | 1710 | 232122 | | 1250 | 98 | 22748 | | 16 | 54.5 | | | | 1087 | N |
| MC194 | 00689 | G02639 | A009 | 608174006402 | S02 | 06/24/2003 | SEM | FL | | G | 24 | 90 | | |
| | 1185 | 9999999 | | 525 | 0 | 3979 | | 0 | 59.7 | | | | 1087 | N |
| MC194 | 00689 | G02639 | A013 | 608174007203 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 90 | | |
| | | 1705 | | 150 | 129 | 220 | | 194 | 33.3 | | | | | N |
| MC194 | 00689 | G02639 | A018 | 608174010501 | S01 | 06/28/2003 | SEM | GL | | O | 24 | 90 | | |
| | | 1892 | | 100 | 148 | 280 | | 8 | 33.3 | | | | | N |
| MC194 | 00689 | G02639 | A024 | 608174011402 | S01 | 05/17/2003 | SEM | FL | | G | | 21 | | |
| | 6100 | 33028 | 1 | 5800 | 396 | 13079 | | 4 | 49.2 | | | | | |
| MC194 | 00689 | G02639 | A024 | 608174011403 | S01 | 10/15/2003 | POT | FL | | G | 24 | 24 | | |
| | 5800 | 33494 | .56 | 4900 | 530 | 17752 | | 3 | 49.2 | .65 | | | | N |
| MC194 | 00689 | G02639 | A037 | 608174012603 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 34 | | |
| | 1115 | 998000 | | 125 | 1 | 998 | | 3 | 55 | | | | 1170 | N |
| MC194 | 00689 | G02639 | A048 | 608174014902 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 58 | | |
| | | 15538 | | 140 | 13 | 202 | | 46 | 43.9 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC194 | 00689 | G02639 | A050 | 608174015301 | S01 | 06/07/2003 | SEM | GL | | G | 24 | 32 | | |
| | 2120 | 9999999 | | 495 | 0 | 462 | | 2 | 57.6 | | | | 1105 | N |
| MC194 | 00689 | G02642 | A020B | 608174011100 | S03 | 06/27/2003 | SEM | FL | | O | 24 | 50 | | |
| | | 624 | | 150 | 242 | 151 | | 190 | 34.9 | | | | | N |
| MC194 | 00689 | G02642 | A054 | 608174015801 | S01 | 06/19/2003 | SEM | GL | | O | 24 | 90 | | |
| | | 12750 | | 125 | 12 | 153 | | 335 | 33.9 | | | | | N |
| MC194 | 00689 | G02643 | A007 | 608174006103 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 104 | | |
| | | 350 | | 240 | 5420 | 1898 | | 0 | 28.3 | | | | | N |
| MC194 | 00689 | G02643 | A011A | 608174006301 | S02 | 06/25/2003 | SEM | FL | | O | 24 | 80 | | |
| | | 6270 | | 115 | 37 | 232 | | 55 | 30.2 | | | | | N |
| MC194 | 00689 | G02643 | A021 | 608174009901 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 90 | | |
| | | 198 | | 140 | 333 | 66 | | 299 | 31.9 | | | | | N |
| MC194 | 00689 | G02643 | A027 | 608174012402 | S01 | 06/25/2003 | SEM | FL | | G | 24 | 32 | | |
| | 2000 | 386750 | | 500 | 8 | 3094 | | 0 | 37 | | | | 1087 | N |
| MC194 | 00689 | G02643 | A039 | 608174012801 | S04 | 06/24/2003 | SEM | FL | | G | 24 | 40 | | |
| | 1900 | 9999999 | | 125 | 0 | 293 | | 215 | 32.7 | | | | 1087 | N |
| MC194 | 00689 | G02643 | A047A | 608174011501 | S01 | 06/26/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1180 | | 100 | 122 | 144 | | 35 | 32.1 | | | | | N |
| MC194 | 00689 | G02643 | A057 | 608174014700 | S02 | 06/25/2003 | SEM | FL | | O | 24 | 80 | | |
| | | 2928 | | 150 | 69 | 202 | | 29 | 33.6 | | | | | N |
| EB158 | 00003 | G02645 | A007 | 608044005100 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 18 | | |
| | 925 | 231 | | 200 | 147 | 34 | | 3 | 34.2 | | | | 1157 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB158 | 00003 | G02645 | A010 | 608044005700 | S03 | 05/22/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 69825 | | 2150 | 97 | 6773 | | 10 | 61 | | | | | N |
| EB158 | 00003 | G02645 | A012 | 608044005601 | S01 | 06/03/2003 | SEM | FL | | G | 24 | 30 | | |
| | 2165 | 116038 | | 945 | 53 | 6150 | | 0 | 59.9 | | | | 1324 | N |
| EB158 | 00003 | G02645 | A013 | 608044008200 | S02 | 06/06/2003 | SEM | FL | | G | 24 | 25 | | |
| | 1440 | 205462 | | 790 | 13 | 2671 | | 0 | 59.8 | | | | 1160 | N |
| EB158 | 00003 | G02645 | A014 | 608044005901 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1000 | 466 | | 250 | 431 | 201 | | 704 | 35.1 | | | | 1150 | N |
| EB158 | 00003 | G02646 | A002 | 608044003800 | S03 | 06/17/2003 | SEM | FL | | G | 24 | 30 | | |
| | 2175 | 19229 | | 675 | 83 | 1596 | | 4 | 46.5 | | | | 1117 | N |
| EB158 | 00003 | G02646 | A004 | 608044004000 | S01 | 05/25/2003 | SEM | FL | | G | 24 | 25 | | |
| | 1960 | 179917 | | 1450 | 48 | 8636 | | 3 | 55.9 | | | | 1272 | N |
| EB158 | 00003 | G02646 | A005 | 608044004503 | S01 | 09/15/2003 | POT | FL | | O | 16 | 16 | | |
| | 2800 | 35724 | 8.98 | 2600 | 152 | 5430 | | 15 | 54.5 | | | | | N |
| EB158 | 00003 | G02646 | A006 | 608044004401 | S03 | 06/25/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1700 | 17962 | | 250 | 52 | 934 | | 37 | 39.7 | | | | 1173 | N |
| EB158 | 00003 | G02646 | A008 | 608044005003 | S02 | 05/22/2003 | SEM | FL | | O | 24 | 25 | | |
| | | 41581 | | 2480 | 270 | 11227 | | 14 | 59.8 | | | | | N |
| EB158 | 00003 | G02646 | A009 | 608044005200 | S03 | 05/17/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 768 | | 685 | 789 | 606 | | 8 | 37.9 | | | | | N |
| EB158 | 00003 | G02646 | A011 | 608044005400 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 17 | | |
| | 1925 | 119105 | | 1725 | 19 | 2263 | | 11 | 60 | | | | 1150 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB158 | 00003 | G02646 | A017 | 608044018300 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 1034 | | 110 | 176 | 182 | | 41 | 33.9 | | | | | N |
| EB160 | 00003 | G02647 | A005 | 608044003700 | S03 | 05/18/2003 | SEM | FL | | G | 24 | 9 | | |
| | 2780 | 54353 | | 2650 | 17 | 924 | | 51 | 54.5 | | | | 990 | N |
| EB158 | 00003 | G02647 | A016 | 608044006000 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 1090 | | 110 | 199 | 217 | | 108 | 34.8 | | | | | N |
| EB158 | 00003 | G02647 | A018 | 608044006904 | S02 | 06/02/2003 | SEM | FL | | G | 24 | 64 | | |
| | 3480 | 49549 | | 1475 | 328 | 16252 | | 6 | 54.6 | | | | 1206 | N |
| EB160 | 00003 | G02647 | A026 | 608044004701 | S01 | 05/25/2003 | SEM | FL | | O | 24 | 41 | | |
| | | 12360 | | 640 | 189 | 2336 | | 1400 | 34.4 | | | | | N |
| EB160 | 00003 | G02647 | A031 | 608044008400 | S01 | 05/25/2003 | SEM | FL | | G | 24 | 36 | | |
| | 2100 | 9308 | | 750 | 260 | 2420 | | 861 | 33.6 | | | | 1044 | N |
| EB205 | 00003 | G02648 | 002 | 608044022600 | S01 | 05/18/2003 | SEM | FL | | G | 24 | 30 | | |
| | 3006 | 1283 | | 1298 | 679 | 871 | | 9 | 33.1 | | | | 990 | N |
| EB160 | 00003 | G02648 | A002 | 608044003100 | S02 | 06/20/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 3000 | | 120 | 2 | 6 | | 13 | 31.2 | | | | | N |
| EB160 | 00003 | G02648 | A003 | 608044002900 | S02 | 06/21/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 250 | | 120 | 4 | 1 | | 2 | 31 | | | | | N |
| EB160 | 00003 | G02648 | A006 | 608044004201 | S01 | 05/17/2003 | SEM | FL | | O | 24 | 25 | | |
| | | 1903 | | 260 | 175 | 333 | | 1048 | 31.8 | | | | | N |
| EB160 | 00003 | G02648 | A007 | 608044004300 | S03 | 06/15/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1790 | 1182 | | 115 | 11 | 13 | | 12 | 33.1 | | | | 1006 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB160 | 00003 | G02648 | A029 | 608044005300 | S03 | 06/10/2003 | SEM | FL | | G | 24 | 11 | | |
| | 2540 | 3746 | | 1970 | 71 | 266 | | 731 | 36.1 | | | | 994 | N |
| EB109 | 01770 | G02650 | A012 | 608044019800 | S01 | 06/28/2003 | SEM | FL | | G | | 32 | | |
| | 560 | 9999999 | 99 | 180 | 0 | 241 | | 109 | | | | | | |
| EB109 | 01770 | G02650 | A013 | 608044021700 | S01 | 06/29/2003 | SEM | FL | | G | | 12 | | |
| | 1700 | 192000 | 98.91 | 1100 | 2 | 384 | | 181 | 37.4 | | | | | |
| BA070A | 02451 | G02663 | A004 | 427054002802 | S01 | 06/24/2003 | POT | FL | | G | 24 | 18 | | |
| | 2900 | 312000 | 61.54 | 1850 | 10 | 3120 | | 16 | 43 | .6 | | | | N |
| BA070A | 02451 | G02663 | A011 | 427054004701 | S01 | 06/28/2003 | POT | FL | | G | 12 | 12 | | |
| | 2300 | 9999999 | 100 | 1700 | 0 | 1594 | | 2 | 40 | .65 | | | | N |
| BA070A | 02451 | G02663 | A014 | 427054005501 | S01 | 06/06/2003 | POT | FL | | G | 24 | 20 | | |
| | 3330 | 490000 | 92.55 | 2650 | 7 | 3430 | | 87 | 43.6 | .6 | | | | N |
| BA133A | 02451 | G02665 | A002 | 427054003300 | D03 | 02/10/2003 | POT | FL | | G | 24 | 48 | | |
| | 3050 | 194000 | 60 | 850 | 8 | 1552 | | 12 | 49 | .6 | | | | N |
| BA133A | 02451 | G02665 | A002D | 427054003300 | D04 | 01/28/2003 | POT | FL | | G | 24 | 24 | | |
| | 2250 | 281800 | 41.18 | 1450 | 20 | 5636 | | 14 | 48.2 | .6 | | | | N |
| BA133A | 02451 | G02665 | A004 | 427054004301 | S01 | 05/22/2003 | POT | FL | | G | 24 | 64 | | |
| | 1948 | 2425000 | 80.85 | 825 | 9 | 21825 | | 38 | 40 | .58 | | | | N |
| BA133A | 02451 | G02665 | A005 | 427054004001 | S01 | 06/06/2003 | POT | FL | | G | 15 | 23 | | |
| | 3700 | 369821 | 26.32 | 3350 | 28 | 10355 | | 10 | 48 | .57 | | | | N |
| BA133A | 02451 | G02665 | A010 | 427054013100 | D03 | 03/10/2003 | POT | FL | | G | 24 | 17 | | |
| | 2687 | 455733 | 34.78 | 1760 | 15 | 6836 | | 8 | 46 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BA133A | 02451 | G02665 | A010D | 427054013100 | D04 | 03/11/2003 | POT | FL | | G | 24 | 21 | | |
| | 2316 | 457800 | 50 | 1580 | 10 | 4578 | | 10 | 46.7 | .6 | | | | N |
| HI469A | 00003 | G02689 | A002 | 427094042300 | S02 | 06/08/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1780 | 9999999 | | 385 | 0 | 1188 | | 0 | | | | | 897 | N |
| HI469A | 00003 | G02689 | A005 | 427094050101 | S03 | 06/09/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1940 | 9999999 | | 1205 | 0 | 4323 | | 0 | | | | | 884 | N |
| HI469A | 00003 | G02689 | A008 | 427094048401 | S02 | 06/17/2003 | SEM | FL | | G | 24 | 11 | | |
| | 2800 | 9999999 | | 2440 | 0 | 2298 | | 86 | | | | | 905 | N |
| HI469A | 00003 | G02689 | A009 | 427094100800 | S03 | 06/09/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1610 | 9999999 | | 380 | 0 | 1408 | | 24 | | | | | 891 | N |
| HI511A | 00064 | G02694 | A020 | 427094113100 | D01 | 06/03/2003 | POT | FL | | G | 17 | 18 | | |
| | 1340 | 9999999 | 100 | 1200 | 0 | 2284 | | 7 | | .565 | | | | N |
| HI511A | 00064 | G02694 | A020D | 427094113100 | D02 | 05/30/2003 | POT | FL | | G | 21 | 14 | | |
| | 1100 | 9999999 | 0 | 990 | 0 | 2775 | | 0 | | .6 | | | | N |
| HI537A | 00064 | G02696 | B004 | 427094109100 | S02 | 06/08/2003 | POT | FL | | O | 18 | 12 | | |
| | 2750 | 2250 | 2 | 1400 | 196 | 441 | | 4 | 36 | .6 | | | | N |
| HI545A | 00185 | G02705 | B004 | 427094098000 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 681 | | 240 | 279 | 190 | | 168 | 38.2 | | | | | N |
| HI545A | 00185 | G02705 | B006 | 427094100100 | S02 | 06/29/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5426 | | 160 | 54 | 293 | | 1 | 38.2 | | | | | N |
| HI568A | 00185 | G02716 | A009 | 427094060000 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 450 | 9999999 | | 130 | 0 | 2250 | | 0 | | | | | 1050 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI568A | 00185 | G02716 | A010 | 427094060701 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1600 | 9722 | | 120 | 18 | 175 | | 307 | 49.4 | | | | 1100 | N |
| HI568A | 00185 | G02716 | A017 | 427094103901 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 40 | | |
| | 1690 | 107900 | | 350 | 30 | 3237 | | 1861 | 49.4 | | | | 1050 | N |
| HI563A | 00078 | G02719 | C001A | 427094061500 | S02 | 03/02/2003 | SEM | FL | | | 24 | 50 | | |
| | 1828 | 9999999 | | 241 | 0 | 797 | | 1039 | | | | | 139 | N |
| HI563A | 00078 | G02719 | C002A | 427094061900 | S02 | 03/03/2003 | SEM | FL | | | 24 | 38 | | |
| | 1230 | 9999999 | | 93 | 0 | 561 | | 64 | | | | | 82 | N |
| HI563A | 00078 | G02719 | C019 | 427094108200 | S01 | 03/24/2003 | SEM | FL | | | 24 | 26 | | |
| | 2377 | 51443 | | 1637 | 158 | 8128 | | 0 | 53.6 | | | | 997 | N |
| HI563A | 00078 | G02719 | D001 | 427094110200 | S01 | 03/27/2003 | SEM | FL | | | 24 | 42 | | |
| | 4533 | 2023 | | 3800 | 4851 | 9814 | | 24 | 32.8 | | | | 1100 | N |
| HI563A | 00078 | G02719 | D002 | 427094110801 | S01 | 04/04/2003 | SEM | FL | | | 24 | 35 | | |
| | 5220 | 15002 | | 4874 | 1101 | 16517 | | 22 | 46.2 | | | | 1092 | N |
| HI563A | 00078 | G02719 | D003 | 427094111401 | S01 | 04/01/2003 | SEM | FL | | | 24 | 35 | | |
| | 5172 | 19042 | | 4731 | 953 | 18147 | | 106 | 48.6 | | | | 1066 | N |
| HI563A | 00078 | G02719 | D004 | 427094112200 | S01 | 04/08/2003 | SEM | FL | | | 24 | 36 | | |
| | 6074 | 11893 | | 5366 | 1582 | 18814 | | 176 | 42.3 | | | | 1130 | N |
| HI270A | 02561 | G02723 | B010 | 427114070902 | S01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 850 | 148000 | 99 | 115 | 2 | 296 | | 510 | 42.3 | | | | | |
| HI270A | 02561 | G02723 | B014 | 427114072100 | S02 | 06/03/2003 | SEM | FL | | G | | 14 | | |
| | 800 | 28500 | 96.3 | 125 | 4 | 114 | | 104 | 50.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI270A | 02561 | G02724 | B001 | 427114007900 | S02 | 06/15/2003 | SEM | FL | | G | | 48 | | |
| | 570 | 587 | 84.67 | 115 | 46 | 27 | | 254 | 37.6 | | | | | |
| HI270A | 02561 | G02724 | B013 | 427114071800 | S03 | 06/17/2003 | SEM | FL | | G | | 48 | | |
| | 1000 | 872 | 82.74 | 115 | 39 | 34 | | 187 | 36.9 | | | | | |
| HI309A | 00491 | G02735 | A003 | 427114015600 | S02 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | 650 | 9999999 | 99 | 180 | 0 | 270 | | 404 | 0 | | | | | |
| HI309A | 00491 | G02735 | A011 | 427114070400 | D03 | 06/18/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 9999999 | 99 | 310 | 0 | 505 | | 3 | 0 | | | | | |
| HI309A | 00491 | G02735 | A011D | 427114070400 | D02 | 06/15/2003 | SEM | GL | | G | | 64 | | |
| | 600 | 9999999 | 99 | 240 | 0 | 74 | | 1740 | 0 | | | | | |
| HI309A | 00491 | G02735 | A013 | 427114078300 | S03 | 06/16/2003 | SEM | GL | | | | 999 | | |
| | 575 | 9999999 | 99 | 190 | 0 | 293 | | 2 | 0 | | | | | |
| HI309A | 00491 | G02735 | A017 | 427114080301 | S02 | 06/17/2003 | SEM | GL | | | | 48 | | |
| | 530 | 9999999 | 99 | 175 | 0 | 91 | | 88 | 0 | | | | | |
| HI309A | 00491 | G02735 | B004 | 427114058201 | S02 | 05/23/2003 | SEM | FL | | G | | 64 | | |
| | 1400 | 9999999 | 99 | 100 | 0 | 368 | | 3 | | | | | | |
| HI334A | 00003 | G02738 | A014 | 427114028403 | S02 | 05/20/2003 | SEM | FL | | G | 24 | 28 | | |
| | 520 | 9999999 | | 377 | 0 | 72 | | 0 | | | | | 385 | N |
| HI340A | 02589 | G02739 | A005 | 427114015700 | S01 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 510 | 9999999 | 0 | 145 | 0 | 1010 | | 0 | | | | | | |
| HI340A | 02589 | G02739 | A008D | 427114017800 | D02 | 05/27/2003 | SEM | FL | | G | | 32 | | |
| | 750 | 9999999 | 99 | 145 | 0 | 933 | | 167 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI340A | 02589 | G02739 | A011 | 427114021001 | S01 | 05/26/2003 | SEM | FL | | G | | 70 | | |
| | 480 | 9999999 | 0 | 145 | 0 | 6265 | | 0 | | | | | | |
| HI340A | 02589 | G02739 | A024 | 427114030702 | S01 | 05/28/2003 | SEM | FL | | G | | 38 | | |
| | 490 | 9999999 | 0 | 145 | 0 | 295 | | 0 | | | | | | |
| HI340A | 02589 | G02739 | A025 | 427114082601 | S01 | 05/26/2003 | SEM | FL | | G | | 58 | | |
| | 520 | 9999999 | 99 | 145 | 0 | 7096 | | 1 | | | | | | |
| HI355A | 00231 | G02746 | A001 | 427114037600 | D01 | 06/18/2003 | SEM | FL | | G | | 35 | | |
| | 880 | 9999999 | 0 | 300 | 0 | 2327 | | 0 | | | | | | |
| HI355A | 00231 | G02746 | A004 | 427114039700 | S03 | 06/19/2003 | SEM | FL | | G | | 20 | | |
| | 690 | 9999999 | 99 | 240 | 0 | 301 | | 288 | | | | | | |
| HI376A | 00981 | G02750 | A001 | 427114052200 | S01 | 05/01/2003 | SEM | GL | | O | 24 | 128 | | |
| | 0 | 225 | | 80 | 209 | 47 | | 225 | 38 | | | | 0 | N |
| HI376A | 00981 | G02750 | A008 | 427114054800 | S01 | 04/20/2003 | SEM | GL | | O | 24 | 128 | | |
| | 0 | 921 | | 65 | 38 | 35 | | 296 | 38 | | | | 0 | N |
| HI376A | 00981 | G02750 | A010 | 427114055200 | S01 | 04/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | 0 | 687 | | 110 | 83 | 57 | | 522 | 37.2 | | | | 0 | N |
| HI376A | 00981 | G02750 | A012 | 427114055600 | S01 | 04/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 5400 | | 70 | 30 | 162 | | 39 | 38.3 | | | | 0 | N |
| HI376A | 00981 | G02750 | A013 | 427114055801 | S01 | 04/30/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 964 | | 70 | 28 | 27 | | 159 | 37 | | | | 0 | N |
| HI376A | 00981 | G02750 | A021 | 427114057600 | S02 | 04/17/2003 | SEM | GL | | O | 24 | 27 | | |
| | 0 | 806 | | 195 | 36 | 29 | | 358 | 37.9 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI376A | 00981 | G02750 | A024 | 427114066300 | S01 | 04/27/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 3250 | | 70 | 12 | 39 | | 123 | 38.7 | | | | 0 | N |
| HI376A | 00981 | G02750 | A025 | 427114066500 | S01 | 04/26/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 2422 | | 75 | 45 | 109 | | 66 | 37.2 | | | | 0 | N |
| HI376A | 00981 | G02754 | A003D | 427114052700 | D03 | 04/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 375 | 9999999 | | 85 | 0 | 1015 | | 3 | 0 | | | | 863 | N |
| HI376A | 00981 | G02754 | A007 | 427114054100 | S01 | 04/25/2003 | SEM | GL | | G | 24 | 64 | | |
| | 680 | 173000 | | 65 | 1 | 173 | | 27 | 37.5 | | | | 861 | N |
| HI376A | 00981 | G02754 | A017 | 427114057200 | S02 | 04/24/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 11000 | | 65 | 4 | 44 | | 66 | 37 | | | | 0 | N |
| HI376A | 00981 | G02754 | A018 | 427114057300 | S02 | 04/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 60000 | | 65 | 1 | 60 | | 15 | 38.7 | | | | 0 | N |
| HI376A | 00981 | G02754 | A022 | 427114057700 | S01 | 04/28/2003 | SEM | GL | | O | 24 | 64 | | |
| | 0 | 7929 | | 70 | 14 | 111 | | 63 | 37.7 | | | | 0 | N |
| HI376A | 00981 | G02754 | B001 | 427114068700 | S03 | 04/27/2003 | SEM | FL | | O | 24 | 17 | | |
| | 0 | 1274 | | 2550 | 780 | 994 | | 1056 | 33.1 | | | | 0 | N |
| HI376A | 00981 | G02754 | B003 | 427114078701 | S02 | 04/28/2003 | SEM | FL | | O | 24 | 20 | | |
| | 0 | 4529 | | 1000 | 240 | 1087 | | 48 | 41.9 | | | | 0 | N |
| HI389A | 01284 | G02759 | A001B | 427114054900 | D02 | 06/25/2003 | SEM | FL | | G | | 64 | | |
| | 1375 | 105188 | 56.76 | 325 | 16 | 1683 | | 21 | 59.3 | | | | | |
| HI389A | 01284 | G02759 | A004 | 427114056603 | S01 | 06/25/2003 | SEM | FL | | G | | 64 | | |
| | 1200 | 87667 | 0 | 310 | 3 | 263 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI389A | 01284 | G02759 | A008 | 427114083900 | S01 | 06/25/2003 | SEM | FL | | G | | 24 | | |
| | 1630 | 173591 | 55.1 | 825 | 22 | 3819 | | 27 | 61.2 | | | | | |
| HI389A | 01284 | G02759 | A009 | 427114083600 | S01 | 06/27/2003 | SEM | FL | | G | | 20 | | |
| | 1600 | 9999999 | 99 | 460 | 0 | 1023 | | 496 | | | | | | |
| GB236 | 00078 | G02812 | A013 | 608074002100 | S01 | 04/09/2003 | SEM | FL | | | 24 | 64 | | |
| | 1420 | 9999999 | | 614 | 0 | 120 | | 0 | | | | | 590 | N |
| WC066 | 00114 | G02819 | 003 | 177004093000 | S02 | 06/05/2003 | SEM | FL | | G | | 29 | | |
| | 2200 | 1960 | 84.68 | 642 | 201 | 394 | | 1111 | 44 | | | | | |
| WC066 | 00114 | G02819 | C003D | 177004037600 | D02 | 06/09/2003 | SEM | FL | | G | | 28 | | |
| | 1260 | 9999999 | 0 | 1090 | 0 | 4490 | | 0 | 0 | | | | | |
| WC066 | 01855 | G02825 | 008 | 177004103701 | S01 | 02/09/2003 | SEM | FL | | O | | 15 | | |
| | 1100 | 9999999 | 99 | 1264 | 0 | 1756 | | 2 | 45.8 | | | | | |
| WC066 | 01855 | G02825 | 009 | 177004105500 | S02 | 06/07/2003 | SEM | FL | | G | | 38 | | |
| | 1500 | 1883333 | 75 | 1068 | 6 | 11300 | | 18 | 42 | | | | | |
| WC066 | 00114 | G02825 | B018 | 177004098900 | S01 | 06/14/2003 | SEM | FL | | O | | 64 | | |
| | 1300 | 18869 | 77.13 | 380 | 137 | 2585 | | 462 | 39 | | | | | |
| WC066 | 00114 | G02825 | B019 | 177004099501 | S01 | 06/18/2003 | SEM | FL | | O | | 54 | | |
| | 1200 | 22601 | 17.07 | 470 | 306 | 6916 | | 63 | 38.8 | | | | | |
| WC066 | 00114 | G02825 | B020 | 177004099701 | S01 | 03/09/2003 | SEM | GL | | O | | 48 | | |
| | 750 | 6791 | 65.04 | 335 | 86 | 584 | | 160 | 43 | | | | | |
| WC066 | 01855 | G02825 | F001 | 177004112200 | S01 | 02/09/2003 | SEM | FL | | G | | 22 | | |
| | 600 | 60577 | 96.94 | 2091 | 52 | 3150 | | 1650 | 45.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC066 | 00114 | G02825 | JA002A | 177004024600 | S02 | 05/25/2003 | SEM | FL | | G | | 9 | | |
| | 7000 | 80000 | 98.59 | 5800 | 5 | 400 | | 350 | 38.5 | | | | | |
| WC066 | 00114 | G02826 | A017 | 177004100600 | S02 | 06/01/2003 | SEM | FL | | G | | 17 | | |
| | 2150 | 157667 | 98.96 | 1250 | 3 | 473 | | 285 | 53 | | | | | |
| WC066 | 00114 | G02826 | B002 | 177004017600 | S02 | 06/28/2003 | SEM | FL | | G | | 27 | | |
| | 1160 | 403571 | 0 | 1000 | 7 | 2825 | | 0 | 52.5 | | | | | |
| WC066 | 00114 | G02826 | B010 | 177004021400 | S01 | 05/04/2003 | SEM | FL | | O | | 64 | | |
| | 900 | 5933 | 86.97 | 1250 | 119 | 706 | | 794 | 40.8 | | | | | |
| WC066 | 00114 | G02826 | B016 | 177004097101 | S03 | 06/01/2003 | SEM | FL | | G | | 21 | | |
| | 1200 | 1123 | 89.02 | 570 | 154 | 173 | | 1249 | 43 | | | | | |
| WC066 | 00114 | G02826 | B017 | 177004098700 | S02 | 06/30/2003 | SEM | GL | | G | | 64 | | |
| | 550 | 1592 | 91 | 325 | 120 | 191 | | 1214 | 40.4 | | | | | |
| WC237 | 00145 | G02834 | A004 | 177004030000 | S01 | 04/10/2003 | SEM | FL | | G | | 64 | | |
| | 140 | 220500 | 76.92 | 40 | 2 | 441 | | 6 | 49 | | | | | |
| WC237 | 00145 | G02834 | A011 | 177004114400 | S01 | 02/12/2003 | POT | FL | | G | 24 | 11 | | |
| | 3800 | 57850 | 7.39 | 2790 | 40 | 2314 | | 3 | 45.9 | .6 | | | | N |
| WC237 | 00145 | G02834 | A011 | 177004114400 | S01 | 05/03/2003 | SEM | FL | | G | | 12 | | |
| | 3150 | 72941 | 61.83 | 1525 | 17 | 1240 | | 28 | 48.8 | | | | | |
| WC353 | 02409 | G02839 | A012B | 177014026900 | S03 | 06/08/2003 | SEM | FL | | G | | 12 | | |
| | 1650 | 9999999 | 99 | 1440 | 0 | 650 | | 75 | | | | | | |
| WC353 | 01586 | G02839 | A013 | 177014034300 | S01 | 01/31/2003 | POT | FL | | G | 12 | 20 | | |
| | 3800 | 623438 | 0 | 2750 | 16 | 9975 | | 0 | 44.2 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC353 | 01586 | G02839 | A013 | 177014034300 | S01 | 06/26/2003 | SEM | FL | | G | | 128 | | |
| | 740 | 1275000 | 85.19 | 260 | 4 | 5100 | | 23 | 51.2 | | | | | |
| WC353 | 01586 | G02839 | A013 | 177014034300 | S02 | 10/26/2003 | POT | FL | | G | 12 | 40 | | |
| | 1700 | 4350000 | 97.14 | 1220 | 2 | 8700 | | 68 | 49 | .57 | | | | N |
| WC353 | 01586 | G02839 | A014 | 177014034401 | S01 | 10/27/2003 | POT | FL | | G | 8 | 50 | | |
| | 2875 | 633333 | 0 | 1120 | 6 | 3800 | | 0 | 49 | .57 | | | | N |
| WC427 | 02522 | G02846 | A002 | 177014009300 | S02 | 06/16/2003 | SEM | FL | | G | | 12 | | |
| | 1900 | 9999999 | 0 | 1510 | 0 | 745 | | 0 | | | | | | |
| WC427 | 02522 | G02846 | A004 | 177014018300 | S02 | 06/08/2003 | SEM | FL | | G | | 24 | | |
| | 950 | 9999999 | 99 | 905 | 0 | 3668 | | 30 | | | | | | |
| EC033 | 01376 | G02853 | CB006 | 177034018201 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 1480 | 246500 | 97.84 | 370 | 4 | 986 | | 177 | 38 | | | | | |
| EC033 | 02560 | G02853 | CB010 | 177034092700 | S01 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 204200 | 97.88 | 400 | 5 | 1021 | | 226 | 39 | | | | | |
| EC033 | 02409 | G02857 | 001 | 177034081100 | S01 | 06/30/2003 | SEM | FL | | G | | 64 | | |
| | 1100 | 9999999 | 99 | 300 | 0 | 570 | | 991 | 0 | | | | | |
| EC033 | 02522 | G02857 | B003 | 177034013400 | S01 | 06/02/2003 | SEM | FL | | G | | 12 | | |
| | 2825 | 115600 | 95.39 | 2540 | 10 | 1156 | | 207 | 44 | | | | | |
| VR039 | 01764 | G02865 | A002 | 177054015600 | S02 | 05/19/2003 | SEM | FL | | G | | 64 | | |
| | 1850 | 9999999 | 0 | 120 | 0 | 86 | | 0 | | | | | | |
| VR039 | 01764 | G02865 | A003 | 177054016401 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 99 | 165 | 0 | 177 | | 500 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR039 | 01764 | G02865 | A005 | 177054017000 | S03 | 05/03/2003 | SEM | FL | | G | | 13 | | |
| | 1600 | 177125 | 45.45 | 1200 | 8 | 1417 | | 7 | 47.1 | | | | | |
| VR039 | 01764 | G02865 | A010 | 177054019500 | S01 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 750 | 310667 | 97.5 | 125 | 3 | 932 | | 117 | 45.2 | | | | | |
| VR039 | 01764 | G02865 | JB006 | 177054018602 | S01 | 06/03/2003 | SEM | FL | | G | | 43 | | |
| | 1240 | 2267500 | 60 | 960 | 2 | 4535 | | 3 | 46.6 | | | | | |
| VR039 | 01764 | G02865 | JC015 | 177054088801 | S03 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 815 | 69000 | 43.75 | 115 | 9 | 621 | | 7 | 45.2 | | | | | |
| VR050 | 00078 | G02868 | 006 | 177054055900 | S05 | 02/07/2003 | POT | FL | | G | 4 | 12 | | |
| | 3840 | 41339 | 80.07 | 3070 | 59 | 2439 | | 237 | 57.8 | .63 | | | | N |
| VR050 | 00078 | G02868 | 006 | 177054055900 | S05 | 03/28/2003 | SEM | FL | | | 24 | 12 | | |
| | 3840 | 51500 | | 3090 | 44 | 2266 | | 176 | 45.7 | | | | 973 | N |
| VR050 | 00078 | G02868 | 010 | 177054063200 | S02 | 03/02/2003 | SEM | FL | | | 24 | 10 | | |
| | 4600 | 8043 | | 4075 | 138 | 1110 | | 207 | 44.5 | | | | 134 | N |
| VR050 | 00078 | G02868 | 014 | 177054065000 | S02 | 03/27/2003 | SEM | GL | | | 24 | 128 | | |
| | 1160 | 1138 | | 230 | 116 | 132 | | 1546 | 37.9 | | | | 230 | N |
| VR050 | 00078 | G02868 | 024 | 177054113500 | S02 | 03/14/2003 | SEM | FL | | | 24 | 10 | | |
| | 2256 | 9999999 | | 1059 | 0 | 5598 | | 420 | | | | | 1029 | N |
| VR060 | 00003 | G02870 | A001 | 177054013000 | S05 | 06/09/2003 | SEM | FL | | G | 24 | 48 | | |
| | 2050 | 9999999 | | 600 | 0 | 507 | | 599 | | | | | 560 | N |
| VR329 | 01834 | G02876 | A001 | 177064019900 | D04 | 05/12/2003 | SEM | FL | | G | | 28 | | |
| | 1500 | 9999999 | 99 | 360 | 0 | 282 | | 142 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR329 | 01834 | G02876 | A001D | 177064019900 | D05 | 05/12/2003 | SEM | FL | | G | | 24 | | |
| | 1250 | 9999999 | 99 | 360 | 0 | 379 | | 5 | | | | | | |
| VR329 | 01834 | G02876 | A005 | 177064028201 | D01 | 05/24/2003 | SEM | FL | | G | | 14 | | |
| | 1350 | 9999999 | 99 | 1480 | 0 | 1109 | | 274 | | | | | | |
| VR329 | 01834 | G02876 | A007B | 177064031200 | S04 | 05/30/2003 | SEM | FL | | G | | 30 | | |
| | 1505 | 9999999 | 0 | 340 | 0 | 32 | | 0 | | | | | | |
| VR329 | 01834 | G02876 | A008 | 177064032101 | S01 | 05/30/2003 | SEM | FL | | G | | 24 | | |
| | 900 | 9999999 | 0 | 585 | 0 | 2345 | | 0 | | | | | | |
| SM128 | 02421 | G02885 | B014 | 177084025701 | S04 | 06/17/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1675 | 9999999 | | 890 | 0 | 1986 | | 0 | 0 | | | | 0 | N |
| SM128 | 02421 | G02885 | B014 | 177084025701 | S04 | 07/17/2003 | POT | FL | | G | 24 | 20 | | |
| | 1675 | 9999999 | 0 | 890 | 0 | 1985 | | 0 | | | .65 | | | N |
| SM128 | 01364 | G02885 | B023A | 177084079100 | D03 | 06/11/2003 | SEM | FL | | G | 24 | 11 | | |
| | 1450 | 9999999 | | 850 | 0 | 717 | | 4 | 0 | | | | 0 | N |
| SM128 | 01364 | G02885 | B023D | 177084079100 | D02 | 06/17/2003 | SEM | FL | | G | 24 | 20 | | |
| | 970 | 9999999 | | 630 | 0 | 1722 | | 0 | 0 | | | | 0 | N |
| EI024 | 00003 | G02893 | 009 | 177094133300 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 6 | | |
| | 6555 | 46909 | | 7725 | 88 | 4128 | | 553 | 34.9 | | | | 300 | N |
| EI024 | 00003 | G02893 | 010 | 177094136200 | S01 | 03/12/2003 | POT | FL | | G | 4 | 28 | | |
| | 7140 | 15410 | 12.03 | 6619 | 885 | 13638 | | 121 | 44.2 | | .65 | | 900 | N |
| EI057 | 00185 | G02895 | 001D | 177094024700 | S05 | 06/23/2003 | SEM | FL | | G | 24 | 6 | | |
| | 3660 | 110524 | | 3200 | 21 | 2321 | | 0 | 49.9 | | | | 750 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI266 | 01834 | G02898 | A001 | 177094038301 | S01 | 05/02/2003 | SEM | FL | | G | | 24 | | |
| | 1360 | 216667 | 50 | 400 | 3 | 650 | | 3 | 41 | | | | | |
| EI266 | 01834 | G02898 | A007 | 177094126401 | S01 | 05/17/2003 | SEM | FL | | G | | 20 | | |
| | 1500 | 150900 | 25.93 | 1000 | 20 | 3018 | | 7 | 57.7 | | | | | |
| EI266 | 01834 | G02898 | E001 | 177094134700 | S01 | 05/14/2003 | SEM | FL | | G | | 37 | | |
| | 365 | 9999999 | 0 | 323 | 0 | 2644 | | 0 | | | | | | |
| EI266 | 01834 | G02898 | E002 | 177094135700 | S01 | 05/21/2003 | SEM | FL | | G | | 24 | | |
| | 2200 | 48333 | 11.76 | 600 | 30 | 1450 | | 4 | 48.2 | | | | | |
| EI266 | 01834 | G02899 | A003 | 177094038600 | S01 | 05/24/2003 | SEM | FL | | G | | 64 | | |
| | 880 | 9999999 | 99 | 400 | 0 | 98 | | 216 | | | | | | |
| EI266 | 01834 | G02899 | A004D | 177094086400 | D02 | 05/14/2003 | SEM | FL | | G | | 64 | | |
| | 1800 | 9999999 | 0 | 440 | 0 | 624 | | 0 | | | | | | |
| EI266 | 01834 | G02899 | A006 | 177094118601 | S01 | 05/19/2003 | SEM | FL | | G | | 64 | | |
| | 1500 | 97333 | 87.29 | 520 | 30 | 2920 | | 206 | 56.7 | | | | | |
| EI266 | 01834 | G02899 | B001 | 177094094101 | S01 | 05/26/2003 | SEM | FL | | G | | 24 | | |
| | 2000 | 9999999 | 99 | 490 | 0 | 527 | | 873 | | | | | | |
| EI266 | 01834 | G02899 | B003 | 177094133203 | S01 | 05/24/2003 | SEM | FL | | G | | 64 | | |
| | 1100 | 217000 | 99 | 600 | 7 | 1519 | | 1338 | 50 | | | | | |
| EI266 | 01834 | G02899 | B004 | 177094135901 | S01 | 05/09/2003 | SEM | FL | | G | | 34 | | |
| | 350 | 9999999 | 0 | 340 | 0 | 2507 | | 0 | | | | | | |
| EI266 | 01834 | G02899 | D001 | 177094122701 | S01 | 05/18/2003 | SEM | FL | | O | | 22 | | |
| | 3450 | 7980 | 89.17 | 2650 | 201 | 1604 | | 1655 | 36.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI266 | 01834 | G02899 | D002 | 177094128601 | S01 | 05/12/2003 | SEM | FL | | G | | 23 | | |
| | 2650 | 10745 | 1.1 | 1810 | 451 | 4846 | | 5 | 31.8 | | | | | |
| EI266 | 01834 | G02899 | D003 | 177094130802 | S03 | 05/02/2003 | SEM | FL | | G | | 22 | | |
| | 1950 | 16361 | 0 | 1038 | 36 | 589 | | 0 | 38.4 | | | | | |
| EI238 | 01046 | G02900 | A002 | 177094027800 | S02 | 04/21/2003 | POT | FL | | G | 6 | 9 | | |
| | 3000 | 112786 | 0 | 2200 | 14 | 1579 | | 0 | 58.2 | .594 | | | | N |
| EI238 | 01046 | G02900 | A002 | 177094027800 | S02 | 06/18/2003 | SEM | FL | | G | | 9 | | |
| | 2500 | 111364 | 8.33 | 1550 | 11 | 1225 | | 1 | 50 | | | | | |
| EI238 | 01046 | G02900 | A006 | 177094029501 | S02 | 06/19/2003 | SEM | FL | | G | | 22 | | |
| | 2230 | 109533 | 96.96 | 1140 | 15 | 1643 | | 478 | 53 | | | | | |
| EI238 | 01046 | G02900 | A010 | 177094032201 | S01 | 06/21/2003 | SEM | FL | | G | | 36 | | |
| | 1835 | 2743 | 33.1 | 600 | 483 | 1325 | | 239 | 37.3 | | | | | |
| EI238 | 01046 | G02900 | A011 | 177094032101 | S03 | 06/01/2003 | POT | FL | | G | 24 | 64 | | |
| | 1100 | 9999999 | 0 | 405 | 0 | 446 | | 0 | 50.1 | .609 | | | | N |
| EI238 | 01046 | G02900 | A011 | 177094032101 | S03 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1116 | 193333 | 0 | 40 | 3 | 580 | | 0 | 56.2 | | | | | |
| EI238 | 01046 | G02900 | A013 | 177094033401 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 2800 | 65250 | 92 | 1800 | 12 | 783 | | 138 | 50 | | | | | |
| EI327 | 00491 | G02910 | A002 | 177104060000 | S02 | 05/25/2003 | SEM | GL | | | | 64 | | |
| | 550 | 9999999 | 0 | 80 | 0 | 81 | | 0 | 0 | | | | | |
| EI327 | 00491 | G02910 | A003 | 177104061300 | S01 | 05/26/2003 | SEM | GL | | O | | 64 | | |
| | 1105 | 3875 | 78.95 | 105 | 40 | 155 | | 150 | 55.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI327 | 00491 | G02910 | A005 | 177104064900 | S01 | 05/26/2003 | SEM | GL | | G | | 64 | | |
| | 1050 | 1207 | 82.95 | 120 | 179 | 216 | | 871 | 40 | | | | | |
| EI327 | 00491 | G02910 | A010 | 177104072101 | S01 | 05/26/2003 | SEM | GL | | G | | 64 | | |
| | 750 | 595 | 27.54 | 115 | 121 | 72 | | 46 | 40 | | | | | |
| EI327 | 00491 | G02910 | A014 | 177104146900 | S02 | 05/26/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 85 | 0 | 100 | | 0 | 0 | | | | | |
| EI341 | 00078 | G02914 | A001 | 177104076400 | S01 | 04/17/2003 | SEM | FL | | | 24 | 22 | | |
| | 1650 | 1231 | | 911 | 221 | 272 | | 1989 | 30.7 | | | | 420 | N |
| EI341 | 00078 | G02914 | A003 | 177104080200 | S01 | 03/15/2003 | SEM | FL | | | 24 | 21 | | |
| | 1740 | 1457 | | 713 | 223 | 325 | | 519 | 30.7 | | | | 85 | N |
| EI341 | 00078 | G02914 | A004 | 177104080700 | S01 | 03/15/2003 | SEM | FL | | | 24 | 34 | | |
| | 1065 | 9999999 | | 96 | 0 | 175 | | 288 | | | | | 63 | N |
| EI341 | 00078 | G02914 | A008 | 177104086800 | S01 | 03/26/2003 | SEM | FL | | | 24 | 21 | | |
| | 1850 | 1643 | | 742 | 157 | 258 | | 1273 | 33.9 | | | | 410 | N |
| EI341 | 00078 | G02914 | A011 | 177104090101 | S01 | 04/07/2003 | SEM | FL | | | 24 | 24 | | |
| | 3700 | 5921 | | 2292 | 718 | 4251 | | 22 | 43.6 | | | | 976 | N |
| EI341 | 00078 | G02914 | A012 | 177104091500 | S02 | 03/16/2003 | SEM | FL | | | 24 | 64 | | |
| | 1020 | 9999999 | | 70 | 0 | 66 | | 34 | | | | | 67 | N |
| EI341 | 00078 | G02914 | A013 | 177104092401 | S01 | 03/17/2003 | SEM | FL | | | 24 | 17 | | |
| | 2410 | 961 | | 1014 | 207 | 199 | | 828 | 33.9 | | | | 380 | N |
| EI341 | 00078 | G02914 | A016 | 177104148900 | S03 | 04/04/2003 | SEM | GL | | | 24 | 64 | | |
| | 1050 | 328 | | 189 | 638 | 209 | | 566 | 38.1 | | | | 130 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS067 | 02252 | G02917 | G001 | 177114119400 | S02 | 06/05/2003 | SEM | GL | | O | | 64 | | |
| | 580 | 3565 | 48.89 | 285 | 69 | 246 | | 66 | 39.3 | | | | | |
| SS067 | 01946 | G02917 | G002 | 177114121200 | S01 | 06/29/2003 | SEM | GL | | O | | 64 | | |
| | 780 | 2948 | 70.03 | 310 | 116 | 342 | | 271 | 37.4 | | | | | |
| WD086 | 00059 | G02934 | A001 | 177194016900 | S01 | 06/09/2003 | SEM | FL | | G | | 190 | | |
| | 530 | 113800 | 68.25 | 190 | 20 | 2276 | | 43 | 54.9 | | | | | |
| WD109 | 00078 | G02937 | A003 | 177194020800 | S06 | 01/31/2003 | POT | GL | | G | 24 | 30 | | |
| | 1170 | 333 | 94.03 | 90 | 24 | 8 | | 378 | 34.8 | .65 | | | | N |
| WD109 | 00078 | G02937 | A039 | 177194061500 | S01 | 02/07/2003 | POT | FL | | O | 24 | 13 | | |
| | | 666 | 54.95 | 504 | 341 | 227 | | 416 | 38.9 | .65 | | | | N |
| SP078 | 00078 | G02940 | B003 | 177214016802 | S02 | 06/07/2003 | POT | FL | | G | 24 | 72 | | |
| | 2500 | 24303 | 5.22 | 2098 | 109 | 2649 | | 6 | 31 | .65 | | | | N |
| SP078 | 00078 | G02940 | B019 | 177214031903 | S02 | 01/02/2003 | POT | FL | | G | 24 | 16 | | |
| | 3750 | 152708 | 14.29 | 3000 | 24 | 3665 | | 4 | 47.8 | .65 | | | | N |
| SP078 | 00078 | G02940 | D009 | 177214024800 | S05 | 11/03/2003 | POT | FL | | G | 24 | 64 | | |
| | 1100 | 9999999 | 100 | 562 | 0 | 8154 | | 6 | | .65 | | | | N |
| SP078 | 00078 | G02941 | B028 | 177214045401 | S02 | 06/11/2003 | POT | FL | | G | 24 | 12 | | |
| | 2950 | 9999999 | 0 | 2900 | 0 | 2363 | | 0 | | .65 | | | | N |
| MP073 | 00540 | G02947 | A017A | 177254024502 | S01 | 03/17/2003 | SEM | GL | | O | | 64 | | |
| | | 2860 | 83 | 150 | 172 | 492 | | 840 | 26.1 | | | | | |
| MP073 | 00540 | G02947 | A019A | 177254026200 | S01 | 06/19/2003 | SEM | GL | | O | | 77 | | |
| | | 9304 | 59.88 | 110 | 69 | 642 | | 103 | 27.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP073 | 00540 | G02947 | A019A | 177254026200 | S01 | 08/31/2003 | SEM | GL | | O | | 77 | | |
| | | 7869 | 59.62 | 100 | 84 | 661 | | 124 | 25.7 | | | | | |
| MP073 | 00540 | G02947 | A020A | 177254027700 | S01 | 05/24/2003 | SEM | GL | | O | | 77 | | |
| | | 293 | 70.71 | 140 | 41 | 12 | | 99 | 27.5 | | | | | |
| MP133 | 02513 | G02955 | B001 | 177244010900 | S02 | 06/16/2003 | SEM | FL | | O | | 58 | | |
| | 750 | 15000 | 0 | 160 | 2 | 30 | | 0 | 36 | | | | | |
| MP133 | 02513 | G02955 | B002 | 177244011300 | S02 | 06/14/2003 | SEM | FL | | G | | 24 | | |
| | 650 | 9999999 | 0 | 300 | 0 | 605 | | 0 | | | | | | |
| MP133 | 02513 | G02955 | B005 | 177244011700 | S02 | 06/15/2003 | SEM | FL | | G | | 48 | | |
| | 900 | 9999999 | 99 | 220 | 0 | 541 | | 49 | | | | | | |
| MC354 | 00276 | G02963 | A003 | 608174044700 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1560 | 507681 | 11.32 | 866 | 47 | 23861 | | 6 | 48.2 | | | | | |
| MC354 | 00276 | G02963 | A004 | 608174084301 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1316 | 1706500 | 57.14 | 1174 | 6 | 10239 | | 8 | 44.8 | | | | | |
| MC354 | 00276 | G02964 | A001 | 608174044900 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1560 | 507681 | 11.32 | 866 | 47 | 23861 | | 6 | 48.2 | | | | | |
| MC354 | 00276 | G02964 | A002 | 608174044800 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 1560 | 507681 | 11.32 | 866 | 47 | 23861 | | 6 | 48.2 | | | | | |
| MC311 | 00105 | G02968 | A001 | 608174006502 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 80 | | |
| | | 5400 | | 190 | 25 | 135 | | 679 | 33.5 | | | | | N |
| MC311 | 00689 | G02968 | A002 | 608174007501 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 80 | | |
| | | 0 | | 100 | 20 | 0 | | 16 | 36.9 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC311 | 00689 | G02968 | A005D | 608174011700 | D02 | 06/11/2003 | SEM | FL | | O | 24 | 90 | | |
| | | 981 | | 130 | 106 | 104 | | 132 | 42.8 | | | | | N |
| MC311 | 00689 | G02968 | A006 | 608174010901 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2140 | 23880 | | 1250 | 358 | 8549 | | 0 | 38.5 | | | | 1000 | N |
| MC311 | 00689 | G02968 | A012 | 608174015000 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 90 | | |
| | | 0 | | 120 | 16 | 0 | | 173 | 32.6 | | | | | N |
| MC311 | 00689 | G02968 | A013 | 608174015600 | S02 | 06/11/2003 | SEM | GL | | O | 24 | 80 | | |
| | | 9844 | | 130 | 32 | 315 | | 66 | 38.6 | | | | | N |
| MC311 | 00689 | G02968 | A014A | 608174016200 | S02 | 06/17/2003 | SEM | FL | | G | 24 | 80 | | |
| | 280 | 9999999 | | 110 | 0 | 292 | | 0 | 0 | | | | 991 | N |
| MC311 | 00689 | G02968 | A015 | 608174017801 | S01 | 06/10/2003 | SEM | GL | | O | 24 | 80 | | |
| | | 3340 | | 120 | 53 | 177 | | 13 | 35.8 | | | | | N |
| MC311 | 00689 | G02968 | A016B | 608174016300 | D03 | 06/18/2003 | SEM | FL | | G | 24 | 90 | | |
| | 1800 | 847 | | 180 | 202 | 171 | | 1829 | 45.2 | | | | 1028 | N |
| MC311 | 00689 | G02968 | A020 | 608174033901 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 52 | | |
| | 2575 | 2454200 | | 805 | 5 | 12271 | | 0 | 54 | | | | 1027 | N |
| MC311 | 00689 | G02968 | A022 | 608174034801 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 48 | | |
| | 1820 | 986455 | | 850 | 11 | 10851 | | 0 | 52.9 | | | | 1015 | N |
| MC311 | 00689 | G02968 | A024 | 608174035301 | S02 | 06/16/2003 | SEM | GL | | O | 24 | 90 | | |
| | | 2475 | | 100 | 40 | 99 | | 63 | 38.5 | | | | | N |
| MC311 | 00276 | G02969 | A014 | 608174018501 | S01 | 05/16/2003 | SEM | GL | | O | | 80 | | |
| | | 1667 | 71.62 | 110 | 21 | 35 | | 53 | 34.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC311 | 00276 | G02970 | A002 | 608174008800 | S04 | 06/15/2003 | SEM | GL | | O | | 80 | | |
| | | 1986 | 61.83 | 145 | 71 | 141 | | 115 | 36.1 | | | | | |
| MC311 | 00276 | G02970 | A002 | 608174008800 | S04 | 08/06/2003 | SEM | GL | | O | | 80 | | |
| | | 1116 | 55.4 | 145 | 95 | 106 | | 118 | 36.1 | | | | | |
| MC311 | 00276 | G02970 | A005 | 608174017400 | S03 | 02/22/2003 | POT | FL | | G | 5 | 21 | | |
| | 3050 | 71193 | 0 | 2650 | 140 | 9967 | | 0 | 49.6 | .6 | | | | N |
| MC311 | 00276 | G02970 | A005 | 608174017400 | S03 | 04/04/2003 | SEM | FL | | G | | 33 | | |
| | 2890 | 83259 | 0 | 1950 | 193 | 16069 | | 0 | 49.6 | | | | | |
| MC311 | 00276 | G02970 | A008 | 608174014803 | D41 | 05/17/2003 | SEM | FL | | O | | 36 | | |
| | | 1318 | .94 | 650 | 1161 | 1530 | | 11 | 38.5 | | | | | |
| MC311 | 00276 | G02970 | A008D | 608174014803 | D02 | 05/19/2003 | SEM | FL | | G | | 34 | | |
| | 2900 | 114422 | 34.19 | 1250 | 102 | 11671 | | 53 | 50.1 | | | | | |
| MC311 | 00276 | G02970 | A015 | 608174020301 | D03 | 03/28/2003 | POT | FL | | G | 13 | 26 | | |
| | 2625 | 866571 | 0 | 2290 | 14 | 12132 | | 0 | 47.9 | .6 | | | | N |
| MC311 | 00276 | G02970 | A015D | 608174020301 | D02 | 04/19/2003 | SEM | FL | | O | | 34 | | |
| | 2625 | 9999999 | 0 | 1900 | 0 | 17210 | | 0 | 0 | | | | | |
| MU085A | 00981 | G03061 | A002 | 427124001800 | S01 | 06/28/2003 | SEM | FL | | G | | 22 | | |
| | 2100 | 226667 | 83.78 | 920 | 12 | 2720 | | 62 | 48 | | | | | |
| MU085A | 00981 | G03061 | A003D | 427124002900 | D02 | 06/29/2003 | SEM | FL | | G | | 11 | | |
| | 2455 | 255600 | 97.25 | 1640 | 5 | 1278 | | 177 | 49 | | | | | |
| MU085A | 00981 | G03061 | A006 | 427124003500 | S01 | 05/30/2003 | SEM | FL | | G | | 14 | | |
| | 2080 | 134250 | 96.99 | 500 | 4 | 537 | | 129 | 48 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MU085A | 00981 | G03061 | A012 | 427124011200 | S01 | 06/12/2003 | SEM | FL | | G | | 27 | | |
| | 1600 | 452500 | 53.85 | 1160 | 6 | 2715 | | 7 | 46 | | | | | |
| MU085A | 00981 | G03061 | B002 | 427124008900 | S02 | 06/01/2003 | SEM | FL | | G | | 20 | | |
| | 990 | 9999999 | 0 | 645 | 0 | 2314 | | 0 | 0 | | | | | |
| MU085A | 00981 | G03061 | B004 | 427124009201 | S02 | 06/01/2003 | SEM | FL | | G | | 12 | | |
| | 2350 | 9999999 | 0 | 800 | 0 | 151 | | 0 | 0 | | | | | |
| MU111A | 00981 | G03068 | A003 | 427124003700 | S01 | 05/09/2003 | SEM | FL | | G | | 18 | | |
| | 740 | 512000 | 50 | 380 | 1 | 512 | | 1 | 50 | | | | | |
| MU111A | 00981 | G03068 | A013 | 427124007800 | S01 | 06/13/2003 | SEM | FL | | G | | 19 | | |
| | 900 | 9999999 | 0 | 400 | 0 | 139 | | 0 | 50.2 | | | | | |
| MI527 | 02451 | G03079 | C005B | 427034019300 | S03 | 06/14/2003 | POT | FL | | G | 24 | 19 | | |
| | 2625 | 138500 | 15.38 | 1300 | 22 | 3047 | | 4 | 59 | | .597 | | | N |
| MI527 | 02451 | G03080 | C007C | 427034019900 | S04 | 06/16/2003 | POT | FL | | G | 24 | 16 | | |
| | 2976 | 372462 | 18.75 | 2400 | 13 | 4842 | | 3 | 47.8 | | .597 | | | N |
| MI623 | 02481 | G03088 | 004 | 427034039900 | S02 | 06/15/2003 | SEM | FL | | G | | 12 | | |
| | 7135 | 86471 | 99 | 4730 | 17 | 1470 | | 2050 | 41 | | | | | |
| MI623 | 02481 | G03088 | B001 | 427034010600 | S02 | 04/21/2003 | SEM | FL | | G | | 64 | | |
| | 1650 | 9999999 | 0 | 285 | 0 | 100 | | 0 | 0 | | | | | |
| MI623 | 02481 | G03088 | B006 | 427034018400 | S01 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 550 | 383333 | 25 | 184 | 3 | 1150 | | 1 | 52.7 | | | | | |
| MI623 | 02481 | G03088 | B008 | 427034051300 | S01 | 06/21/2003 | SEM | FL | | G | | 32 | | |
| | 5950 | 434200 | 99 | 4013 | 10 | 4342 | | 4147 | 45.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MI623 | 02481 | G03088 | C007 | 427034052400 | S01 | 06/24/2003 | SEM | FL | | G | | 128 | | |
| | 1300 | 429118 | 95.44 | 547 | 34 | 14590 | | 712 | 43 | | | | | |
| MI623 | 02481 | G03088 | F003 | 427034053800 | S01 | 06/24/2003 | SEM | FL | | G | | 128 | | |
| | 1400 | 154716 | 40.44 | 588 | 215 | 33264 | | 146 | 52 | | | | | |
| MI665 | 00276 | G03096 | A007 | 427034050302 | S01 | 05/20/2003 | SEM | FL | | G | | 40 | | |
| | 1000 | 9999999 | 99 | 160 | 0 | 1382 | | 65 | 0 | | | | | |
| MI665 | 00276 | G03096 | B004 | 427034016700 | S02 | 05/17/2003 | SEM | FL | | G | | 104 | | |
| | 340 | 9999999 | 99 | 124 | 0 | 3755 | | 7 | 0 | | | | | |
| MI700 | 02451 | G03108 | A004 | 427034007301 | S01 | 06/29/2003 | POT | FL | | G | 24 | 17 | | |
| | 5260 | 151200 | 4.76 | 2409 | 100 | 15120 | | 5 | 43.6 | .584 | | | | N |
| MI700 | 02451 | G03108 | A012 | 427034054300 | S01 | 06/28/2003 | POT | FL | | G | 24 | 30 | | |
| | 7429 | 379500 | 9.09 | 4566 | 40 | 15180 | | 4 | 43.6 | .584 | | | | N |
| HI154 | 02200 | G03115 | 002 | 427084003600 | S01 | 06/12/2003 | SEM | FL | | G | | 64 | | |
| | 3650 | 145000 | 99 | 175 | 1 | 145 | | 445 | 46 | | | | | |
| VR039 | 01764 | G03119 | JA001 | 177054040200 | S04 | 06/03/2003 | SEM | FL | | G | | 23 | | |
| | 1800 | 279500 | 67.04 | 1550 | 12 | 3354 | | 24 | 46.5 | | | | | |
| VR084 | 02607 | G03124 | A001 | 177054023500 | S02 | 06/23/2003 | SEM | FL | | G | | 19 | | |
| | | 9999999 | 99 | 1210 | 0 | 414 | | 2724 | | | | | | |
| VR084 | 01904 | G03124 | A004 | 177054024804 | S04 | 06/02/2003 | POT | FL | | G | 24 | 14 | | |
| | 2450 | 9999999 | 0 | 2430 | 0 | 3000 | | 0 | | .6 | | | | N |
| VR084 | 01904 | G03124 | A004 | 177054024804 | S04 | 06/23/2003 | SEM | FL | | G | | 15 | | |
| | | 9999999 | 99 | 2400 | 0 | 3400 | | 264 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR084 | 01904 | G03124 | B001 | 177054110600 | S01 | 06/22/2003 | SEM | FL | | G | | 34 | | |
| | | 34286 | 91.33 | 1820 | 175 | 6000 | | 1843 | 48.5 | | | | | |
| VR159 | 02312 | G03128 | AJ003 | 177054104300 | S07 | 05/18/2003 | SEM | FL | | G | | 20 | | |
| | 2230 | 43731 | 69.59 | 1205 | 52 | 2274 | | 119 | 55.5 | | | | | |
| VR159 | 02312 | G03128 | AJ005 | 177054105700 | S07 | 02/03/2003 | POT | FL | | G | 8 | 17 | | |
| | 2770 | 30074 | 66.83 | 2240 | 68 | 2045 | | 137 | 51.9 | .639 | | | | N |
| VR159 | 02312 | G03128 | AJ006 | 177054104800 | S05 | 02/25/2003 | POT | FL | | G | 24 | 14 | | |
| | 3640 | 31446 | 6.12 | 2045 | 92 | 2893 | | 6 | 53.2 | .61 | | | | N |
| VR255 | 01834 | G03135 | I001 | 177064083900 | S01 | 05/01/2003 | SEM | FL | | G | | 21 | | |
| | 2375 | 9038 | 78.98 | 1280 | 157 | 1419 | | 590 | 47 | | | | | |
| VR255 | 01834 | G03135 | J003 | 177064086901 | S01 | 05/13/2003 | SEM | FL | | G | | 64 | | |
| | 2000 | 21125 | 11.11 | 160 | 8 | 169 | | 1 | 43.5 | | | | | |
| VR255 | 01834 | G03135 | J003 | 177064086904 | S01 | 10/03/2003 | COM | FL | | G | 24 | 13 | | |
| | | 14 | 0 | 5100 | 420 | 6 | | 0 | | | | | | N |
| VR255 | 01834 | G03135 | J005 | 177064089300 | S01 | 05/09/2003 | SEM | FL | | G | | 35 | | |
| | 1220 | 836000 | 50 | 200 | 1 | 836 | | 1 | 55.2 | | | | | |
| VR320 | 00687 | G03138 | A019 | 177064014501 | S01 | 06/20/2003 | SEM | FL | | G | | 128 | | |
| | 420 | 288200 | 46.43 | 210 | 15 | 4323 | | 13 | 53 | | | | | |
| VR380 | 01935 | G03141 | A002 | 177064034100 | D01 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 0 | 100 | 0 | 24 | | 0 | | | | | | |
| VR380 | 01935 | G03141 | A002D | 177064034100 | D02 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 0 | 100 | 0 | 22 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR380 | 01935 | G03141 | A003 | 177064036100 | S01 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | | 32667 | 66.67 | 100 | 3 | 98 | | 6 | | | | | | |
| VR380 | 01935 | G03141 | A008A | 177064042400 | S02 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | 1560 | 33000 | 57.14 | 100 | 3 | 99 | | 4 | 57.5 | | | | | |
| VR380 | 01935 | G03141 | A009 | 177064043500 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 1240 | 273000 | 50 | 100 | 1 | 273 | | 1 | | | | | | |
| VR380 | 01935 | G03141 | A012 | 177064045300 | S01 | 06/20/2003 | SEM | FL | | G | | 19 | | |
| | 870 | 9999999 | 0 | 100 | 0 | 167 | | 0 | | | | | | |
| VR380 | 01935 | G03141 | A013A | 177064047800 | S02 | 06/12/2003 | SEM | FL | | G | | 64 | | |
| | 1250 | 9999999 | 0 | 100 | 0 | 166 | | 0 | | | | | | |
| VR380 | 01935 | G03141 | A019 | 177064074000 | D03 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 1525 | 463000 | 85.71 | 100 | 1 | 463 | | 6 | | | | | | |
| VR380 | 01935 | G03141 | A021D | 177064075000 | D02 | 06/23/2003 | SEM | FL | | G | | 64 | | |
| | 550 | 68000 | 50 | 100 | 1 | 68 | | 1 | 57.5 | | | | | |
| SM066 | 00078 | G03145 | C004 | 177074019600 | S02 | 04/10/2003 | SEM | FL | | | 24 | 64 | | |
| | 400 | 9999999 | | 58 | 0 | 1218 | | 0 | 48.5 | | | | 50 | N |
| SM066 | 00078 | G03145 | C011 | 177074025600 | S04 | 04/11/2003 | SEM | FL | | | 24 | 64 | | |
| | 260 | 9999999 | | 66 | 0 | 1802 | | 0 | 50 | | | | 50 | N |
| EI136 | 00105 | G03152 | 001 | 177094115700 | S01 | 05/27/2003 | SEM | FL | | G | 24 | 64 | | |
| | 6100 | 28346 | | 800 | 81 | 2296 | | 3 | 43.2 | | | | 790 | N |
| EI136 | 00105 | G03152 | JA001 | 177094028300 | S01 | 05/26/2003 | SEM | FL | | G | 24 | 80 | | |
| | 3150 | 48701 | | 800 | 147 | 7159 | | 106 | 41 | | | | 810 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| PL013 | 01026 | G03171 | A003 | 177134001900 | S01 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 12500 | 99 | 175 | 8 | 100 | | 900 | 31.5 | | | | | |
| ST163 | 00185 | G03177 | A009 | 177154100101 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 204 | | |
| | 570 | 9999999 | | 130 | 0 | 2483 | | 0 | | | | | 1080 | N |
| WD061 | 01834 | G03186 | B001 | 177194066401 | S04 | 06/15/2003 | SEM | FL | | G | | 10 | | |
| | 3000 | 109 | .19 | 2975 | 2132 | 232 | | 4 | 30 | | | | | |
| WD061 | 01834 | G03186 | B002 | 177194066900 | D04 | 05/19/2003 | SEM | FL | | G | | 16 | | |
| | 900 | 2167 | 42.97 | 350 | 150 | 325 | | 113 | 34.2 | | | | | |
| WD061 | 01834 | G03186 | B002D | 177194066900 | D02 | 05/19/2003 | SEM | FL | | G | | 12 | | |
| | 2010 | 6168 | 89.92 | 1190 | 107 | 660 | | 954 | 52 | | | | | |
| WD061 | 01834 | G03186 | B003 | 177194071400 | S01 | 05/12/2003 | SEM | FL | | G | | 20 | | |
| | 1200 | 9999999 | 0 | 1050 | 0 | 2833 | | 0 | | | | | | |
| WD117 | 00276 | G03188 | C003 | 177194053800 | S01 | 02/11/2003 | SEM | FL | | G | | 19 | | |
| | 1480 | 447000 | 99 | 600 | 1 | 447 | | 496 | 0 | | | | | |
| MP041 | 00078 | G03194 | A001C | 177254019900 | S01 | 02/28/2003 | POT | GL | | O | 24 | 29 | | |
| | | 1909 | 74.71 | 405 | 44 | 84 | | 130 | 21 | .62 | | | | N |
| MP041 | 00078 | G03194 | A002B | 177254021200 | S01 | 06/19/2003 | SEM | GL | | O | 24 | 26 | | |
| | | 409 | | 400 | 110 | 45 | | 165 | 22.7 | | | | 360 | N |
| MP041 | 00078 | G03194 | A004 | 177254027200 | D02 | 06/18/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 86 | | 370 | 58 | 5 | | 80 | 24.2 | | | | 350 | N |
| MP041 | 00078 | G03194 | A005 | 177254027901 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 29 | | |
| | | 173 | | 420 | 81 | 14 | | 322 | 22.6 | | | | 350 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | G03194 | A006D | 177254068100 | D02 | 02/04/2003 | POT | GL | | O | 24 | 64 | | |
| | | 52 | 3.33 | 350 | 58 | 3 | | 2 | 23 | .62 | | | N | |
| MP041 | 00078 | G03194 | A006D | 177254068100 | D02 | 06/01/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 277 | | 380 | 47 | 13 | | 5 | 22.4 | | | 350 | N | |
| MP041 | 00078 | G03194 | A007 | 177254066200 | D01 | 02/18/2003 | POT | GL | | O | 24 | 27 | | |
| | 1080 | 9999999 | 0 | 340 | 0 | 20 | | 0 | 22 | .62 | | | N | |
| MP041 | 00078 | G03194 | A007D | 177254066200 | D02 | 02/20/2003 | POT | GL | | O | 24 | 23 | | |
| | | 382 | 55.1 | 350 | 110 | 42 | | 135 | 22 | .62 | | | N | |
| MP041 | 00078 | G03194 | A007D | 177254066200 | D02 | 06/11/2003 | SEM | GL | | O | 24 | 23 | | |
| | | 573 | | 380 | 110 | 63 | | 165 | 22.5 | | | 360 | N | |
| MP041 | 00078 | G03194 | A008 | 177254068200 | S01 | 03/03/2003 | POT | GL | | O | 24 | 30 | | |
| | | 662 | 38.15 | 360 | 201 | 133 | | 124 | 21 | .62 | | | N | |
| MP041 | 00078 | G03194 | A008 | 177254068200 | S01 | 06/01/2003 | SEM | GL | | O | 24 | 30 | | |
| | | 198 | | 410 | 187 | 37 | | 101 | 20.3 | | | 360 | N | |
| MP041 | 00078 | G03194 | A014 | 177254070800 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 42 | | |
| | | 384 | | 390 | 86 | 33 | | 140 | 20.5 | | | 350 | N | |
| MP073 | 00539 | G03196 | C010D | 177254023401 | D03 | 05/26/2003 | SEM | GL | | O | | 88 | | |
| | | 1703 | 75.17 | 140 | 37 | 63 | | 112 | 25.8 | | | | | |
| MP073 | 00539 | G03196 | C010F | 177254023401 | D04 | 02/23/2003 | POT | GL | | O | 4 | 30 | | |
| | | 108 | 5.88 | 180 | 400 | 43 | | 25 | 26.6 | .6 | | | N | |
| MP073 | 00539 | G03196 | C010F | 177254023401 | D04 | 05/25/2003 | SEM | GL | | O | | 88 | | |
| | | 1112 | .58 | 350 | 340 | 378 | | 2 | 26.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP120 | 02513 | G03197 | CA002 | 177254016400 | S01 | 05/19/2003 | SEM | FL | | G | | 28 | | |
| | 1200 | 9999999 | 99 | 350 | 0 | 335 | | 76 | | | | | | |
| MP120 | 02513 | G03197 | CA005 | 177254053500 | S01 | 05/18/2003 | SEM | FL | | G | | 42 | | |
| | 600 | 9999999 | 99 | 200 | 0 | 55 | | 196 | | | | | | |
| MC281 | 00276 | G03205 | A002 | 608174022202 | S02 | 04/04/2003 | SEM | GL | | O | | 64 | | |
| | | 12160 | 25.99 | 250 | 225 | 2736 | | 79 | 24.2 | | | | | |
| MC281 | 00276 | G03205 | A008 | 608174025401 | S01 | 05/22/2003 | SEM | FL | | | | 64 | | |
| | | 5451 | 37.24 | 110 | 91 | 496 | | 54 | 32.8 | | | | | |
| MC281 | 00276 | G03205 | A012 | 608174027500 | S02 | 05/25/2003 | SEM | GL | | O | | 64 | | |
| | | 9838 | 46.95 | 125 | 148 | 1456 | | 131 | 29.3 | | | | | |
| MC281 | 00276 | G03205 | A016D | 608174024700 | S02 | 03/01/2003 | SEM | GL | | O | | 64 | | |
| | | 4685 | 0 | 115 | 92 | 431 | | 0 | 36.1 | | | | | |
| MC281 | 00276 | G03205 | A028 | 608174029002 | S01 | 05/23/2003 | SEM | GL | | O | | 88 | | |
| | | 969 | 45.83 | 120 | 130 | 126 | | 110 | 35.4 | | | | | |
| MC281 | 00276 | G03205 | A030 | 608174028202 | D01 | 06/03/2003 | SEM | FL | | O | | 40 | | |
| | | 27321 | 14.52 | 530 | 53 | 1448 | | 9 | 30.6 | | | | | |
| MC281 | 00276 | G03205 | A030D | 608174028202 | D61 | 01/16/2003 | SEM | FL | | O | | 36 | | |
| | | 24511 | 2.08 | 240 | 47 | 1152 | | 1 | 34 | | | | | |
| MC281 | 00276 | G03205 | A031 | 608174028301 | S01 | 04/05/2003 | SEM | FL | | O | | 64 | | |
| | | 14366 | 4.7 | 140 | 142 | 2040 | | 7 | 36.6 | | | | | |
| MC281 | 00276 | G03205 | A031 | 608174028301 | S01 | 06/03/2003 | SEM | FL | | O | | 64 | | |
| | | 10804 | 5.83 | 260 | 194 | 2096 | | 12 | 36.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC281 | 00276 | G03205 | A035D | 608174029700 | D61 | 03/13/2003 | SEM | FL | | | | 64 | | |
| | | 9199 | 45.05 | 265 | 366 | 3367 | | 300 | 29.6 | | | | | |
| MC281 | 00276 | G03205 | A037 | 608174030500 | D01 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | | 4844 | 1.03 | 120 | 96 | 465 | | 1 | 36.1 | | | | | |
| MC281 | 00276 | G03205 | A041 | 608174033300 | S02 | 06/06/2003 | SEM | GL | | O | | 120 | | |
| | | 2619 | 52.09 | 120 | 126 | 330 | | 137 | 23 | | | | | |
| MC281 | 00276 | G03205 | A044 | 608174030600 | S01 | 06/06/2003 | SEM | FL | | O | | 64 | | |
| | | 6795 | 10.27 | 115 | 166 | 1128 | | 19 | 36.9 | | | | | |
| MC281 | 00276 | G03205 | A050 | 608174036500 | S01 | 02/04/2003 | SEM | FL | | O | | 64 | | |
| | | 3301 | 13.68 | 120 | 183 | 604 | | 29 | 33.1 | | | | | |
| MC281 | 00276 | G03205 | A052 | 608174030900 | D01 | 05/17/2003 | SEM | FL | | O | | 64 | | |
| | | 14415 | 18.46 | 130 | 53 | 764 | | 12 | 36.2 | | | | | |
| MC281 | 00276 | G03205 | A052D | 608174030900 | D61 | 01/04/2003 | SEM | FL | | O | | 64 | | |
| | | 7026 | 5.69 | 120 | 116 | 815 | | 7 | 31.2 | | | | | |
| GA209 | 00276 | G03229 | A003 | 427064029602 | D01 | 01/29/2003 | POT | FL | | G | 5 | 27 | | |
| | 1580 | 196375 | 40.74 | 679 | 16 | 3142 | | 11 | 52.4 | .6 | | | | N |
| GA209 | 00276 | G03229 | A003D | 427064029602 | D02 | 05/18/2003 | SEM | GL | | O | | 64 | | |
| | | 869 | 68.88 | 136 | 61 | 53 | | 135 | 38.3 | | | | | |
| GA209 | 00276 | G03229 | B003 | 427064040301 | S01 | 03/06/2003 | SEM | FL | | O | | 32 | | |
| | | 397 | 22.33 | 270 | 1186 | 471 | | 341 | 31.2 | | | | | |
| HI179 | 00105 | G03236 | A001 | 427084005500 | S04 | 06/10/2003 | SEM | GL | | G | 24 | 12 | | |
| | 2700 | 80667 | | 2250 | 18 | 1452 | | 90 | 30 | | | | 1055 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI179 | 00003 | G03236 | B001 | 427084049800 | S01 | 05/23/2003 | SEM | FL | | G | 24 | 15 | | |
| | 3700 | 91733 | | 3698 | 30 | 2752 | | 352 | 48.4 | | | | 1100 | N |
| HI179 | 00276 | G03237 | A009D | 427084011502 | D05 | 01/17/2003 | POT | FL | | G | 8 | 22 | | |
| | 1760 | 169522 | 46.51 | 812 | 23 | 3899 | | 20 | 49 | .6 | | | | N |
| HI179 | 00276 | G03237 | A009D | 427084011502 | D05 | 02/22/2003 | SEM | FL | | G | | 25 | | |
| | | 1 | .59 | 599 | 4896 | 6 | | 29 | 24.5 | | | | | |
| GA209 | 00276 | G03237 | B005 | 427064040600 | D01 | 05/29/2003 | SEM | FL | | G | | 32 | | |
| | 1250 | 9999999 | 99 | 80 | 0 | 479 | | 68 | 47.7 | | | | | |
| HI442A | 00003 | G03241 | A001 | 427094031300 | S04 | 06/03/2003 | SEM | FL | | G | 24 | 14 | | |
| | 1200 | 9999999 | | 100 | 0 | 122 | | 0 | | | | | 911 | N |
| HI442A | 00003 | G03241 | A010 | 427094054900 | S05 | 05/20/2003 | SEM | FL | | G | 24 | 12 | | |
| | 510 | 9999999 | | 110 | 0 | 108 | | 0 | | | | | 879 | N |
| WC066 | 00114 | G03256 | D009D | 177004078600 | D02 | 05/31/2003 | SEM | GL | | G | | 64 | | |
| | | 2842 | 91.91 | 240 | 57 | 162 | | 648 | 40.3 | | | | | |
| WC198 | 01354 | G03264 | 001 | 177004018500 | S01 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 850 | 229429 | 81.58 | 575 | 7 | 1606 | | 31 | 49.6 | | | | | |
| WC198 | 01354 | G03264 | 002 | 177004031901 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 320688 | 23.81 | 560 | 16 | 5131 | | 5 | 59.6 | | | | | |
| WC198 | 01550 | G03264 | 004 | 177004084300 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 64 | | |
| | 590 | 576857 | | 329 | 7 | 4038 | | 22 | 47 | | | | 220 | N |
| WC198 | 02525 | G03265 | A005 | 177004110500 | S01 | 06/22/2003 | SEM | FL | | G | | 23 | | |
| | 3500 | 33544 | 11.21 | 2460 | 206 | 6910 | | 26 | 51.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC180 | 02525 | G03265 | C003 | 177004105700 | S01 | 06/21/2003 | SEM | FL | | G | | 25 | | |
| | 1690 | 9999999 | 99 | 415 | 0 | 1083 | | 288 | | | | | | |
| WC331 | 01764 | G03275 | 006 | 177014027800 | S07 | 06/02/2003 | SEM | FL | | G | | 11 | | |
| | 1340 | 9999999 | 0 | 1100 | 0 | 700 | | 0 | | | | | | |
| WC331 | 01764 | G03275 | A004 | 177014011700 | S05 | 07/05/2003 | POT | FL | | G | 24 | 9 | | |
| | 1740 | 9999999 | 0 | 1700 | 0 | 711 | | 0 | | | .56 | | | N |
| WC331 | 01764 | G03275 | A004B | 177014011700 | S04 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 460 | 9999999 | 0 | 240 | 0 | 1198 | | 0 | | | | | | |
| WC409 | 02522 | G03282 | A002 | 177014002300 | S01 | 06/05/2003 | SEM | FL | | G | | 21 | | |
| | 1450 | 9999999 | 99 | 120 | 0 | 634 | | 17 | | | | | | |
| WC409 | 02522 | G03282 | A006 | 177014029500 | S01 | 06/09/2003 | SEM | FL | | G | | 13 | | |
| | 1650 | 3852 | 90.25 | 980 | 54 | 208 | | 500 | 50.9 | | | | | |
| EC046 | 01834 | G03288 | A001 | 177034014400 | S01 | 05/01/2003 | SEM | FL | | G | | 64 | | |
| | 950 | 9999999 | 0 | 105 | 0 | 147 | | 0 | | | | | | |
| EC046 | 01834 | G03288 | A008 | 177034043800 | S02 | 05/16/2003 | SEM | GL | | O | | 34 | | |
| | 1020 | 1094 | 98.19 | 530 | 32 | 35 | | 1733 | 38.1 | | | | | |
| EC071 | 02108 | G03289 | JC003 | 177034047503 | S02 | 01/13/2003 | POT | FL | | G | 24 | 12 | | |
| | 5900 | 28571 | 0 | 5150 | 84 | 2400 | | 0 | 47 | | .588 | | | N |
| EC071 | 02108 | G03289 | JC003 | 177034047503 | S02 | 06/14/2003 | SEM | FL | | G | | 17 | | |
| | 3200 | 400 | 73.68 | 1490 | 5 | 2 | | 14 | 47 | | | | | |
| EC215 | 01834 | G03323 | A012 | 177034087400 | S01 | 05/25/2003 | SEM | FL | | G | | 25 | | |
| | 1390 | 1100000 | 99 | 370 | 1 | 1100 | | 154 | 45.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR076 | 00687 | G03327 | 005 | 177054104600 | S03 | 06/25/2003 | SEM | FL | | G | | 13 | | |
| | 1280 | 9999999 | 99 | 220 | 0 | 59 | | 15 | | | | | | |
| EC271 | 01834 | G03328 | A003 | 177064033701 | S01 | 08/03/2003 | POT | FL | | G | 24 | 14 | | |
| | 1950 | 9999999 | 100 | 1500 | 0 | 816 | | 14 | | | .59 | | | N |
| EC271 | 01832 | G03328 | A005 | 177064034600 | S02 | 06/09/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 417 | | 175 | 460 | 192 | | 1492 | 33.3 | | | | | N |
| EC271 | 00048 | G03328 | A008 | 177064084900 | S01 | 05/29/2003 | SEM | FL | | G | 24 | 128 | | |
| | 180 | 9999999 | | 68 | 0 | 420 | | 0 | | | | | 960 | N |
| EI337 | 02421 | G03332 | A001 | 177104054002 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 17 | | |
| | 3000 | 1278 | | 2540 | 884 | 1130 | | 141 | 30.5 | | | | 0 | N |
| EI337 | 02421 | G03332 | A003 | 177104101101 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 10 | | |
| | 800 | 9999999 | | 450 | 0 | 182 | | 0 | 0 | | | | 0 | N |
| EI337 | 02421 | G03332 | A008 | 177104104902 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 16 | | |
| | 4200 | 2233 | | 3300 | 541 | 1208 | | 762 | 31.5 | | | | 0 | N |
| ST036 | 00078 | G03336 | D004 | 177154022902 | S03 | 06/02/2003 | SEM | GL | | O | 24 | 79 | | |
| | 998 | 2086 | | 159 | 175 | 365 | | 747 | 30.7 | | | | 141 | N |
| ST036 | 00078 | G03336 | D006 | 177154020002 | S02 | 06/02/2003 | SEM | FL | | G | 24 | 9 | | |
| | 2478 | 328000 | | 768 | 3 | 984 | | 137 | 45.6 | | | | 143 | N |
| ST036 | 00078 | G03336 | D007 | 177154027502 | S01 | 06/01/2003 | SEM | FL | | O | 24 | 36 | | |
| | 1399 | 1079 | | 230 | 604 | 652 | | 494 | 33.2 | | | | 137 | N |
| ST036 | 00078 | G03336 | D016 | 177154038600 | S03 | 05/06/2003 | SEM | FL | | G | 24 | 14 | | |
| | 3836 | 9324 | | 875 | 74 | 690 | | 121 | 43 | | | | 122 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST036 | 00078 | G03336 | D018 | 177154077601 | S02 | 06/14/2003 | SEM | FL | | G | 24 | 15 | | |
| | 2325 | 98000 | | 1606 | 42 | 4116 | | 2 | 47.8 | | | | 1025 | N |
| ST036 | 00078 | G03336 | D019 | 177154076702 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 70 | | |
| | 1513 | 7398 | | 245 | 176 | 1302 | | 1175 | 31.7 | | | | 188 | N |
| ST052 | 00078 | G03336 | EZ007 | 177154108800 | S01 | 05/29/2003 | SEM | FL | | O | 24 | 42 | | |
| | 2486 | 41338 | | 1843 | 160 | 6614 | | 642 | 39.2 | | | | 871 | N |
| ST052 | 00078 | G03336 | EZ008 | 177154109002 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 58 | | |
| | 1870 | 138257 | | 920 | 70 | 9678 | | 20 | 51 | | | | 847 | N |
| MP041 | 00078 | G03338 | KC009D | 177254070500 | D02 | 03/04/2003 | POT | FL | | O | 24 | 48 | | |
| | 2765 | 2974 | 72.95 | 192 | 76 | 226 | | 205 | 42 | | .62 | | | N |
| MP041 | 00078 | G03338 | KC009D | 177254070500 | D02 | 06/04/2003 | SEM | GL | | O | 24 | 48 | | |
| | 2765 | 1211 | | 218 | 76 | 92 | | 304 | 42 | | | | 211 | N |
| MP310 | 00056 | G03339 | A007 | 177244030800 | S01 | 06/22/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1121 | | 160 | 66 | 74 | | 440 | 26.5 | | | | | N |
| HI280A | 02416 | G03377 | A011 | 427114083500 | S02 | 06/03/2003 | SEM | FL | | G | | 27 | | |
| | 2850 | 252275 | 0 | 2335 | 40 | 10091 | | 0 | 45 | | | | | |
| HI270A | 00185 | G03377 | C001 | 427114058700 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 11 | | |
| | 2100 | 9999999 | | 1290 | 0 | 183 | | 143 | | | | | 890 | N |
| HI309A | 00491 | G03378 | B010 | 427114078600 | S02 | 01/13/2003 | POT | FL | | G | 12 | 12 | | |
| | 1600 | 9999999 | 0 | 1500 | 0 | 2606 | | 0 | | | .6 | | | N |
| HI309A | 00491 | G03378 | B010 | 427114078600 | S02 | 05/23/2003 | SEM | FL | | G | | 64 | | |
| | 1280 | 9999999 | 0 | 1200 | 0 | 173 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC334 | 02522 | G03386 | A003 | 177024110102 | S01 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | 980 | 9999999 | 99 | 140 | 0 | 84 | | 840 | | | | | | |
| EC334 | 02522 | G03386 | A004 | 177024063700 | S02 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1375 | 9999999 | 0 | 100 | 0 | 139 | | 0 | | | | | | |
| EC334 | 02522 | G03386 | A007 | 177024064001 | S01 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | 1375 | 9999999 | 99 | 140 | 0 | 1296 | | 5 | | | | | | |
| EC334 | 02522 | G03386 | A008D | 177024110200 | D02 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | 1050 | 9999999 | 99 | 140 | 0 | 384 | | 192 | | | | | | |
| EC334 | 00059 | G03388 | A007 | 177044103500 | S01 | 04/20/2003 | SEM | FL | | G | | 64 | | |
| | 4260 | 9999999 | 99 | 140 | 0 | 959 | | 1148 | 52.5 | | | | | |
| VR147 | 02409 | G03394 | A001 | 177054057600 | S02 | 06/09/2003 | SEM | FL | | O | | 13 | | |
| | 3200 | 31682 | 89.93 | 1950 | 44 | 1394 | | 393 | 41.1 | | | | | |
| VR147 | 02409 | G03394 | A008 | 177054057800 | S01 | 06/08/2003 | SEM | GL | | O | | 90 | | |
| | | 1500 | 95.05 | 160 | 30 | 45 | | 576 | 36.8 | | | | | |
| VR147 | 02409 | G03394 | A010 | 177054059600 | S04 | 06/08/2003 | SEM | GL | | O | | 90 | | |
| | | 2683 | 94.98 | 150 | 41 | 110 | | 775 | 34.1 | | | | | |
| VR147 | 02409 | G03394 | A012 | 177054093000 | S04 | 06/05/2003 | SEM | FL | | G | | 35 | | |
| | 1130 | 896 | 78.02 | 150 | 144 | 129 | | 511 | 42.4 | | | | | |
| EI330 | 00078 | G03410 | B004 | 177104148400 | S02 | 06/13/2003 | SEM | FL | | O | | 64 | | |
| | 1092 | 1231 | 94.95 | 253 | 39 | 48 | | 733 | 31 | | | | | |
| MP073 | 00540 | G03417 | A002A | 177254014700 | S01 | 04/15/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 9999999 | 99 | 125 | 0 | 1781 | | 27 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP073 | 00540 | G03417 | B012D | 177254025000 | S03 | 05/25/2003 | SEM | GL | | O | | 16 | | |
| | | 476 | 4.55 | 210 | 42 | 20 | | 2 | 28.1 | | | | | |
| MP073 | 00540 | G03417 | B016B | 177254027600 | S02 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | | 961 | 4.35 | 250 | 154 | 148 | | 7 | 34.3 | | | | | |
| MP073 | 00540 | G03417 | B016B | 177254027600 | S02 | 09/01/2003 | SEM | GL | | O | | 64 | | |
| | | 659 | 18.02 | 160 | 182 | 120 | | 40 | 34.3 | | | | | |
| MP073 | 00540 | G03417 | B021 | 177254061400 | D03 | 05/12/2003 | POT | GL | | O | 24 | 77 | | |
| | | 1430 | 1.05 | 350 | 1229 | 1757 | | 13 | 37.8 | .6 | | | | N |
| MP073 | 00540 | G03417 | C004C | 177254021500 | S03 | 02/01/2003 | SEM | GL | | O | | 64 | | |
| | | 148 | 6.19 | 105 | 182 | 27 | | 12 | 25.6 | | | | | |
| MP073 | 00540 | G03417 | C004C | 177254021500 | S03 | 05/22/2003 | SEM | GL | | O | | 88 | | |
| | | 460 | 53.07 | 160 | 352 | 162 | | 398 | 23.1 | | | | | |
| MP073 | 00540 | G03417 | C018C | 177254027500 | S03 | 06/21/2003 | SEM | GL | | O | | 88 | | |
| | | 667 | 70.25 | 140 | 105 | 70 | | 248 | 22.8 | | | | | |
| MP073 | 00540 | G03417 | C020B | 177254029000 | S01 | 05/21/2003 | SEM | GL | | O | | 88 | | |
| | | 416 | 55.3 | 130 | 515 | 214 | | 637 | 23.8 | | | | | |
| MP073 | 00540 | G03417 | C021L | 177254049800 | D03 | 06/21/2003 | SEM | GL | | O | | 88 | | |
| | | 2178 | 84.11 | 120 | 157 | 342 | | 831 | 25 | | | | | |
| MP073 | 00540 | G03417 | C022H | 177254059300 | S02 | 06/26/2003 | SEM | GL | | O | | 64 | | |
| | | 938 | 3.02 | 150 | 257 | 241 | | 8 | 24.4 | | | | | |
| HI517A | 00185 | G03481 | A002 | 427094038400 | S03 | 05/29/2003 | SEM | FL | | G | 24 | 6 | | |
| | 1850 | 9999999 | | 1100 | 0 | 265 | | 265 | | | | | 920 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI517A | 00185 | G03481 | A009 | 427094106800 | S01 | 06/27/2003 | SEM | FL | | G | 24 | 27 | | |
| | 2700 | 289667 | | 2380 | 3 | 869 | | 2107 | 49.4 | | | | 920 | N |
| HI517A | 00185 | G03481 | A012 | 427094107800 | S04 | 03/16/2003 | POT | FL | | G | 24 | 10 | | |
| | 4520 | 1023333 | 0 | 4300 | 3 | 3070 | | 0 | 49 | .56 | | | | N |
| HI517A | 00185 | G03481 | A012 | 427094107800 | S04 | 06/30/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3980 | 9999999 | | 3320 | 0 | 3119 | | 5 | | | | | 920 | N |
| HI517A | 00185 | G03481 | A014 | 427094110000 | S01 | 05/30/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2020 | 9999999 | | 1000 | 0 | 168 | | 859 | | | | | 920 | N |
| HI557A | 01764 | G03484 | A002 | 427094091500 | S02 | 05/21/2003 | SEM | FL | | O | | 64 | | |
| | 880 | 3929 | 55.13 | 120 | 70 | 275 | | 86 | 34.1 | | | | | |
| HI557A | 01764 | G03484 | A003 | 427094091800 | S01 | 05/19/2003 | SEM | FL | | O | | 64 | | |
| | 1100 | 3096 | 48.35 | 80 | 94 | 291 | | 88 | 34.8 | | | | | |
| HI557A | 01764 | G03484 | A004 | 427094073000 | S02 | 05/18/2003 | SEM | FL | | G | | 24 | | |
| | 3650 | 42700 | .49 | 3300 | 203 | 8668 | | 1 | 52 | | | | | |
| HI557A | 01764 | G03484 | A008 | 427094096300 | S01 | 05/08/2003 | SEM | FL | | O | | 32 | | |
| | 980 | 1210 | 48.95 | 80 | 243 | 294 | | 233 | 35.3 | | | | | |
| WC237 | 00145 | G03499 | C001 | 177004044400 | S01 | 05/01/2003 | SEM | FL | | G | | 999 | | |
| | 480 | 9999999 | 0 | 65 | 0 | 44 | | 0 | 0 | | | | | |
| WC498 | 00491 | G03520 | B001D | 177024106500 | D04 | 06/05/2003 | SEM | GL | | O | | 64 | | |
| | 650 | 237 | 89.7 | 210 | 224 | 53 | | 1952 | 38.5 | | | | | |
| WC498 | 00491 | G03520 | B002 | 177024106901 | S03 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 740 | 1733 | 48.28 | 165 | 15 | 26 | | 14 | 35.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC498 | 00491 | G03520 | B003 | 177024109001 | D02 | 05/23/2003 | SEM | FL | | O | | 64 | | |
| | 1000 | 0 | 95.85 | 170 | 56 | 0 | | 1294 | 35 | | | | | |
| WC498 | 00491 | G03520 | B003 | 177024109001 | D03 | 05/24/2003 | SEM | FL | | O | | 64 | | |
| | 1020 | 5531 | 96.85 | 200 | 49 | 271 | | 1508 | 39.5 | | | | | |
| WC498 | 00491 | G03520 | B004 | 177024109400 | S05 | 06/07/2003 | SEM | FL | | G | | 132 | | |
| | 1600 | 325500 | 97.59 | 180 | 2 | 651 | | 81 | 42 | | | | | |
| WC498 | 00491 | G03520 | B005 | 177024116001 | D01 | 06/12/2003 | SEM | FL | | G | | 128 | | |
| | 1150 | 26540 | 98.1 | 240 | 63 | 1672 | | 3254 | 38.6 | | | | | |
| WC498 | 00491 | G03520 | B005D | 177024116001 | D61 | 06/02/2003 | SEM | FL | | | | 64 | | |
| | 1070 | 263000 | 99 | 190 | 2 | 526 | | 2565 | 36 | | | | | |
| WC498 | 00491 | G03520 | B006 | 177024116100 | D01 | 05/27/2003 | SEM | FL | | O | | 64 | | |
| | 1070 | 146 | 92.68 | 220 | 178 | 26 | | 2254 | 36 | | | | | |
| WC498 | 00491 | G03520 | B006D | 177024116100 | D02 | 05/17/2003 | SEM | FL | | O | | 64 | | |
| | 1250 | 545 | 96.98 | 200 | 11 | 6 | | 353 | 33.7 | | | | | |
| WC498 | 00491 | G03520 | B006D | 177024116100 | D02 | 06/08/2003 | SEM | FL | | O | | 64 | | |
| | 1070 | 589 | 92.36 | 220 | 190 | 112 | | 2296 | 40.3 | | | | | |
| WC498 | 00491 | G03520 | B007 | 177024116200 | S03 | 09/07/2003 | POT | FL | | G | 24 | 34 | | |
| | 2200 | 426667 | 76.7 | 2090 | 24 | 10240 | | 79 | 49.5 | .6 | | | | N |
| WC498 | 00491 | G03520 | B008 | 177024118800 | S01 | 05/09/2003 | SEM | FL | | O | | 64 | | |
| | 1040 | 15375 | 99 | 120 | 16 | 246 | | 1614 | 36.4 | | | | | |
| WC498 | 00491 | G03520 | B009D | 177024120201 | D03 | 06/02/2003 | SEM | GL | | O | | 64 | | |
| | 2250 | 953 | 95.88 | 160 | 43 | 41 | | 1000 | 38.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC498 | 00491 | G03520 | B010 | 177024121000 | S02 | 05/11/2003 | SEM | FL | | G | | 132 | | |
| | 1290 | 520 | 96.32 | 125 | 100 | 52 | | 2619 | 35.8 | | | | | |
| EC071 | 01046 | G03529 | JB003 | 177034062300 | S03 | 06/23/2003 | SEM | FL | | G | | 32 | | |
| | 1500 | 439667 | 92.86 | 380 | 3 | 1319 | | 39 | 49.3 | | | | | |
| VR024 | 00078 | G03543 | 006 | 177054057900 | S02 | 04/09/2003 | SEM | FL | | | 24 | 24 | | |
| | 4387 | 31127 | | 2291 | 71 | 2210 | | 8 | 47.6 | | | | 1050 | N |
| SM107 | 01764 | G03554 | A012 | 177084043900 | S01 | 05/13/2003 | SEM | GL | | O | | 64 | | |
| | 985 | 0 | 15.79 | 45 | 16 | 0 | | 3 | 34.6 | | | | | |
| PL013 | 01935 | G03587 | A005E | 177134002400 | D04 | 07/11/2003 | POT | FL | | G | 24 | 11 | | |
| | 3965 | 15781 | 1.9 | 3850 | 155 | 2446 | | 3 | 45.4 | .61 | | | | N |
| PL013 | 01935 | G03587 | B003 | 177134005600 | S01 | 06/07/2003 | SEM | GL | | O | | 64 | | |
| | | 962 | 80.88 | 175 | 260 | 250 | | 1100 | 31.5 | | | | | |
| PL013 | 01935 | G03587 | B005 | 177134008200 | S01 | 06/01/2003 | SEM | FL | | G | | 999 | | |
| | | 9999999 | 0 | 110 | 0 | 225 | | 0 | | | | | | |
| ST196 | 00185 | G03593 | A001 | 177154033800 | D02 | 06/27/2003 | SEM | FL | | G | 24 | 128 | | |
| | 790 | 9999999 | | 250 | 0 | 3736 | | 0 | | | | | 180 | N |
| ST196 | 00185 | G03593 | A002 | 177154039600 | S04 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 430 | 9999999 | | 200 | 0 | 3979 | | 0 | | | | | 180 | N |
| ST196 | 00185 | G03593 | A003 | 177154039800 | S03 | 06/23/2003 | SEM | FL | | G | 24 | 64 | | |
| | 460 | 9999999 | | 0 | 0 | 385 | | 0 | | | | | 180 | N |
| ST196 | 00185 | G03593 | A007 | 177154093901 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 64 | | |
| | 570 | 140500 | | 200 | 4 | 562 | | 0 | 48.8 | | | | 180 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST300 | 00689 | G03594 | A002 | 177164001400 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1660 | 9125 | | 289 | 8 | 73 | | 87 | 37.3 | | | | 1040 | N |
| ST301 | 00689 | G03594 | B001A | 177164003800 | S02 | 06/05/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 739 | | 217 | 23 | 17 | | 248 | 39.7 | | | | | N |
| ST301 | 00689 | G03594 | B003A | 177164004300 | S02 | 06/07/2003 | SEM | FL | | O | 24 | 26 | | |
| | | 881 | | 1232 | 143 | 126 | | 1635 | 36 | | | | | N |
| ST301 | 00689 | G03594 | B005B | 177164004700 | S03 | 06/14/2003 | SEM | FL | | G | 24 | 24 | | |
| | 4090 | 20042 | | 349 | 24 | 481 | | 37 | 39.1 | | | | 1030 | N |
| ST301 | 00689 | G03594 | B007 | 177164005700 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 12 | | |
| | | 5330 | | 1317 | 88 | 469 | | 22 | 43.6 | | | | | N |
| ST301 | 00689 | G03594 | B008A | 177164006200 | S02 | 06/04/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 1770 | | 330 | 61 | 108 | | 41 | 30.3 | | | | | N |
| MC281 | 00276 | G03605 | A001 | 608174020101 | D01 | 02/06/2003 | SEM | GL | | | | 64 | | |
| | | 681 | 59.62 | 115 | 235 | 160 | | 347 | 26.2 | | | | | |
| MC281 | 00276 | G03605 | A003 | 608174021400 | S01 | 05/21/2003 | SEM | GL | | O | | 64 | | |
| | | 7538 | 32.47 | 120 | 52 | 392 | | 25 | 31.5 | | | | | |
| MC281 | 00276 | G03605 | A009 | 608174022700 | S01 | 05/17/2003 | SEM | GL | | | | 64 | | |
| | | 16000 | 31.71 | 125 | 28 | 448 | | 13 | 32.5 | | | | | |
| MC281 | 00276 | G03605 | A009 | 608174022700 | S01 | 08/22/2003 | SEM | GL | | O | | 36 | | |
| | | 26122 | 18.33 | 345 | 49 | 1280 | | 11 | 32.5 | | | | | |
| MC281 | 00276 | G03605 | A023 | 608174026400 | S01 | 05/26/2003 | SEM | GL | | | | 40 | | |
| | | 164400 | 0 | 360 | 15 | 2466 | | 0 | 32.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC281 | 00276 | G03605 | A025 | 608174027703 | S01 | 06/05/2003 | SEM | GL | | O | | 64 | | |
| | | 2299 | 20.91 | 100 | 87 | 200 | | 23 | 36.4 | | | | | |
| MC281 | 00276 | G03605 | A029 | 608174028001 | D62 | 05/19/2003 | SEM | GL | | O | | 120 | | |
| | | 24000 | 0 | 115 | 10 | 240 | | 0 | 31.9 | | | | | |
| MC281 | 00276 | G03605 | A029D | 608174028001 | D02 | 02/16/2003 | SEM | FL | | O | | 64 | | |
| | | 8149 | 3.15 | 155 | 215 | 1752 | | 7 | 33.2 | | | | | |
| MC281 | 00276 | G03605 | A038 | 608174032600 | D01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | | 1969 | 2.44 | 120 | 160 | 315 | | 4 | 30.2 | | | | | |
| MC281 | 00276 | G03605 | A038D | 608174032600 | D61 | 03/26/2003 | SEM | GL | | O | | 64 | | |
| | | 15955 | 20.24 | 99 | 67 | 1069 | | 17 | 29.2 | | | | | |
| MC281 | 00276 | G03605 | A039 | 608174029203 | S01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | | 6441 | 6.35 | 115 | 59 | 380 | | 4 | 29.2 | | | | | |
| MC281 | 00276 | G03605 | A039 | 608174029201 | S01 | 08/16/2003 | SEM | GL | | | | 128 | | |
| | | 11556 | 10.99 | 115 | 81 | 936 | | 10 | 29.2 | | | | | |
| MC281 | 00276 | G03605 | A043D | 608174034000 | D01 | 06/05/2003 | SEM | FL | | O | | 64 | | |
| | | 21079 | 13.64 | 270 | 76 | 1602 | | 12 | 38.5 | | | | | |
| MC281 | 00276 | G03605 | A049D | 608174031500 | D02 | 05/22/2003 | SEM | FL | | O | | 64 | | |
| | | 22892 | 25.29 | 120 | 65 | 1488 | | 22 | 34.6 | | | | | |
| MC281 | 00276 | G03605 | A063D | 608174034900 | D02 | 06/02/2003 | SEM | FL | | O | | 64 | | |
| | | 11830 | 39.74 | 240 | 188 | 2224 | | 124 | 29.9 | | | | | |
| SM115 | 00003 | G03776 | A005 | 177084047202 | S01 | 06/12/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 608 | | 135 | 79 | 48 | | 178 | 35.1 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM115 | 00003 | G03776 | A006 | 177084048401 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 128 | | |
| | | 421 | | 125 | 140 | 59 | | 48 | 32.2 | | | | N | |
| SM115 | 00003 | G03776 | A009 | 177084049801 | S01 | 05/21/2003 | SEM | GL | | O | 24 | 128 | | |
| | | 4306 | | 130 | 72 | 310 | | 187 | 32.1 | | | | N | |
| SM115 | 00003 | G03776 | A014 | 177084082000 | S01 | 06/01/2003 | SEM | GL | | O | 24 | 128 | | |
| | | 1944 | | 110 | 36 | 70 | | 7 | 33.3 | | | | N | |
| EI337 | 00078 | G03783 | D016 | 177104135001 | S01 | 04/28/2003 | SEM | FL | | | 24 | 16 | | |
| | 1173 | 9999999 | | 425 | 0 | 1998 | | 0 | | | | 186 | N | |
| EI385 | 00491 | G03786 | A001 | 177104092300 | S02 | 06/09/2003 | SEM | GL | | G | | 64 | | |
| | 1400 | 7500 | 95.93 | 220 | 28 | 210 | | 660 | 29.7 | | | | | |
| EI385 | 00491 | G03786 | A002 | 177104110400 | S02 | 06/14/2003 | SEM | GL | | O | | 64 | | |
| | 1100 | 1245 | 8.11 | 140 | 102 | 127 | | 9 | 29.7 | | | | | |
| EI385 | 00491 | G03786 | A003 | 177104110900 | S02 | 06/15/2003 | SEM | GL | | O | | 30 | | |
| | 2250 | 1384 | 70.7 | 170 | 138 | 191 | | 333 | 29.7 | | | | | |
| EI385 | 00491 | G03786 | A006 | 177104114600 | S02 | 06/10/2003 | SEM | GL | | | | 64 | | |
| | 1300 | 20000 | 97.92 | 160 | 7 | 140 | | 329 | 29.7 | | | | | |
| EI385 | 00491 | G03786 | A009 | 177104135600 | S01 | 05/26/2003 | SEM | GL | | | | 64 | | |
| | 1000 | 9999999 | 99 | 170 | 0 | 132 | | 88 | 29.7 | | | | | |
| GI076 | 00185 | G03793 | A002 | 177174011002 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 660 | 361364 | | 310 | 11 | 3975 | | 0 | 48.7 | | | 960 | N | |
| MP093 | 00035 | G03798 | A005 | 177254035200 | S01 | 01/10/2003 | SEM | FL | 0 | G | 24 | 64 | 0 | 0 |
| 0 | 610 | 9999999 | 0 | 125 | 0 | 42 | | 0 | 0 | 0 | | 120 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC311 | 00276 | G03799 | A006 | 608174011604 | S01 | 05/15/2003 | SEM | FL | | | | 80 | | |
| | 1170 | 4000 | 99 | 390 | 1 | 4 | | 281 | 53.6 | | | | | |
| MC281 | 00276 | G03818 | A001D | 608174020101 | D02 | 02/12/2003 | SEM | GL | | O | | 64 | | |
| | | 2300 | 56.96 | 115 | 207 | 476 | | 274 | 39.7 | | | | | |
| MC281 | 00276 | G03818 | A001D | 608174020101 | D02 | 05/17/2003 | SEM | GL | | O | | 40 | | |
| | | 2369 | 60.84 | 380 | 233 | 552 | | 362 | 39.7 | | | | | |
| MC281 | 00276 | G03818 | A005 | 608174023100 | S01 | 05/28/2003 | SEM | GL | | O | | 64 | | |
| | | 1272 | 34.35 | 110 | 151 | 192 | | 79 | 32.8 | | | | | |
| MC281 | 00276 | G03818 | A010 | 608174024101 | S01 | 02/11/2003 | SEM | FL | | O | | 38 | | |
| | | 1241 | .33 | 130 | 303 | 376 | | 1 | 36.8 | | | | | |
| MC281 | 00276 | G03818 | A021 | 608174025800 | S03 | 05/16/2003 | SEM | GL | | O | | 64 | | |
| | | 2214 | 58.52 | 120 | 56 | 124 | | 79 | 29.2 | | | | | |
| MC281 | 00276 | G03818 | A037D | 608174030500 | D02 | 05/25/2003 | SEM | GL | | O | | 64 | | |
| | | 1875 | 54.43 | 115 | 72 | 135 | | 86 | 30.1 | | | | | |
| MC281 | 00276 | G03818 | A046 | 608174037400 | D01 | 05/24/2003 | SEM | FL | | O | | 64 | | |
| | | 3220 | 60.4 | 120 | 59 | 190 | | 90 | 37.9 | | | | | |
| MC281 | 00276 | G03818 | A046D | 608174037400 | D02 | 06/07/2003 | SEM | FL | | O | | 26 | | |
| | | 25600 | 0 | 760 | 45 | 1152 | | 0 | 32.5 | | | | | |
| MC281 | 00276 | G03820 | A019 | 608174025000 | S01 | 05/18/2003 | SEM | FL | | | | 40 | | |
| | | 53714 | 0 | 340 | 49 | 2632 | | 0 | 39.6 | | | | | |
| BA020A | 00689 | G03936 | JD001 | 427044033100 | S01 | 06/24/2003 | SEM | GL | | G | 24 | 73 | | |
| | 10255 | 9138308 | | 4045 | 13 | 118798 | | 397 | 48.6 | | | | 1035 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BA022A | 02522 | G03938 | A001 | 427044002701 | S02 | 06/13/2003 | SEM | FL | | G | | 26 | | |
| | 5500 | 139750 | 99 | 500 | 4 | 559 | | 744 | 48.3 | | | | | |
| BA022A | 02522 | G03938 | A003 | 427044008300 | S02 | 06/14/2003 | SEM | FL | | G | | 48 | | |
| | 800 | 9999999 | 0 | 300 | 0 | 42 | | 0 | | | | | | |
| BA022A | 02522 | G03938 | A005 | 427044010500 | S02 | 06/14/2003 | SEM | FL | | G | | 50 | | |
| | 1100 | 9999999 | 0 | 230 | 0 | 124 | | 0 | | | | | | |
| BA022A | 02522 | G03938 | A008 | 427044020600 | S03 | 06/05/2003 | SEM | FL | | G | | 18 | | |
| | 1440 | 852000 | 99 | 980 | 1 | 852 | | 141 | 52 | | | | | |
| BA022A | 02522 | G03938 | JA002 | 427044010700 | S01 | 06/02/2003 | SEM | FL | | G | | 48 | | |
| | 3300 | 68000 | 96.61 | 290 | 2 | 136 | | 57 | 48.3 | | | | | |
| BA022A | 02522 | G03938 | JA005 | 427044033600 | S01 | 06/03/2003 | SEM | FL | | G | | 22 | | |
| | 1540 | 9999999 | 99 | 1100 | 0 | 333 | | 150 | | | | | | |
| BA070A | 00981 | G03940 | A006 | 427054014300 | S01 | 04/28/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1675 | 709000 | | 790 | 2 | 1418 | | 189 | 40.6 | | | | 985 | N |
| SA010 | 00105 | G03958 | A002 | 177314004000 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1750 | 107000 | | 420 | 50 | 5350 | | 33 | 62.8 | | | | 1035 | N |
| SA013 | 02421 | G03959 | A001 | 177314000300 | S04 | 06/11/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1810 | 445 | | 160 | 254 | 113 | | 616 | 36.5 | | | | 0 | N |
| SA013 | 02421 | G03959 | A004 | 177314002500 | S01 | 06/13/2003 | SEM | GL | | O | 24 | 30 | | |
| | 1040 | 2571 | | 250 | 42 | 108 | | 820 | 39.8 | | | | 0 | N |
| SA013 | 02421 | G03959 | B001A | 177314002700 | S06 | 06/04/2003 | SEM | FL | | O | 24 | 64 | | |
| | 1450 | 1600 | | 140 | 165 | 264 | | 317 | 36.5 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST172 | 00981 | G04001 | C014 | 177154034900 | S02 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 580 | 9999999 | 0 | 140 | 0 | 2798 | | 0 | 0 | | | | | |
| GI095 | 02481 | G04003 | A001B | 177184003901 | S02 | 06/25/2003 | SEM | FL | | G | | 64 | | |
| | 4669 | 42508 | 97.95 | 1430 | 59 | 2508 | | 2817 | 48 | | | | | |
| GI095 | 02316 | G04003 | A002 | 177184004001 | S02 | 04/26/2003 | SEM | FL | | G | | 64 | | |
| | 6200 | 10000 | 95.5 | 1800 | 5 | 50 | | 106 | 30.5 | | | | | |
| GI095 | 02481 | G04003 | A003A | 177184005401 | S01 | 04/28/2003 | SEM | FL | | G | | 64 | | |
| | 6200 | 7429 | 93.81 | 1800 | 7 | 52 | | 106 | 32.5 | | | | | |
| GI095 | 02481 | G04003 | A004 | 177184008201 | S01 | 06/26/2003 | SEM | FL | | G | | 64 | | |
| | 2020 | 1310500 | 99 | 1254 | 2 | 2621 | | 617 | 47 | | | | | |
| GI095 | 02316 | G04003 | A006 | 177184010302 | S01 | 06/19/2003 | SEM | FL | | G | | 21 | | |
| | 5744 | 9249 | 27 | 4620 | 1314 | 12153 | | 486 | 42 | | | | | |
| MU739 | 00236 | G04064 | A003B | 427024013400 | S03 | 05/06/2003 | SEM | FL | | G | | 10 | | |
| | 2300 | 9999999 | 99 | 990 | 0 | 1082 | | 15 | 0 | | | | | |
| SA010 | 01046 | G04078 | 010 | 427104014001 | S01 | 06/20/2003 | SEM | FL | | G | | 128 | | |
| | 1920 | 239 | 77.45 | 585 | 46 | 11 | | 158 | 45.9 | | | | | |
| HI552A | 00185 | G04081 | A002 | 427094074101 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 11 | | |
| | 4800 | 5569 | | 4360 | 246 | 1370 | | 204 | 49.4 | | | | 1053 | N |
| HI552A | 00185 | G04081 | A005 | 427094099801 | S02 | 06/03/2003 | SEM | FL | | G | 24 | 14 | | |
| | 2150 | 34719 | | 1300 | 32 | 1111 | | 12 | 49.4 | | | | 1053 | N |
| HI552A | 00185 | G04081 | A006 | 427094104801 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 24 | | |
| | 3800 | 30384 | | 1800 | 112 | 3403 | | 1401 | 49.4 | | | | 1053 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SA017 | 00236 | G04082 | A008 | 427154002200 | S01 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 840 | 8153 | 20 | 230 | 340 | 2772 | | 85 | 43.5 | | | | | |
| WC146 | 00687 | G04085 | 007 | 177004112000 | S03 | 06/14/2003 | SEM | FL | | G | | 24 | | |
| | 3700 | 17611 | 23.71 | 2500 | 473 | 8330 | | 147 | 40.8 | | | | | |
| WC146 | 00687 | G04085 | A001E | 177004043900 | S05 | 06/12/2003 | SEM | FL | | G | | 20 | | |
| | 4500 | 29333 | 97.66 | 1100 | 3 | 88 | | 125 | 37.7 | | | | | |
| WC146 | 00687 | G04085 | A004A | 177004055700 | S02 | 06/11/2003 | SEM | FL | | G | | 10 | | |
| | 3300 | 9999999 | 0 | 1050 | 0 | 33 | | 0 | | | | | | |
| WC146 | 00687 | G04085 | A006 | 177004104702 | S01 | 06/15/2003 | SEM | FL | | O | | 22 | | |
| | 3300 | 2323 | 57.84 | 1900 | 285 | 662 | | 391 | 37.9 | | | | | |
| WC146 | 00687 | G04085 | A007 | 177004110800 | S02 | 06/18/2003 | SEM | FL | | O | | 15 | | |
| | 3300 | 2441 | 57.44 | 1950 | 569 | 1389 | | 768 | 38.7 | | | | | |
| WC146 | 00687 | G04085 | B001 | 177004098002 | S04 | 06/13/2003 | SEM | FL | | G | | 15 | | |
| | 4000 | 18680 | 4.97 | 2600 | 153 | 2858 | | 8 | 41.1 | | | | | |
| WC146 | 00687 | G04085 | C001 | 177004106200 | S01 | 06/26/2003 | SEM | FL | | G | | 32 | | |
| | 6700 | 149625 | 99 | 5550 | 8 | 1197 | | 6525 | 26.9 | | | | | |
| WC146 | 00687 | G04085 | D001 | 177004108202 | S01 | 06/26/2003 | SEM | FL | | G | | 50 | | |
| | 2800 | 9999999 | 0 | 1120 | 0 | 335 | | 0 | | | | | | |
| WC192 | 01764 | G04087 | A003 | 177004042400 | S02 | 05/28/2003 | SEM | FL | | O | | 9 | | |
| | 3100 | 468 | 86.61 | 2430 | 62 | 29 | | 401 | 36.5 | | | | | |
| WC192 | 01764 | G04087 | A013 | 177004073400 | S01 | 05/28/2003 | SEM | FL | | O | | 14 | | |
| | 3150 | 893 | 88.36 | 3000 | 159 | 142 | | 1207 | 37.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC033 | 01963 | G04098 | 002 | 177034058000 | S03 | 06/11/2003 | SEM | FL | | G | | 23 | | |
| | 3850 | 31326 | 5 | 2600 | 95 | 2976 | | 5 | 53.2 | | | | | |
| EC033 | 01963 | G04098 | 007 | 177034089900 | S02 | 06/11/2003 | SEM | FL | | G | | 11 | | |
| | 2750 | 218100 | 0 | 2750 | 30 | 6543 | | 0 | 52.9 | | | | | |
| SM115 | 00276 | G04109 | A017 | 177084077400 | S02 | 06/14/2003 | SEM | FL | | O | | 30 | | |
| | | 1015 | 80.06 | 200 | 130 | 132 | | 522 | 34.4 | | | | | |
| SM115 | 00276 | G04109 | A019 | 177084064100 | S01 | 06/15/2003 | SEM | FL | | G | | 28 | | |
| | 530 | 9999999 | 0 | 120 | 0 | 212 | | 0 | 55.4 | | | | | |
| SM115 | 00276 | G04109 | B001 | 177084074901 | S01 | 02/10/2003 | SEM | FL | | O | | 45 | | |
| | | 677 | 60.03 | 271 | 508 | 344 | | 763 | 31.1 | | | | | |
| SM115 | 00276 | G04109 | B001 | 177084074901 | S01 | 06/12/2003 | SEM | FL | | O | | 45 | | |
| | | 595 | 59.99 | 463 | 679 | 404 | | 1018 | 31.1 | | | | | |
| ST052 | 02268 | G04119 | A001 | 177154032300 | S01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 550 | 9999999 | 99 | 155 | 0 | 294 | | 2 | | | | | | |
| ST052 | 02268 | G04119 | A002A | 177154034300 | S02 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1000 | 9999999 | 0 | 120 | 0 | 98 | | 0 | | | | | | |
| MP041 | 00078 | G04123 | 001 | 177264001000 | S02 | 03/06/2003 | POT | FL | | G | 24 | 36 | | |
| | 1000 | 9999999 | 100 | 753 | 0 | 1411 | | 25 | | .6 | | | | N |
| MP041 | 00078 | G04123 | 001 | 177264001000 | S02 | 06/25/2003 | SEM | FL | | G | 24 | 36 | | |
| | 1110 | 9999999 | | 699 | 0 | 1060 | | 96 | | | | | 221 | N |
| MP041 | 00078 | G04125 | P001D | 177254024400 | D04 | 06/26/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 255 | | 340 | 51 | 13 | | 973 | 21.2 | | | | 340 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | G04125 | P006 | 177254026801 | D02 | 03/25/2003 | POT | GL | | O | 24 | 64 | | |
| | | 1102 | 28.19 | 148 | 186 | 205 | | 73 | 31.2 | .6 | | | N | |
| MP041 | 00078 | G04125 | P008 | 177254075500 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1400 | 237273 | | 971 | 11 | 2610 | | 99 | 29.9 | | | 365 | N | |
| MP041 | 00078 | G04125 | BD006 | 177264003800 | S02 | 06/26/2003 | SEM | FL | | G | 24 | 20 | | |
| | 1100 | 9999999 | | 517 | 0 | 706 | | 39 | | | | 215 | N | |
| MP310 | 00105 | G04126 | A001 | 177244028700 | S01 | 06/02/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1640 | | 160 | 75 | 123 | | 653 | 29.3 | | | | N | |
| MP310 | 00105 | G04126 | A002D | 177244029502 | D02 | 06/23/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1786 | | 140 | 14 | 25 | | 420 | 23.5 | | | | N | |
| MP310 | 00105 | G04126 | A003 | 177244029401 | S01 | 06/06/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 316 | | 170 | 133 | 42 | | 76 | 22.8 | | | | N | |
| MP310 | 00105 | G04126 | A006 | 177244030103 | S01 | 06/10/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1476 | | 160 | 84 | 124 | | 1201 | 30.1 | | | | N | |
| MP310 | 00105 | G04126 | A008A | 177244029700 | S02 | 06/15/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1659 | | 175 | 41 | 68 | | 783 | 24.3 | | | | N | |
| MP310 | 00105 | G04126 | A010 | 177244029800 | S01 | 06/16/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 259 | | 190 | 158 | 41 | | 732 | 26.6 | | | | N | |
| MP310 | 00105 | G04126 | A011 | 177244041702 | S01 | 06/03/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 2326 | | 130 | 46 | 107 | | 14 | 26.6 | | | | N | |
| MP310 | 00105 | G04126 | A012 | 177244041900 | S01 | 06/20/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1183 | | 140 | 60 | 71 | | 19 | 27.8 | | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP310 | 00105 | G04126 | A013A | 177244042400 | S02 | 06/04/2003 | SEM | FL | | O | 24 | 72 | | |
| | | 821 | | 130 | 56 | 46 | | 44 | 25.8 | | | | | N |
| MP310 | 00105 | G04126 | A014 | 177244042601 | S01 | 06/18/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1442 | | 220 | 86 | 124 | | 792 | 28.3 | | | | | N |
| MP310 | 00105 | G04126 | A015 | 177244042500 | D01 | 06/21/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 718 | | 170 | 177 | 127 | | 339 | 24.7 | | | | | N |
| MP311 | 00078 | G04127 | A001 | 177244022800 | S01 | 06/04/2003 | SEM | GL | | O | 24 | 72 | | |
| | 945 | 5581 | | 705 | 43 | 240 | | 59 | 20 | | | | 95 | N |
| MP311 | 00078 | G04127 | A002 | 177244023200 | D02 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 900 | 476 | | 225 | 147 | 70 | | 342 | 27.7 | | | | 95 | N |
| MP311 | 00078 | G04127 | A003 | 177244023900 | D02 | 06/16/2003 | SEM | GL | | O | 24 | 90 | | |
| | 920 | 561 | | 122 | 164 | 92 | | 135 | 31 | | | | 95 | N |
| MP311 | 00078 | G04127 | A004 | 177244024101 | S01 | 06/30/2003 | SEM | GL | | O | 24 | 72 | | |
| | 980 | 420 | | 120 | 224 | 94 | | 381 | 23.4 | | | | 90 | N |
| MP311 | 00078 | G04127 | A005 | 177244024600 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 760 | 450 | | 111 | 40 | 18 | | 224 | 27.5 | | | | 95 | N |
| MP311 | 00078 | G04127 | A007 | 177244025202 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 14 | | |
| | 2300 | 2357 | | 1626 | 241 | 568 | | 2 | 32 | | | | 1110 | N |
| MP311 | 00078 | G04127 | A008 | 177244083000 | D62 | 06/20/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 700 | | 110 | 290 | 203 | | 210 | 36.1 | | | | 96 | N |
| MP311 | 00078 | G04127 | A009 | 177244026600 | S02 | 06/16/2003 | SEM | GL | | O | 24 | 90 | | |
| | 1940 | 639 | | 100 | 83 | 53 | | 334 | 34.1 | | | | 95 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP311 | 00078 | G04127 | A010 | 177244026701 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 36 | | |
| | 980 | 2888 | | 233 | 240 | 693 | | 446 | 35.6 | | | | 95 | N |
| MP311 | 00078 | G04127 | A011 | 177244032500 | D01 | 06/22/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1050 | 372 | | 111 | 121 | 45 | | 65 | 24 | | | | 90 | N |
| MP311 | 00078 | G04127 | A011D | 177244032500 | D02 | 06/22/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1110 | 364 | | 95 | 33 | 12 | | 98 | 24 | | | | 90 | N |
| MP311 | 00078 | G04127 | A012 | 177244027000 | S01 | 06/17/2003 | SEM | GL | | O | 24 | 72 | | |
| | 958 | 3124 | | 126 | 97 | 303 | | 710 | 22.7 | | | | 95 | N |
| MP311 | 00078 | G04127 | A013 | 177244031001 | S02 | 06/16/2003 | SEM | GL | | O | 24 | 56 | | |
| | 1100 | 774 | | 101 | 84 | 65 | | 15 | 37.6 | | | | 90 | N |
| MP311 | 00078 | G04127 | A014 | 177244027402 | S01 | 06/16/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1500 | 465 | | 173 | 43 | 20 | | 43 | 24.8 | | | | 95 | N |
| MP311 | 00078 | G04127 | A015 | 177244027800 | S03 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1200 | 3662 | | 109 | 65 | 238 | | 120 | 26 | | | | 95 | N |
| MP311 | 00078 | G04127 | A016 | 177244032101 | S02 | 06/20/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 744 | | 110 | 39 | 29 | | 221 | 38.7 | | | | 95 | N |
| MP311 | 00078 | G04127 | A017 | 177244028200 | S02 | 06/21/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1870 | 450 | | 100 | 80 | 36 | | 238 | 23.8 | | | | 95 | N |
| MP311 | 00078 | G04127 | A018 | 177244028601 | S02 | 06/22/2003 | SEM | GL | | O | 24 | 20 | | |
| | 2950 | 420 | | 565 | 588 | 247 | | 38 | 27.7 | | | | 100 | N |
| MP311 | 00078 | G04127 | A019 | 177244034500 | S01 | 06/22/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1080 | 695 | | 125 | 59 | 41 | | 96 | 33 | | | | 95 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP311 | 00078 | G04127 | A020 | 177244029200 | S01 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1300 | 677 | | 105 | 93 | 63 | | 79 | 35.1 | | | | 95 | N |
| MP311 | 00078 | G04127 | A022 | 177244033301 | D01 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 980 | 500 | | 100 | 46 | 23 | | 102 | 29.4 | | | | 85 | N |
| MP311 | 00078 | G04127 | A022D | 177244033301 | D02 | 06/23/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1875 | 328 | | 115 | 137 | 45 | | 320 | 21.5 | | | | 86 | N |
| MP311 | 00078 | G04127 | A023D | 177244034000 | D03 | 06/24/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1075 | 739 | | 120 | 138 | 102 | | 92 | 34.3 | | | | 95 | N |
| GC019 | 00689 | G04131 | A003A | 608114007200 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 1231 | | 449 | 130 | 160 | | 241 | 23.5 | | | | | N |
| GC019 | 00689 | G04131 | A004 | 608114007700 | S01 | 06/09/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 4073 | | 1597 | 55 | 224 | | 2699 | 23.9 | | | | | N |
| GC019 | 00689 | G04131 | A005 | 608114008200 | S01 | 06/04/2003 | SEM | FL | | G | 24 | 32 | | |
| | 1425 | 9999999 | | 168 | 0 | 183 | | 323 | 30 | | | | 1201 | N |
| GC019 | 00689 | G04131 | A006 | 608114008600 | S05 | 06/07/2003 | SEM | FL | | G | 24 | 12 | | |
| | 119 | 6636 | | 349 | 22 | 146 | | 65 | 26 | | | | 494 | N |
| MI665 | 00276 | G04139 | B002 | 427034015100 | S03 | 05/18/2003 | SEM | FL | | G | | 64 | | |
| | 345 | 9999999 | 0 | 124 | 0 | 2210 | | 0 | 0 | | | | | |
| SA010 | 00105 | G04143 | A003 | 177314004500 | S02 | 01/15/2003 | POT | FL | | G | 4 | 22 | | |
| | 5900 | 9999999 | 0 | 320 | 0 | 843 | | 0 | | | .62 | | | N |
| SA010 | 00105 | G04143 | A003 | 177314004500 | S02 | 06/19/2003 | SEM | FL | | G | 24 | 60 | | |
| | 7750 | 9999999 | | 400 | 0 | 69 | | 0 | 0 | | | | 1035 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR315 | 00185 | G04215 | A004 | 177064056100 | S01 | 06/10/2003 | SEM | FL | | O | 24 | 14 | | |
| | | 0 | | 110 | 32 | 0 | | 61 | 35.4 | | | | | N |
| VR315 | 00185 | G04215 | A008 | 177064076800 | S02 | 06/26/2003 | SEM | FL | | G | 24 | 64 | | |
| | 250 | 9999999 | | 105 | 0 | 35 | | 0 | | | | | 839 | N |
| EI297 | 00003 | G04225 | 003 | 177104151401 | S01 | 06/20/2003 | SEM | FL | | G | 24 | | | |
| | 440 | 9999999 | | 300 | 0 | 8196 | | 0 | | | | | 890 | N |
| EI297 | 00003 | G04225 | A004 | 177104137100 | S02 | 06/20/2003 | SEM | FL | | G | 24 | | | |
| | 700 | 9999999 | | 285 | 0 | 1188 | | 0 | | | | | 887 | N |
| SS169 | 00078 | G04231 | B007 | 177114062101 | S01 | 03/08/2003 | SEM | GL | | | 24 | 128 | | |
| | 1100 | 5231 | | 110 | 26 | 136 | | 230 | 30 | | | | 86 | N |
| SS169 | 00078 | G04231 | B009 | 177114064000 | S01 | 03/20/2003 | SEM | GL | | | 24 | 128 | | |
| | 1140 | 689 | | 225 | 228 | 157 | | 410 | 29 | | | | 158 | N |
| SS169 | 00078 | G04231 | B010 | 177114066201 | S02 | 03/19/2003 | SEM | GL | | | 24 | 64 | | |
| | 1100 | 829 | | 93 | 123 | 102 | | 1 | 31 | | | | 71 | N |
| SS169 | 00078 | G04231 | B011 | 177114064300 | D02 | 03/08/2003 | SEM | GL | | | 24 | 40 | | |
| | 1650 | 1609 | | 155 | 330 | 531 | | 423 | 28.7 | | | | 79 | N |
| SS169 | 00078 | G04231 | B012 | 177114067200 | S03 | 03/21/2003 | SEM | GL | | | 24 | 64 | | |
| | 1140 | 3500 | | 153 | 24 | 84 | | 493 | 32.8 | | | | 96 | N |
| SS169 | 00078 | G04231 | D002 | 177114091302 | S01 | 03/09/2003 | SEM | GL | | | 24 | 64 | | |
| | 1140 | 4368 | | 166 | 57 | 249 | | 732 | 32 | | | | 82 | N |
| SS169 | 00078 | G04231 | D003 | 177114094000 | S02 | 03/22/2003 | SEM | GL | | | 24 | 64 | | |
| | 1140 | 979 | | 107 | 145 | 142 | | 175 | 31.2 | | | | 73 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS169 | 00078 | G04231 | D006 | 177114134800 | S01 | 03/25/2003 | SEM | GL | | | 24 | 70 | | |
| | 2075 | 985 | | 452 | 1121 | 1104 | | 1543 | 28.6 | | | | 168 | N |
| SS169 | 00078 | G04231 | F001 | 177114120000 | S01 | 05/02/2003 | SEM | GL | | | 24 | 24 | | |
| | 1200 | 1289 | | 171 | 97 | 125 | | 1110 | 28 | | | | 152 | N |
| ST196 | 00981 | G04237 | F001 | 177154041701 | S01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 1370 | 9999999 | 99 | 190 | 0 | 894 | | 56 | 0 | | | | | |
| ST300 | 00689 | G04240 | A001 | 177164001300 | S01 | 06/13/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 1937 | | 698 | 316 | 612 | | 181 | 37.3 | | | | | N |
| ST300 | 00689 | G04240 | A004 | 177164001600 | S01 | 06/24/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 1161 | | 129 | 31 | 36 | | 20 | 36.2 | | | | | N |
| ST300 | 00689 | G04240 | A005A | 177164001700 | S02 | 06/18/2003 | SEM | FL | | G | 24 | 20 | | |
| | 3200 | 26706 | | 851 | 34 | 908 | | 382 | 52.7 | | | | 1020 | N |
| ST300 | 00689 | G04240 | A006 | 177164001901 | S01 | 06/10/2003 | SEM | FL | | O | 24 | 26 | | |
| | | 421 | | 172 | 19 | 8 | | 355 | 38.7 | | | | | N |
| ST300 | 00689 | G04240 | A008 | 177164002100 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 32 | | |
| | | 2210 | | 540 | 334 | 738 | | 930 | 35.7 | | | | | N |
| ST300 | 00689 | G04240 | A011 | 177164003400 | S02 | 06/21/2003 | SEM | FL | | G | 24 | 18 | | |
| | 2500 | 7778 | | 235 | 9 | 70 | | 193 | 39.1 | | | | 1040 | N |
| ST300 | 00689 | G04240 | A013A | 177164003500 | S02 | 06/14/2003 | SEM | FL | | O | 24 | 14 | | |
| | | 1376 | | 979 | 197 | 271 | | 197 | 36 | | | | | N |
| ST300 | 00689 | G04240 | A014 | 177164003902 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 16 | | |
| | 3400 | 20333 | | 336 | 15 | 305 | | 9 | 45.1 | | | | 1030 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST300 | 00689 | G04240 | A017 | 177164004900 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 1000 | | 139 | 7 | 7 | | 72 | 41.7 | | | | N | |
| ST300 | 00689 | G04240 | A028 | 177164007300 | S01 | 06/15/2003 | SEM | GL | | O | 24 | 12 | | |
| | | 1707 | | 480 | 82 | 140 | | 66 | 33.4 | | | | N | |
| MP310 | 00105 | G04253 | A005 | 177244030600 | D01 | 06/01/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1337 | | 120 | 83 | 111 | | 168 | 26.5 | | | | N | |
| MP310 | 00105 | G04253 | A009 | 177244030500 | S01 | 06/16/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 865 | | 190 | 89 | 77 | | 663 | 26.5 | | | | N | |
| EW305 | 01834 | G04254 | A002 | 608104004300 | S01 | 06/13/2003 | SEM | GL | | O | | 64 | | |
| | 2294 | 1423 | 88.58 | 218 | 111 | 158 | | 861 | 34 | | | | | |
| EW305 | 01834 | G04254 | A010 | 608105001100 | D03 | 05/08/2003 | SEM | FL | | O | | 64 | | |
| | 460 | 9999999 | 0 | 145 | 0 | 100 | | 0 | 31.7 | | | | | |
| EW305 | 01834 | G04254 | A010D | 608105001100 | D04 | 05/08/2003 | SEM | FL | | G | | 38 | | |
| | 1915 | 9999999 | 0 | 130 | 0 | 20 | | 0 | 52 | | | | | |
| BA453 | 01764 | G04258 | 002U | 427044013900 | D02 | 01/22/2003 | SEM | FL | | G | | 18 | | |
| | 850 | 9999999 | 0 | 730 | 0 | 1750 | | 0 | | | | | | |
| WC639 | 02522 | G04268 | A002 | 177024065600 | S01 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | 200 | 9999999 | 99 | 75 | 0 | 923 | | 2 | | | | | | |
| WC639 | 02522 | G04268 | A005 | 177024066501 | S01 | 06/07/2003 | SEM | FL | | G | | 28 | | |
| | 200 | 206625 | 94.41 | 850 | 8 | 1653 | | 135 | 56 | | | | | |
| WC639 | 02522 | G04268 | A010 | 177024070501 | S01 | 06/14/2003 | SEM | FL | | G | | 34 | | |
| | 3010 | 317667 | 91.18 | 1000 | 3 | 953 | | 31 | 56 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC639 | 02522 | G04268 | A013 | 177024071300 | S01 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | 180 | 9999999 | 0 | 65 | 0 | 7 | | 0 | | | | | | |
| WC049 | 01138 | G04379 | A001 | 177004086600 | S02 | 05/19/2003 | SEM | FL | | G | | 128 | | |
| | 1325 | 5108000 | 99 | 240 | 1 | 5108 | | 1137 | 0 | | | | | |
| WC165 | 02421 | G04397 | 003A | 177014012900 | S02 | 06/14/2003 | SEM | FL | | G | 24 | 64 | | |
| | 4800 | 127972 | | 1200 | 36 | 4607 | | 0 | 44.7 | | | | 0 | N |
| WC165 | 02421 | G04397 | A001 | 177014030300 | S02 | 06/14/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3941 | 46286 | | 3435 | 14 | 648 | | 470 | 44.7 | | | | 0 | N |
| VR076 | 00981 | G04421 | A003 | 177054102401 | S02 | 04/27/2003 | SEM | FL | | G | 24 | 11 | | |
| | 4200 | 4135 | | 2000 | 342 | 1414 | | 12 | 40.2 | | | | 887 | N |
| VR318 | 02383 | G04427 | A004 | 177064052601 | S02 | 05/30/2003 | SEM | FL | | G | | 22 | | |
| | 2350 | 9999999 | 99 | 500 | 0 | 564 | | 983 | 39.3 | | | | | |
| VR318 | 02383 | G04427 | A009 | 177064055000 | S02 | 05/30/2003 | SEM | UK | | O | | 64 | | |
| | 1730 | 480 | 50.59 | 160 | 250 | 120 | | 256 | 39.3 | | | | | |
| VR318 | 02383 | G04427 | A010 | 177064055101 | S01 | 06/01/2003 | SEM | UK | | G | | 64 | | |
| | 900 | 947 | 65.45 | 130 | 38 | 36 | | 72 | 39.3 | | | | | |
| VR318 | 02383 | G04427 | A014 | 177064067201 | S02 | 06/01/2003 | SEM | UK | | O | | 64 | | |
| | 550 | 1810 | .79 | 90 | 126 | 228 | | 1 | 39.3 | | | | | |
| SM236 | 00078 | G04437 | 001 | 177074038000 | S01 | 04/02/2003 | SEM | GL | | G | | 31 | | |
| | 1106 | 742 | 91.99 | 268 | 89 | 66 | | 1022 | 31.6 | | | | | |
| SM236 | 00078 | G04437 | A002 | 177074040200 | S02 | 03/19/2003 | SEM | GL | | | 24 | 64 | | |
| | 1467 | 4727 | | 156 | 33 | 156 | | 1617 | 40.4 | | | | 162 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM009 | 00078 | G04442 | A001 | 177094047901 | S02 | 08/24/2003 | POT | FL | | G | 4 | 12 | | |
| | 4100 | 25744 | 0 | 4050 | 180 | 4634 | | 0 | 48.6 | .6 | | | N | |
| EI240 | 02481 | G04453 | A001 | 177094044301 | S02 | 01/29/2003 | SEM | FL | | O | | 17 | | |
| | 920 | 470 | 0 | 1300 | 1115 | 524 | | 0 | 38 | | | | | |
| EI240 | 02481 | G04453 | A009 | 177094134601 | S02 | 04/29/2003 | POT | FL | | G | 24 | 26 | | |
| | 2000 | 108945 | 28.57 | 1450 | 55 | 5992 | | 22 | 52 | .596 | | | N | |
| EI240 | 02481 | G04453 | A009 | 177094134601 | S02 | 06/21/2003 | SEM | FL | | G | | 24 | | |
| | 2800 | 150278 | 97.76 | 960 | 18 | 2705 | | 786 | 52 | | | | | |
| ST076 | 02383 | G04460 | D001 | 177154063400 | S02 | 06/15/2003 | SEM | FL | | G | | 11 | | |
| | 8700 | 16173 | 91.52 | 7100 | 52 | 841 | | 561 | 40 | | | | | |
| ST200 | 00078 | G04464 | A004 | 177154056200 | S05 | 06/15/2003 | SEM | FL | | G | 24 | 16 | | |
| | 2634 | 124500 | | 1159 | 4 | 498 | | 4 | | | | | 1154 | N |
| ST200 | 00078 | G04464 | A005 | 177154056800 | S02 | 06/15/2003 | SEM | FL | | G | 24 | 20 | | |
| | 4107 | 276000 | | 1718 | 3 | 828 | | 121 | | | | | 1154 | N |
| ST200 | 00078 | G04464 | A009 | 177154112500 | S01 | 08/11/2003 | POT | FL | | G | 24 | 22 | | |
| | 11200 | 68319 | .46 | 1022 | 216 | 14757 | | 1 | 44.6 | | | | | N |
| WD027 | 00078 | G04473 | 008D | 177194065800 | D02 | 05/26/2003 | SEM | GL | | O | 24 | 100 | | |
| | 1450 | 638 | | 146 | 196 | 125 | | 1762 | 37 | | | | 186 | N |
| WD027 | 00078 | G04473 | 009 | 177194066201 | D05 | 05/26/2003 | SEM | GL | | G | 24 | 32 | | |
| | 1700 | 2247 | | 475 | 178 | 400 | | 712 | 21.4 | | | | 107 | N |
| WD030 | 00078 | G04473 | A002 | 177194028402 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 834 | | 220 | 193 | 161 | | 235 | 23.9 | | | | 210 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD030 | 00078 | G04473 | A005 | 177194023500 | S03 | 06/06/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1000 | 483 | | 350 | 329 | 159 | | 1167 | 27.2 | | | 320 | N | |
| WD030 | 00078 | G04473 | A009 | 177194055500 | D01 | 06/09/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1000 | 1036 | | 140 | 83 | 86 | | 22 | 29.7 | | | 130 | N | |
| WD030 | 00078 | G04473 | A009D | 177194055500 | D02 | 06/07/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1750 | 642 | | 130 | 123 | 79 | | 14 | 24.1 | | | 120 | N | |
| WD030 | 00078 | G04473 | A010 | 177194056501 | S01 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1220 | 127 | | 175 | 158 | 20 | | 897 | 24.1 | | | 175 | N | |
| WD030 | 00078 | G04473 | A011 | 177194066100 | S01 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1000 | 246 | | 160 | 126 | 31 | | 107 | 23.6 | | | 65 | N | |
| WD030 | 00078 | G04473 | A012 | 177194070902 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 11 | | |
| | 2150 | 1228 | | 1795 | 320 | 393 | | 0 | 26.4 | | | 145 | N | |
| MP151 | 00078 | G04481 | A001 | 177254033800 | S04 | 06/16/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1100 | 1034 | | 80 | 59 | 61 | | 40 | 27.3 | | | 70 | N | |
| MP151 | 00078 | G04481 | A002 | 177254043101 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1250 | 324500 | | 350 | 4 | 1298 | | 38 | 47.5 | | | 75 | N | |
| MP151 | 00078 | G04481 | A003 | 177254036100 | S03 | 06/15/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1090 | 611 | | 130 | 72 | 44 | | 48 | 29.6 | | | 100 | N | |
| MP151 | 00078 | G04481 | A004 | 177254036900 | S03 | 06/23/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1560 | 9999999 | | 475 | 0 | 468 | | 653 | | | | 450 | N | |
| MP151 | 00078 | G04481 | A007 | 177254041000 | S02 | 06/03/2003 | SEM | FL | | G | 24 | 48 | | |
| | 2800 | 33486 | | 550 | 35 | 1172 | | 142 | 30.2 | | | 510 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP151 | 00078 | G04481 | A009 | 177254039000 | S04 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1130 | 9999999 | | 90 | 0 | 69 | | 432 | | | | | 80 | N |
| MP151 | 00078 | G04481 | A010 | 177254039600 | S01 | 06/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1100 | 787 | | 100 | 47 | 37 | | 109 | 28.1 | | | | 100 | N |
| MP151 | 00078 | G04481 | A012 | 177254039700 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 84 | | |
| | 760 | 9999999 | | 100 | 0 | 870 | | 0 | | | | | 90 | N |
| MP151 | 00078 | G04481 | A018 | 177254046800 | S02 | 06/15/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1100 | 488 | | 120 | 84 | 41 | | 197 | 30.1 | | | | 140 | N |
| MP151 | 00078 | G04481 | A020 | 177254048501 | D01 | 06/15/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1100 | 488 | | 120 | 166 | 81 | | 665 | 27.5 | | | | 110 | N |
| MP151 | 00078 | G04481 | A020D | 177254048501 | D02 | 06/15/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1000 | 701 | | 130 | 338 | 237 | | 145 | 31.4 | | | | 120 | N |
| MP151 | 00078 | G04481 | A022 | 177254067401 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1620 | 392800 | | 540 | 15 | 5892 | | 1 | 27.6 | | | | 500 | N |
| MP151 | 00078 | G04481 | A023 | 177254067601 | S01 | 06/20/2003 | SEM | GL | | O | 24 | 128 | | |
| | 1080 | 2359 | | 140 | 64 | 151 | | 737 | 32.5 | | | | 140 | N |
| MP311 | 00730 | G04486 | A002 | 177244034600 | S01 | 06/15/2003 | SEM | FL | | O | | 21 | | |
| | | 545 | 84.79 | 200 | 33 | 18 | | 184 | 31.8 | | | | | |
| MP311 | 00730 | G04486 | A003 | 177244035101 | S01 | 06/01/2003 | SEM | FL | | O | | 25 | | |
| | | 174 | 84.9 | 130 | 69 | 12 | | 388 | 31.8 | | | | | |
| MP311 | 00730 | G04486 | A004 | 177244039500 | S01 | 06/03/2003 | SEM | FL | | O | | 25 | | |
| | | 1583 | 84.42 | 170 | 12 | 19 | | 65 | 31.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP311 | 00730 | G04486 | A005 | 177244073900 | S01 | 06/05/2003 | SEM | FL | | O | | 25 | | |
| | | 503 | 60.05 | 60 | 161 | 81 | | 242 | 31.8 | | | | | |
| MP311 | 00730 | G04486 | B001 | 177244063000 | S02 | 06/04/2003 | SEM | FL | | G | | 12 | | |
| | 1600 | 104667 | 10 | 1080 | 9 | 942 | | 1 | 31.8 | | | | | |
| MP311 | 00730 | G04486 | B003 | 177244069800 | S01 | 06/02/2003 | SEM | FL | | O | | 48 | | |
| | | 14 | 48.12 | 210 | 69 | 1 | | 64 | 31.8 | | | | | |
| GC136 | 00078 | G04508 | 006 | 608114020000 | S01 | 04/02/2003 | SEM | FL | | | 24 | 23 | | |
| | 1435 | 9999999 | | 1047 | 0 | 3655 | | 70 | | | | | 107 | N |
| GC136 | 00078 | G04508 | SS008 | 608114029600 | S01 | 01/18/2003 | POT | FL | | G | 24 | 64 | | |
| | 3777 | 9999999 | 100 | 2947 | 0 | 30415 | | 28 | | | .65 | | | N |
| GC136 | 00078 | G04508 | SS008 | 608114029600 | S01 | 04/09/2003 | SEM | FL | | | 24 | 128 | | |
| | 3777 | 9999999 | | 2380 | 0 | 23519 | | 0 | | | | | 811 | N |
| MU031A | 01046 | G04537 | B007 | 427024016000 | D05 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1500 | 750 | 97 | 500 | 4 | 3 | | 129 | 49 | | | | | |
| MU031A | 01046 | G04537 | B007D | 427024016000 | D04 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1380 | 1333 | 67.39 | 490 | 3 | 4 | | 6 | 49 | | | | | |
| MU031A | 01046 | G04537 | B010 | 427024027400 | D01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 333 | 93.15 | 225 | 3 | 1 | | 41 | 49 | | | | | |
| MU031A | 01046 | G04537 | B010 | 427024027400 | D01 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 1250 | 720667 | 92.31 | 222 | 3 | 2162 | | 36 | 47.3 | | | | | |
| MU031A | 01046 | G04537 | B010D | 427024027400 | D02 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 333 | 93.88 | 220 | 3 | 1 | | 46 | 49 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MU031A | 01046 | G04537 | B011 | 427024028300 | S03 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 280 | 1000 | 93.14 | 215 | 1 | 1 | | 19 | 49 | | | | | |
| MI668 | 02451 | G04546 | H001 | 427034019701 | S03 | 01/10/2003 | POT | FL | | G | 24 | 16 | | |
| | 6650 | 535364 | 42.11 | 6040 | 11 | 5889 | | 8 | 38.4 | .595 | | | | N |
| BA022A | 01935 | G04559 | A003A | 427044011000 | S03 | 06/22/2003 | SEM | FL | | G | | 999 | | |
| | | 526000 | 80 | 365 | 1 | 526 | | 4 | 36.5 | | | | | |
| GA303 | 02607 | G04565 | A002 | 427064039800 | D03 | 06/26/2003 | SEM | FL | | G | | 30 | | |
| | 800 | 466143 | 12.5 | 566 | 7 | 3263 | | 1 | 45 | | | | | |
| MI696 | 00981 | G04704 | A002 | 427034038400 | S03 | 05/30/2003 | SEM | FL | | G | | 12 | | |
| | 1600 | 280500 | 14.29 | 1585 | 6 | 1683 | | 1 | 49.9 | | | | | |
| HI006A | 00689 | G04734 | A002 | 427084010501 | S01 | 03/07/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1850 | 396077 | | 930 | 13 | 5149 | | 685 | 30 | | | | 1042 | N |
| HI006A | 00689 | G04734 | A002 | 427084010501 | S01 | 06/30/2003 | SEM | FL | | G | | 64 | | |
| | 1850 | 477273 | 98.53 | 910 | 11 | 5250 | | 739 | | | | | | |
| WC536 | 01551 | G04773 | A011 | 177024130200 | S01 | 05/25/2003 | POT | FL | | G | 24 | 28 | | |
| | 1750 | 9999999 | 100 | 1345 | 0 | 9163 | | 9 | | .65 | | | | N |
| EC033 | 01376 | G04777 | A001 | 177034039800 | S01 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 630 | 259167 | 95.28 | 130 | 6 | 1555 | | 119 | 37 | | | | | |
| EC033 | 01376 | G04777 | A001 | 177034039800 | S01 | 06/21/2003 | SEM | UK | | G | | 64 | | |
| | 630 | 259167 | 95.26 | 130 | 6 | 1555 | | 119 | 40.1 | | | | | |
| VR050 | 00078 | G04785 | 005 | 177054061800 | S04 | 03/20/2003 | SEM | FL | | | 24 | 128 | | |
| | 1980 | 9999999 | | 499 | 0 | 703 | | 585 | | | | | 481 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR050 | 00078 | G04785 | 006 | 177054063601 | S01 | 03/20/2003 | SEM | FL | | | 24 | 128 | | |
| | 1480 | 9999999 | | 489 | 0 | 1008 | | 800 | | | | | 480 | N |
| VR076 | 00687 | G04787 | 001 | 177054050302 | S01 | 06/16/2003 | SEM | FL | | G | | 24 | | |
| | 2620 | 469368 | 0 | 2355 | 19 | 8918 | | 0 | 53.1 | | | | | |
| VR076 | 00687 | G04787 | 002 | 177054050400 | S08 | 06/06/2003 | SEM | FL | | G | | 7 | | |
| | 2800 | 9999999 | 99 | 1590 | 0 | 465 | | 88 | | | | | | |
| VR076 | 00687 | G04787 | 003 | 177054082601 | S01 | 06/06/2003 | SEM | FL | | G | | 12 | | |
| | 2510 | 69375 | 93.39 | 1440 | 8 | 555 | | 113 | 53.1 | | | | | |
| VR167 | 00185 | G04794 | AJ003 | 177054073800 | S02 | 06/20/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 4333 | | 180 | 21 | 91 | | 56 | 34.7 | | | | | N |
| VR167 | 00185 | G04794 | AJ004 | 177054078800 | S02 | 01/05/2003 | POT | FL | | G | 24 | 13 | | |
| | 2250 | 129000 | 0 | 1800 | 10 | 1290 | | 0 | 57.7 | .62 | | | | N |
| VR167 | 00185 | G04794 | AJ004 | 177054078800 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 13 | | |
| | 1840 | 28055 | | 1240 | 55 | 1543 | | 0 | 34.7 | | | | 155 | N |
| WC294 | 00185 | G04818 | A001 | 177014020700 | S03 | 06/27/2003 | SEM | FL | | G | 24 | 19 | | |
| | 1100 | 536000 | | 1030 | 5 | 2680 | | 2 | 46.1 | | | | 910 | N |
| ST077 | 02383 | G04827 | A001A | 177154049002 | D02 | 06/06/2003 | SEM | FL | | G | | 18 | | |
| | 1200 | 1886 | 93.51 | 560 | 44 | 83 | | 634 | 40 | | | | | |
| ST052 | 02268 | G04842 | A002 | 177154082101 | D01 | 01/25/2003 | POT | FL | | G | 24 | 16 | | |
| | 6600 | 34681 | 0 | 3000 | 113 | 3919 | | 0 | 46.9 | .626 | | | | N |
| ST052 | 02268 | G04842 | A002 | 177154082101 | D01 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 630 | 9999999 | 0 | 120 | 0 | 205 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST052 | 02268 | G04842 | A002D | 177154082101 | D02 | 01/30/2003 | POT | FL | | G | 24 | 32 | | |
| | 4100 | 41029 | 0 | 3020 | 307 | 12596 | | 0 | 52.1 | .611 | | | N | |
| ST052 | 02268 | G04842 | A002D | 177154082101 | D02 | 07/02/2003 | SEM | FL | | G | | 39 | | |
| | 2800 | 69575 | 63.19 | 1500 | 113 | 7862 | | 194 | 52.1 | | | | | |
| ST052 | 02268 | G04842 | A003 | 177154112103 | S01 | 05/11/2003 | POT | FL | | G | 24 | 23 | | |
| | 3000 | 46667 | 4.26 | 1700 | 90 | 4200 | | 4 | 46.6 | .59 | | | N | |
| ST052 | 02268 | G04842 | A003 | 177154112103 | S01 | 06/13/2003 | SEM | FL | | G | | 23 | | |
| | 3000 | 54090 | 1.47 | 1600 | 67 | 3624 | | 1 | 46.6 | | | | | |
| ST052 | 02268 | G04842 | E001 | 177154105600 | D01 | 06/22/2003 | SEM | FL | | O | | 24 | | |
| | 2805 | 121167 | 93.44 | 2007 | 42 | 5089 | | 598 | 48.6 | | | | | |
| ST052 | 02268 | G04842 | E001D | 177154105600 | D02 | 06/19/2003 | POT | FL | | G | 24 | 32 | | |
| | 3000 | 52090 | 79.15 | 2196 | 167 | 8699 | | 634 | 47.6 | .597 | | | N | |
| ST052 | 02268 | G04842 | E001D | 177154105600 | D02 | 06/23/2003 | SEM | FL | | G | | 32 | | |
| | 3000 | 53536 | 89.26 | 2130 | 112 | 5996 | | 931 | 47.6 | | | | | |
| ST052 | 02268 | G04842 | E002 | 177154106500 | S02 | 07/02/2003 | SEM | FL | | O | | 28 | | |
| | 2200 | 15088 | 76.66 | 1324 | 148 | 2233 | | 486 | 44.6 | | | | | |
| ST052 | 02268 | G04842 | E003D | 177154107102 | D02 | 01/01/2003 | SEM | GL | | G | | 64 | | |
| | 1100 | 4820 | 56.35 | 371 | 344 | 1658 | | 444 | 36.5 | | | | | |
| ST052 | 02268 | G04842 | E003D | 177154107102 | D02 | 06/19/2003 | SEM | GL | | G | | 64 | | |
| | 1400 | 3477 | 74.4 | 183 | 128 | 445 | | 372 | 36.5 | | | | | |
| WC576 | 02421 | G04844 | A004 | 177024130901 | S01 | 05/14/2003 | SEM | FL | | G | 24 | 28 | | |
| | 0 | 9999999 | | 0 | 0 | 3585 | | 6 | 0 | | | 0 | N | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC576 | 02421 | G04844 | B005A | 177024117100 | S02 | 06/01/2003 | SEM | FL | | G | 24 | 25 | | |
| | 1285 | 9999999 | | 901 | 0 | 1501 | | 280 | 0 | | | | 0 | N |
| EI053 | 00236 | G04857 | 001 | 177094058500 | S02 | 05/02/2003 | POT | FL | | G | 24 | 30 | | |
| | 5500 | 83333 | 94.34 | 1030 | 3 | 250 | | 50 | 44 | .626 | | | | N |
| EI053 | 00236 | G04858 | 004 | 177094055500 | S03 | 05/23/2003 | SEM | GL | | G | | 64 | | |
| | 2810 | 209333 | 99 | 550 | 3 | 628 | | 550 | 35.4 | | | | | |
| EI053 | 00236 | G04858 | 005 | 177094059300 | S03 | 05/25/2003 | SEM | FL | | O | | 64 | | |
| | 3400 | 34417 | 97.08 | 180 | 12 | 413 | | 406 | 33.9 | | | | | |
| WD086 | 00059 | G04895 | A010 | 177194031700 | S01 | 06/08/2003 | SEM | GL | | G | | 217 | | |
| | 1030 | 9999999 | 99 | 280 | 0 | 1376 | | 1589 | 54.9 | | | | | |
| MP030 | 00078 | G04903 | A001 | 177254040000 | S02 | 06/20/2003 | SEM | GL | | O | 24 | 76 | | |
| | | 371 | | 90 | 159 | 59 | | 93 | 35.5 | | | | 72 | N |
| MP030 | 00078 | G04903 | A002 | 177254051501 | D01 | 03/15/2003 | POT | GL | | O | 24 | 34 | | |
| | | 1190 | 87.01 | 65 | 79 | 94 | | 529 | 21 | .62 | | | | N |
| MP030 | 00078 | G04903 | A002 | 177254051501 | D01 | 06/16/2003 | SEM | GL | | O | 24 | 34 | | |
| | | 907 | | 150 | 43 | 39 | | 546 | 21 | | | | 65 | N |
| MP030 | 00078 | G04903 | A002D | 177254051501 | D02 | 06/17/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 386 | | 70 | 44 | 17 | | 66 | 36 | | | | 65 | N |
| MP030 | 00078 | G04903 | A003 | 177254051200 | S02 | 06/22/2003 | SEM | GL | | O | 24 | 128 | | |
| | | 97 | | 75 | 72 | 7 | | 46 | 21.9 | | | | 65 | N |
| MP030 | 00078 | G04903 | A004 | 177254051401 | S02 | 06/21/2003 | SEM | GL | | O | 24 | 112 | | |
| | 1000 | 321 | | 75 | 131 | 42 | | 137 | 20.6 | | | | 65 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP030 | 00078 | G04903 | A005 | 177254051702 | S01 | 03/05/2003 | POT | FL | | O | 24 | 32 | | |
| | | 1140 | 91.02 | 70 | 107 | 122 | | 1084 | 22 | .62 | | | N | |
| MP030 | 00078 | G04903 | A005 | 177254051702 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 32 | | |
| | | 2000 | | 184 | 45 | 90 | | 1083 | 22 | | | 70 | N | |
| MP030 | 00078 | G04903 | A007 | 177254052500 | S02 | 06/19/2003 | SEM | FL | | G | 24 | 13 | | |
| | 2264 | 9999999 | | 1770 | 0 | 1712 | | 0 | | | | 1089 | N | |
| MP030 | 00078 | G04903 | A008 | 177254052700 | S03 | 06/20/2003 | SEM | GL | | O | 24 | 36 | | |
| | 1030 | 758 | | 230 | 149 | 113 | | 1345 | 33.6 | | | 80 | N | |
| MP030 | 00078 | G04903 | A011 | 177254072900 | S01 | 03/03/2003 | POT | GL | | O | 24 | 20 | | |
| | | 345 | 4.06 | 100 | 686 | 237 | | 29 | 33 | .62 | | | N | |
| MP030 | 00078 | G04903 | A011 | 177254072900 | S01 | 06/20/2003 | SEM | GL | | O | 24 | 20 | | |
| | | 393 | | 487 | 608 | 239 | | 52 | 31.7 | | | 88 | N | |
| MP030 | 00078 | G04903 | A012 | 177254073201 | S01 | 01/15/2003 | POT | GL | | O | 24 | 60 | | |
| | | 5042 | 29.41 | 67 | 24 | 121 | | 10 | 38 | .62 | | | N | |
| MP030 | 00078 | G04903 | A012 | 177254073201 | S02 | 03/02/2003 | POT | FL | | G | 24 | 17 | | |
| | 2800 | 383400 | 0 | 2375 | 10 | 3834 | | 0 | 50 | .62 | | | N | |
| MP030 | 00078 | G04903 | A012 | 177254073201 | S02 | 06/18/2003 | SEM | FL | | G | 24 | 17 | | |
| | 2800 | 198286 | | 2029 | 14 | 2776 | | 161 | 38 | | | 1080 | N | |
| MP064 | 02589 | G04909 | 002D | 177254030300 | S02 | 05/22/2003 | SEM | GL | | O | | 64 | | |
| | 1215 | 130 | 37.84 | 120 | 92 | 12 | | 56 | 32.6 | | | | | |
| MP064 | 02589 | G04909 | 003 | 177254030600 | S01 | 05/22/2003 | SEM | GL | | O | | 64 | | |
| | 1250 | 316 | 87.01 | 160 | 79 | 25 | | 529 | 32.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP064 | 02589 | G04909 | 006 | 177254032000 | S01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 804 | 50.88 | 340 | 168 | 135 | | 174 | 33 | | | | | |
| MP064 | 02589 | G04909 | 010 | 177254032801 | S01 | 05/22/2003 | SEM | GL | | O | | 64 | | |
| | 900 | 0 | 41.18 | 100 | 10 | 0 | | 7 | 32.7 | | | | | |
| MP064 | 02589 | G04909 | 011 | 177254032900 | S01 | 05/25/2003 | SEM | GL | | O | | 64 | | |
| | 1250 | 1474 | 85.93 | 150 | 19 | 28 | | 116 | 32.6 | | | | | |
| MP064 | 02589 | G04909 | 012 | 177254033300 | S01 | 05/23/2003 | SEM | GL | | O | | 64 | | |
| | 1250 | 893 | 62.67 | 100 | 28 | 25 | | 47 | 33 | | | | | |
| MP064 | 02589 | G04909 | 014 | 177254037000 | S01 | 05/23/2003 | SEM | GL | | O | | 64 | | |
| | 1250 | 0 | 91.67 | 110 | 12 | 0 | | 132 | 31.5 | | | | | |
| MP064 | 02589 | G04909 | 018 | 177254055500 | S01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | 1060 | 11182 | 88.93 | 310 | 33 | 369 | | 265 | 32.6 | | | | | |
| MP064 | 02589 | G04909 | 019 | 177254056000 | S01 | 05/24/2003 | SEM | GL | | O | | 64 | | |
| | 950 | 266 | 35.04 | 340 | 241 | 64 | | 130 | 32.6 | | | | | |
| VK204 | 02647 | G04921 | 003A | 608164012000 | S01 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 280 | 9999999 | 0 | 180 | 0 | 264 | | 0 | | | | | | |
| VK204 | 02647 | G04921 | A002A | 608164018800 | S01 | 06/17/2003 | SEM | FL | | G | | 14 | | |
| | 1080 | 9999999 | 0 | 800 | 0 | 800 | | 0 | | | | | | |
| VK204 | 02647 | G04921 | C001A | 608164019200 | S01 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 260 | 9999999 | 99 | 180 | 0 | 620 | | 35 | | | | | | |
| VK204 | 01689 | G04921 | C003A | 608164039400 | S01 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 375 | 9999999 | 0 | 190 | 0 | 1840 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC397 | 00276 | G04931 | A006 | 608174046200 | S01 | 05/24/2003 | SEM | FL | | G | | 64 | | |
| | 1230 | 631250 | 97.04 | 121 | 4 | 2525 | | 131 | 53.4 | | | | | |
| MC397 | 00276 | G04931 | A011 | 608174049600 | S01 | 05/22/2003 | SEM | FL | | G | | 64 | | |
| | 950 | 161800 | 0 | 486 | 20 | 3236 | | 0 | 51.6 | | | | | |
| MC020 | 00774 | G04935 | A001 | 608174023000 | S03 | 06/13/2003 | SEM | FL | | O | | 18 | | |
| | | 2068 | 72.91 | 815 | 146 | 302 | | 393 | 36.8 | | | | | |
| MC020 | 00774 | G04935 | A002 | 608174023300 | S02 | 06/09/2003 | SEM | GL | | O | | 108 | | |
| | | 909 | 87.99 | 160 | 55 | 50 | | 403 | 33.2 | | | | | |
| MC020 | 00774 | G04935 | A004 | 608174023900 | S01 | 06/10/2003 | SEM | GL | | O | | 108 | | |
| | | 194 | 80.07 | 120 | 108 | 21 | | 434 | 27.7 | | | | | |
| MC020 | 00774 | G04935 | A006 | 608174024500 | S01 | 06/22/2003 | SEM | GL | | O | | 72 | | |
| | | 2148 | 96 | 120 | 27 | 58 | | 648 | 27.2 | | | | | |
| MC020 | 00774 | G04935 | A009 | 608174025301 | S01 | 06/10/2003 | SEM | GL | | O | | 72 | | |
| | | 565 | 39.47 | 110 | 23 | 13 | | 15 | 24.6 | | | | | |
| MC020 | 00774 | G04935 | A010 | 608174026100 | S01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | | 77 | 95.98 | 130 | 39 | 3 | | 930 | 31.4 | | | | | |
| MC020 | 00774 | G04935 | A011 | 608174027300 | S02 | 06/05/2003 | SEM | FL | | G | | 16 | | |
| | 2960 | 478750 | 0 | 2750 | 8 | 3830 | | 0 | 54.4 | | | | | |
| MC020 | 00774 | G04935 | A014 | 608174028101 | S01 | 05/26/2003 | SEM | GL | | | | 108 | | |
| | | 1364 | 42.11 | 110 | 11 | 15 | | 8 | 33.7 | | | | | |
| MC020 | 00774 | G04935 | A016D | 608174028700 | D02 | 06/21/2003 | SEM | GL | | O | | 108 | | |
| | | 277 | 88.01 | 160 | 83 | 23 | | 609 | 10.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC020 | 00774 | G04935 | A017 | 608174029100 | S01 | 06/06/2003 | SEM | FL | | G | | 34 | | |
| | 2450 | 9999999 | 99 | 1300 | 0 | 515 | | 61 | | | | | | |
| MC020 | 00774 | G04935 | A022 | 608174089900 | S01 | 06/19/2003 | SEM | FL | | O | | 13 | | |
| | | 412 | 44.08 | 185 | 85 | 35 | | 67 | 23.3 | | | | | |
| MC020 | 00774 | G04935 | A023 | 608174090400 | S02 | 06/05/2003 | SEM | FL | | G | | 16 | | |
| | 2900 | 101600 | 0 | 1850 | 20 | 2032 | | 0 | 52 | | | | | |
| MC020 | 00774 | G04935 | A024 | 608174090500 | S01 | 06/08/2003 | SEM | GL | | O | | 72 | | |
| | | 53 | 2.06 | 110 | 95 | 5 | | 2 | 27.4 | | | | | |
| MC397 | 00276 | G04939 | A001 | 608174041101 | D01 | 06/04/2003 | SEM | FL | | O | | 64 | | |
| | | 786 | 69.96 | 125 | 210 | 165 | | 489 | 33.4 | | | | | |
| MC397 | 00276 | G04939 | A001D | 608174041101 | D02 | 06/05/2003 | SEM | FL | | G | | 39 | | |
| | 2105 | 197349 | 8.51 | 901 | 43 | 8486 | | 4 | 48 | | | | | |
| MC397 | 00276 | G04939 | A013D | 608174050100 | D02 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 1022 | 87500 | 80 | 101 | 6 | 525 | | 24 | 49.8 | | | | | |
| MC397 | 00276 | G04939 | A016 | 608174085300 | S01 | 05/22/2003 | SEM | FL | | G | | 41 | | |
| | 1280 | 241361 | 25 | 543 | 36 | 8689 | | 12 | 49.5 | | | | | |
| GC019 | 00540 | G04940 | A002A | 608114000801 | S01 | 05/19/2003 | SEM | FL | | O | | 27 | | |
| | | 1080 | 52.06 | 397 | 476 | 514 | | 517 | 29.6 | | | | | |
| GC019 | 00540 | G04940 | A003D | 608114000700 | S04 | 05/22/2003 | SEM | FL | | O | | 20 | | |
| | | 849 | 64.38 | 621 | 192 | 163 | | 347 | 28 | | | | | |
| GC019 | 00540 | G04940 | A012A | 608114008901 | S01 | 05/27/2003 | SEM | FL | | O | | 18 | | |
| | | 1244 | 56.95 | 1066 | 344 | 428 | | 455 | 27.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC019 | 00540 | G04940 | A018E | 608114015600 | S02 | 06/04/2003 | SEM | FL | | O | | 56 | | |
| | | 1255 | 81.96 | 226 | 94 | 118 | | 427 | 28.4 | | | | | |
| GC019 | 00540 | G04940 | A018E | 608114015600 | S02 | 08/26/2003 | SEM | FL | | O | | 31 | | |
| | | 1599 | 81.72 | 584 | 299 | 478 | | 1337 | 28.4 | | | | | |
| GC019 | 00540 | G04940 | A019A | 608114016600 | S01 | 06/11/2003 | SEM | FL | | O | | 32 | | |
| | | 1340 | 58.63 | 443 | 530 | 710 | | 751 | 34.9 | | | | | |
| GC019 | 00540 | G04940 | A020 | 608114015703 | S01 | 05/20/2003 | SEM | FL | | O | | 18 | | |
| | | 1804 | 60.96 | 878 | 285 | 514 | | 445 | 30.5 | | | | | |
| GC019 | 00540 | G04940 | A021 | 608114017902 | S01 | 06/04/2003 | SEM | FL | | O | | 14 | | |
| | | 2495 | 29.55 | 1466 | 186 | 464 | | 78 | 30.7 | | | | | |
| GC019 | 00540 | G04940 | A024 | 608114019306 | S01 | 06/27/2003 | SEM | FL | | O | | 25 | | |
| | | 1972 | 95.39 | 529 | 71 | 140 | | 1470 | 28.1 | | | | | |
| GC019 | 00540 | G04940 | A025 | 608114019402 | S01 | 02/16/2003 | POT | FL | | O | 24 | 24 | | |
| | | 1393 | 51.84 | 969 | 761 | 1060 | | 819 | 28.7 | .6 | | | | N |
| GC019 | 00540 | G04940 | A028 | 608114020702 | D02 | 05/18/2003 | SEM | FL | | O | | 26 | | |
| | | 1387 | 23.25 | 1398 | 1053 | 1460 | | 319 | 28.8 | | | | | |
| GC019 | 00540 | G04940 | A028 | 608114020702 | D01 | 06/03/2003 | SEM | FL | | O | | 21 | | |
| | | 1450 | 43.87 | 1384 | 522 | 757 | | 408 | 28.5 | | | | | |
| MI587 | 02628 | G04996 | A001 | 427034030100 | S03 | 06/26/2003 | SEM | UK | | G | | 17 | | |
| | 1900 | 9999999 | 87.5 | 1370 | 0 | 2989 | | 1 | 44 | | | | | |
| MI587 | 02628 | G04996 | A002 | 427034033201 | S02 | 03/04/2003 | POT | FL | | G | 23 | 24 | | |
| | 1010 | 9999999 | 0 | 960 | 0 | 996 | | 0 | 44 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MI587 | 02628 | G04996 | A002 | 427034033201 | S02 | 08/12/2003 | POT | FL | | G | 24 | 34 | | |
| | 850 | 2716000 | 66.67 | 540 | 1 | 2716 | | 2 | 50 | .6 | | | | |
| MI587 | 02628 | G04996 | A002 | 427034033201 | S03 | 08/12/2003 | POT | FL | | G | 24 | 34 | | |
| | 850 | 2716000 | 66.67 | 540 | 1 | 2716 | | 2 | 50 | .6 | | | | N |
| MI587 | 02628 | G04996 | A003 | 427034033400 | S06 | 06/03/2003 | SEM | UK | | G | | 12 | | |
| | 1460 | 9999999 | 0 | 970 | 0 | 1057 | | 0 | 44 | | | | | |
| MI587 | 02628 | G04996 | A003 | 427034033400 | S06 | 08/11/2003 | POT | FL | | G | 24 | 14 | | |
| | 2125 | 1640000 | 66.67 | 590 | 1 | 1640 | | 2 | 50 | .6 | | | | N |
| MI587 | 02628 | G04996 | A004 | 427034041000 | S04 | 06/29/2003 | SEM | UK | | G | | 17 | | |
| | 1990 | 3180000 | 50 | 1540 | 1 | 3180 | | 1 | 44 | | | | | |
| MI623 | 02481 | G05000 | C008 | 427034052700 | S01 | 06/27/2003 | SEM | FL | | G | | 128 | | |
| | 1540 | 462375 | 42.45 | 514 | 80 | 36990 | | 59 | 42 | | | | | |
| MI623 | 02481 | G05000 | D001 | 427034048400 | S02 | 06/17/2003 | SEM | FL | | G | | 128 | | |
| | 1515 | 81091 | 33.73 | 483 | 55 | 4460 | | 28 | 41 | | | | | |
| MI623 | 02481 | G05000 | D002 | 427034050201 | S01 | 06/17/2003 | SEM | FL | | G | | 128 | | |
| | 1550 | 219107 | 42.86 | 525 | 28 | 6135 | | 21 | 41 | | | | | |
| MI623 | 02481 | G05000 | G002 | 427034053700 | S01 | 06/24/2003 | SEM | FL | | G | | 128 | | |
| | 1885 | 213553 | 44.07 | 624 | 132 | 28189 | | 104 | 41 | | | | | |
| EI330 | 02421 | G05040 | A008A | 177104117300 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 15 | | |
| | 1850 | 2050 | | 120 | 20 | 41 | | 61 | 34 | | | | 0 | N |
| EI330 | 02421 | G05040 | A011 | 177104137500 | S01 | 06/06/2003 | SEM | FL | | O | 24 | 26 | | |
| | 1380 | 2605 | | 450 | 167 | 435 | | 500 | 35.5 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS259 | 00105 | G05044 | JA002 | 177124035301 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1140 | 64375 | | 360 | 32 | 2060 | | 28 | 51.5 | | | 980 | N | |
| SS259 | 00105 | G05044 | JA003 | 177124035400 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 64 | | |
| | 420 | 9999999 | | 310 | 0 | 370 | | 0 | 54.2 | | | 997 | N | |
| SS259 | 00105 | G05044 | JA005 | 177124035801 | D01 | 06/29/2003 | SEM | FL | | G | 24 | 64 | | |
| | 900 | 622500 | | 445 | 4 | 2490 | | 4 | 50.4 | | | 980 | N | |
| SS259 | 00105 | G05044 | JA005D | 177124035801 | D02 | 06/19/2003 | SEM | FL | | G | 24 | 24 | | |
| | 4100 | 27458 | | 1500 | 59 | 1620 | | 1586 | 49.6 | | | 1003 | N | |
| SP083 | 00185 | G05052 | A001 | 177224018501 | S02 | 06/27/2003 | SEM | FL | | G | 24 | 26 | | |
| | 2355 | 2911000 | | 1750 | 2 | 5822 | | 746 | 41.8 | | | 903 | N | |
| SP083 | 00185 | G05052 | A002 | 177224018600 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 64 | | |
| | 410 | 9999999 | | 85 | 0 | 20 | | 0 | | | | 903 | N | |
| SP083 | 00185 | G05052 | A005 | 177224018800 | S03 | 06/28/2003 | SEM | FL | | G | 24 | 26 | | |
| | 1780 | 953000 | | 450 | 1 | 953 | | 1301 | 41.8 | | | 903 | N | |
| SP083 | 00185 | G05052 | A008 | 177224019000 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 96 | | |
| | 410 | 9999999 | | 85 | 0 | 602 | | 0 | | | | 903 | N | |
| MO823 | 00540 | G05056 | 006 | 608154010601 | S01 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 3169 | 9999999 | 99 | 1980 | 0 | 16441 | | 267 | 0 | | | | | |
| MO823 | 00540 | G05057 | A001 | 608154000700 | S01 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 3600 | 9999999 | 99 | 746 | 0 | 16797 | | 55 | 0 | | | | | |
| MO823 | 00540 | G05057 | A002 | 608154005401 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 2897 | 9999999 | 99 | 727 | 0 | 13189 | | 45 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MO823 | 00540 | G05057 | A003 | 608154006300 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 3540 | 9999999 | 99 | 733 | 0 | 24483 | | 126 | 0 | | | | | |
| MO823 | 00540 | G05057 | A004 | 608154006600 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 2745 | 9999999 | 99 | 1200 | 0 | 9298 | | 274 | 0 | | | | | |
| MO823 | 00540 | G05057 | A005 | 608154010500 | S01 | 06/16/2003 | SEM | FL | | G | | 32 | | |
| | 2800 | 9999999 | 99 | 1200 | 0 | 19003 | | 94 | 0 | | | | | |
| MO821 | 00689 | G05058 | 003 | 608154012400 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 98 | | |
| | 3150 | 2767400 | | 1090 | 5 | 13837 | | 738 | 26 | | | | 893 | N |
| MO827 | 00276 | G05060 | CB001 | 608154003000 | S01 | 06/07/2003 | SEM | FL | | G | | 64 | | |
| | 3500 | 15282000 | 99 | 1409 | 1 | 15282 | | 134 | 15 | | | | | |
| MO864 | 01513 | G05064 | A002 | 608154005500 | S01 | 04/19/2003 | SEM | FL | | G | | 128 | | |
| | 215 | 9999999 | 0 | 24 | 0 | 2869 | | 0 | 0 | | | | | |
| MO864 | 01513 | G05064 | A003 | 608154011900 | S01 | 04/25/2003 | SEM | FL | | G | | 128 | | |
| | 106 | 9999999 | 0 | 29 | 0 | 4240 | | 0 | 0 | | | | | |
| MO823 | 00276 | G05066 | BB001 | 608154001100 | S01 | 06/18/2003 | SEM | FL | | G | | 14 | | |
| | 3500 | 566000 | 98.42 | 1448 | 5 | 2830 | | 312 | 15 | | | | | |
| MO870 | 01103 | G05068 | 002 | 608154004300 | S01 | 06/26/2003 | SEM | FL | | G | | 128 | | |
| | 480 | 9999999 | 0 | 278 | 0 | 3857 | | 0 | 0 | | | | | |
| MO870 | 01103 | G05068 | A001 | 608154003500 | S01 | 06/01/2003 | SEM | FL | | G | | 128 | | |
| | 490 | 9999999 | 0 | 270 | 0 | 5534 | | 0 | 0 | | | | | |
| MO864 | 01513 | G05071 | 004 | 608154011800 | S01 | 05/04/2003 | SEM | FL | | G | | 96 | | |
| | 598 | 9999999 | 99 | 89 | 0 | 128 | | 60 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC397 | 02211 | G05080 | A009 | 608174041500 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 0 | 282 | 0 | 1058 | | 0 | | | | | | |
| GC472 | 00162 | G05097 | 002 | 608114030003 | S01 | 03/28/2003 | SEM | FL | | G | | 92 | | |
| | 5498 | 232532 | 1.25 | 4266 | 316 | 73480 | | 4 | 44.4 | | | | | |
| MI519 | 00114 | G05169 | 002 | 427034052200 | S01 | 06/21/2003 | SEM | FL | | G | | 10 | | |
| | 2650 | 693071 | 77.78 | 971 | 14 | 9703 | | 49 | 40 | | | | | |
| MI681 | 01046 | G05171 | A001 | 427034053401 | D01 | 08/13/2003 | POT | FL | | G | 24 | 64 | | |
| | 2840 | 526000 | 99.51 | 260 | 2 | 1052 | | 348 | 45.3 | .58 | | | | N |
| WC587 | 00282 | G05188 | A003 | 177024076800 | S01 | 04/20/2003 | SEM | FL | | G | | 19 | | |
| | 630 | 9999999 | 0 | 90 | 0 | 38 | | 0 | 0 | | | | | |
| MP163 | 01513 | G05245 | 005A | 177244041200 | S01 | 05/02/2003 | SEM | FL | | G | | 64 | | |
| | 160 | 9999999 | 0 | 70 | 0 | 784 | | 0 | 0 | | | | | |
| WC149 | 00078 | G05283 | A002 | 177004112700 | S01 | 04/06/2003 | SEM | FL | | | 24 | 30 | | |
| | 3967 | 8698 | | 1477 | 116 | 1009 | | 45 | 47.1 | | | | 880 | N |
| EC064 | 02607 | G05286 | B003 | 177004073100 | S01 | 06/25/2003 | SEM | FL | | O | | 999 | | |
| | | 2935 | 75.73 | 100 | 108 | 317 | | 337 | 36.4 | | | | | |
| WC196 | 00003 | G05292 | A002 | 177004069500 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 192 | | |
| | 760 | 2565000 | | 250 | 2 | 5130 | | 20 | 45.2 | | | | 230 | N |
| WC196 | 00003 | G05292 | A005 | 177004087100 | S04 | 06/05/2003 | SEM | FL | | G | 24 | 192 | | |
| | 900 | 595667 | | 250 | 3 | 1787 | | 8 | 48.1 | | | | 944 | N |
| WC196 | 00003 | G05292 | A008 | 177004091400 | S02 | 06/16/2003 | SEM | FL | | G | 24 | 31 | | |
| | 2545 | 92961 | | 1670 | 77 | 7158 | | 13 | 47.6 | | | | 230 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC368 | 02412 | G05315 | 002 | 177014021101 | S02 | 05/10/2003 | SEM | FL | | G | | 23 | | |
| | 1263 | 9999999 | 0 | 1020 | 0 | 3300 | | 0 | | | | | | |
| WC368 | 02412 | G05315 | 006D | 177014023501 | D02 | 05/11/2003 | SEM | FL | | G | | 64 | | |
| | 1450 | 9999999 | 0 | 400 | 0 | 1200 | | 0 | | | | | | |
| WC368 | 02412 | G05315 | A003 | 177014030800 | S01 | 05/30/2003 | SEM | FL | | G | | 30 | | |
| | 1600 | 260000 | 99 | 400 | 1 | 260 | | 600 | 52.5 | | | | | |
| WC368 | 02412 | G05315 | A004 | 177014032800 | S03 | 06/12/2003 | SEM | FL | | G | | 14 | | |
| | 2800 | 113370 | 0 | 2680 | 27 | 3061 | | 0 | 52.5 | | | | | |
| WC368 | 02412 | G05315 | A004 | 177014032800 | S03 | 06/12/2003 | POT | FL | | G | 24 | 14 | | |
| | 2800 | 510167 | 0 | 2680 | 6 | 3061 | | 0 | 52.5 | .56 | | | | N |
| EC299 | 00981 | G05346 | C009 | 177024091800 | S02 | 06/25/2003 | SEM | FL | | G | | 64 | | |
| | 1140 | 58233 | 0 | 880 | 30 | 1747 | | 0 | 59 | | | | | |
| WC587 | 00282 | G05348 | A007 | 177024084500 | S01 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | 340 | 738667 | 72.73 | 110 | 3 | 2216 | | 8 | 52.6 | | | | | |
| EC148 | 01046 | G05369 | B002 | 177034087302 | S05 | 08/18/2003 | POT | FL | | G | 12 | 11 | | |
| | 3150 | 31459 | 15.91 | 1850 | 37 | 1164 | | 7 | 45.2 | .6 | | | | N |
| EC160 | 01046 | G05370 | A001 | 177034055000 | S01 | 06/08/2003 | SEM | FL | | G | | 44 | | |
| | 1600 | 91238 | 81.9 | 1060 | 21 | 1916 | | 95 | 58.5 | | | | | |
| EC148 | 02108 | G05370 | A005 | 177034093800 | S04 | 06/09/2003 | SEM | FL | | G | | 24 | | |
| | 2900 | 374158 | 0 | 1850 | 19 | 7109 | | 0 | 48.1 | | | | | |
| EC299 | 02383 | G05391 | A001 | 177044058400 | S02 | 06/23/2003 | SEM | UK | | G | | 16 | | |
| | 2180 | 13211 | 0 | 235 | 19 | 251 | | 0 | 58.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC317 | 02589 | G05392 | A001 | 177044067601 | D01 | 05/17/2003 | SEM | FL | | G | | 64 | | |
| | 1860 | 9999999 | 99 | 996 | 0 | 6528 | | 1 | | | | | | |
| EC317 | 01790 | G05392 | A003 | 177044099700 | S01 | 05/17/2003 | SEM | FL | | G | | 64 | | |
| | 800 | 9999999 | 99 | 480 | 0 | 3605 | | 6 | | | | | | |
| EC317 | 01364 | G05393 | A002 | 177044071600 | D01 | 05/18/2003 | SEM | FL | | G | | 32 | | |
| | 1155 | 9999999 | 99 | 480 | 0 | 1662 | | 39 | | | | | | |
| VR273 | 00560 | G05431 | A001 | 177064074500 | S01 | 06/14/2003 | SEM | FL | | O | | 26 | | |
| | 950 | 522 | 57.87 | 360 | 672 | 351 | | 923 | 35.8 | | | | | |
| VR273 | 00560 | G05431 | A002 | 177064074900 | S01 | 06/15/2003 | SEM | FL | | O | | 22 | | |
| | 1200 | 480 | 4.71 | 950 | 1516 | 727 | | 75 | 35.8 | | | | | |
| VR273 | 00560 | G05431 | A003 | 177064077600 | S01 | 06/16/2003 | SEM | FL | | O | | 64 | | |
| | 600 | 580 | 53.47 | 130 | 536 | 311 | | 616 | 35.8 | | | | | |
| VR273 | 00560 | G05431 | A004 | 177064077700 | S01 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | 440 | 3081 | 36.3 | 130 | 172 | 530 | | 98 | 35.8 | | | | | |
| VR273 | 00560 | G05431 | A005 | 177064085601 | S01 | 06/10/2003 | SEM | FL | | O | | 64 | | |
| | 370 | 711 | 12.83 | 120 | 394 | 280 | | 58 | 35.8 | | | | | |
| VR273 | 00491 | G05431 | F001 | 177064054703 | S01 | 06/14/2003 | SEM | GL | | G | | 128 | | |
| | 1700 | 20639 | 93.26 | 150 | 36 | 743 | | 498 | 35.2 | | | | | |
| VR315 | 00185 | G05438 | A009 | 177064076900 | S03 | 06/22/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2400 | 9999999 | | 1100 | 0 | 540 | | 0 | | | | | 839 | N |
| VR331 | 01764 | G05438 | A028 | 177064069100 | S01 | 05/22/2003 | SEM | GL | | G | | 64 | | |
| | 690 | 2725 | 97.46 | 140 | 40 | 109 | | 1535 | 34.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR131 | 01834 | G05477 | 001 | 177074048300 | S02 | 05/27/2003 | SEM | FL | | G | | 63 | | |
| | 865 | 170909 | 42.11 | 415 | 11 | 1880 | | 8 | 56.2 | | | | | |
| EI028 | 02291 | G05479 | A002 | 177094127101 | S01 | 06/25/2003 | SEM | FL | | O | | 10 | | |
| | 5025 | 3616 | 87.76 | 4100 | 99 | 358 | | 710 | 38.3 | | | | | |
| EI212 | 00003 | G05502 | A003 | 177094071500 | S03 | 06/04/2003 | SEM | FL | | O | 24 | 11 | | |
| | | 838 | | 830 | 167 | 140 | | 73 | 33.7 | | | | | N |
| EI212 | 00003 | G05502 | A005 | 177094083400 | S03 | 06/06/2003 | SEM | FL | | O | 24 | 15 | | |
| | | 2400 | | 490 | 35 | 84 | | 286 | 32.7 | | | | | N |
| EI212 | 00003 | G05503 | A001 | 177094063200 | S03 | 06/07/2003 | SEM | FL | | G | 24 | 22 | | |
| | 2450 | 5377 | | 1200 | 183 | 984 | | 1268 | 24.2 | | | | 875 | N |
| EI266 | 02481 | G05504 | A001 | 177094074001 | S02 | 06/17/2003 | SEM | FL | | G | | 64 | | |
| | 450 | 9999999 | 0 | 340 | 0 | 820 | | 0 | 60 | | | | | |
| EI266 | 02481 | G05504 | A002 | 177094082501 | S02 | 03/08/2003 | SEM | FL | | G | | 16 | | |
| | 2645 | 9999999 | 0 | 950 | 0 | 50 | | 0 | 0 | | | | | |
| EI266 | 02481 | G05504 | A003 | 177094083200 | S02 | 06/17/2003 | SEM | FL | | G | | 64 | | |
| | 425 | 9999999 | 0 | 330 | 0 | 300 | | 0 | 0 | | | | | |
| EI266 | 02481 | G05504 | A004 | 177094089100 | S03 | 06/17/2003 | SEM | FL | | G | | 50 | | |
| | 526 | 132952 | 8.7 | 359 | 21 | 2792 | | 2 | 0 | | | | | |
| EI266 | 02481 | G05504 | A005 | 177094089403 | S04 | 06/12/2003 | SEM | FL | | G | | 38 | | |
| | 3475 | 32837 | .23 | 2093 | 441 | 14481 | | 1 | 55 | | | | | |
| EI266 | 02481 | G05504 | A006 | 177094103600 | D05 | 06/24/2003 | SEM | FL | | G | | 20 | | |
| | 900 | 76143 | 0 | 346 | 21 | 1599 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI266 | 02481 | G05504 | A007D | 177094106800 | D02 | 05/20/2003 | SEM | FL | | G | | 64 | | |
| | 415 | 9999999 | 0 | 320 | 0 | 102 | | 0 | 0 | | | | | |
| EI266 | 02481 | G05504 | A008 | 177094111600 | S01 | 06/17/2003 | SEM | FL | | G | | 64 | | |
| | 435 | 9999999 | 0 | 325 | 0 | 360 | | 0 | 0 | | | | | |
| EI266 | 02481 | G05504 | A009 | 177094121900 | S04 | 04/02/2003 | SEM | FL | | O | | 20 | | |
| | 980 | 2750 | 41.18 | 414 | 60 | 165 | | 42 | 35.5 | | | | | |
| EI266 | 02481 | G05504 | C001 | 177094112501 | S01 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 1080 | 225000 | 96.6 | 562 | 26 | 5850 | | 739 | 57 | | | | | |
| EI266 | 02481 | G05504 | D001 | 177094128001 | S01 | 06/07/2003 | SEM | FL | | G | | 46 | | |
| | 2240 | 170000 | 21.21 | 1749 | 26 | 4420 | | 7 | 51.6 | | | | | |
| EI238 | 00078 | G05505 | A001 | 177094078600 | S01 | 03/27/2003 | SEM | FL | | | 24 | 64 | | |
| | 880 | 9999999 | | 360 | 0 | 1955 | | 0 | | | | | 356 | N |
| EI238 | 00078 | G05505 | B001 | 177094079200 | S01 | 03/28/2003 | SEM | FL | | | 24 | 64 | | |
| | 1585 | 1094400 | | 380 | 5 | 5472 | | 10 | 55.7 | | | | 365 | N |
| EI325 | 00048 | G05517 | A001 | 177104123600 | D03 | 02/17/2003 | POT | FL | | G | 24 | 16 | | |
| | 1000 | 13767 | 0 | 800 | 30 | 413 | | 0 | 29.8 | .61 | | | | N |
| EI385 | 02608 | G05525 | B001 | 177104123801 | S01 | 01/03/2003 | SEM | GL | | O | | 32 | | |
| | 1400 | 396 | 19.61 | 60 | 164 | 65 | | 40 | 32.1 | | | | | |
| EI385 | 02608 | G05525 | B001 | 177104123801 | S01 | 06/02/2003 | SEM | GL | | O | | 32 | | |
| | | 1421 | 53.94 | 50 | 76 | 108 | | 89 | 32.1 | | | | | |
| EI385 | 02608 | G05525 | B008 | 177104128101 | S02 | 01/03/2003 | SEM | FL | | G | | 68 | | |
| | 55 | 9999999 | 0 | 40 | 0 | 16 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI385 | 02608 | G05525 | B008 | 177104128101 | S02 | 06/09/2003 | SEM | FL | | G | | 68 | | |
| | | 9999999 | 0 | 45 | 0 | 249 | | 0 | | | | | | |
| SS092 | 02252 | G05541 | 005B | 177114097800 | D03 | 06/28/2003 | SEM | FL | | G | | 14 | | |
| | 1720 | 9999999 | 99 | 1450 | 0 | 667 | | 392 | 0 | | | | | |
| SS167 | 02647 | G05549 | 001E | 177114074000 | S04 | 06/15/2003 | SEM | FL | | G | | 24 | | |
| | 1125 | 9999999 | 99 | 510 | 0 | 1221 | | 2 | 0 | | | | | |
| SS167 | 02647 | G05549 | C001A | 177114125200 | S01 | 05/13/2003 | SEM | FL | | G | | 30 | | |
| | 800 | 9999999 | 0 | 560 | 0 | 1685 | | 0 | 0 | | | | | |
| EI212 | 00003 | G05550 | A004 | 177094078900 | S03 | 06/07/2003 | SEM | FL | | O | 24 | 13 | | |
| | | 1756 | | 845 | 41 | 72 | | 373 | 31 | | | | | N |
| SS176 | 02608 | G05557 | A005 | 177114139300 | S01 | 06/26/2003 | POT | FL | | G | 24 | 13 | | |
| | 3900 | 282222 | 5.26 | 3780 | 18 | 5080 | | 1 | 51.4 | .6 | | | | N |
| SS176 | 02608 | G05557 | A005 | 177114139300 | S01 | 06/30/2003 | SEM | FL | | G | | 13 | | |
| | | 246211 | 5 | 3780 | 19 | 4678 | | 1 | 52.5 | | | | | |
| SS176 | 00083 | G05558 | 005 | 177114103200 | S05 | 06/25/2003 | SEM | FL | | O | | 64 | | |
| | | 591 | 17.89 | 275 | 303 | 179 | | 66 | 35.6 | | | | | |
| SS176 | 00083 | G05558 | A002 | 177114094401 | S01 | 06/29/2003 | SEM | FL | | O | | 35 | | |
| | | 1014 | 87.73 | 275 | 222 | 225 | | 1588 | 35.8 | | | | | |
| SS259 | 00105 | G05560 | JB002 | 177124037000 | S01 | 06/06/2003 | SEM | FL | | G | 24 | 52 | | |
| | 1300 | 223333 | | 420 | 12 | 2680 | | 104 | 47.8 | | | | 1047 | N |
| SS259 | 00105 | G05560 | JB003 | 177124037601 | S01 | 05/24/2003 | SEM | FL | | G | 24 | 72 | | |
| | 1800 | 14857 | | 350 | 7 | 104 | | 66 | 48.7 | | | | 1038 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS259 | 00105 | G05560 | JB005 | 177124057500 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 26 | | |
| | 2180 | 9999999 | | 1273 | 0 | 210 | | 1308 | 0 | | | | 998 | N |
| ST111 | 02409 | G05599 | A001 | 177154062200 | S02 | 06/23/2003 | SEM | FL | | G | | 64 | | |
| | 850 | 9999999 | 0 | 300 | 0 | 206 | | 0 | | | | | | |
| ST111 | 02409 | G05599 | A003 | 177154069100 | S02 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 1800 | 122167 | 99 | 350 | 6 | 733 | | 1530 | 40.6 | | | | | |
| ST111 | 02409 | G05599 | A005 | 177154087000 | S03 | 06/28/2003 | SEM | FL | | G | | 24 | | |
| | 840 | 9999999 | 0 | 300 | 0 | 104 | | 0 | | | | | | |
| ST111 | 02409 | G05599 | A005 | 177154087000 | S03 | 06/28/2003 | POT | FL | | G | 24 | 10 | | |
| | 1350 | 9999999 | 0 | 300 | 0 | 150 | | 0 | | | .51 | | | N |
| ST176 | 02607 | G05606 | E004 | 177154095600 | S04 | 05/10/2003 | SEM | FL | | G | | 34 | | |
| | | 44830 | 48.84 | 1150 | 88 | 3945 | | 84 | 52.6 | | | | | |
| ST197 | 00185 | G05611 | A002B | 177154069500 | S03 | 06/23/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 910 | | 1380 | 200 | 182 | | 490 | 36.9 | | | | | N |
| ST197 | 00185 | G05611 | A003 | 177154070400 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 25 | | |
| | 1675 | 9999999 | | 1090 | 0 | 404 | | 1950 | | | | | 370 | N |
| ST197 | 00185 | G05611 | A004 | 177154101500 | S01 | 06/05/2003 | SEM | FL | | G | 24 | 64 | | |
| | 280 | 9999999 | | 200 | 0 | 1527 | | 0 | | | | | 370 | N |
| ST206 | 00059 | G05612 | B005 | 177154103300 | S02 | 04/04/2003 | SEM | FL | | G | | 64 | | |
| | 2150 | 9999999 | 99 | 270 | 0 | 211 | | 120 | 0 | | | | | |
| ST206 | 00059 | G05612 | F001 | 177154104200 | S01 | 04/04/2003 | SEM | FL | | G | | 64 | | |
| | 1360 | 9999999 | 99 | 290 | 0 | 40 | | 4 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST190 | 00059 | G05612 | G001 | 177154106701 | S01 | 06/28/2003 | SEM | FL | | G | | 70 | | |
| | 6860 | 29703 | 10.61 | 358 | 320 | 9505 | | 38 | 53 | | | | | |
| ST206 | 00981 | G05613 | A003 | 177154061000 | S02 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 1842000 | 90 | 270 | 2 | 3684 | | 18 | 47.5 | | | | | |
| ST206 | 00981 | G05613 | A004 | 177154074300 | S02 | 06/18/2003 | SEM | FL | | G | | 32 | | |
| | 1860 | 9999999 | 99 | 340 | 0 | 1425 | | 87 | 47.1 | | | | | |
| ST206 | 00981 | G05613 | B006 | 177154103000 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 1150 | 9999999 | 99 | 300 | 0 | 1305 | | 78 | 0 | | | | | |
| ST245 | 02200 | G05625 | A001 | 177164003700 | S02 | 06/08/2003 | SEM | FL | | G | | 11 | | |
| | 3200 | 39935 | 80 | 3050 | 31 | 1238 | | 124 | 41.2 | | | | | |
| ST295 | 00105 | G05646 | A005 | 177164011600 | S02 | 07/11/2003 | POT | FL | | O | 24 | 19 | | |
| | | 17836 | 68.8 | 919 | 73 | 1302 | | 161 | 33.3 | .595 | | | | N |
| ST295 | 00105 | G05646 | A009 | 177164012300 | S06 | 04/18/2003 | POT | FL | | O | 24 | 12 | | |
| | | 14144 | 1.65 | 5360 | 298 | 4215 | | 5 | 31.7 | .595 | | | | N |
| ST295 | 00105 | G05646 | A014 | 177164013400 | S04 | 06/17/2003 | POT | FL | | G | 24 | 12 | | |
| | 6087 | 10382 | 3.35 | 5608 | 346 | 3592 | | 12 | 47.6 | .65 | | | | N |
| ST295 | 00105 | G05646 | A015 | 177164013700 | S05 | 07/02/2003 | POT | FL | | O | 24 | 12 | | |
| | | 10112 | 2.37 | 4137 | 330 | 3337 | | 8 | 45.2 | .595 | | | | N |
| ST295 | 00105 | G05646 | A016 | 177164013901 | S02 | 03/18/2003 | POT | FL | | O | 24 | 11 | | |
| | | 10839 | 1.14 | 6686 | 435 | 4715 | | 5 | 32.4 | .595 | | | | N |
| ST295 | 00105 | G05646 | A017 | 177164014000 | S02 | 04/22/2003 | POT | FL | | O | 24 | 11 | | |
| | | 9483 | .45 | 5884 | 445 | 4220 | | 2 | 18.7 | .595 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST295 | 00105 | G05646 | A024 | 177164018300 | S03 | 03/11/2003 | POT | FL | | O | 24 | 10 | | |
| | | 994 | 3 | 4083 | 646 | 642 | | 20 | 32.5 | .595 | | | N | |
| ST295 | 00105 | G05646 | A029 | 177164022300 | S03 | 06/23/2003 | POT | FL | | O | 24 | 8 | | |
| | | 1261 | 2.58 | 3608 | 566 | 714 | | 15 | 29.5 | .595 | | | N | |
| ST295 | 00105 | G05646 | A031 | 177164026100 | S02 | 05/14/2003 | POT | FL | | O | 24 | 10 | | |
| | | 1909 | 2.76 | 4464 | 528 | 1008 | | 15 | 36.9 | .595 | | | N | |
| ST295 | 00105 | G05646 | A031 | 177164026100 | S02 | 07/02/2003 | POT | FL | | O | 24 | 10 | | |
| | | 1188 | 25.93 | 2467 | 240 | 285 | | 84 | 36.9 | .595 | | | N | |
| ST295 | 00105 | G05646 | B006 | 177164030403 | S02 | 10/05/2003 | POT | FL | | O | 24 | 10 | | |
| | | 991 | .55 | 3675 | 901 | 893 | | 5 | 32.5 | .59 | | | N | |
| GI102 | 00162 | G05662 | A006 | 177184006803 | S01 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 975 | 184366 | 10.87 | 250 | 41 | 7559 | | 5 | 50 | | | | | |
| WD035 | 01364 | G05668 | 003 | 177194066600 | S01 | 06/24/2003 | SEM | FL | | G | | 22 | | |
| | 2500 | 9999999 | 99 | 1520 | 0 | 1765 | | 1300 | | | | | | |
| SP083 | 01597 | G05685 | A011 | 177224019100 | S01 | 06/25/2003 | SEM | FL | | G | 24 | 96 | | |
| | 420 | 9999999 | | 85 | 0 | 870 | | 0 | | | | | 903 | N |
| SP089 | 00724 | G05687 | C002 | 177224018000 | S01 | 02/06/2003 | SEM | GL | | O | | 128 | | |
| | | 12113 | 91.05 | 260 | 106 | 1284 | | 1078 | 39.3 | | | | | |
| SP089 | 00724 | G05687 | C003A | 177224018400 | S02 | 02/08/2003 | SEM | GL | | O | | 62 | | |
| | | 384 | 55.98 | 200 | 151 | 58 | | 192 | 38.1 | | | | | |
| SP089 | 00724 | G05687 | C005A | 177224021300 | S02 | 02/03/2003 | SEM | GL | | O | | 128 | | |
| | | 4148 | 47.93 | 200 | 88 | 365 | | 81 | 38.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP089 | 00724 | G05687 | C007 | 177224021501 | S02 | 02/01/2003 | SEM | FL | | O | | 48 | | |
| | | 21711 | 71.52 | 200 | 45 | 977 | | 113 | 44.6 | | | | | |
| SP089 | 00724 | G05687 | C008 | 177224016300 | S01 | 02/08/2003 | SEM | FL | | G | | 38 | | |
| | 2260 | 6516 | 44.99 | 950 | 670 | 4366 | | 548 | 40 | | | | | |
| MP069 | 00185 | G05693 | 001 | 177252040100 | S02 | 06/24/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 5783 | | 140 | 46 | 266 | | 68 | 32.5 | | | | | N |
| CA029 | 02200 | G05740 | A002 | 177284001800 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 91 | 9999999 | 99 | 23 | 0 | 919 | | 0 | 0 | | | | | |
| CA029 | 02200 | G05740 | A003 | 177284003801 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 84 | 9999999 | 0 | 20 | 0 | 9 | | 0 | 0 | | | | | |
| CA029 | 02200 | G05740 | B001 | 177284004900 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 116 | 9999999 | 99 | 24 | 0 | 1274 | | 1 | 0 | | | | | |
| CA041 | 01513 | G05746 | 001A | 177294000200 | S01 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 180 | 9999999 | 0 | 85 | 0 | 1165 | | 0 | 0 | | | | | |
| MO864 | 01513 | G05748 | 002 | 608154006900 | S01 | 04/30/2003 | SEM | FL | | G | | 128 | | |
| | 600 | 9999999 | 0 | 73 | 0 | 1560 | | 0 | 0 | | | | | |
| MO959 | 00003 | G05752 | 002 | 608154010800 | S01 | 06/23/2003 | SEM | FL | | G | 24 | | | |
| | 290 | 9999999 | | 100 | 0 | 61 | | 0 | | | | | 933 | N |
| MO916 | 00003 | G05753 | A002 | 608154007100 | S01 | 06/01/2003 | SEM | FL | | G | 24 | | | |
| | 3363 | 9999999 | | 1203 | 0 | 6448 | | 198 | | | | | 940 | N |
| MO916 | 00003 | G05754 | A002 | 608154007501 | S01 | 05/28/2003 | SEM | FL | | G | 24 | | | |
| | 1515 | 9999999 | | 435 | 0 | 2756 | | 76 | | | | | 1044 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MO952 | 01513 | G05755 | 001A | 608154001000 | S01 | 05/10/2003 | SEM | FL | | G | | 16 | | |
| | 710 | 9999999 | 0 | 477 | 0 | 811 | | 0 | 0 | | | | | |
| MO952 | 01513 | G05756 | 001A | 608154001300 | S01 | 05/14/2003 | SEM | FL | | G | | 64 | | |
| | 563 | 9999999 | 0 | 328 | 0 | 5477 | | 0 | 0 | | | | | |
| MO952 | 01513 | G05756 | 003 | 608154012200 | S01 | 05/11/2003 | SEM | FL | | G | | 235 | | |
| | 591 | 9999999 | 0 | 323 | 0 | 24126 | | 0 | 0 | | | | | |
| MO955 | 01513 | G05757 | A002A | 608154003800 | S01 | 05/12/2003 | SEM | FL | | G | | 64 | | |
| | 543 | 9999999 | 0 | 217 | 0 | 2997 | | 0 | 0 | | | | | |
| MO959 | 01855 | G05759 | A002 | 608154008900 | S01 | 06/22/2003 | SEM | FL | | G | | 30 | | |
| | 145 | 9999999 | 99 | 60 | 0 | 618 | | 12 | | | | | | |
| MO959 | 01855 | G05759 | A003 | 608154009306 | S01 | 06/22/2003 | SEM | FL | | G | | 36 | | |
| | 470 | 9999999 | 99 | 120 | 0 | 705 | | 54 | | | | | | |
| MO961 | 00003 | G05761 | 002 | 608154008600 | S01 | 06/01/2003 | SEM | FL | | G | 24 | | | |
| | 5502 | 9999999 | | 2693 | 0 | 25857 | | 210 | | | | | 926 | N |
| GC019 | 00540 | G05809 | A029 | 608114021202 | S01 | 05/21/2003 | SEM | FL | | O | | 24 | | |
| | | 1339 | 64.98 | 692 | 443 | 593 | | 822 | 29.9 | | | | | |
| MC109 | 02481 | G05825 | A001 | 608174040900 | S01 | 06/01/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 307 | 6.38 | 137 | 88 | 27 | | 6 | 24.3 | | | | | |
| MC109 | 02481 | G05825 | A002 | 608174041200 | S02 | 06/01/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 196 | 76.01 | 162 | 367 | 72 | | 1163 | 27.6 | | | | | |
| MC109 | 02481 | G05825 | A003 | 608174041700 | D03 | 04/04/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 273 | 65.08 | 143 | 44 | 12 | | 82 | 26.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC109 | 02481 | G05825 | A003D | 608174041700 | D02 | 06/01/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 185 | 40 | 151 | 216 | 40 | | 144 | 26.1 | | | | | |
| MC109 | 02481 | G05825 | A004 | 608174041800 | D01 | 05/15/2003 | SEM | FL | | O | | 88 | | |
| | 0 | 131 | 5.95 | 148 | 458 | 60 | | 29 | 27.6 | | | | | |
| MC109 | 02481 | G05825 | A004D | 608174041800 | D02 | 05/15/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 425 | 64.01 | 163 | 555 | 236 | | 987 | 26.1 | | | | | |
| MC109 | 02481 | G05825 | A005 | 608174041901 | S01 | 06/27/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 5417 | 65 | 208 | 336 | 1820 | | 624 | 27.6 | | | | | |
| MC109 | 02481 | G05825 | A006 | 608174042000 | S01 | 06/02/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 1533 | 85.07 | 142 | 60 | 92 | | 342 | 27 | | | | | |
| MC109 | 02481 | G05825 | A007 | 608174042300 | S01 | 05/09/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 1178 | 64.92 | 158 | 107 | 126 | | 198 | 27.1 | | | | | |
| MC109 | 02481 | G05825 | A008 | 608174042400 | S01 | 06/14/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 0 | 65.75 | 132 | 25 | 0 | | 48 | 26.9 | | | | | |
| MC109 | 02481 | G05825 | A010 | 608174042700 | D01 | 06/08/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 352 | 36.89 | 146 | 142 | 50 | | 83 | 26.3 | | | | | |
| MC109 | 02481 | G05825 | A010D | 608174042700 | D02 | 06/08/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 376 | 30.14 | 136 | 197 | 74 | | 85 | 26.9 | | | | | |
| MC109 | 02481 | G05825 | A012 | 608174043200 | D01 | 04/12/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 0 | 55.14 | 139 | 96 | 0 | | 118 | 26.9 | | | | | |
| MC109 | 02481 | G05825 | A012D | 608174043200 | D02 | 05/14/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 0 | 77.07 | 162 | 97 | 0 | | 326 | 26.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC109 | 02481 | G05825 | A013 | 608174043500 | S01 | 06/03/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 379 | 62.54 | 187 | 817 | 310 | | 1364 | 26.9 | | | | | |
| MC109 | 02481 | G05825 | A014 | 608174043600 | S01 | 06/15/2003 | SEM | GL | | O | | 180 | | |
| | 0 | 344 | 43.93 | 142 | 180 | 62 | | 141 | 26.8 | | | | | |
| MC109 | 02481 | G05825 | A016 | 608174043902 | S01 | 06/27/2003 | SEM | FL | | O | | 128 | | |
| | 0 | 776 | 89.01 | 189 | 611 | 474 | | 4950 | 24.3 | | | | | |
| MC109 | 02481 | G05825 | A017 | 608174044100 | S01 | 06/15/2003 | SEM | FL | | O | | 88 | | |
| | 0 | 7400 | 0 | 126 | 5 | 37 | | 0 | 29.3 | | | | | |
| MC109 | 02481 | G05825 | A019D | 608174044300 | D02 | 06/27/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 444 | 25 | 165 | 711 | 316 | | 237 | 27.5 | | | | | |
| MC109 | 02481 | G05825 | A020 | 608174044400 | S01 | 06/02/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 655 | 83.04 | 151 | 116 | 76 | | 568 | 27.6 | | | | | |
| MC109 | 02481 | G05825 | A021 | 608174044600 | S01 | 06/02/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 175 | 56.04 | 159 | 360 | 63 | | 459 | 26.5 | | | | | |
| MC109 | 02481 | G05825 | A024 | 608174045302 | S01 | 06/27/2003 | SEM | FL | | G | | 24 | | |
| | 2993 | 183774 | 1.85 | 2302 | 53 | 9740 | | 1 | 55.3 | | | | | |
| MC109 | 02481 | G05825 | A025 | 608174045402 | S01 | 05/17/2003 | SEM | FL | | O | | 128 | | |
| | 0 | 847 | 85 | 201 | 450 | 381 | | 2551 | 26.1 | | | | | |
| MC109 | 02481 | G05825 | A026 | 608174045604 | S01 | 06/30/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 144 | 46.03 | 156 | 612 | 88 | | 522 | 26.1 | | | | | |
| MC109 | 02481 | G05825 | A029 | 608174046802 | S01 | 06/15/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 460 | 66.98 | 175 | 626 | 288 | | 1270 | 26.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC109 | 02481 | G05825 | A030 | 608174046900 | S01 | 06/14/2003 | SEM | GL | | O | | 88 | | |
| | 0 | 539 | 71.99 | 153 | 193 | 104 | | 496 | 26.1 | | | | | |
| MC365 | 00185 | G05841 | A004 | 608174040600 | S04 | 06/25/2003 | SEM | FL | | G | 24 | 31 | | |
| | 1525 | 9999999 | | 1160 | 0 | 4266 | | 0 | | | | | 1128 | N |
| MC731 | 00689 | G05862 | A001 | 608174054100 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 128 | | |
| | 6502 | 665571 | | 5447 | 119 | 79203 | | 32 | 39.5 | | | | 1310 | N |
| MC731 | 00689 | G05862 | A004 | 608174099600 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 96 | | |
| | 6507 | 667010 | | 5197 | 195 | 130067 | | 52 | 39.5 | | | | 1310 | N |
| MC731 | 00689 | G05863 | A002 | 608174054000 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 22 | | |
| | 5788 | 666691 | | 5284 | 55 | 36668 | | 15 | 39.5 | | | | 1310 | N |
| MC810 | 00689 | G05868 | A001 | 608174058900 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1137 | | 596 | 19468 | 22134 | | 0 | 28 | | | | | N |
| MC810 | 00689 | G05868 | A004 | 608174059201 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 100 | | |
| | 2595 | 14509 | | 557 | 1026 | 14886 | | 9232 | 41.7 | | | | 1351 | N |
| MC810 | 00689 | G05868 | A007 | 608174059500 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1262 | | 578 | 14018 | 17695 | | 0 | 28.3 | | | | | N |
| MC810 | 00689 | G05868 | A008 | 608174059600 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1250 | | 557 | 11199 | 13995 | | 22 | 29.3 | | | | | N |
| MC810 | 00689 | G05868 | A011 | 608174058601 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1003 | | 564 | 13836 | 13877 | | 0 | 25.8 | | | | | N |
| MC810 | 00689 | G05871 | A006 | 608174059403 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1058 | | 568 | 14417 | 15255 | | 0 | 27.8 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC065 | 00689 | G05889 | A008A | 608114015800 | S02 | 06/18/2003 | SEM | FL | | G | 24 | 30 | | |
| | 2775 | 109900 | | 308 | 10 | 1099 | | 231 | 45.5 | | | | 1161 | N |
| GC065 | 00689 | G05889 | A038 | 608114015501 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 28 | | |
| | | 1004 | | 187 | 243 | 244 | | 61 | 26.5 | | | | | N |
| GC065 | 00689 | G05889 | A043A | 608114017100 | S02 | 06/24/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 1130 | | 278 | 215 | 243 | | 553 | 21.3 | | | | | N |
| GC065 | 00689 | G05889 | A059 | 608114015900 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 72 | | |
| | | 2066 | | 142 | 167 | 345 | | 389 | 18.2 | | | | | N |
| GC116 | 00689 | G05896 | A001 | 608115008501 | S01 | 04/05/2003 | SEM | FL | | G | 24 | 168 | | |
| | 4521 | 18718 | | 3290 | 3168 | 59300 | | 29 | 51.5 | | | | 1057 | N |
| GC065 | 00689 | G05900 | A031B | 608114011900 | S03 | 06/11/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1475 | 9999999 | | 109 | 0 | 277 | | 19 | 30 | | | | 1104 | N |
| GC065 | 00689 | G05900 | A035A | 608114014700 | S02 | 06/28/2003 | SEM | FL | | O | 24 | 38 | | |
| | | 480 | | 1225 | 1745 | 837 | | 1968 | 27.7 | | | | | N |
| GC065 | 00689 | G05900 | A036A | 608114015000 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 8 | | |
| | | 275 | | 2033 | 91 | 25 | | 289 | 26 | | | | | N |
| GC065 | 00689 | G05900 | A037B | 608114015200 | S03 | 06/05/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 1017 | | 1667 | 292 | 297 | | 1037 | 26.4 | | | | | N |
| GC065 | 00689 | G05900 | A041A | 608114016500 | D02 | 06/24/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 911 | | 498 | 168 | 153 | | 519 | 22.9 | | | | | N |
| GC065 | 00689 | G05900 | A041D | 608114016500 | D03 | 06/27/2003 | SEM | FL | | O | 24 | 22 | | |
| | | 803 | | 1134 | 743 | 597 | | 437 | 29.8 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC116 | 00689 | G05904 | A003 | 608115012200 | S01 | 04/05/2003 | SEM | FL | | G | 24 | 122 | | |
| | 4173 | 60453 | | 3278 | 397 | 24000 | | 29 | 48.8 | | | 1057 | N | |
| GC116 | 00689 | G05905 | A004 | 608114033100 | S01 | 04/05/2003 | SEM | FL | | G | 24 | 114 | | |
| | 5502 | 45377 | | 4500 | 636 | 28860 | | 326 | 48.8 | | | 1057 | N | |
| GC205 | 00078 | G05909 | A003 | 608115010600 | S02 | 03/02/2003 | POT | FL | | O | 6 | 26 | | |
| | 3500 | 1400 | 0 | 1882 | 1659 | 2323 | | 0 | 30.1 | .66 | | | N | |
| GC205 | 00078 | G05909 | A003 | 608115010600 | S02 | 06/25/2003 | SEM | FL | | O | 24 | 22 | | |
| | 2420 | 1690 | | 1103 | 1014 | 1714 | | 42 | 29.5 | | | 228 | N | |
| GC205 | 00078 | G05909 | A006 | 608115011200 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 96 | | |
| | 1744 | 3188 | | 686 | 1550 | 4942 | | 603 | 39.6 | | | 649 | N | |
| GC205 | 00078 | G05909 | A007 | 608115010800 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 96 | | |
| | 1430 | 1119 | | 270 | 1062 | 1188 | | 1062 | 29.2 | | | 243 | N | |
| GC205 | 00078 | G05909 | A012 | 608115011004 | S01 | 06/25/2003 | SEM | FL | | O | 24 | 44 | | |
| | 4000 | 1176 | | 1946 | 3617 | 4253 | | 1 | 32.1 | | | 258 | N | |
| GC205 | 00078 | G05909 | A012 | 608115011004 | S01 | 06/25/2003 | POT | FL | | O | 6 | 44 | | |
| | | 1176 | .03 | 1946 | 3617 | 4253 | | 1 | 32.8 | .835 | | | N | |
| GC205 | 00078 | G05909 | A015 | 608115010700 | S02 | 06/26/2003 | SEM | FL | | O | 24 | 36 | | |
| | 2618 | 1211 | | 712 | 1200 | 1453 | | 1200 | 42 | | | 245 | N | |
| GC205 | 00078 | G05911 | A001 | 608115008803 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 96 | | |
| | 1193 | 944 | | 366 | 4106 | 3878 | | 507 | 26.1 | | | 242 | N | |
| GC205 | 00078 | G05911 | A002 | 608115009800 | S02 | 06/30/2003 | SEM | FL | | O | 24 | 40 | | |
| | 3282 | 1231 | | 2791 | 4134 | 5089 | | 172 | 28 | | | 248 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC205 | 00078 | G05911 | A008 | 608115011501 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 96 | | |
| | 2199 | 1194 | | 311 | 1973 | 2355 | | 1896 | 26.2 | | | | 243 | N |
| GC205 | 00078 | G05911 | A014 | 608115010300 | S01 | 06/03/2003 | SEM | FL | | O | 24 | 96 | | |
| | 700 | 1544 | | 238 | 964 | 1488 | | 73 | 30 | | | | 217 | N |
| GC205 | 00078 | G05911 | A016 | 608115011400 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 96 | | |
| | 2200 | 1105 | | 696 | 3105 | 3431 | | 1903 | 28.2 | | | | 644 | N |
| GC205 | 00078 | G05911 | A017 | 608115011601 | S02 | 06/28/2003 | SEM | FL | | O | 24 | 30 | | |
| | 2670 | 1645 | | 1090 | 598 | 984 | | 3 | 33.4 | | | | 646 | N |
| GC205 | 00078 | G05911 | A018 | 608115011100 | S01 | 06/24/2003 | SEM | FL | | O | 24 | 96 | | |
| | 1740 | 1826 | | 282 | 1314 | 2400 | | 27 | 33 | | | | 244 | N |
| GC472 | 00162 | G05922 | 002 | 608114027300 | S01 | 05/13/2003 | SEM | FL | | G | | 99 | | |
| | 4510 | 2143750 | 31.03 | 3696 | 20 | 42875 | | 9 | 39.7 | | | | | |
| PN969 | 00689 | G05953 | A006 | 427134005700 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 64 | | |
| | 550 | 9999999 | | 165 | 0 | 2888 | | 5 | 30 | | | | 760 | N |
| PN969 | 00689 | G05953 | A007B | 427134005800 | D03 | 06/17/2003 | SEM | FL | | G | 24 | 64 | | |
| | 740 | 9999999 | | 120 | 0 | 279 | | 1 | 0 | | | | 735 | N |
| PN969 | 00689 | G05953 | JA003D | 427014003700 | D03 | 06/23/2003 | SEM | FL | | G | 24 | 64 | | |
| | 620 | 9999999 | | 125 | 0 | 1004 | | 0 | 0 | | | | 812 | N |
| PN969 | 00689 | G05954 | A002D | 427134005000 | D03 | 06/18/2003 | SEM | FL | | G | 24 | 36 | | |
| | 545 | 9999999 | | 145 | 0 | 1100 | | 4 | 0 | | | | 746 | N |
| PN969 | 00689 | G05954 | A008D | 427134005900 | S05 | 06/06/2003 | SEM | FL | | G | 24 | 24 | | |
| | 1550 | 9999999 | | 650 | 0 | 1876 | | 25 | 0 | | | | 760 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| PN969 | 00689 | G05954 | A009A | 427134006000 | S02 | 06/11/2003 | SEM | FL | | G | 24 | 64 | | |
| | 600 | 9999999 | | 130 | 0 | 257 | | 0 | 0 | | | | 796 | N |
| MU739 | 00236 | G05980 | C002B | 427024014300 | S03 | 05/06/2003 | SEM | FL | | G | | 9 | | |
| | 4480 | 9999999 | 99 | 1715 | 0 | 1549 | | 22 | 0 | | | | | |
| MU784 | 01103 | G05996 | A001D | 427024009600 | S05 | 06/29/2003 | SEM | FL | | G | | 20 | | |
| | 3310 | 515524 | 0 | 2825 | 21 | 10826 | | 0 | 43.7 | | | | | |
| MU784 | 01103 | G05996 | B001D | 427024020500 | S05 | 06/18/2003 | SEM | FL | | G | | 26 | | |
| | 645 | 9999999 | 99 | 390 | 0 | 434 | | 126 | | | | | | |
| MU868 | 01046 | G06013 | A003 | 427024018900 | S05 | 06/01/2003 | SEM | FL | | G | | 21 | | |
| | 2250 | 9999999 | 99 | 1425 | 0 | 1 | | 100 | 59 | | | | | |
| MU868 | 01046 | G06013 | A003 | 427024018900 | S06 | 11/12/2003 | POT | FL | | G | 24 | 17 | | |
| | 2600 | 9999999 | 100 | 1750 | 0 | 1742 | | 445 | 59 | | .57 | | | N |
| MU111A | 00981 | G06027 | B003 | 427124009400 | S02 | 06/15/2003 | SEM | FL | | G | | 27 | | |
| | 1110 | 210556 | 60.87 | 570 | 9 | 1895 | | 14 | 50.1 | | | | | |
| MI519 | 00114 | G06032 | 001 | 427034029400 | S01 | 06/21/2003 | SEM | FL | | G | | 20 | | |
| | 2668 | 1430700 | 78.26 | 1025 | 10 | 14307 | | 36 | 40 | | | | | |
| MI519 | 00114 | G06032 | 002 | 427034043201 | S01 | 06/21/2003 | SEM | FL | | G | | 24 | | |
| | 1450 | 740400 | 86.49 | 962 | 5 | 3702 | | 32 | 41 | | | | | |
| MI619 | 02647 | G06037 | 001B | 427034022400 | S02 | 06/08/2003 | SEM | FL | | G | | 17 | | |
| | 1310 | 1577000 | 66.67 | 1220 | 1 | 1577 | | 2 | 54.2 | | | | | |
| MI619 | 02647 | G06037 | 009A | 427034036100 | S01 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 200 | 767000 | 98.84 | 100 | 1 | 767 | | 85 | 55.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MI619 | 02647 | G06037 | A003F | 427034036900 | D05 | 06/09/2003 | SEM | FL | | G | | 28 | | |
| | 600 | 813500 | 0 | 370 | 2 | 1627 | | 0 | 54.2 | | | | | |
| MI623 | 02481 | G06043 | F001 | 427034048800 | S01 | 03/25/2003 | SEM | FL | | G | | 64 | | |
| | 1100 | 50000 | 90.91 | 360 | 2 | 100 | | 20 | 52.3 | | | | | |
| MI651 | 01046 | G06045 | A001 | 427034033100 | D01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 880 | 9999999 | 99 | 160 | 0 | 0 | | 1 | | | | | | |
| MI651 | 01046 | G06045 | A001D | 427034033100 | D02 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 500 | 9999999 | 99 | 155 | 0 | 0 | | 1 | | | | | | |
| MI651 | 01046 | G06045 | A002D | 427034035000 | D02 | 06/23/2003 | SEM | FL | | G | | 17 | | |
| | 3300 | 9999999 | 99 | 1850 | 0 | 3 | | 335 | | | | | | |
| MI651 | 01046 | G06045 | A004D | 427034039000 | D03 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 470 | 9999999 | 99 | 155 | 0 | 0 | | 1 | | | | | | |
| MI687 | 00105 | G06052 | A002 | 427034035900 | D03 | 06/08/2003 | SEM | FL | | G | | 17 | | |
| | 2050 | 240000 | 99 | 1450 | 5 | 1200 | | 498 | 51 | | | | | |
| BA052A | 00185 | G06085 | B006 | 427054014601 | S01 | 07/25/2003 | POT | FL | | G | 24 | 28 | | |
| | 2200 | 925000 | 63.64 | 1210 | 4 | 3700 | | 7 | 50 | | .65 | | | N |
| BA052A | 00185 | G06085 | F002 | 427054013201 | S01 | 10/10/2003 | POT | FL | | G | 24 | 20 | | |
| | 3420 | 26810 | 0 | 1160 | 79 | 2118 | | 0 | 55.7 | | .62 | | | N |
| GA209 | 00276 | G06093 | A001 | 427064012000 | D01 | 05/21/2003 | SEM | FL | | G | | 50 | | |
| | 1450 | 9999999 | 0 | 610 | 0 | 1256 | | 0 | 43.9 | | | | | |
| GA209 | 00276 | G06093 | A001D | 427064012000 | D02 | 05/21/2003 | SEM | FL | | G | | 54 | | |
| | 1450 | 238769 | 0 | 680 | 26 | 6208 | | 0 | 53.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GA209 | 00276 | G06093 | A002 | 427064029200 | S01 | 05/30/2003 | SEM | FL | | O | | 35 | | |
| | | 955 | 21.22 | 196 | 490 | 468 | | 132 | 26 | | | | | |
| GA209 | 00276 | G06093 | A004 | 427064029700 | S01 | 05/31/2003 | SEM | FL | | G | | 56 | | |
| | 1500 | 924667 | 0 | 632 | 6 | 5548 | | 0 | 41.1 | | | | | |
| GA209 | 00276 | G06093 | A005 | 427064036501 | S02 | 01/21/2003 | POT | FL | | O | 4 | 16 | | |
| | | 24343 | 0 | 1790 | 216 | 5258 | | 0 | 32.2 | .6 | | | | N |
| GA209 | 00276 | G06093 | A006 | 427064037000 | S03 | 06/05/2003 | SEM | FL | | G | | 56 | | |
| | 1150 | 382167 | 0 | 332 | 12 | 4586 | | 0 | 48.2 | | | | | |
| GA209 | 00276 | G06093 | B001 | 427064039600 | D03 | 06/06/2003 | SEM | GL | | O | | 64 | | |
| | | 3450 | 0 | 132 | 80 | 276 | | 0 | 31.7 | | | | | |
| GA209 | 00276 | G06093 | B001D | 427064039600 | D02 | 05/22/2003 | SEM | FL | | O | | 88 | | |
| | | 6000 | 98.55 | 138 | 6 | 36 | | 408 | 31.6 | | | | | |
| GA209 | 00276 | G06093 | B002 | 427064040000 | S03 | 03/12/2003 | POT | FL | | G | 4 | 25 | | |
| | 2640 | 149862 | 0 | 1252 | 29 | 4346 | | 0 | 46.1 | .6 | | | | N |
| GA209 | 00276 | G06093 | B002 | 427064040000 | S03 | 04/05/2003 | SEM | FL | | G | | 25 | | |
| | 2640 | 198840 | 0 | 1300 | 25 | 4971 | | 0 | 46.1 | | | | | |
| GA209 | 00276 | G06093 | B004D | 427064040400 | D02 | 06/05/2003 | SEM | FL | | O | | 88 | | |
| | | 7263 | 93.81 | 136 | 38 | 276 | | 576 | 30.1 | | | | | |
| GA209 | 00276 | G06093 | B006 | 427064041800 | S02 | 05/31/2003 | SEM | FL | | G | | 53 | | |
| | 1500 | 154966 | 0 | 625 | 29 | 4494 | | 0 | 37.4 | | | | | |
| GA209 | 00276 | G06093 | B007 | 427064041901 | D01 | 05/17/2003 | SEM | FL | | G | | 34 | | |
| | 1425 | 303167 | 89.66 | 476 | 12 | 3638 | | 104 | 44.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GA209 | 00276 | G06093 | B007D | 427064041901 | D02 | 05/16/2003 | SEM | FL | | G | | 32 | | |
| | 1275 | 304750 | 0 | 648 | 12 | 3657 | | 0 | 49.7 | | | | | |
| GA209 | 00276 | G06093 | B008 | 427064042500 | D01 | 06/08/2003 | SEM | FL | | G | | 48 | | |
| | 1168 | 697250 | 0 | 708 | 12 | 8367 | | 0 | 54.2 | | | | | |
| GA209 | 00276 | G06093 | B008D | 427064042500 | D02 | 05/17/2003 | SEM | FL | | G | | 36 | | |
| | 1400 | 290833 | 0 | 460 | 12 | 3490 | | 0 | 49.9 | | | | | |
| GA209 | 00276 | G06093 | B009 | 427064042700 | D01 | 02/26/2003 | SEM | FL | | G | | 29 | | |
| | 1500 | 385833 | 75 | 852 | 12 | 4630 | | 36 | 46.1 | | | | | |
| GA209 | 00276 | G06093 | B010 | 427064042900 | S01 | 04/20/2003 | SEM | GL | | O | | 30 | | |
| | | 1267 | 0 | 1196 | 1930 | 2445 | | 0 | 32.5 | | | | | |
| GA333 | 00981 | G06104 | A003 | 427064042000 | S03 | 04/28/2003 | SEM | FL | | G | 24 | 22 | | |
| | 1830 | 293857 | | 1440 | 14 | 4114 | | 2 | 55.6 | | | | 413 | N |
| HI022 | 02219 | G06136 | A003 | 427084039800 | S01 | 01/10/2003 | SEM | FL | 0 | G | 24 | 64 | 0 | 0 |
| 0 | 3810 | 518200 | 54.6 | 2995 | 15 | 7773 | | 18 | 49.8 | | 0 | | 1130 | N |
| HI177 | 01284 | G06165 | A001 | 427084029001 | S01 | 07/01/2003 | SEM | FL | | G | | 35 | | |
| | 3625 | 58944 | 3.94 | 2285 | 268 | 15797 | | 11 | 45.9 | | | | | |
| HI177 | 01284 | G06165 | A003 | 427084034501 | S02 | 09/30/2003 | POT | FL | | G | 24 | 20 | | |
| | 1675 | 101361 | 0 | 1495 | 36 | 3649 | | 0 | 55.3 | | .6 | | | N |
| HI177 | 01284 | G06165 | A004 | 427084033700 | D01 | 06/16/2003 | SEM | FL | | G | | 36 | | |
| | 1440 | 190250 | 75 | 1150 | 16 | 3044 | | 48 | 38.4 | | | | | |
| HI177 | 01284 | G06165 | A005 | 427084041901 | S01 | 06/18/2003 | SEM | FL | | G | | 34 | | |
| | 2100 | 176594 | 0 | 1175 | 69 | 12185 | | 0 | 46.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI177 | 01284 | G06165 | A006 | 427084053600 | S02 | 06/13/2003 | SEM | FL | | G | | 40 | | |
| | 2150 | 131327 | 6.78 | 1500 | 110 | 14446 | | 8 | 45.5 | | | | | |
| HI177 | 01284 | G06165 | A007 | 427084054001 | S01 | 06/15/2003 | SEM | FL | | G | | 28 | | |
| | 1450 | 139679 | 0 | 1187 | 28 | 3911 | | 0 | 45.1 | | | | | |
| HI194 | 00105 | G06166 | JA001 | 427084031901 | S01 | 05/03/2003 | SEM | GL | | G | 24 | 64 | | |
| | 1950 | 4139000 | | 1100 | 1 | 4139 | | 8 | 30 | | | | 1118 | N |
| HI194 | 00105 | G06166 | JA001 | 427084031901 | S01 | 06/25/2003 | SEM | GL | | G | 24 | 28 | | |
| | 1925 | 9999999 | | 1000 | 0 | 4400 | | 0 | 0 | | | | 1059 | N |
| HI194 | 00105 | G06166 | JA003 | 427084043800 | S02 | 06/14/2003 | SEM | GL | | G | 24 | 20 | | |
| | 1775 | 122375 | | 1200 | 24 | 2937 | | 234 | 30 | | | | 1059 | N |
| HI194 | 00689 | G06166 | JA004 | 427084045800 | S01 | 01/24/2003 | SEM | FL | | G | 24 | 26 | | |
| | 1475 | 710250 | | 800 | 4 | 2841 | | 304 | 30 | | | | 1022 | N |
| HI194 | 00689 | G06166 | JA005 | 427084045901 | S01 | 05/10/2003 | SEM | FL | | G | 24 | 48 | | |
| | 975 | 144167 | | 350 | 12 | 1730 | | 336 | 30 | | | | 305 | N |
| HI196 | 00276 | G06168 | B001 | 427084033900 | S01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 900 | 162200 | 50 | 150 | 5 | 811 | | 5 | 52 | | | | | |
| HI196 | 00276 | G06168 | B002 | 427084034900 | D01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 383 | 9999999 | 0 | 165 | 0 | 451 | | 0 | 58.6 | | | | | |
| HI196 | 00276 | G06168 | B002D | 427084034900 | D02 | 05/31/2003 | SEM | FL | | G | | 31 | | |
| | 386 | 264800 | 61.54 | 149 | 5 | 1324 | | 8 | 57 | | | | | |
| HI196 | 00276 | G06168 | B003 | 427084035500 | D03 | 05/30/2003 | SEM | FL | | G | | 41 | | |
| | 385 | 155667 | 52.63 | 160 | 9 | 1401 | | 10 | 57.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI020A | 00730 | G06180 | 006 | 427084043900 | D01 | 06/06/2003 | SEM | FL | | G | | 20 | | |
| | 1500 | 2551000 | 0 | 1240 | 1 | 2551 | | 0 | 49.9 | | | | | |
| HI020A | 00730 | G06180 | A002 | 427084035100 | S02 | 06/11/2003 | SEM | FL | | G | | 14 | | |
| | 3400 | 21429 | 89.55 | 2150 | 70 | 1500 | | 600 | 49.9 | | | | | |
| HI166 | 01103 | G06200 | A001C | 427104003001 | S04 | 06/15/2003 | POT | FL | | G | 24 | 19 | | |
| | 2980 | 238462 | 0 | 1675 | 13 | 3100 | | 0 | 48.6 | | .627 | | | N |
| HI552A | 02189 | G06237 | A002 | 427094082001 | S02 | 04/15/2003 | SEM | FL | | G | | 25 | | |
| | 3100 | 565000 | 99 | 1600 | 1 | 565 | | 237 | 45 | | | | | |
| HI552A | 02189 | G06237 | A004 | 427094090201 | S01 | 05/12/2003 | SEM | FL | | G | | 26 | | |
| | 2100 | 435000 | 99 | 1250 | 5 | 2175 | | 1017 | 45 | | | | | |
| HI557A | 01764 | G06238 | A001 | 427094091200 | S01 | 05/16/2003 | SEM | FL | | O | | 16 | | |
| | 1440 | 2348 | 30.52 | 950 | 296 | 695 | | 130 | 37.2 | | | | | |
| HI557A | 01764 | G06238 | A009 | 427094102600 | S02 | 05/19/2003 | SEM | FL | | O | | 22 | | |
| | 1970 | 1909 | 84.99 | 1140 | 143 | 273 | | 810 | 36.4 | | | | | |
| HI557A | 01764 | G06238 | A010 | 427094111800 | S01 | 05/20/2003 | SEM | FL | | G | | 64 | | |
| | 440 | 9999999 | 0 | 100 | 0 | 48 | | 0 | | | | | | |
| EB165 | 01770 | G06280 | A001 | 608044010800 | S02 | 06/17/2003 | SEM | GL | | O | | 64 | | |
| | 1380 | 2762 | 81.21 | 120 | 84 | 232 | | 363 | 32.5 | | | | | |
| EB165 | 01770 | G06280 | A002 | 608044010900 | S02 | 06/25/2003 | SEM | GL | | O | | 64 | | |
| | 2000 | 1000 | 21.95 | 100 | 32 | 32 | | 9 | 27.4 | | | | | |
| EB165 | 01770 | G06280 | A004 | 608044011200 | S01 | 06/24/2003 | SEM | FL | | O | | 22 | | |
| | 1675 | 887 | 81.85 | 124 | 239 | 212 | | 1078 | 29 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB165 | 01770 | G06280 | A005 | 608044011300 | S02 | 05/27/2003 | SEM | FL | | O | | 15 | | |
| | 3250 | 1274 | 87.23 | 1040 | 219 | 279 | | 1496 | 31.4 | | | | | |
| EB165 | 01770 | G06280 | A007 | 608044011700 | S02 | 06/23/2003 | SEM | FL | | G | | 64 | | |
| | 1240 | 9999999 | 0 | 90 | 0 | 56 | | 0 | | | | | | |
| EB165 | 01770 | G06280 | A009 | 608044011900 | S01 | 06/30/2003 | SEM | FL | | O | | 64 | | |
| | 3300 | 1091 | 38.89 | 100 | 88 | 96 | | 56 | 22.2 | | | | | |
| EB165 | 01770 | G06280 | A010 | 608044011802 | S02 | 06/15/2003 | SEM | GL | | O | | 64 | | |
| | 2080 | 2239 | 2.13 | 100 | 46 | 103 | | 1 | 32.3 | | | | | |
| EB165 | 01770 | G06280 | A012 | 608044012200 | S01 | 06/10/2003 | SEM | GL | | G | | 64 | | |
| | 1280 | 2077 | 56.18 | 80 | 39 | 81 | | 50 | 30.6 | | | | | |
| EB165 | 01770 | G06280 | A015 | 608044012800 | S02 | 06/21/2003 | SEM | FL | | G | | 64 | | |
| | 1500 | 3167 | 14.29 | 80 | 6 | 19 | | 1 | 27.1 | | | | | |
| EB165 | 01770 | G06280 | A018 | 608044013201 | S01 | 06/28/2003 | SEM | GL | | O | | 64 | | |
| | 1390 | 4667 | 90.63 | 110 | 3 | 14 | | 29 | 30.9 | | | | | |
| EB165 | 01770 | G06280 | A019 | 608044013302 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 2000 | 35667 | 25 | 80 | 3 | 107 | | 1 | 36.7 | | | | | |
| EB165 | 01770 | G06280 | A023 | 608044013600 | S02 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 960 | 9999999 | 99 | 190 | 0 | 37 | | 57 | | | | | | |
| EB165 | 01770 | G06280 | A025 | 608044013900 | S01 | 06/29/2003 | SEM | FL | | O | | 24 | | |
| | 1600 | 1392 | 88.92 | 670 | 171 | 238 | | 1373 | 31.7 | | | | | |
| EB165 | 01770 | G06280 | A030 | 608044014501 | S02 | 06/09/2003 | SEM | GL | | O | | 64 | | |
| | 1550 | 3882 | 81.11 | 100 | 17 | 66 | | 73 | 27.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB189 | 00078 | G06358 | A001 | 608074005100 | D03 | 03/02/2003 | SEM | GL | | | 24 | 128 | | |
| | 969 | 733 | | 134 | 15 | 11 | | 112 | 39.3 | | | 132 | N | |
| GB189 | 00078 | G06358 | A002 | 608074005501 | S01 | 03/08/2003 | SEM | FL | | | 24 | 38 | | |
| | 1169 | 444091 | | 452 | 11 | 4885 | | 0 | 59.1 | | | 411 | N | |
| GB189 | 00078 | G06358 | A003 | 608074005902 | S01 | 03/03/2003 | SEM | GL | | | 24 | 128 | | |
| | 1086 | 5800 | | 160 | 5 | 29 | | 52 | 35.4 | | | 141 | N | |
| GB189 | 00078 | G06358 | A004 | 608074009201 | S01 | 03/08/2003 | SEM | FL | | | 24 | 64 | | |
| | 814 | 518455 | | 450 | 11 | 5703 | | 0 | 65.4 | | | 405 | N | |
| GB189 | 00078 | G06358 | A005 | 608074009501 | S01 | 05/05/2003 | SEM | GL | | | 24 | 128 | | |
| | 708 | 9999999 | | 143 | 0 | 30 | | 0 | | | | 130 | N | |
| GB189 | 00078 | G06358 | A007 | 608074011100 | S02 | 04/02/2003 | SEM | FL | | | 24 | 64 | | |
| | 742 | 9999999 | | 174 | 0 | 2044 | | 2 | | | | 150 | N | |
| GB189 | 00078 | G06358 | A012 | 608074011600 | D02 | 03/09/2003 | SEM | FL | | | 24 | 38 | | |
| | 807 | 384364 | | 528 | 11 | 4228 | | 0 | 56.7 | | | 403 | N | |
| GB189 | 00078 | G06358 | A012D | 608074011600 | D03 | 04/01/2003 | SEM | FL | | | 24 | 64 | | |
| | 1357 | 132080 | | 328 | 25 | 3302 | | 142 | 58.4 | | | 153 | N | |
| GB189 | 00078 | G06358 | A013 | 608074010800 | D01 | 03/01/2003 | SEM | GL | | | 24 | 45 | | |
| | 1224 | 3105 | | 130 | 248 | 770 | | 112 | 40.1 | | | 132 | N | |
| GB189 | 00078 | G06358 | A013D | 608074010800 | D02 | 04/01/2003 | SEM | FL | | | 24 | 48 | | |
| | 1267 | 96765 | | 159 | 17 | 1645 | | 0 | 58.4 | | | 147 | N | |
| GB189 | 00078 | G06358 | A014 | 608074011400 | S01 | 04/05/2003 | SEM | FL | | | 24 | 20 | | |
| | 720 | 9999999 | | 510 | 0 | 1350 | | 0 | | | | 407 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB189 | 00078 | G06358 | A015 | 608074012001 | S01 | 03/04/2003 | SEM | GL | | | 24 | 128 | | |
| | 990 | 122000 | | 140 | 1 | 122 | | 11 | 41.7 | | | | 133 | N |
| GB189 | 00078 | G06358 | A016 | 608074009601 | S02 | 04/04/2003 | SEM | GL | | | 24 | 128 | | |
| | 708 | 9999999 | | 160 | 0 | 42 | | 108 | | | | | 144 | N |
| GB189 | 00078 | G06358 | A017 | 608074012400 | S03 | 03/05/2003 | SEM | GL | | | 24 | 128 | | |
| | 1164 | 9999999 | | 162 | 0 | 67 | | 2 | | | | | 142 | N |
| GB189 | 00078 | G06358 | A018 | 608074012600 | S01 | 03/25/2003 | SEM | GL | | | 24 | 128 | | |
| | 705 | 2263 | | 151 | 38 | 86 | | 389 | 39.8 | | | | 141 | N |
| PE881 | 00003 | G06390 | 001 | 608214000400 | S01 | 06/01/2003 | SEM | FL | | G | 24 | | | |
| | 475 | 9999999 | | 100 | 0 | 1447 | | 0 | | | | | 1087 | N |
| WC180 | 01819 | G06572 | 002 | 177004070801 | S01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 595 | 9999999 | 0 | 250 | 0 | 950 | | 0 | 52.6 | | | | | |
| WC180 | 01819 | G06572 | 003 | 177004076301 | S01 | 05/30/2003 | SEM | FL | | G | | 18 | | |
| | 1050 | 9999999 | 99 | 300 | 0 | 889 | | 141 | 52.6 | | | | | |
| EC359 | 01704 | G06655 | A006 | 177044068700 | D02 | 06/20/2003 | SEM | UK | | G | | 64 | | |
| | | 3222 | 67.86 | 90 | 18 | 58 | | 38 | 30.9 | | | | | |
| EC359 | 01704 | G06655 | A008 | 177044069900 | S01 | 06/21/2003 | SEM | UK | | O | | 18 | | |
| | | 1123 | 26.2 | 250 | 138 | 155 | | 49 | 26.8 | | | | | |
| EC359 | 01704 | G06655 | A010 | 177044071000 | S01 | 06/01/2003 | SEM | UK | | O | | 64 | | |
| | | 4800 | 97.11 | 90 | 15 | 72 | | 504 | 32.8 | | | | | |
| VR164 | 00276 | G06668 | A001 | 177054090700 | D01 | 05/22/2003 | SEM | FL | | G | | 40 | | |
| | 1360 | 26000 | 23.53 | 450 | 13 | 338 | | 4 | 50.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR164 | 00276 | G06668 | A001D | 177054090700 | D02 | 04/04/2003 | SEM | FL | | O | | 24 | | |
| | | 1359 | 6.02 | 700 | 749 | 1018 | | 48 | 41.7 | | | | | |
| VR164 | 00276 | G06668 | A003 | 177054091500 | D03 | 05/24/2003 | SEM | FL | | O | | 16 | | |
| | | 11263 | 10 | 1750 | 171 | 1926 | | 19 | 40.6 | | | | | |
| VR164 | 00276 | G06668 | A003D | 177054091500 | D02 | 05/23/2003 | SEM | FL | | O | | 10 | | |
| | | 9593 | 0 | 1850 | 86 | 825 | | 0 | 42.9 | | | | | |
| VR164 | 00276 | G06668 | A005 | 177054097400 | S01 | 05/25/2003 | SEM | FL | | G | | 36 | | |
| | 1390 | 77100 | 29.82 | 1060 | 40 | 3084 | | 17 | 50.3 | | | | | |
| VR164 | 00276 | G06668 | A005 | 177054097400 | S01 | 08/29/2003 | SEM | FL | | G | | 32 | | |
| | 1160 | 184960 | 24.24 | 720 | 25 | 4624 | | 8 | 50.3 | | | | | |
| VR249 | 00222 | G06678 | B001 | 177054112800 | S01 | 05/15/2003 | SEM | FL | | G | | 50 | | |
| | 710 | 9999999 | 99 | 560 | 0 | 9496 | | 1 | | | | | | |
| VR412 | 02608 | G06685 | A001 | 177064062600 | S01 | 01/03/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 484500 | 0 | 335 | 4 | 1938 | | 0 | 61 | | | | | |
| VR412 | 02608 | G06685 | A001 | 177064062600 | S01 | 06/30/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 408000 | 0 | 260 | 3 | 1224 | | 0 | 68 | | | | | |
| ST301 | 00689 | G06779 | B014 | 177164008301 | S01 | 05/28/2003 | SEM | FL | | O | 24 | 16 | | |
| | | 1600 | | 411 | 65 | 104 | | 97 | 36 | | | | | N |
| ST301 | 00689 | G06779 | B017 | 177164030100 | S01 | 01/24/2003 | POT | FL | | G | 4 | 21 | | |
| | 6750 | 11805 | 1.47 | 6365 | 1275 | 15051 | | 19 | 53.5 | .62 | | | | N |
| ST301 | 00689 | G06779 | B017 | 177164030100 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 37 | | |
| | 5976 | 10463 | | 3710 | 2298 | 24045 | | 5 | 48.8 | | | | 1020 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP093 | 02219 | G06805 | A003 | 177254039400 | S01 | 01/03/2003 | SEM | FL | 0 | G | 24 | 64 | 0 | 0 |
| 0 | 610 | 9999999 | 100 | 130 | 0 | 319 | | 12 | 0 | 0 | | 120 | N | |
| MP093 | 02219 | G06805 | A006A | 177254064200 | D03 | 01/09/2003 | SEM | FL | 0 | G | 24 | 23 | 0 | 0 |
| 0 | 1500 | 189500 | 99.7 | 445 | 2 | 379 | | 655 | 39.6 | 0 | | 120 | N | |
| MP159 | 01513 | G06813 | 001 | 177244040901 | S03 | 04/14/2003 | SEM | FL | | G | | 16 | | |
| | 980 | 9999999 | 0 | 920 | 0 | 1309 | | 0 | 0 | | | | | |
| CA040 | 01513 | G06842 | A001 | 177294000100 | D02 | 05/02/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 81 | 0 | 1420 | | 0 | 0 | | | | | |
| CA040 | 01513 | G06842 | A001D | 177294000100 | D62 | 05/02/2003 | SEM | FL | | G | | 64 | | |
| | 350 | 9999999 | 0 | 82 | 0 | 1420 | | 0 | 0 | | | | | |
| CA040 | 01513 | G06842 | A002 | 177294000300 | S01 | 05/02/2003 | SEM | FL | | G | | 64 | | |
| | 135 | 9999999 | 0 | 78 | 0 | 17 | | 0 | 0 | | | | | |
| MO830 | 00105 | G06845 | 001 | 608154005900 | S01 | 05/22/2003 | SEM | FL | | G | 24 | | | |
| | 180 | 9999999 | | 100 | 0 | 60 | | 0 | | | | 995 | N | |
| MO868 | 00540 | G06848 | 003 | 608154009900 | S01 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 3864 | 9999999 | 99 | 1337 | 0 | 22396 | | 189 | 0 | | | | | |
| VK780 | 00105 | G06884 | A001 | 608164033100 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 183 | | |
| | 1273 | 365778 | | 494 | 27 | 9876 | | 92 | 50.2 | | | 1184 | N | |
| VK780 | 00105 | G06884 | A003 | 608164033500 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 80 | | |
| | 1085 | 27019 | | 360 | 108 | 2918 | | 725 | 50.9 | | | 1287 | N | |
| VK780 | 00105 | G06884 | A006 | 608164026101 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1220 | 84515 | | 502 | 66 | 5578 | | 22 | 57.8 | | | 1184 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK783 | 00689 | G06886 | 004 | 608164013401 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2196 | 28612 | | 1582 | 645 | 18455 | | 60 | 62.1 | | | | 1320 | N |
| VK783 | 00689 | G06886 | A001 | 608164022301 | S01 | 06/24/2003 | SEM | GL | | G | 24 | 72 | | |
| | 1925 | 9999999 | | 1684 | 0 | 28704 | | 0 | 58 | | | | 1220 | N |
| VK783 | 00689 | G06886 | A002 | 608164022400 | S01 | 06/25/2003 | SEM | GL | | G | 24 | 64 | | |
| | 1925 | 1627308 | | 1618 | 13 | 21155 | | 8 | 48.3 | | | | 1280 | N |
| VK783 | 00689 | G06886 | A003 | 608164022501 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 12627 | | 1454 | 976 | 12324 | | 1 | 41 | | | | | N |
| VK825 | 02219 | G06888 | A004 | 608164020500 | S01 | 01/04/2003 | SEM | GL | 0 | O | 12 | 116 | 0 | 0 |
| 0 | 0 | 1250 | 13 | 200 | 1002 | 1252 | | 150 | 22 | 0 | | | 0 | N |
| VK825 | 02219 | G06888 | A005 | 608164022100 | S01 | 01/03/2003 | SEM | GL | 0 | O | 6 | 116 | 0 | 0 |
| 0 | 0 | 2693 | 35 | 250 | 398 | 1072 | | 214 | 21 | 0 | | | 0 | N |
| VK956 | 00689 | G06893 | A001 | 608164023900 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 70 | | |
| | 2011 | 45997 | | 703 | 1129 | 51931 | | 111 | 57.7 | | | | 1740 | N |
| VK956 | 00689 | G06893 | A013 | 608164025201 | S01 | 06/04/2003 | SEM | FL | | G | 24 | 25 | | |
| | 4696 | 7487 | | 821 | 1120 | 8385 | | 906 | 27.5 | | | | 1633 | N |
| VK956 | 00689 | G06893 | A014 | 608164024700 | S01 | 06/03/2003 | SEM | FL | | G | 24 | 24 | | |
| | 3575 | 54572 | | 1691 | 1466 | 80002 | | 51 | 55.9 | | | | 1535 | N |
| VK915 | 02481 | G06894 | A005 | 608164029600 | S01 | 06/24/2003 | SEM | FL | | O | | 50 | | |
| | 923 | 463 | 25.61 | 804 | 7075 | 3277 | | 2436 | 32.5 | | | | | |
| VK915 | 02481 | G06894 | A006 | 608164029700 | S01 | 06/29/2003 | SEM | FL | | G | | 91 | | |
| | 1425 | 57075 | 6.21 | 738 | 664 | 37898 | | 44 | 58.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK915 | 02481 | G06894 | SS001 | 608164038300 | S01 | 06/21/2003 | SEM | FL | | G | | 100 | | |
| | 3183 | 12138 | .57 | 2480 | 5589 | 67838 | | 32 | 47.1 | | | | | |
| VK915 | 02481 | G06894 | SS002 | 608164040200 | S01 | 06/16/2003 | SEM | FL | | G | | 93 | | |
| | 1605 | 76747 | 0 | 1040 | 411 | 31543 | | 0 | 35 | | | | | |
| VK956 | 00689 | G06896 | A004 | 608164024302 | S41 | 06/05/2003 | SEM | FL | | O | 24 | 65 | | |
| | | 9222 | | 1078 | 6763 | 62369 | | 1343 | 34.5 | | | | | N |
| VK956 | 00689 | G06896 | A005 | 608164024002 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 19 | | |
| | | 1609 | | 931 | 2358 | 3795 | | 200 | 31.4 | | | | | N |
| VK990 | 02481 | G06898 | A005 | 608164017300 | S01 | 06/04/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 2724 | 4.65 | 146 | 246 | 670 | | 12 | 40.5 | | | | | |
| VK990 | 02481 | G06898 | A007 | 608164017701 | S01 | 06/04/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 361 | 36.67 | 154 | 133 | 48 | | 77 | 39.5 | | | | | |
| VK990 | 02481 | G06898 | A017 | 608164027500 | S01 | 05/13/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 2682 | 12.68 | 144 | 179 | 480 | | 26 | 39.3 | | | | | |
| VK990 | 02481 | G06898 | A021 | 608164029200 | S01 | 06/08/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 2036 | 28.21 | 152 | 168 | 342 | | 66 | 41.6 | | | | | |
| VK990 | 02481 | G06898 | A023 | 608164032100 | S01 | 06/09/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1559 | 2.86 | 151 | 408 | 636 | | 12 | 33.9 | | | | | |
| VK990 | 02481 | G06898 | A031 | 608164039501 | S01 | 04/13/2003 | SEM | GL | | G | | 80 | | |
| | 3400 | 47797 | 15.99 | 1534 | 620 | 29634 | | 118 | 50.4 | | | | | |
| VK990 | 02481 | G06898 | A033 | 608164041402 | S01 | 07/26/2003 | POT | FL | | G | 12 | 22 | | |
| | 5381 | 72154 | 73.9 | 3181 | 65 | 4690 | | 184 | 46 | .611 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK990 | 02481 | G06899 | A004 | 608164017201 | S01 | 06/01/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 2043 | 2.08 | 144 | 94 | 192 | | 2 | 45.7 | | | | | |
| VK990 | 02481 | G06899 | A016 | 608164027300 | S01 | 06/08/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 667 | 7.14 | 150 | 117 | 78 | | 9 | 42.4 | | | | | |
| VK990 | 02481 | G06899 | A028 | 608164036501 | S01 | 06/03/2003 | SEM | FL | | G | | 99 | | |
| | 0 | 1989 | 78.31 | 154 | 350 | 696 | | 1264 | 34.5 | | | | | |
| VK990 | 02481 | G06899 | A029 | 608164037200 | S01 | 05/11/2003 | SEM | FL | | G | | 131 | | |
| | 0 | 4429 | 4 | 1509 | 3957 | 17526 | | 165 | 43.3 | | | | | |
| EW958 | 01138 | G06921 | A001 | 608105004200 | S01 | 06/07/2003 | SEM | FL | | O | | 4 | | |
| | 3050 | 1315 | 42.12 | 739 | 235 | 309 | | 171 | 26.5 | | | | | |
| MC365 | 00730 | G06946 | SS005 | 608174089100 | S02 | 06/14/2003 | SEM | FL | | G | | 30 | | |
| | 3300 | 25034 | 0 | 2970 | 639 | 15997 | | 0 | 48.4 | | | | | |
| MC486 | 01217 | G06957 | A004 | 608174039300 | S01 | 06/11/2003 | SEM | UK | | G | | 18 | | |
| | 870 | 102800 | 98.6 | 610 | 5 | 514 | | 351 | 56.5 | | | | | |
| MC486 | 01217 | G06958 | A008 | 608174087300 | D01 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 1560 | 237875 | 66.67 | 1175 | 8 | 1903 | | 16 | 50.3 | | | | | |
| MC486 | 01217 | G06962 | A006 | 608174057900 | S02 | 06/13/2003 | SEM | UK | | G | | 28 | | |
| | 1290 | 235375 | 27.27 | 797 | 16 | 3766 | | 6 | 58.7 | | | | | |
| GC006 | 00771 | G06987 | A016D | 608114018700 | D05 | 03/06/2003 | SEM | FL | | | 24 | 20 | | |
| | 856 | 9999999 | | 67 | 0 | 451 | | 38 | | | | | 64 | N |
| GC254 | 00162 | G07049 | 003 | 608115008001 | S01 | 06/15/2003 | SEM | FL | | O | | 48 | | |
| | | 1517 | 2 | 1647 | 6407 | 9717 | | 131 | 34.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC254 | 00162 | G07049 | 005 | 608115009001 | S01 | 06/09/2003 | SEM | FL | | O | | 64 | | |
| | | 1807 | 0 | 982 | 7631 | 13788 | | 0 | 33.3 | | | | | |
| PN059A | 00491 | G07155 | A004D | 427134009000 | D05 | 05/10/2003 | SEM | FL | | G | | 10 | | |
| | 1220 | 9999999 | 99 | 1140 | 0 | 1433 | | 3 | | | | | | |
| PN059A | 00491 | G07155 | A005D | 427134009100 | D04 | 05/10/2003 | SEM | FL | | G | | 11 | | |
| | 1190 | 9999999 | 0 | 1000 | 0 | 878 | | 0 | 0 | | | | | |
| MI487 | 02589 | G07194 | A001D | 427034034100 | D02 | 05/22/2003 | SEM | FL | | G | | 48 | | |
| | 400 | 9999999 | 0 | 125 | 0 | 587 | | 0 | | | | | | |
| MI587 | 01103 | G07199 | 001 | 427034030000 | S01 | 06/30/2003 | SEM | FL | | G | | 17 | | |
| | 970 | 882000 | 97.62 | 620 | 1 | 882 | | 41 | 49 | | | | | |
| MI587 | 01103 | G07200 | 006D | 427034053200 | D02 | 06/30/2003 | SEM | FL | | G | | 32 | | |
| | 750 | 2524000 | 97.56 | 465 | 1 | 2524 | | 40 | 49 | | | | | |
| BA399 | 00003 | G07215 | 005 | 427044031900 | S03 | 05/30/2003 | SEM | FL | | G | 24 | 21 | | |
| | 2115 | 2600000 | | 1399 | 2 | 5200 | | 0 | 39.7 | | | | 770 | N |
| BA376 | 00003 | G07215 | A001 | 427044015800 | S04 | 05/29/2003 | SEM | FL | | G | 24 | 38 | | |
| | 2780 | 36571 | | 1029 | 14 | 512 | | 155 | 39.5 | | | | 726 | N |
| MI487 | 02589 | G07221 | 003 | 427034037500 | D01 | 05/27/2003 | SEM | FL | | G | | 48 | | |
| | 500 | 9999999 | 0 | 125 | 0 | 313 | | 0 | | | | | | |
| MI487 | 02589 | G07221 | 003D | 427034037500 | D02 | 05/27/2003 | SEM | FL | | G | | 48 | | |
| | 820 | 9999999 | 0 | 125 | 0 | 173 | | 0 | | | | | | |
| GA209 | 00491 | G07286 | A003 | 427084050700 | S01 | 05/05/2003 | SEM | FL | | G | | 64 | | |
| | 700 | 9999999 | 99 | 240 | 0 | 2402 | | 12 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB165 | 01770 | G07397 | A013 | 608044012400 | S01 | 06/12/2003 | SEM | GL | | O | | 64 | | |
| | 2600 | 4786 | 92.96 | 110 | 14 | 67 | | 185 | 26.3 | | | | | |
| GB236 | 01284 | G07454 | 003 | 608074010600 | S02 | 06/30/2003 | SEM | FL | | G | | 64 | | |
| | 1000 | 9999999 | 0 | 640 | 0 | 0 | | 0 | | | | | | |
| GB260 | 00059 | G07461 | A004 | 608074081401 | S01 | 06/20/2003 | SEM | FL | | O | | 96 | | |
| | 1380 | 2056 | 78.15 | 277 | 1257 | 2585 | | 4495 | 31.4 | | | | | |
| GB260 | 00059 | G07461 | A007 | 608074017901 | S02 | 06/22/2003 | SEM | FL | | O | | 48 | | |
| | 3976 | 1871 | 3.83 | 2913 | 4873 | 9115 | | 194 | 31.8 | | | | | |
| GB260 | 00059 | G07462 | A001 | 608074016800 | S01 | 06/26/2003 | SEM | FL | | G | | 68 | | |
| | 2718 | 2495 | 89.23 | 1167 | 1191 | 2972 | | 9865 | 32.6 | | | | | |
| GB260 | 00059 | G07462 | A003 | 608074016200 | S01 | 06/19/2003 | SEM | FL | | O | | 62 | | |
| | 2016 | 1877 | 50.22 | 930 | 1002 | 1881 | | 1011 | 33.1 | | | | | |
| GB260 | 00059 | G07462 | A005 | 608074081801 | S01 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 4413 | 3310 | 55.99 | 2765 | 4773 | 15797 | | 6073 | 32.5 | | | | | |
| GB260 | 00059 | G07462 | A006 | 608074017700 | S01 | 06/14/2003 | SEM | FL | | O | | 96 | | |
| | 3197 | 2873 | .38 | 1467 | 1326 | 3810 | | 5 | 33.8 | | | | | |
| GB426 | 00689 | G07493 | A003 | 608074007401 | S02 | 05/12/2003 | SEM | FL | | G | 24 | 128 | | |
| | 2047 | 3913 | | 1565 | 861 | 3369 | | 2 | 39.8 | | | | 1253 | N |
| GB426 | 00689 | G07493 | A010 | 608074008802 | S01 | 04/25/2003 | SEM | FL | | G | 24 | 47 | | |
| | 4705 | 11946 | | 3832 | 680 | 8123 | | 6117 | 40 | | | | 1263 | N |
| GB426 | 00689 | G07493 | A014 | 608074009900 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 95 | | |
| | 4740 | 2844 | | 1625 | 3617 | 10287 | | 3617 | 38.4 | | | | 1212 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB426 | 00689 | G07493 | A015 | 608074010001 | S01 | 09/22/2003 | POT | FL | | O | 4 | 40 | | |
| | | 2793 | 0 | 5144 | 6580 | 18380 | | 0 | 28.9 | .65 | | | N | |
| GB426 | 00689 | G07493 | A016 | 608074010101 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 64 | | |
| | 4242 | 3346 | | 1657 | 1126 | 3768 | | 751 | 40 | | | 1241 | N | |
| GB426 | 00689 | G07493 | A020 | 608074010500 | S02 | 06/22/2003 | SEM | FL | | G | 24 | 56 | | |
| | 4300 | 14261 | | 2120 | 1164 | 16600 | | 10481 | 40 | | | 1282 | N | |
| WC533 | 02608 | G07629 | A004 | 177024100601 | S02 | 08/04/2003 | POT | FL | | G | 24 | 15 | | |
| | 1200 | 9999999 | 0 | 995 | 0 | 984 | | 0 | | .6 | | | N | |
| SM048 | 00105 | G07699 | A001 | 177074057600 | S01 | 06/03/2003 | SEM | FL | | G | | 39 | | |
| | 1400 | 111650 | 69.23 | 1200 | 20 | 2233 | | 45 | 48.8 | | | | | |
| SM048 | 00105 | G07699 | A004 | 177074062700 | S03 | 06/08/2003 | SEM | FL | | G | | 25 | | |
| | 2880 | 76944 | 64.4 | 1900 | 89 | 6848 | | 161 | 48.8 | | | | | |
| SM048 | 00730 | G07699 | B004 | 177074080601 | S03 | 06/07/2003 | SEM | FL | | G | | 50 | | |
| | 2580 | 2799 | 0 | 1100 | 184 | 515 | | 0 | 48.8 | | | | | |
| SM048 | 00730 | G07700 | B001 | 177074062800 | S05 | 06/05/2003 | SEM | FL | | G | | 29 | | |
| | 3600 | 3329 | 69.57 | 1225 | 164 | 546 | | 375 | 48.8 | | | | | |
| SM048 | 00730 | G07700 | B002 | 177074063303 | S02 | 06/04/2003 | SEM | FL | | O | | 13 | | |
| | 2300 | 1250 | 60.66 | 1275 | 120 | 150 | | 185 | 48.8 | | | | | |
| SM079 | 00078 | G07703 | C002 | 177084072900 | S03 | 04/03/2003 | SEM | FL | | | 24 | 10 | | |
| | 460 | 9999999 | | 189 | 0 | 1389 | | 0 | | | | 178 | N | |
| SM079 | 00078 | G07703 | C005 | 177084090203 | S01 | 03/21/2003 | SEM | FL | | | 24 | 27 | | |
| | 8197 | 46648 | | 4674 | 108 | 5038 | | 44 | 53 | | | 1047 | N | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS100 | 00078 | G07750 | DA003 | 177114096101 | S01 | 04/18/2003 | SEM | GL | | | 24 | 100 | | |
| | 1085 | 1317 | | 285 | 82 | 108 | | 326 | 33.5 | | | | 247 | N |
| SS100 | 00078 | G07750 | DA004 | 177114096402 | S01 | 04/19/2003 | SEM | GL | | | 24 | 100 | | |
| | 1080 | 1700 | | 262 | 50 | 85 | | 777 | 33.8 | | | | 262 | N |
| SS100 | 00078 | G07750 | DA005 | 177114127701 | S03 | 03/16/2003 | SEM | FL | | | 24 | 55 | | |
| | 2860 | 3101 | | 1417 | 129 | 400 | | 1306 | 37.1 | | | | 1042 | N |
| SS100 | 00078 | G07750 | DA006 | 177114135702 | S01 | 03/14/2003 | SEM | GL | | | 24 | 37 | | |
| | 3337 | 34091 | | 1172 | 11 | 375 | | 100 | 37.2 | | | | 1091 | N |
| SS274 | 02409 | G07757 | C002 | 177124042700 | S03 | 06/28/2003 | SEM | FL | | G | | 64 | | |
| | 315 | 9999999 | 0 | 150 | 0 | 1485 | | 0 | | | | | | |
| ST198 | 00148 | G07769 | A008 | 177154094600 | S02 | 11/07/2003 | POT | FL | | G | 24 | 7 | | |
| | 4280 | 105313 | 0 | 3920 | 16 | 1685 | | 0 | 48.2 | | .59 | | | N |
| ST198 | 01978 | G07769 | B001 | 177154109300 | S01 | 03/23/2003 | POT | FL | | G | 9 | 21 | | |
| | 3850 | 9999999 | 0 | 3500 | 0 | 7041 | | 0 | | | .561 | | | N |
| ST198 | 01978 | G07769 | B001 | 177154109300 | S01 | 06/19/2003 | SEM | FL | | G | | 37 | | |
| | 2400 | 9999999 | 99 | 1220 | 0 | 5233 | | 30 | | | | | | |
| SP089 | 00724 | G07799 | D002 | 177224021001 | S01 | 01/21/2003 | SEM | GL | | O | | 96 | | |
| | | 713 | 47.78 | 200 | 94 | 67 | | 86 | 34.6 | | | | | |
| SP089 | 00724 | G07799 | D003 | 177224021202 | S01 | 01/25/2003 | SEM | GL | | O | | 128 | | |
| | | 11593 | 92.99 | 140 | 27 | 313 | | 358 | 34.3 | | | | | |
| SP089 | 00724 | G07799 | D007A | 177224020900 | S02 | 02/07/2003 | SEM | FL | | G | | 29 | | |
| | 4200 | 12761 | 0 | 3380 | 911 | 11625 | | 0 | 48 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SP089 | 00724 | G07799 | D008 | 177224020800 | S01 | 01/14/2003 | SEM | GL | | G | | 64 | | |
| | 1200 | 19083 | 80.33 | 150 | 12 | 229 | | 49 | 30.3 | | | | | |
| SP089 | 00724 | G07799 | D009 | 177224022600 | S01 | 02/07/2003 | SEM | FL | | G | | 128 | | |
| | 1900 | 53573 | 7.01 | 1160 | 199 | 10661 | | 15 | 53.8 | | | | | |
| SP089 | 00724 | G07799 | D011 | 177224022801 | S01 | 02/06/2003 | SEM | FL | | G | | 39 | | |
| | 1800 | 92339 | 70.19 | 1400 | 62 | 5725 | | 146 | 53.6 | | | | | |
| MP163 | 02349 | G07809 | 001A | 177244038300 | D01 | 04/04/2003 | SEM | FL | | G | | 96 | | |
| | 360 | 9999999 | 99 | 100 | 0 | 867 | | 392 | 0 | | | | | |
| MP163 | 02349 | G07809 | A001 | 177244075800 | S01 | 05/01/2003 | SEM | FL | | G | | 96 | | |
| | 160 | 9999999 | 0 | 60 | 0 | 303 | | 0 | 0 | | | | | |
| MP163 | 02349 | G07809 | A003 | 177244089700 | S01 | 10/01/2003 | POT | FL | | G | 24 | 15 | | |
| | 5700 | 24124 | 0 | 5500 | 291 | 7020 | | 0 | 47.1 | .61 | | | | N |
| MP252 | 00689 | G07824 | A006 | 177244052900 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 72 | | |
| | 750 | 9999999 | | 448 | 0 | 1103 | | 0 | 42 | | | | 1320 | N |
| MP252 | 00689 | G07824 | A008 | 177244071700 | S01 | 06/11/2003 | SEM | FL | | G | 24 | 72 | | |
| | 720 | 9999999 | | 471 | 0 | 763 | | 0 | 42 | | | | 1325 | N |
| MP259 | 01551 | G07827 | A008 | 177244072401 | S01 | 05/30/2003 | POT | FL | | G | 24 | 19 | | |
| | 2825 | 21468 | 22.22 | 2500 | 77 | 1653 | | 22 | 31.8 | .65 | | | | N |
| CA038 | 00185 | G07836 | A001 | 177294000600 | S01 | 06/23/2003 | SEM | FL | | G | 24 | 64 | | |
| | 500 | 9999999 | | 120 | 0 | 398 | | 260 | | | | | 894 | N |
| MO864 | 01513 | G07844 | A001 | 608154006800 | S01 | 05/04/2003 | SEM | FL | | G | | 96 | | |
| | 251 | 9999999 | 99 | 29 | 0 | 2509 | | 29 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MO914 | 01103 | G07846 | A001 | 608154003100 | S01 | 06/25/2003 | SEM | FL | | G | | 128 | | |
| | 525 | 9999999 | 0 | 118 | 0 | 436 | | 0 | 0 | | | | | |
| VK031 | 01103 | G07870 | A001 | 608164012600 | S01 | 06/10/2003 | SEM | FL | | G | | 48 | | |
| | 750 | 9999999 | 99 | 110 | 0 | 444 | | 434 | 0 | | | | | |
| VK032 | 01103 | G07871 | 001 | 608164010800 | S01 | 06/19/2003 | SEM | FL | | G | | 48 | | |
| | 500 | 9999999 | 99 | 125 | 0 | 283 | | 213 | 0 | | | | | |
| VK074 | 01103 | G07878 | 002 | 608164012100 | S01 | 06/08/2003 | SEM | FL | | G | | 128 | | |
| | 350 | 9999999 | 99 | 110 | 0 | 55 | | 2 | | | | | | |
| VK204 | 02647 | G07890 | B002A | 608164019100 | S01 | 05/24/2003 | SEM | FL | | G | | 64 | | |
| | 260 | 9999999 | 0 | 180 | 0 | 85 | | 0 | | | | | | |
| VK204 | 02647 | G07890 | B003A | 608164019300 | S01 | 05/24/2003 | SEM | FL | | G | | 17 | | |
| | 380 | 9999999 | 0 | 180 | 0 | 204 | | 0 | | | | | | |
| EW305 | 01834 | G07917 | A004 | 608104004902 | S02 | 06/14/2003 | SEM | FL | | G | | 4 | | |
| | 1570 | 1583 | 92.81 | 254 | 336 | 532 | | 4336 | 38.8 | | | | | |
| EW305 | 01834 | G07917 | A005 | 608104005001 | S01 | 06/14/2003 | SEM | GL | | G | | 110 | | |
| | 1665 | 929 | 77.9 | 210 | 350 | 325 | | 1234 | 32.8 | | | | | |
| EW305 | 01834 | G07917 | A006 | 608104004602 | S01 | 06/16/2003 | SEM | GL | | O | | 110 | | |
| | 1945 | 1502 | 93.14 | 196 | 225 | 338 | | 3053 | 33.2 | | | | | |
| EW305 | 01834 | G07917 | A007 | 608104005202 | S02 | 05/05/2003 | SEM | FL | | G | | 116 | | |
| | 3500 | 9999999 | 99 | 152 | 0 | 43 | | 1318 | | | | | | |
| EW305 | 01834 | G07917 | A008 | 608104005401 | S01 | 05/16/2003 | SEM | GL | | O | | 64 | | |
| | 1700 | 3258 | 98.62 | 189 | 31 | 101 | | 2221 | 28.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EW305 | 01834 | G07917 | A008 | 608104005401 | S02 | 07/14/2003 | POT | FL | | O | 14 | 18 | | |
| | 3300 | 1462 | 0 | 2746 | 392 | 573 | | 0 | 32.9 | .6 | | | N | |
| EW305 | 01834 | G07917 | A009 | 608105000701 | S02 | 05/08/2003 | SEM | FL | | O | | 14 | | |
| | 1490 | 41250 | 99 | 1163 | 4 | 165 | | 698 | 34 | | | | | |
| EW305 | 01834 | G07917 | A013 | 608105003300 | S01 | 05/11/2003 | SEM | FL | | O | | 64 | | |
| | 1100 | 9999999 | 99 | 138 | 0 | 24 | | 380 | 29.8 | | | | | |
| EW305 | 01834 | G07917 | A014 | 608105005901 | S01 | 05/03/2003 | SEM | GL | | O | | 128 | | |
| | 1430 | 2973 | 79.44 | 240 | 1071 | 3184 | | 4137 | 33 | | | | | |
| EW305 | 01834 | G07917 | A016 | 608105006400 | S02 | 05/12/2003 | SEM | GL | | O | | 196 | | |
| | 1060 | 930 | 86.48 | 216 | 342 | 318 | | 2188 | 30.3 | | | | | |
| EW305 | 01834 | G07917 | A018 | 608105009300 | S01 | 06/17/2003 | SEM | GL | | O | | 108 | | |
| | 860 | 883 | 74.41 | 215 | 324 | 286 | | 942 | 29.3 | | | | | |
| VK990 | 02481 | G07923 | A001 | 608164016900 | S01 | 06/07/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 583 | 71.77 | 182 | 803 | 468 | | 2041 | 25 | | | | | |
| VK990 | 02481 | G07923 | A009 | 608164017501 | S01 | 05/05/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 504 | 86.03 | 1123 | 119 | 60 | | 733 | 30.5 | | | | | |
| VK990 | 02481 | G07923 | A020 | 608164028600 | S01 | 06/01/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 2166 | 1.77 | 142 | 277 | 600 | | 5 | 37.1 | | | | | |
| VK990 | 02481 | G07923 | A026 | 608164035600 | S01 | 05/03/2003 | SEM | FL | | G | | 99 | | |
| | 470 | 60000 | 0 | 180 | 84 | 5040 | | 0 | 34.3 | | | | | |
| VK990 | 02481 | G07923 | A030 | 608164036900 | S01 | 02/06/2003 | SEM | FL | | G | | 99 | | |
| | 1433 | 9999999 | 0 | 141 | 0 | 786 | | 0 | 44.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC807 | 00689 | G07958 | A005 | 608174047601 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 116 | | |
| | | 801 | | 511 | 10079 | 8073 | | 1779 | 23 | | | | | N |
| MC807 | 00689 | G07958 | A006 | 608174047700 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 116 | | |
| | | 1156 | | 718 | 3876 | 4481 | | 79 | 30.1 | | | | | N |
| MC807 | 00689 | G07958 | A007 | 608174047801 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 906 | | 996 | 15736 | 14254 | | 1004 | 26.9 | | | | | N |
| MC807 | 00689 | G07958 | A007 | 608174047801 | S01 | 06/16/2003 | POT | FL | | O | 4 | 68 | | |
| | | 906 | 6 | 996 | 15736 | 14254 | | 1004 | 26.9 | .63 | | | | N |
| MC807 | 00689 | G07958 | A011 | 608174048201 | S01 | 10/10/2003 | POT | FL | | O | 4 | 160 | | |
| | | 1078 | .1 | 647 | 12542 | 13516 | | 13 | 28.7 | .65 | | | | N |
| MC807 | 02140 | G07958 | A019 | 608174048702 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1628 | | 1139 | 14280 | 23243 | | 0 | 32.5 | | | | | N |
| MC807 | 02140 | G07962 | A014 | 608174048600 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 22 | | |
| | | 974 | | 635 | 580 | 565 | | 18 | 29 | | | | | N |
| MC807 | 00689 | G07963 | 004 | 608174038800 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 1122 | | 1077 | 6959 | 7811 | | 35 | 29.1 | | | | | N |
| MC807 | 00689 | G07963 | A001 | 608174046001 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 468 | | 427 | 12199 | 5715 | | 0 | 19.6 | | | | | N |
| MC807 | 00689 | G07963 | A002 | 608174046500 | S01 | 06/20/2003 | POT | FL | | O | 4 | 20 | | |
| | | 1021 | 1.06 | 4576 | 1404 | 1433 | | 15 | 30.4 | .62 | | | | N |
| MC807 | 00689 | G07963 | A003 | 608174046600 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1196 | | 2134 | 10316 | 12338 | | 211 | 31 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC807 | 00689 | G07963 | A004 | 608174046700 | S02 | 06/14/2003 | SEM | FL | | O | 24 | 32 | | |
| | | 949 | | 2646 | 3859 | 3664 | | 4 | 23.8 | | | | | N |
| MC807 | 00689 | G07963 | A009 | 608174048000 | S01 | 03/10/2003 | SEM | FL | | O | | 198 | | |
| | | 1188 | 2.4 | 303 | 6479 | 7698 | | 159 | 27.1 | | | | | |
| MC807 | 00689 | G07963 | A010 | 608174048101 | S01 | 06/28/2003 | SEM | FL | | O | 24 | 251 | | |
| | | 1019 | | 269 | 6335 | 6458 | | 1118 | 28 | | | | | N |
| MC807 | 00689 | G07963 | A012 | 608174048300 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 237 | | |
| | | 850 | | 268 | 7820 | 6650 | | 259 | 26.1 | | | | | N |
| MC807 | 00689 | G07963 | A013 | 608174048400 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1145 | | 1041 | 13933 | 15959 | | 0 | 29.1 | | | | | N |
| MC807 | 00689 | G07963 | A013 | 608174048400 | S01 | 06/17/2003 | POT | FL | | O | 4 | 160 | | |
| | | 1145 | 0 | 1049 | 13933 | 15959 | | 0 | 27.9 | | .62 | | | N |
| MC807 | 00689 | G07963 | A015 | 608174049001 | S01 | 06/01/2003 | SEM | FL | | O | 24 | 237 | | |
| | | 897 | | 300 | 8864 | 7952 | | 153 | 30 | | | | | N |
| MC807 | 00689 | G07963 | A017 | 608174049200 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1241 | | 743 | 12298 | 15263 | | 122 | 31.3 | | | | | N |
| MC807 | 00689 | G07963 | A018 | 608174049302 | S02 | 06/28/2003 | SEM | FL | | O | 24 | 116 | | |
| | | 440 | | 329 | 6034 | 2656 | | 6 | 19 | | | | | N |
| MC807 | 00689 | G07963 | A020 | 608174048500 | S02 | 06/14/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1648 | | 1768 | 13677 | 22540 | | 0 | 30 | | | | | N |
| MC807 | 00689 | G07963 | A021 | 608174048800 | S01 | 06/17/2003 | SEM | FL | | O | 24 | 95 | | |
| | | 1180 | | 810 | 8163 | 9631 | | 66 | 29 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC807 | 00689 | G07963 | A022 | 608174048900 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 116 | | |
| | | 1103 | | 498 | 5796 | 6394 | | 1635 | 22.4 | | | | | N |
| MC807 | 00689 | G07963 | A023 | 608174049400 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 160 | | |
| | | 1015 | | 850 | 10325 | 10480 | | 200 | 27.5 | | | | | N |
| MC807 | 00689 | G07963 | A023 | 608174049400 | S01 | 06/15/2003 | POT | FL | | O | 4 | 68 | | |
| | | 1015 | 1.9 | 850 | 10325 | 10480 | | 200 | 27.5 | .63 | | | | N |
| MC935 | 00689 | G07969 | A003 | 608174082800 | S01 | 03/02/2003 | SEM | FL | | O | 24 | 83 | | |
| | | 2108 | | 1185 | 612 | 1290 | | 8 | 29 | | | | | N |
| MC935 | 00689 | G07975 | A002 | 608174083601 | S01 | 04/19/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 1044 | | 2979 | 3744 | 3908 | | 416 | 30 | | | | | N |
| MC935 | 00689 | G07975 | A004 | 608174083700 | S01 | 04/19/2003 | SEM | FL | | O | 24 | 24 | | |
| | | 829 | | 3007 | 8767 | 7271 | | 0 | 30 | | | | | N |
| GC158 | 00689 | G07995 | A001 | 608114026202 | S01 | 06/22/2003 | SEM | FL | | O | 24 | 31 | | |
| | | 1065 | | 2482 | 3761 | 4005 | | 136 | 33.1 | | | | | N |
| GC158 | 00689 | G07995 | A002 | 608114026300 | S01 | 02/23/2003 | POT | FL | | O | 4 | 16 | | |
| | | 1468 | .1 | 6354 | 5961 | 8753 | | 6 | 32.5 | .62 | | | | N |
| GC158 | 00689 | G07995 | A002 | 608114026300 | S01 | 06/13/2003 | SEM | FL | | O | 24 | 30 | | |
| | | 1480 | | 3922 | 10070 | 14900 | | 40 | 32.5 | | | | | N |
| GC158 | 00689 | G07995 | A005 | 608114026601 | S02 | 06/22/2003 | SEM | FL | | G | 24 | 27 | | |
| | 4230 | 2240 | | 3999 | 1795 | 4020 | | 20 | 35.8 | | | | 1182 | N |
| GC158 | 00689 | G07995 | A006 | 608114026700 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 39 | | |
| | | 1532 | | 2468 | 3924 | 6011 | | 0 | 32.1 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC205 | 00078 | G07996 | A004 | 608115009900 | S02 | 06/26/2003 | SEM | FL | | O | 24 | 96 | | |
| | 3100 | 1675 | | 723 | 4791 | 8026 | | 19 | 28.7 | | | | 649 | N |
| GC205 | 00078 | G07996 | A005 | 608115010900 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 84 | | |
| | 2340 | 2118 | | 792 | 7227 | 15304 | | 2282 | 29.6 | | | | 658 | N |
| GC158 | 00689 | G07998 | A003 | 608114026400 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 52 | | |
| | | 1296 | | 2973 | 11960 | 15496 | | 0 | 34.3 | | | | | N |
| GC158 | 00689 | G07998 | A004 | 608114026500 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 36 | | |
| | | 1167 | | 1988 | 4995 | 5830 | | 4920 | 34.9 | | | | | N |
| GC158 | 00689 | G07998 | A007 | 608114026801 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 38 | | |
| | | 1103 | | 2842 | 7012 | 7733 | | 0 | 33.7 | | | | | N |
| GC158 | 00689 | G07998 | A008 | 608114026900 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 31 | | |
| | | 1352 | | 3388 | 4205 | 5684 | | 0 | 35.7 | | | | | N |
| GC254 | 00162 | G08010 | 001 | 608114025103 | S01 | 06/10/2003 | SEM | FL | | O | | 64 | | |
| | | 1570 | .6 | 383 | 1536 | 2412 | | 9 | 33.1 | | | | | |
| GC254 | 00162 | G08010 | 004 | 608115008303 | S02 | 06/12/2003 | SEM | FL | | G | | 39 | | |
| | 6107 | 10361 | 62.81 | 2995 | 1463 | 15158 | | 2472 | 50.3 | | | | | |
| GC254 | 00162 | G08010 | SS001 | 608115009400 | S01 | 06/08/2003 | SEM | FL | | O | | 24 | | |
| | | 3004 | 23.07 | 525 | 278 | 835 | | 83 | 27.7 | | | | | |
| MU111A | 00981 | G08092 | B004 | 427124009500 | S03 | 05/01/2003 | SEM | FL | | G | | 26 | | |
| | 1000 | 244286 | 30 | 475 | 7 | 1710 | | 3 | 50.3 | | | | | |
| BA021A | 02522 | G08120 | A002 | 427044030700 | S01 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 1100 | 1961000 | 99 | 270 | 1 | 1961 | | 100 | 48.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI194 | 01103 | G08151 | A003 | 427084049000 | S02 | 06/01/2003 | SEM | FL | | G | | 18 | | |
| | 1715 | 9999999 | 99 | 1430 | 0 | 2811 | | 10 | | | | | | |
| HI194 | 01103 | G08151 | B001 | 427084042300 | S01 | 06/29/2003 | SEM | FL | | G | | 64 | | |
| | 3205 | 9999999 | 99 | 1100 | 0 | 1379 | | 1524 | | | | | | |
| HI271A | 00491 | G08187 | B004 | 427114080000 | S02 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 920 | 9999999 | 0 | 125 | 0 | 14 | | 0 | 0 | | | | | |
| HI271A | 00491 | G08187 | B005 | 427114080101 | S01 | 05/31/2003 | SEM | GL | | | | 64 | | |
| | 920 | 9999999 | 99 | 140 | 0 | 52 | | 178 | 0 | | | | | |
| HI271A | 00491 | G08187 | B007 | 427114081000 | S02 | 05/21/2003 | SEM | GL | | | | 64 | | |
| | 920 | 9999999 | 99 | 130 | 0 | 612 | | 597 | 0 | | | | | |
| EB112 | 00162 | G08195 | 003 | 608044015700 | S01 | 05/08/2003 | SEM | FL | | O | | 256 | | |
| | | 729 | 64.95 | 340 | 572 | 417 | | 1060 | 36.5 | | | | | |
| EB945 | 00276 | G08211 | DA003 | 608044016200 | S01 | 03/03/2003 | SEM | FL | | G | | 77 | | |
| | 3190 | 40427 | .46 | 1011 | 2622 | 106000 | | 12 | 59 | | | | | |
| EB945 | 00276 | G08211 | DA003 | 608044016200 | S01 | 06/16/2003 | SEM | FL | | G | | 50 | | |
| | 3190 | 4390 | .29 | 1987 | 2402 | 10544 | | 7 | 57.6 | | | | | |
| EB945 | 00276 | G08211 | DB001 | 608044017700 | S01 | 03/01/2003 | SEM | FL | | O | | 47 | | |
| | | 10782 | .66 | 2451 | 2556 | 27560 | | 17 | 33.9 | | | | | |
| EB945 | 00276 | G08211 | DB001 | 608044017700 | S01 | 06/07/2003 | SEM | FL | | O | | 77 | | |
| | | 8161 | 2.09 | 1026 | 2532 | 20664 | | 54 | 28.7 | | | | | |
| EB945 | 00276 | G08211 | DB002 | 608044017803 | S01 | 03/08/2003 | SEM | FL | | O | | 77 | | |
| | | 879 | 5.71 | 1428 | 33 | 29 | | 2 | 27.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB945 | 00276 | G08211 | DB002 | 608044017804 | S01 | 11/01/2003 | POT | FL | | G | 12 | 76 | | |
| | 3108 | 49339 | .34 | 1886 | 1756 | 86640 | | 6 | 59.6 | .6 | | | N | |
| EB945 | 00276 | G08212 | DA001 | 608044018100 | S01 | 03/08/2003 | SEM | FL | | O | | 77 | | |
| | | 864 | 4.73 | 1259 | 705 | 609 | | 35 | 27.7 | | | | | |
| EB945 | 00276 | G08212 | DA002 | 608044018000 | S01 | 03/08/2003 | SEM | FL | | O | | 77 | | |
| | | 866 | 4.78 | 1455 | 1495 | 1294 | | 75 | 27.7 | | | | | |
| EB945 | 00276 | G08214 | DB003 | 608044017901 | S01 | 03/08/2003 | SEM | FL | | O | | 77 | | |
| | | 863 | 4.76 | 1184 | 80 | 69 | | 4 | 27.7 | | | | | |
| GB426 | 00689 | G08241 | A001 | 608074007100 | S02 | 06/18/2003 | SEM | FL | | O | 24 | 22 | | |
| | | 5493 | | 1842 | 219 | 1203 | | 656 | 36.1 | | | | N | |
| GB426 | 00689 | G08241 | A001 | 608074007100 | S02 | 06/18/2003 | POT | FL | | O | 4 | 22 | | |
| | | 5493 | 74.97 | 1842 | 219 | 1203 | | 656 | 36.1 | .62 | | | N | |
| GB426 | 00689 | G08241 | A002 | 608074007201 | S01 | 02/07/2003 | SEM | FL | | G | 24 | 55 | | |
| | 8628 | 4261 | | 3032 | 1601 | 6822 | | 9074 | 40.1 | | | 1433 | N | |
| GB426 | 00689 | G08241 | A005 | 608074007903 | S01 | 06/16/2003 | POT | FL | | O | 4 | 21 | | |
| | | 1166 | 5.98 | 4312 | 1620 | 1889 | | 103 | 36 | .62 | | | N | |
| GB426 | 00689 | G08241 | A005 | 608074007903 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 18 | | |
| | | 1185 | | 2120 | 1917 | 2271 | | 15 | 36 | | | | N | |
| GB426 | 00689 | G08241 | A012 | 608074009002 | S01 | 05/12/2003 | SEM | FL | | O | 24 | 28 | | |
| | | 1932 | | 3017 | 1613 | 3117 | | 2995 | 36 | | | | N | |
| GB426 | 00689 | G08241 | A013 | 608074009802 | S01 | 05/15/2003 | SEM | FL | | O | 24 | 73 | | |
| | | 2076 | | 1820 | 3773 | 7834 | | 1395 | 37 | | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB426 | 00689 | G08241 | A018 | 608074010302 | S02 | 09/30/2003 | POT | FL | | G | 4 | 50 | | |
| | 9484 | 19986 | 0 | 4568 | 2397 | 47906 | | 0 | 44.4 | .65 | | | N | |
| GB426 | 00689 | G08241 | A019 | 608074010401 | S02 | 05/23/2003 | SEM | FL | | G | 24 | 128 | | |
| | 4410 | 2574 | | 1685 | 2512 | 6465 | | 838 | 37 | | | 1355 | N | |
| GB516 | 00689 | G08252 | SE002 | 608074022402 | S02 | 06/28/2003 | SEM | FL | | G | 24 | 113 | | |
| | 4745 | 520078 | | 4070 | 77 | 40046 | | 0 | 52 | | | 1268 | N | |
| MP041 | 00078 | G08461 | 001 | 177254050601 | S01 | 02/13/2003 | POT | GL | | O | 24 | 18 | | |
| | | 258 | 9.95 | 360 | 190 | 49 | | 21 | 26 | .62 | | | N | |
| MP041 | 00078 | G08461 | 003 | 177254076600 | S01 | 09/15/2003 | POT | GL | | O | 24 | 10 | | |
| | | 1244 | 53.03 | 700 | 217 | 270 | | 245 | 36.6 | .62 | | | N | |
| MP041 | 00078 | G08461 | A009 | 177254066600 | S01 | 02/03/2003 | POT | GL | | O | 24 | 30 | | |
| | 1100 | 237 | 27.01 | 360 | 308 | 73 | | 114 | 22 | .62 | | | N | |
| MP041 | 00078 | G08461 | A009 | 177254066600 | S01 | 06/16/2003 | SEM | GL | | O | 24 | 32 | | |
| | 1100 | 173 | | 400 | 196 | 34 | | 160 | 21.8 | | | 370 | N | |
| MP041 | 00078 | G08461 | A010 | 177254067800 | S01 | 06/11/2003 | SEM | GL | | O | 24 | 40 | | |
| | 1100 | 385 | | 420 | 143 | 55 | | 214 | 21.5 | | | 350 | N | |
| MP041 | 00078 | G08461 | A012 | 177254070700 | S01 | 06/02/2003 | SEM | GL | | O | 24 | 30 | | |
| | 1100 | 213 | | 400 | 127 | 27 | | 128 | 20.7 | | | 350 | N | |
| MP041 | 00078 | G08461 | A013 | 177254070600 | D01 | 06/12/2003 | SEM | GL | | O | 24 | 64 | | |
| | 1100 | 418 | | 400 | 177 | 74 | | 62 | 21.5 | | | 380 | N | |
| MP041 | 00078 | G08461 | A013D | 177254070600 | D02 | 06/13/2003 | SEM | GL | | O | 24 | 46 | | |
| | 1100 | 119 | | 400 | 378 | 45 | | 52 | 22.2 | | | 380 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP041 | 00078 | G08461 | A016 | 177254076500 | S01 | 07/22/2003 | POT | GL | | O | 4 | 24 | | |
| | | 1010 | 54.55 | 316 | 200 | 202 | | 240 | 22 | .62 | | | N | |
| MP310 | 00105 | G08467 | JA003 | 177244064502 | S01 | 06/08/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 1050 | | 370 | 140 | 147 | | 380 | 32 | | | | N | |
| MP310 | 00105 | G08467 | JA004 | 177244064700 | S01 | 06/14/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 962 | | 396 | 53 | 51 | | 114 | 39.3 | | | | N | |
| VK915 | 02481 | G08469 | A004 | 608164029501 | S01 | 02/23/2003 | SEM | FL | | G | | 99 | | |
| | 1105 | 758 | 36.15 | 743 | 6277 | 4755 | | 3554 | 35 | | | | | |
| VK956 | 00689 | G08475 | A002 | 608164024102 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 99 | | |
| | | 5604 | | 281 | 919 | 5150 | | 107 | 30 | | | | N | |
| VK956 | 00689 | G08475 | A017 | 608164025500 | S02 | 06/16/2003 | SEM | FL | | O | 24 | 62 | | |
| | | 6009 | | 599 | 1828 | 10984 | | 63 | 36.6 | | | | N | |
| VK990 | 02481 | G08483 | TB001 | 608174051500 | S01 | 05/03/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 5357 | 87.39 | 840 | 28 | 150 | | 194 | 32.4 | | | | | |
| VK990 | 02481 | G08483 | TB007 | 608174052100 | S01 | 06/03/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1013 | 54.01 | 1041 | 1806 | 1830 | | 2121 | 31.7 | | | | | |
| VK990 | 02481 | G08483 | TB008D | 608174052200 | D02 | 06/07/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1373 | 15.44 | 521 | 553 | 759 | | 101 | 28.9 | | | | | |
| VK990 | 02481 | G08483 | TB010 | 608174052400 | D03 | 04/24/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1165 | 92.01 | 1133 | 121 | 141 | | 1394 | 32.4 | | | | | |
| MC084 | 02481 | G08484 | SS001 | 608174096500 | S01 | 06/30/2003 | SEM | FL | | O | | 98 | | |
| | 3512 | 653 | .01 | 3015 | 19659 | 12838 | | 1 | 34.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MI687 | 01764 | G08548 | 001 | 427034040500 | S02 | 05/11/2003 | SEM | FL | | G | | 16 | | |
| | 1550 | 9999999 | 0 | 1500 | 0 | 2225 | | 0 | | | | | | |
| WC192 | 01046 | G08640 | A001D | 177034068500 | D03 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 1700 | 9999999 | 0 | 1260 | 0 | 1740 | | 0 | 0 | | | | | |
| WC192 | 01046 | G08640 | A003 | 177034093501 | S01 | 06/15/2003 | SEM | FL | | G | | 29 | | |
| | 5100 | 34 | 1.87 | 3660 | 472 | 16 | | 9 | 44.1 | | | | | |
| WC192 | 01046 | G08640 | C001 | 177034082200 | D03 | 06/13/2003 | SEM | FL | | G | | 14 | | |
| | 2050 | 9999999 | 99 | 900 | 0 | 0 | | 275 | | | | | | |
| WC192 | 01046 | G08641 | A001 | 177034055301 | S02 | 10/02/2003 | POT | FL | | G | 12 | 4 | | |
| | 4700 | 1293000 | 98.68 | 800 | 2 | 2586 | | 150 | 54.6 | .617 | | | | N |
| WC192 | 01046 | G08641 | A003 | 177034093600 | S01 | 06/12/2003 | SEM | FL | | G | | 16 | | |
| | 6250 | 55 | 12.5 | 1000 | 91 | 5 | | 13 | 45.5 | | | | | |
| WC192 | 01046 | G08641 | B001D | 177034084801 | D05 | 08/20/2003 | POT | FL | | G | 24 | 64 | | |
| | 1300 | 759000 | 74.63 | 450 | 5 | 3795 | | 15 | 58.2 | .616 | | | | N |
| WC192 | 01046 | G08641 | B002 | 177034085400 | S02 | 06/13/2003 | SEM | FL | | G | | 7 | | |
| | 5525 | 9999999 | 99 | 6300 | 0 | 0 | | 384 | | | | | | |
| EC338 | 00185 | G08658 | A001 | 177044076300 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 64 | | |
| | 600 | 260000 | | 150 | 5 | 1300 | | 0 | 52.4 | | | | 949 | N |
| EC338 | 00185 | G08658 | A004 | 177044076700 | D02 | 06/16/2003 | SEM | FL | | O | 24 | 35 | | |
| | | 3849 | | 300 | 476 | 1832 | | 158 | 34.7 | | | | | N |
| EC338 | 00185 | G08658 | A009 | 177044079400 | S04 | 06/27/2003 | SEM | FL | | O | 24 | 17 | | |
| | | 7477 | | 2050 | 172 | 1286 | | 1128 | 34.7 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC338 | 00185 | G08658 | A013 | 177044083400 | S02 | 06/13/2003 | SEM | FL | | G | 24 | 9 | | |
| | 1900 | 9999999 | | 1600 | 0 | 100 | | 504 | | | | | 949 | N |
| VR412 | 02608 | G08678 | A002D | 177064063100 | D02 | 01/03/2003 | SEM | GL | | O | | 24 | | |
| | 1040 | 9999999 | 99 | 205 | 0 | 1 | | 129 | 40 | | | | | |
| VR412 | 02608 | G08678 | A008 | 177064065601 | S01 | 06/30/2003 | SEM | FL | | G | | 16 | | |
| | 1350 | 729 | 0 | 975 | 288 | 210 | | 0 | 44 | | | | | |
| SM018 | 00048 | G08680 | A003 | 177074070300 | S02 | 05/24/2003 | SEM | FL | | G | 24 | 10 | | |
| | 3325 | 23895 | | 3020 | 114 | 2724 | | 9 | 55.3 | | | | 1001 | N |
| SM115 | 00078 | G08684 | A001 | 177084069700 | S01 | 04/05/2003 | SEM | FL | | | 24 | 45 | | |
| | 1209 | 9999999 | | 986 | 0 | 2260 | | 0 | | | | | 335 | N |
| SM115 | 00078 | G08684 | A002 | 177084084502 | S01 | 04/06/2003 | SEM | GL | | | 24 | 18 | | |
| | 1230 | 924 | | 610 | 288 | 266 | | 741 | 33 | | | | 205 | N |
| SM115 | 00276 | G08684 | B002 | 177084076300 | S01 | 03/24/2003 | SEM | FL | | O | | 54 | | |
| | | 1000 | 74.84 | 534 | 120 | 120 | | 357 | 22.5 | | | | | |
| SM252 | 01046 | G08690 | 003 | 177074082200 | S01 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 1750 | 138 | 1.52 | 700 | 65 | 9 | | 1 | 50.7 | | | | | |
| WD112 | 00730 | G08735 | A003 | 177194059100 | S02 | 06/15/2003 | SEM | FL | | G | | 44 | | |
| | 1950 | 9999999 | 99 | 1150 | 0 | 9021 | | 1 | 41.1 | | | | | |
| WD112 | 00730 | G08735 | A008 | 177194067901 | S04 | 06/11/2003 | SEM | FL | | O | | 28 | | |
| | 1200 | 5969 | 87.96 | 320 | 130 | 776 | | 950 | 41.1 | | | | | |
| WD112 | 00730 | G08735 | SS004 | 177194070300 | S01 | 06/01/2003 | SEM | FL | | G | | 28 | | |
| | 1000 | 9999999 | 99 | 650 | 0 | 1206 | | 1998 | 41.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD112 | 00730 | G08736 | 001 | 177194056400 | S01 | 06/23/2003 | SEM | FL | | O | | 99 | | |
| | 990 | 5646 | 86.48 | 100 | 246 | 1389 | | 1574 | 41.1 | | | | | |
| WD112 | 00730 | G08736 | A001 | 177194058900 | S03 | 06/29/2003 | SEM | FL | | G | | 30 | | |
| | 2100 | 20503 | 90.01 | 600 | 161 | 3301 | | 1450 | 41.1 | | | | | |
| WD112 | 00730 | G08736 | A002 | 177194058000 | S02 | 06/02/2003 | SEM | FL | | G | | 99 | | |
| | 290 | 6752 | 91.97 | 110 | 113 | 763 | | 1294 | 41.1 | | | | | |
| WD112 | 00730 | G08736 | A004 | 177194060300 | S05 | 06/08/2003 | SEM | FL | | G | | 23 | | |
| | 3300 | 10027 | 26.53 | 2850 | 601 | 6026 | | 217 | 41.1 | | | | | |
| WD112 | 00730 | G08736 | A005 | 177194061000 | S05 | 06/25/2003 | SEM | FL | | G | | 16 | | |
| | 2400 | 18884 | 61.53 | 1100 | 232 | 4381 | | 371 | 41.1 | | | | | |
| WD112 | 00730 | G08736 | A006 | 177194064300 | S02 | 06/06/2003 | SEM | FL | | G | | 36 | | |
| | 2200 | 7369 | 64.52 | 120 | 149 | 1098 | | 271 | 41.1 | | | | | |
| MP310 | 00105 | G08760 | JA001 | 177244063500 | D01 | 06/02/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 508 | | 399 | 256 | 130 | | 261 | 25.7 | | | | | N |
| MP310 | 00105 | G08760 | JA002 | 177244064600 | D01 | 06/03/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 511 | | 399 | 190 | 97 | | 192 | 26.4 | | | | | N |
| MP310 | 00105 | G08760 | JA005A | 177244064800 | S02 | 06/04/2003 | SEM | GL | | O | 24 | 64 | | |
| | | 1963 | | 390 | 81 | 159 | | 492 | 15.5 | | | | | N |
| MP310 | 00105 | G08760 | JA006 | 177244065100 | S01 | 06/01/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 5125 | | 390 | 24 | 123 | | 238 | 27.6 | | | | | N |
| MP310 | 00105 | G08760 | JA007 | 177244065000 | S01 | 06/07/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 893 | | 340 | 84 | 75 | | 297 | 29.3 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP310 | 00105 | G08760 | JA008 | 177244065200 | S01 | 06/05/2003 | SEM | GL | | O | 24 | 72 | | |
| | | 897 | | 377 | 87 | 78 | | 5 | 28.4 | | | | | N |
| MP310 | 00105 | G08760 | JA010 | 177244072700 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 52 | | |
| | | 1177 | | 366 | 158 | 186 | | 16 | 26.4 | | | | | N |
| VK069 | 00078 | G08765 | 002 | 608164028500 | S01 | 05/24/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3178 | 9999999 | | 1585 | 0 | 5971 | | 54 | | | | | 1363 | N |
| VK069 | 00078 | G08765 | A004 | 608164038601 | S01 | 05/25/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3381 | 9999999 | | 1453 | 0 | 12653 | | 15 | | | | | 1315 | N |
| VK124 | 01103 | G08770 | A001 | 608164014000 | S01 | 06/23/2003 | SEM | FL | | G | | 39 | | |
| | 600 | 9999999 | 99 | 280 | 0 | 812 | | 1065 | 0 | | | | | |
| VK914 | 02481 | G08785 | SS001 | 608164028403 | S01 | 06/30/2003 | SEM | FL | | G | | 96 | | |
| | 2555 | 30541 | 0 | 2365 | 1271 | 38817 | | 0 | 47.7 | | | | | |
| MC084 | 02481 | G08797 | SS002 | 608174090100 | S01 | 06/30/2003 | SEM | FL | | O | | 95 | | |
| | 317 | 764 | .14 | 2395 | 22582 | 17242 | | 31 | 34.4 | | | | | |
| MC084 | 02481 | G08797 | SS003 | 608174090801 | S01 | 06/30/2003 | SEM | FL | | O | | 97 | | |
| | 2740 | 880 | .25 | 2085 | 9223 | 8114 | | 23 | 33.8 | | | | | |
| MC211 | 00276 | G08801 | MA002 | 608174088800 | S01 | 05/23/2003 | SEM | FL | | G | | 99 | | |
| | 5176 | 782119 | 22.96 | 3174 | 151 | 118100 | | 45 | 41.9 | | | | | |
| MC211 | 00276 | G08803 | MA003 | 608174099200 | S01 | 05/23/2003 | SEM | FL | | G | | 98 | | |
| | 5566 | 53238 | 0 | 2050 | 1019 | 54250 | | 0 | 55.9 | | | | | |
| MC292 | 00078 | G08806 | 001 | 608174050900 | S01 | 02/05/2003 | SEM | FL | | G | 24 | 110 | | |
| | 1473 | 155063 | | 843 | 79 | 12250 | | 1 | 56.6 | | | | 390 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC292 | 00078 | G08806 | 003 | 608174083201 | S01 | 02/05/2003 | SEM | FL | | G | 24 | 23 | | |
| | 3863 | 155850 | | 1632 | 40 | 6234 | | 0 | 56.6 | | | | 390 | N |
| MC807 | 02481 | G08852 | 004 | 608174058701 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 136 | | |
| | | 1125 | | 2487 | 4317 | 4858 | | 22 | 30 | | | | | N |
| MU785 | 01046 | G08975 | A001 | 427024017100 | D01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 6100 | 39 | 78.84 | 900 | 51 | 2 | | 190 | | | | | | |
| MU785 | 01046 | G08975 | A002 | 427024017801 | S01 | 02/26/2003 | POT | FL | | G | 12 | 60 | | |
| | 3750 | 9999999 | 100 | 2950 | 0 | 15417 | | 10 | | .567 | | | | N |
| MU785 | 01046 | G08975 | A002 | 427024017801 | S01 | 06/24/2003 | SEM | FL | | G | | 34 | | |
| | 3600 | 9999999 | 0 | 2300 | 0 | 15 | | 0 | | | | | | |
| MU785 | 01046 | G08975 | A003 | 427024017900 | S06 | 06/24/2003 | SEM | FL | | G | | 8 | | |
| | 1220 | 9999999 | 99 | 1300 | 0 | 1 | | 150 | | | | | | |
| MU785 | 01046 | G08975 | A004 | 427024021400 | S07 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 1100 | 1000 | 99 | 300 | 1 | 1 | | 78 | | | | | | |
| MU785 | 01046 | G08975 | A005 | 427024023600 | D06 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 1400 | 1000 | 99 | 280 | 1 | 1 | | 558 | | | | | | |
| MU785 | 01046 | G08975 | A006 | 427024025600 | S02 | 06/24/2003 | SEM | FL | | G | | 8 | | |
| | 3050 | 9999999 | 99 | 750 | 0 | 0 | | 870 | | | | | | |
| BA399 | 00003 | G09010 | 003D | 427044027900 | D02 | 06/05/2003 | SEM | FL | | G | | 30 | | |
| | 0 | 408250 | 27.27 | 950 | 8 | 3266 | | 3 | 52.9 | | | | | |
| BA475 | 00003 | G09021 | 001 | 427044023300 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 64 | | |
| | 840 | 9999999 | | 150 | 0 | 426 | | 22 | | | | | 1005 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GA239 | 00730 | G09032 | 005 | 427064041600 | S01 | 06/05/2003 | SEM | FL | | G | | 15 | | |
| | 4100 | 16014 | 16.77 | 1600 | 278 | 4452 | | 56 | 49.9 | | | | | |
| HI111 | 01046 | G09079 | A001 | 427084032401 | S01 | 06/22/2003 | SEM | FL | | G | | 15 | | |
| | 4500 | 116 | 41.89 | 3650 | 43 | 5 | | 31 | 47.8 | | | | | |
| HI199 | 00730 | G09086 | 003 | 427084050100 | S04 | 06/03/2003 | SEM | FL | | G | | 15 | | |
| | 2850 | 248450 | 66.67 | 2015 | 20 | 4969 | | 40 | 46.4 | | | | | |
| HI199 | 00730 | G09086 | A001 | 427084035400 | S02 | 06/01/2003 | SEM | FL | | G | | 48 | | |
| | 800 | 159455 | 64.52 | 425 | 11 | 1754 | | 20 | 46.4 | | | | | |
| HI199 | 00730 | G09086 | A002D | 427084037300 | D04 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 2050 | 9999999 | 99 | 530 | 0 | 1355 | | 522 | 46.4 | | | | | |
| EB643 | 02219 | G09183 | A005 | 608044020800 | S01 | 08/03/2003 | POT | FL | | O | 4 | 38 | | |
| | | 1281 | 0 | 1910 | 2871 | 3678 | | 0 | 26.5 | .76 | | | | N |
| EB643 | 02219 | G09184 | A001 | 608044020700 | S01 | 08/02/2003 | POT | FL | | O | 4 | 109 | | |
| | | 1827 | 0 | 1777 | 7125 | 13019 | | 0 | 29.3 | .76 | | | | N |
| EB643 | 02219 | G09184 | A002 | 608044018200 | S01 | 08/01/2003 | POT | FL | | O | 12 | 44 | | |
| | | 1082 | 0 | 1200 | 9376 | 10146 | | 0 | 25.2 | .76 | | | | N |
| EB643 | 02219 | G09184 | A003 | 608044020600 | S01 | 08/03/2003 | POT | FL | | O | 4 | 61 | | |
| | | 1995 | 0 | 1811 | 8640 | 17237 | | 0 | 32.7 | .76 | | | | N |
| EB643 | 02219 | G09184 | A004 | 608044018901 | S01 | 08/02/2003 | POT | FL | | O | 4 | 123 | | |
| | | 1003 | 0 | 1758 | 8267 | 8290 | | 0 | 28.1 | .76 | | | | N |
| EB688 | 02219 | G09191 | 006 | 608044022101 | S01 | 08/03/2003 | POT | FL | | G | 4 | 136 | | |
| | 2804 | 762175 | 0 | 2747 | 63 | 48017 | | 0 | 46 | .76 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB688 | 02219 | G09191 | 007 | 608044022400 | S01 | 08/03/2003 | POT | FL | | G | 4 | 137 | | |
| | 2444 | 735952 | 0 | 2375 | 63 | 46365 | | 0 | 42.4 | .76 | | | N | |
| GB171 | 00059 | G09216 | 004 | 608074016001 | S01 | 06/14/2003 | SEM | FL | | G | | 42 | | |
| | 6500 | 3197 | 0 | 8066 | 10628 | 33983 | | 0 | 35.8 | | | | | |
| GB171 | 00059 | G09216 | 005 | 608074017202 | S01 | 06/22/2003 | SEM | FL | | G | | 34 | | |
| | 12514 | 3649 | 0 | 10966 | 8820 | 32181 | | 0 | 34 | | | | | |
| GB171 | 00059 | G09216 | 008 | 608074020101 | S01 | 06/19/2003 | SEM | FL | | G | | 35 | | |
| | 11737 | 5556 | 0 | 9225 | 6343 | 35240 | | 0 | 37 | | | | | |
| GB260 | 00059 | G09216 | A008 | 608074021000 | S02 | 06/13/2003 | SEM | FL | | G | | 36 | | |
| | 4735 | 1973 | .46 | 3740 | 2579 | 5088 | | 12 | 31.8 | | | | | |
| WC076 | 00362 | G09383 | A002 | 177004085100 | S01 | 05/25/2003 | SEM | FL | | G | | 50 | | |
| | 1750 | 191714 | 69.36 | 830 | 21 | 4026 | | 48 | 48.5 | | | | | |
| WC076 | 00362 | G09383 | B001 | 177004094600 | S02 | 06/04/2003 | SEM | FL | | G | | 45 | | |
| | 2450 | 9999999 | 0 | 1190 | 0 | 180 | | 0 | 48.5 | | | | | |
| WC076 | 00362 | G09384 | A003 | 177004088000 | S02 | 06/06/2003 | SEM | FL | | G | | 21 | | |
| | 5000 | 207565 | 24.55 | 4480 | 62 | 12869 | | 20 | 44.1 | | | | | |
| WC076 | 00362 | G09386 | A001 | 177004084400 | S01 | 05/24/2003 | SEM | FL | | G | | 100 | | |
| | 1640 | 164970 | 53.24 | 810 | 33 | 5444 | | 37 | 48.5 | | | | | |
| WC076 | 00362 | G09386 | B002 | 177004095400 | S01 | 05/24/2003 | SEM | FL | | G | | 27 | | |
| | 4900 | 164483 | 91.53 | 4130 | 58 | 9540 | | 626 | 48.5 | | | | | |
| WC076 | 00362 | G09386 | B003 | 177004101401 | S01 | 06/04/2003 | SEM | FL | | G | | 40 | | |
| | 2900 | 218615 | 99 | 2250 | 13 | 2842 | | 1375 | 48.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC076 | 00362 | G09386 | B004 | 177004102200 | S01 | 06/05/2003 | SEM | FL | | G | | 20 | | |
| | 4450 | 9999999 | 99 | 1300 | 0 | 156 | | 343 | 48.5 | | | | | |
| WC076 | 00362 | G09386 | B004 | 177004102200 | S02 | 07/14/2003 | POT | FL | | G | 24 | 17 | | |
| | 6375 | 104412 | 18.07 | 5290 | 68 | 7100 | | 15 | 48.5 | .631 | | | | N |
| WC076 | 00362 | G09386 | B004 | 177004102200 | S02 | 07/14/2003 | SEM | FL | | G | | 17 | | |
| | 6375 | 104412 | 17.58 | 5290 | 68 | 7100 | | 15 | 48.5 | | | | | |
| WC076 | 00362 | G09386 | B005 | 177004103001 | S01 | 05/25/2003 | SEM | FL | | G | | 34 | | |
| | 5350 | 161568 | 41.32 | 4475 | 146 | 23589 | | 103 | 40.4 | | | | | |
| WC076 | 00362 | G09387 | A004 | 177004090700 | S03 | 05/08/2003 | SEM | FL | | G | | 40 | | |
| | 2225 | 36077 | 96.48 | 1215 | 13 | 469 | | 356 | 48.5 | | | | | |
| WC076 | 00362 | G09387 | A005 | 177004110700 | S01 | 06/10/2003 | SEM | FL | | G | | 33 | | |
| | 5300 | 249124 | 32.78 | 4540 | 97 | 24165 | | 47 | 44.3 | | | | | |
| WC192 | 01819 | G09402 | A001D | 177004087301 | D02 | 05/26/2003 | SEM | FL | | G | | 64 | | |
| | 1300 | 9999999 | 99 | 750 | 0 | 2237 | | 344 | 0 | | | | | |
| WC237 | 00145 | G09408 | A001 | 177004076601 | S01 | 05/25/2003 | SEM | FL | | G | | 12 | | |
| | 1600 | 9999999 | 99 | 1375 | 0 | 1003 | | 11 | 0 | | | | | |
| WC237 | 00145 | G09408 | A010 | 177004087401 | S01 | 05/04/2003 | SEM | FL | | G | | 23 | | |
| | 1240 | 9999999 | 99 | 400 | 0 | 226 | | 548 | 0 | | | | | |
| WC237 | 00145 | G09408 | A011 | 177004105400 | S01 | 05/15/2003 | SEM | FL | | G | | 43 | | |
| | 900 | 9999999 | 0 | 380 | 0 | 3823 | | 0 | 0 | | | | | |
| EC338 | 00185 | G09478 | A002 | 177044076200 | S02 | 06/15/2003 | SEM | FL | | G | 24 | 36 | | |
| | 950 | 18655 | | 440 | 29 | 541 | | 1492 | 52.4 | | | | 949 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC338 | 00185 | G09478 | A007 | 177044077400 | S03 | 06/16/2003 | SEM | FL | | G | 24 | 21 | | |
| | 1800 | 136250 | | 1050 | 4 | 545 | | 1661 | 34.7 | | | 949 | N | |
| EC338 | 00185 | G09478 | A008 | 177044077700 | D01 | 06/15/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1000 | 28100 | | 150 | 10 | 281 | | 438 | 52.4 | | | 949 | N | |
| EC338 | 00185 | G09478 | A008D | 177044077700 | D02 | 06/14/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1000 | 10175 | | 150 | 40 | 407 | | 829 | 52.4 | | | 949 | N | |
| EC338 | 00185 | G09478 | A011 | 177044083101 | S01 | 06/12/2003 | SEM | FL | | O | | 64 | | |
| | | 9999999 | 0 | 150 | 0 | 134 | | 0 | 0 | | | | | |
| EC338 | 00185 | G09478 | A016 | 177044097901 | S03 | 01/14/2003 | POT | FL | | G | 24 | 4 | | |
| | 9425 | 22587 | 1.89 | 7300 | 104 | 2349 | | 2 | 49.1 | .615 | | | N | |
| EC338 | 00185 | G09478 | A016 | 177044097901 | S03 | 06/27/2003 | SEM | FL | | G | 24 | 6 | | |
| | 8860 | 19766 | | 5400 | 94 | 1858 | | 6 | 52.4 | | | 949 | N | |
| VR200 | 01764 | G09499 | JA001 | 177054099401 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 1430 | 9999999 | 99 | 110 | 0 | 73 | | 1 | | | | | | |
| VR200 | 01764 | G09500 | A001 | 177054092100 | S06 | 05/16/2003 | SEM | GL | | G | | 64 | | |
| | 1325 | 9999999 | 99 | 125 | 0 | 488 | | 180 | | | | | | |
| VR200 | 01764 | G09500 | A009 | 177054116901 | S01 | 05/29/2003 | SEM | FL | | G | | 10 | | |
| | 2600 | 143000 | 0 | 2320 | 8 | 1144 | | 0 | 51 | | | | | |
| VR200 | 01764 | G09500 | A009 | 177054116901 | S01 | 05/29/2003 | POT | FL | | G | 24 | 10 | | |
| | 2600 | 143000 | 0 | 2320 | 8 | 1144 | | 0 | 51 | .61 | | | N | |
| VR200 | 01764 | G09500 | A009 | 177054116901 | S02 | 09/10/2003 | POT | FL | | G | 24 | 14 | | |
| | 2475 | 9999999 | 0 | 2425 | 0 | 3134 | | 0 | | .61 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR332 | 00185 | G09514 | A001 | 177064069400 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 15 | | |
| | | 3250 | | 620 | 116 | 377 | | 76 | 35.4 | | | | | N |
| VR332 | 00185 | G09514 | A002D | 177064069900 | D02 | 06/20/2003 | SEM | FL | | G | 24 | 25 | | |
| | 1500 | 1082 | | 550 | 674 | 729 | | 182 | 35.4 | | | | 1050 | N |
| VR332 | 01767 | G09514 | SS001 | 177064091100 | S01 | 03/03/2003 | POT | FL | | G | 15 | 30 | | |
| | 1052 | 9999999 | 0 | 1000 | 0 | 7133 | | 0 | | .6 | | | | N |
| VR332 | 01767 | G09514 | SS001 | 177064091100 | S01 | 05/24/2003 | SEM | FL | | G | 24 | 41 | | |
| | 1000 | 9999999 | | 900 | 0 | 10220 | | 0 | | | | | 1125 | N |
| VR370 | 00185 | G09522 | B003 | 177064074101 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 9 | | |
| | 5250 | 19353 | | 1150 | 17 | 329 | | 1 | 44.6 | | | | 1000 | N |
| VR370 | 00185 | G09524 | A001 | 177064068100 | S02 | 06/24/2003 | SEM | FL | | G | 24 | 14 | | |
| | 6100 | 3428 | | 3700 | 670 | 2297 | | 1 | 44.6 | | | | 832 | N |
| VR370 | 00185 | G09524 | A004 | 177064070800 | S02 | 06/28/2003 | SEM | FL | | G | 24 | 17 | | |
| | 5650 | 12211 | | 1250 | 128 | 1563 | | 257 | 44.6 | | | | 832 | N |
| VR171 | 01764 | G09534 | A007D | 177074064600 | D02 | 05/08/2003 | SEM | FL | | G | | 48 | | |
| | 2225 | 25450 | 80.77 | 1440 | 100 | 2545 | | 420 | 48.8 | | | | | |
| VR171 | 01284 | G09536 | 004 | 177074063800 | S04 | 01/03/2003 | SEM | FL | | G | | 17 | | |
| | 900 | 9999999 | 0 | 670 | 0 | 485 | | 0 | | | | | | |
| VR171 | 01284 | G09536 | 004 | 177074063800 | S04 | 06/07/2003 | SEM | FL | | G | | 12 | | |
| | | 9999999 | 99 | 810 | 0 | 226 | | 15 | | | | | | |
| EI030 | 01819 | G09574 | B001 | 177094107600 | D01 | 05/27/2003 | SEM | FL | | G | | 10 | | |
| | 4200 | 57143 | 96.78 | 1020 | 42 | 2400 | | 1263 | 49.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI030 | 01819 | G09574 | B001D | 177094107600 | D02 | 05/27/2003 | SEM | FL | | G | | 36 | | |
| | 1450 | 22700 | 77.78 | 160 | 10 | 227 | | 35 | 52.5 | | | | | |
| EI030 | 01819 | G09574 | C002 | 177094121200 | S01 | 05/25/2003 | SEM | FL | | G | | 8 | | |
| | 3750 | 6452 | 92.22 | 1700 | 73 | 471 | | 865 | 42.9 | | | | | |
| EI297 | 00105 | G09592 | A001 | 177104127301 | S01 | 09/25/2003 | POT | FL | | G | 24 | 19 | | |
| | 2060 | 208263 | 34.48 | 1990 | 19 | 3957 | | 10 | 55 | .59 | | | | N |
| EI385 | 02608 | G09601 | B011 | 177104132800 | S01 | 01/03/2003 | SEM | GL | | O | | 90 | | |
| | 400 | 1011 | 50.52 | 70 | 190 | 192 | | 194 | 31.5 | | | | | |
| EI385 | 02608 | G09601 | B011 | 177104132800 | S01 | 06/09/2003 | SEM | GL | | O | | 90 | | |
| | | 852 | 48.83 | 70 | 196 | 167 | | 187 | 31.5 | | | | | |
| SS105 | 01819 | G09614 | 002 | 177114102104 | S02 | 05/30/2003 | SEM | FL | | G | | 40 | | |
| | 2900 | 9999999 | 99 | 606 | 0 | 355 | | 170 | 40.1 | | | | | |
| ST037 | 00078 | G09637 | A002 | 177154084602 | S02 | 02/19/2003 | POT | FL | | O | 4 | 17 | | |
| | 2766 | 3512 | 25.15 | 1509 | 639 | 2244 | | 215 | 35.9 | .65 | | | | N |
| ST037 | 00078 | G09637 | A002 | 177154084602 | S02 | 06/14/2003 | SEM | FL | | G | | 30 | | |
| | 1100 | 385 | 2.38 | 669 | 3163 | 1218 | | 77 | 51 | | | | | |
| ST037 | 00078 | G09637 | A003 | 177154084901 | S01 | 05/30/2003 | SEM | FL | | G | 24 | 30 | | |
| | 1174 | 113114 | | 956 | 70 | 7918 | | 21 | 50.6 | | | | 149 | N |
| ST037 | 00078 | G09637 | A004 | 177154105700 | S02 | 06/13/2003 | SEM | FL | | G | 24 | 34 | | |
| | 1250 | 372889 | | 665 | 9 | 3356 | | 219 | 55.2 | | | | 195 | N |
| PL006 | 00730 | G09651 | 002 | 177134022001 | S01 | 06/18/2003 | SEM | FL | | G | | 18 | | |
| | 4400 | 39426 | 4.73 | 1050 | 141 | 5559 | | 7 | 51.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| PL006 | 00730 | G09651 | A001 | 177134017900 | S02 | 06/01/2003 | SEM | FL | | G | | 22 | | |
| | 2100 | 96667 | 0 | 925 | 15 | 1450 | | 0 | 51.3 | | | | | |
| PL015 | 02268 | G09652 | 003 | 177134017700 | S01 | 01/06/2003 | SEM | FL | | G | | 64 | | |
| | 520 | 9999999 | 99 | 150 | 0 | 333 | | 145 | | | | | | |
| PL015 | 02268 | G09652 | 003 | 177134017700 | S01 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 99 | 150 | 0 | 215 | | 221 | | | | | | |
| WD117 | 00078 | G09690 | G009 | 177204008701 | D01 | 06/19/2003 | SEM | GL | | O | 24 | 72 | | |
| | 1250 | 828 | | 126 | 64 | 53 | | 577 | 30.9 | | | | 115 | N |
| MP069 | 01284 | G09703 | 001 | 177254058600 | S01 | 07/08/2003 | SEM | FL | | G | | 11 | | |
| | 1039 | 7848 | 13.85 | 1013 | 112 | 879 | | 18 | 42.2 | | | | | |
| MP141 | 01284 | G09710 | 004 | 177254058300 | S01 | 05/17/2003 | SEM | GL | | O | | 64 | | |
| | | 101200 | 84.85 | 360 | 5 | 506 | | 28 | 30.6 | | | | | |
| VK076 | 00491 | G09737 | A001 | 608164013200 | S01 | 05/17/2003 | SEM | FL | | G | | 128 | | |
| | 600 | 9999999 | 0 | 240 | 0 | 1724 | | 0 | 0 | | | | | |
| VK817 | 01986 | G09743 | A004 | 608164023400 | S01 | 06/05/2003 | SEM | FL | | G | | 128 | | |
| | 350 | 9999999 | 0 | 100 | 0 | 128 | | 0 | | | | | | |
| VK817 | 01986 | G09743 | A005 | 608164023500 | S01 | 06/05/2003 | SEM | FL | | G | | 128 | | |
| | 370 | 9999999 | 0 | 110 | 0 | 3887 | | 0 | | | | | | |
| VK817 | 01986 | G09743 | A006 | 608164026000 | S01 | 06/07/2003 | SEM | GL | | G | | 128 | | |
| | 1125 | 785 | 34.95 | 110 | 121 | 95 | | 65 | 23.5 | | | | | |
| VK817 | 01986 | G09743 | A007 | 608164026201 | S02 | 06/05/2003 | SEM | FL | | G | | 128 | | |
| | 1145 | 9999999 | 0 | 100 | 0 | 35 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK990 | 02481 | G09771 | A011 | 608164023700 | S01 | 06/28/2003 | SEM | FL | | O | | 88 | | |
| | 0 | 1673 | 56.99 | 258 | 3050 | 5102 | | 4042 | 32 | | | | | |
| VK990 | 02481 | G09771 | A012 | 608164021000 | S01 | 06/01/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 303 | 41.49 | 156 | 653 | 198 | | 463 | 25.4 | | | | | |
| VK990 | 02481 | G09771 | A013 | 608164021400 | S01 | 06/07/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1383 | 49 | 271 | 3011 | 4164 | | 2893 | 32 | | | | | |
| VK990 | 02481 | G09771 | A015 | 608164026600 | S01 | 06/07/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 1270 | 23.73 | 219 | 1167 | 1482 | | 363 | 32 | | | | | |
| VK990 | 02481 | G09771 | A018 | 608164027700 | S01 | 06/03/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1309 | 7.95 | 164 | 834 | 1092 | | 72 | 32.3 | | | | | |
| VK990 | 02481 | G09771 | A019 | 608164028300 | S01 | 06/08/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 6032 | 75 | 143 | 63 | 380 | | 189 | 25 | | | | | |
| VK990 | 02481 | G09771 | A024 | 608164031801 | S01 | 06/09/2003 | SEM | GL | | O | | 99 | | |
| | 0 | 645 | 51.56 | 172 | 93 | 60 | | 99 | 23 | | | | | |
| VK990 | 02481 | G09771 | TB002 | 608174051600 | S01 | 06/05/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 765 | 17.6 | 717 | 1330 | 1017 | | 284 | 27.1 | | | | | |
| VK990 | 02481 | G09771 | TB003 | 608174051704 | S01 | 06/05/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1362 | 23.94 | 744 | 1474 | 2007 | | 464 | 31.7 | | | | | |
| VK990 | 02481 | G09771 | TB005 | 608174051900 | S01 | 06/04/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 941 | 39.5 | 910 | 3187 | 3000 | | 2081 | 41.2 | | | | | |
| VK990 | 02481 | G09771 | TB006 | 608174052000 | S01 | 05/02/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 8482 | 93.51 | 2024 | 114 | 967 | | 1643 | 34.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC109 | 02481 | G09777 | A027 | 608174045700 | S01 | 06/28/2003 | SEM | GL | | O | | 88 | | |
| | | 651 | 28.04 | 209 | 888 | 578 | | 346 | 26.5 | | | | | |
| MC109 | 02481 | G09777 | A032 | 608174088503 | S01 | 06/28/2003 | SEM | GL | | O | | 128 | | |
| | 0 | 404 | 48.99 | 190 | 830 | 335 | | 797 | 25.8 | | | | | |
| MC397 | 02211 | G09814 | A001 | 608174041600 | S01 | 06/14/2003 | SEM | FL | | G | | 64 | | |
| | | 879000 | 66.67 | 276 | 3 | 2637 | | 6 | 52.3 | | | | | |
| MC810 | 00689 | G09883 | A003 | 608174059100 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 16 | | |
| | | 862 | | 3405 | 3135 | 2703 | | 1922 | 26.2 | | | | | N |
| MC810 | 00689 | G09883 | A005 | 608174059300 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1097 | | 537 | 4362 | 4786 | | 1454 | 28.2 | | | | | N |
| MC810 | 00689 | G09883 | A009 | 608174060201 | S01 | 09/29/2003 | POT | FL | | O | 4 | 100 | | |
| | | 1370 | 0 | 1451 | 20395 | 27946 | | 0 | 29.9 | .65 | | | | N |
| MC899 | 00689 | G09896 | SS005 | 608174058002 | S01 | 06/20/2003 | SEM | FL | | O | 24 | 12 | | |
| | | 1390 | | 2490 | 3625 | 5038 | | 6444 | 26.3 | | | | | N |
| MC899 | 00689 | G09896 | SS006 | 608174087807 | S01 | 05/27/2003 | SEM | FL | | O | 24 | 50 | | |
| | | 1248 | | 2199 | 5030 | 6277 | | 6946 | 24.4 | | | | | N |
| MC899 | 00689 | G09896 | SS007 | 608174091600 | S01 | 05/26/2003 | SEM | FL | | O | 24 | 100 | | |
| | | 1378 | | 2467 | 20338 | 28017 | | 41 | 27.9 | | | | | N |
| MU782 | 00162 | G10147 | A002 | 427024021900 | S02 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 1800 | 927400 | 0 | 0 | 5 | 4637 | | 0 | 47.4 | | | | | |
| MI650 | 01046 | G10198 | B001 | 427034036400 | D03 | 06/10/2003 | SEM | FL | | G | | 18 | | |
| | 870 | 9999999 | 0 | 320 | 0 | 0 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MI650 | 01046 | G10198 | B001D | 427034036400 | D04 | 06/10/2003 | SEM | FL | | G | | 18 | | |
| | 870 | 9999999 | 0 | 320 | 0 | 0 | | 0 | | | | | | |
| MI650 | 01046 | G10198 | B004D | 427034045700 | D02 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 640 | 9999999 | 99 | 275 | 0 | 1 | | 3 | | | | | | |
| MI650 | 01046 | G10198 | B006 | 427034052500 | S01 | 06/10/2003 | SEM | FL | | G | | 16 | | |
| | 1100 | 2000 | 97.22 | 720 | 1 | 2 | | 35 | | | | | | |
| MI710 | 01819 | G10203 | A002 | 427034046700 | D01 | 05/31/2003 | SEM | FL | | G | | 999 | | |
| | 2080 | 9999999 | 0 | 175 | 0 | 12 | | 0 | 0 | | | | | |
| MI710 | 01819 | G10203 | A002D | 427034046700 | D02 | 05/31/2003 | SEM | FL | | G | | 999 | | |
| | 1280 | 9999999 | 0 | 175 | 0 | 31 | | 0 | 0 | | | | | |
| MI710 | 01046 | G10203 | B001 | 427034052603 | S01 | 06/22/2003 | SEM | FL | | G | | 128 | | |
| | 600 | 167 | 17.81 | 160 | 6 | 1 | | 1 | 54.8 | | | | | |
| MI710 | 01046 | G10203 | B002 | 427034052800 | S01 | 06/22/2003 | SEM | FL | | G | | 128 | | |
| | 1320 | 286 | 94.23 | 200 | 7 | 2 | | 114 | 44.4 | | | | | |
| BA544 | 01819 | G10226 | A002A | 427044028200 | D03 | 05/31/2003 | SEM | FL | | G | | 31 | | |
| | 2100 | 3546333 | 82.35 | 1510 | 3 | 10639 | | 14 | 47.3 | | | | | |
| BA544 | 01819 | G10226 | B001 | 427044030401 | S01 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 1900 | 49063 | 21.25 | 1125 | 63 | 3091 | | 17 | 46.4 | | | | | |
| EB949 | 00276 | G10322 | SS001 | 608044017601 | S01 | 02/15/2003 | SEM | FL | | O | | 77 | | |
| | | 537 | .67 | 1992 | 149 | 80 | | 1 | 28.4 | | | | | |
| EB949 | 00276 | G10323 | SS002 | 608044019301 | S01 | 02/15/2003 | SEM | FL | | O | | 77 | | |
| | | 554 | .7 | 1926 | 2977 | 1650 | | 21 | 28.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| AC024 | 00276 | G10379 | SS001 | 608054000501 | S01 | 02/13/2003 | SEM | FL | | O | | 77 | | |
| | | 619 | 1.3 | 2836 | 5927 | 3670 | | 78 | 26 | | | | | |
| AC024 | 00276 | G10379 | SS001 | 608054000501 | S01 | 05/10/2003 | SEM | FL | | O | | 77 | | |
| | | 576 | .4 | 2346 | 8050 | 4640 | | 32 | 25.8 | | | | | |
| AC024 | 00276 | G10379 | SS001 | 608054000501 | S01 | 05/17/2003 | SEM | FL | | O | | 40 | | |
| | | 580 | .52 | 2321 | 8089 | 4691 | | 42 | 25.8 | | | | | |
| AC025 | 00276 | G10380 | HA001 | 608054000700 | S01 | 02/13/2003 | SEM | FL | | O | | 77 | | |
| | | 862 | .19 | 190 | 6320 | 5445 | | 12 | 29.2 | | | | | |
| AC025 | 00276 | G10380 | HA001 | 608054000700 | S01 | 06/04/2003 | SEM | FL | | O | | 77 | | |
| | | 1025 | .24 | 437 | 6719 | 6888 | | 16 | 29 | | | | | |
| AC025 | 00276 | G10380 | HA003 | 608054000902 | S01 | 02/15/2003 | SEM | FL | | O | | 77 | | |
| | | 859 | 11.02 | 1078 | 4100 | 3520 | | 508 | 25.7 | | | | | |
| AC025 | 00276 | G10380 | HA003 | 608054000902 | S01 | 06/05/2003 | SEM | FL | | O | | 18 | | |
| | | 914 | 10.39 | 1140 | 3173 | 2899 | | 368 | 25.7 | | | | | |
| AC025 | 00276 | G10380 | HA004 | 608054001002 | S01 | 02/14/2003 | SEM | FL | | O | | 77 | | |
| | | 878 | 3.92 | 750 | 4362 | 3830 | | 178 | 28 | | | | | |
| AC025 | 00276 | G10380 | HA004 | 608054001002 | S01 | 06/08/2003 | SEM | FL | | O | | 77 | | |
| | | 864 | 5.9 | 713 | 3699 | 3197 | | 232 | 27.5 | | | | | |
| AC025 | 00276 | G10380 | HA005 | 608054001100 | S01 | 02/13/2003 | SEM | FL | | O | | 77 | | |
| | | 880 | 23.59 | 238 | 6362 | 5600 | | 1964 | 25.8 | | | | | |
| AC025 | 00276 | G10381 | HA002 | 608054000802 | S01 | 02/10/2003 | SEM | FL | | O | | 88 | | |
| | | 672 | 55.24 | 260 | 5612 | 3771 | | 6926 | 27.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| AC025 | 00276 | G10381 | HA006 | 608054001200 | S01 | 02/11/2003 | SEM | FL | | O | | 77 | | |
| | | 895 | 65.86 | 237 | 2815 | 2520 | | 5430 | 27.1 | | | | | |
| WC432 | 00846 | G10584 | A002 | 177014033200 | D01 | 06/14/2003 | SEM | FL | | G | | 27 | | |
| | 3100 | 5817000 | 99 | 2350 | 1 | 5817 | | 509 | 0 | | | | | |
| WC432 | 00846 | G10584 | A002D | 177014033200 | D02 | 06/14/2003 | SEM | FL | | G | | 37 | | |
| | 1110 | 9999999 | 0 | 1050 | 0 | 238 | | 0 | 50 | | | | | |
| WC432 | 00846 | G10584 | A003 | 177014034700 | S01 | 01/03/2003 | POT | FL | | G | 24 | 20 | | |
| | 3250 | 2578500 | 0 | 2800 | 2 | 5157 | | 0 | 50 | .6 | | | | N |
| WC432 | 00846 | G10584 | A003 | 177014034700 | S01 | 06/14/2003 | SEM | FL | | G | | 37 | | |
| | 2780 | 1007000 | 98.8 | 1075 | 2 | 2014 | | 164 | 50 | | | | | |
| WC507 | 00222 | G10594 | A004 | 177024023002 | S01 | 02/23/2003 | SEM | FL | | G | | 30 | | |
| | 1450 | 139250 | 0 | 220 | 12 | 1671 | | 0 | 52.2 | | | | | |
| EC002 | 02427 | G10605 | A001 | 177034065401 | S01 | 02/01/2003 | SEM | FL | | G | | 48 | | |
| | 1100 | 156333 | 18.35 | 800 | 9 | 1407 | | 2 | 49.5 | | | | | |
| EC321 | 00185 | G10636 | A002 | 177044082100 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 34 | | |
| | 2525 | 7562 | | 1500 | 235 | 1777 | | 3425 | 44.6 | | | | 831 | N |
| EC322 | 02409 | G10638 | A001 | 177044077900 | D03 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | | 0 | 62.96 | 80 | 110 | 0 | | 187 | 25.9 | | | | | |
| EC322 | 02409 | G10638 | A001D | 177044077900 | D02 | 06/23/2003 | SEM | GL | | O | | 64 | | |
| | | 207 | 30.95 | 100 | 29 | 6 | | 13 | 25.9 | | | | | |
| EC322 | 02409 | G10638 | A002 | 177044078001 | S01 | 03/30/2003 | SEM | GL | | O | | 64 | | |
| | | 9999999 | 0 | 140 | 0 | 0 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC322 | 02409 | G10638 | A004 | 177044094700 | D01 | 06/06/2003 | SEM | FL | | O | | 14 | | |
| | | 9999999 | 0 | 960 | 0 | 1121 | | 0 | | | | | | |
| EC322 | 02409 | G10638 | A004D | 177044094700 | D02 | 06/24/2003 | SEM | GL | | G | | 64 | | |
| | | 128 | 89.1 | 140 | 94 | 12 | | 768 | 25.9 | | | | | |
| EC322 | 02409 | G10638 | A006 | 177044095201 | S01 | 06/25/2003 | SEM | GL | | O | | 64 | | |
| | | 100 | 97.01 | 200 | 40 | 4 | | 1297 | 25.9 | | | | | |
| EC322 | 01831 | G10638 | A007 | 177044103300 | S01 | 06/14/2003 | SEM | GL | | O | | 64 | | |
| | | 554 | 30.11 | 100 | 65 | 36 | | 28 | 25.9 | | | | | |
| EC322 | 02409 | G10638 | A008 | 177044095802 | S01 | 06/15/2003 | SEM | GL | | O | | 64 | | |
| | | 6667 | 98.99 | 95 | 3 | 20 | | 294 | 25.9 | | | | | |
| EC322 | 01831 | G10638 | A009 | 177044103201 | S01 | 06/07/2003 | SEM | GL | | O | | 24 | | |
| | | 64 | 68.04 | 340 | 109 | 7 | | 232 | 25.9 | | | | | |
| VR182 | 01764 | G10665 | JA001C | 177054095300 | S04 | 05/17/2003 | SEM | FL | | G | | 22 | | |
| | 1850 | 915 | 59.63 | 625 | 375 | 343 | | 554 | 38.2 | | | | | |
| VR182 | 01764 | G10665 | JB004C | 177054099800 | S04 | 05/17/2003 | SEM | FL | | O | | 40 | | |
| | 540 | 3966 | 96.85 | 370 | 89 | 353 | | 2732 | 38.4 | | | | | |
| VR370 | 00185 | G10687 | A003 | 177064070400 | S02 | 06/29/2003 | SEM | FL | | G | 24 | 7 | | |
| | 6160 | 8213 | | 5600 | 150 | 1232 | | 0 | 44.6 | | | | 832 | N |
| VR370 | 00185 | G10687 | B004 | 177064074801 | S02 | 06/29/2003 | SEM | FL | | G | 24 | 10 | | |
| | 6250 | 9926 | | 3595 | 136 | 1350 | | 184 | 44.6 | | | | 1000 | N |
| EI089 | 00730 | G10720 | 004 | 177094102200 | S01 | 06/27/2003 | SEM | FL | | G | | 22 | | |
| | 1600 | 766600 | 61.54 | 1100 | 5 | 3833 | | 8 | 49.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI089 | 00105 | G10721 | A002 | 177094104400 | S01 | 01/02/2003 | SEM | GL | | O | | 64 | | |
| | 1100 | 192 | 41.57 | 300 | 104 | 20 | | 74 | 42.9 | | | | | |
| EI089 | 00105 | G10721 | A002 | 177094104400 | S01 | 06/10/2003 | SEM | GL | | O | | 64 | | |
| | | 1028 | 51.7 | 200 | 71 | 73 | | 76 | 42.9 | | | | | |
| EI238 | 00078 | G10741 | K009 | 177094131300 | S02 | 07/16/2003 | POT | GL | | G | 15 | 100 | | |
| | 1433 | 59154 | 0 | 216 | 13 | 769 | | 0 | 31.7 | .6 | | | | N |
| EI238 | 00078 | G10741 | L006 | 177094134300 | S01 | 04/05/2003 | SEM | FL | | | 24 | 100 | | |
| | 1460 | 9999999 | | 363 | 0 | 1405 | | 0 | | | | | 357 | N |
| SS239 | 00231 | G10779 | A001 | 177124049202 | S01 | 06/08/2003 | SEM | FL | | G | | 64 | | |
| | 480 | 9999999 | 99 | 130 | 0 | 266 | | 1 | | | | | | |
| SS239 | 00231 | G10779 | C001 | 177124056700 | D01 | 06/10/2003 | SEM | FL | | G | | 56 | | |
| | 1380 | 62442 | 92.89 | 665 | 43 | 2685 | | 562 | 58.6 | | | | | |
| SS230 | 00730 | G10780 | A001 | 177124051700 | S02 | 06/21/2003 | SEM | FL | | O | | 99 | | |
| | 1050 | 623 | 86.97 | 500 | 154 | 96 | | 1028 | 31.5 | | | | | |
| SS230 | 00730 | G10780 | A003 | 177124054500 | S06 | 06/23/2003 | SEM | FL | | G | | 4 | | |
| | 1200 | 1508 | 0 | 290 | 354 | 534 | | 0 | 31.5 | | | | | |
| SS230 | 00730 | G10780 | A004 | 177124059400 | S02 | 06/30/2003 | SEM | FL | | O | | 22 | | |
| | 1050 | 1003 | 88.85 | 725 | 287 | 288 | | 2286 | 31.5 | | | | | |
| SS230 | 00730 | G10780 | A005 | 177124061101 | S01 | 06/01/2003 | SEM | FL | | G | | 18 | | |
| | 1220 | 2701 | 94.26 | 950 | 87 | 235 | | 1430 | 31.5 | | | | | |
| SS299 | 02466 | G10794 | A004 | 177124063100 | S01 | 08/16/2003 | POT | FL | | O | 10 | 19 | | |
| | | 713 | 0 | 520 | 216 | 154 | | 0 | 35.3 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST054 | 00185 | G10815 | 001 | 177154078401 | S01 | 06/26/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 814 | | 225 | 156 | 127 | | 819 | 44.2 | | | | N | |
| ST111 | 01857 | G10825 | 001 | 177154083000 | D03 | 06/20/2003 | SEM | FL | | G | | 28 | | |
| | 1400 | 9999999 | 99 | 840 | 0 | 3185 | | 1 | | | | | | |
| ST111 | 01857 | G10828 | A001D | 177154082900 | D02 | 06/20/2003 | SEM | FL | | G | | 64 | | |
| | 880 | 9999999 | 99 | 305 | 0 | 149 | | 80 | | | | | | |
| PL020 | 02647 | G10835 | 001C | 177134017201 | S02 | 06/17/2003 | SEM | FL | | G | | 12 | | |
| | 3000 | 33226 | 1.59 | 2950 | 62 | 2060 | | 1 | 53.1 | | | | | |
| WD079 | 00185 | G10878 | A001 | 177194056000 | S02 | 06/25/2003 | SEM | FL | | O | 24 | 8 | | |
| | | 95000 | | 3700 | 2 | 190 | | 32 | 48.4 | | | | N | |
| WD073 | 00162 | G10882 | A017 | 177194051000 | S01 | 02/03/2003 | SEM | GL | | O | | 18 | | |
| | | 12778 | 85.71 | 100 | 9 | 115 | | 54 | 43.8 | | | | | |
| SP089 | 00724 | G10883 | D001 | 177224021700 | S01 | 02/14/2003 | SEM | GL | | O | | 96 | | |
| | | 684 | 60.96 | 200 | 237 | 162 | | 370 | 29.7 | | | | | |
| SP089 | 00724 | G10883 | D004 | 177224022002 | S01 | 02/12/2003 | SEM | FL | | G | | 62 | | |
| | 1900 | 17606 | 47.04 | 200 | 170 | 2993 | | 151 | 48 | | | | | |
| SP089 | 00724 | G10894 | D005 | 177224021901 | S01 | 02/03/2003 | SEM | GL | | O | | 128 | | |
| | | 497 | 5.06 | 180 | 394 | 196 | | 21 | 42.7 | | | | | |
| MP280 | 00282 | G10910 | A001 | 177244077500 | S03 | 06/22/2003 | SEM | FL | | G | | 42 | | |
| | 1650 | 13372 | 70.77 | 775 | 285 | 3811 | | 690 | 47 | | | | | |
| MP280 | 00282 | G10910 | A003 | 177244079800 | S01 | 06/28/2003 | SEM | FL | | G | | 56 | | |
| | 2500 | 5569 | 1.89 | 1000 | 571 | 3180 | | 11 | 44.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP280 | 00282 | G10910 | A004 | 177244080600 | S02 | 06/18/2003 | SEM | FL | | G | | 60 | | |
| | 1860 | 126739 | 80.99 | 400 | 23 | 2915 | | 98 | 45.2 | | | | | |
| MP280 | 00282 | G10910 | A005 | 177244087700 | S01 | 06/30/2003 | SEM | FL | | O | | 34 | | |
| | 3200 | 1682 | .41 | 2350 | 2406 | 4047 | | 10 | 39.2 | | | | | |
| MP280 | 00282 | G10910 | A006 | 177244088100 | S01 | 06/21/2003 | SEM | FL | | O | | 40 | | |
| | 2300 | 3693 | .71 | 1750 | 1966 | 7260 | | 14 | 40.2 | | | | | |
| VK251 | 00078 | G10930 | A001 | 608164029800 | S01 | 05/11/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3341 | 745636 | | 1340 | 22 | 16404 | | 61 | | | | | 1258 | N |
| VK251 | 00078 | G10930 | A002 | 608164034501 | S01 | 05/11/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3096 | 485647 | | 1299 | 17 | 8256 | | 73 | | | | | 1273 | N |
| VK251 | 00078 | G10930 | A003 | 608164041500 | S01 | 06/23/2003 | POT | FL | | G | 12 | 73 | | |
| | 2990 | 721077 | 74.51 | 1520 | 26 | 18748 | | 76 | | .6 | | | | N |
| VK340 | 00078 | G10933 | 001 | 608164038800 | S01 | 05/09/2003 | SEM | FL | | G | 24 | 96 | | |
| | 3052 | 9999999 | | 1592 | 0 | 21966 | | 236 | | | | | 1516 | N |
| VK823 | 01500 | G10942 | A001 | 608164028100 | S01 | 02/02/2003 | SEM | FL | | G | | 128 | | |
| | 1520 | 13280 | 89.67 | 80 | 132 | 1753 | | 1146 | 32.2 | | | | | |
| VK823 | 01500 | G10942 | A002 | 608164029100 | S02 | 01/29/2003 | SEM | FL | | G | | 46 | | |
| | 2290 | 54691 | 31.44 | 1120 | 181 | 9899 | | 83 | 56.5 | | | | | |
| VK823 | 01500 | G10942 | A003 | 608164035200 | D01 | 01/20/2003 | SEM | FL | | G | | 64 | | |
| | 1895 | 93418 | 40.49 | 1070 | 122 | 11397 | | 83 | 56.5 | | | | | |
| VK823 | 01500 | G10942 | A005 | 608164036200 | S01 | 02/01/2003 | SEM | FL | | G | | 48 | | |
| | 3000 | 28286 | 78.88 | 130 | 49 | 1386 | | 183 | 49.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK823 | 01500 | G10942 | A006 | 608164036801 | S01 | 02/15/2003 | SEM | FL | | G | | 128 | | |
| | 2290 | 13965 | 12.37 | 1080 | 170 | 2374 | | 24 | 52.5 | | | | | |
| VK786 | 00078 | G10944 | A011 | 608164030702 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 48 | | |
| | 2446 | 943 | | 901 | 9160 | 8640 | | 0 | 29.9 | | | | 253 | N |
| VK786 | 00078 | G10944 | A018 | 608164031400 | S01 | 06/30/2003 | POT | FL | | O | 24 | 40 | | |
| | | 1684 | .5 | 1476 | 9204 | 15497 | | 46 | 31.6 | .65 | | | | N |
| VK786 | 00078 | G10944 | A018 | 608164031400 | S01 | 06/30/2003 | SEM | FL | | O | 24 | 40 | | |
| | 3511 | 1684 | | 1476 | 9205 | 15497 | | 46 | 31.1 | | | | 1457 | N |
| VK786 | 00078 | G10944 | A021 | 608164031701 | S01 | 06/18/2003 | SEM | FL | | G | 24 | 64 | | |
| | 4500 | 41330 | | 677 | 264 | 10911 | | 11 | 50.6 | | | | 238 | N |
| VK817 | 01986 | G10945 | A008 | 608164026700 | S01 | 06/05/2003 | SEM | FL | | G | | 128 | | |
| | 240 | 9999999 | 0 | 105 | 0 | 34 | | 0 | | | | | | |
| WD152 | 01364 | G10988 | 002 | 608174053801 | S01 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 850 | 120541 | 30.19 | 345 | 37 | 4460 | | 16 | 54 | | | | | |
| GC244 | 02481 | G11043 | TA002 | 608114021701 | S01 | 06/28/2003 | SEM | FL | | O | | 101 | | |
| | 3846 | 2063 | 0 | 2316 | 11242 | 23196 | | 0 | 36.4 | | | | | |
| MU031A | 01046 | G11243 | B006 | 427024024300 | S03 | 05/25/2003 | SEM | FL | | G | | 14 | | |
| | 1650 | 600 | 79.34 | 1260 | 5 | 3 | | 19 | 50 | | | | | |
| MU031A | 01046 | G11243 | B008D | 427024027100 | D02 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1000 | 750 | 52.75 | 250 | 4 | 3 | | 5 | 50 | | | | | |
| MU031A | 01046 | G11243 | B009 | 427024027201 | D03 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1400 | 333 | 82.29 | 225 | 3 | 1 | | 14 | 49.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MU031A | 01046 | G11243 | B009D | 427024027201 | D02 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 1200 | 2000 | 20 | 430 | 2 | 4 | | 1 | 49 | | | | | |
| GA252 | 01046 | G11307 | 004 | 427064030600 | S01 | 06/22/2003 | SEM | FL | | G | | 64 | | |
| | 950 | 1000 | 75 | 445 | 1 | 1 | | 3 | 42.3 | | | | | |
| GA252 | 01046 | G11307 | A001 | 427064027000 | S03 | 06/06/2003 | SEM | FL | | G | | 15 | | |
| | 1150 | 1000 | 99 | 820 | 1 | 1 | | 102 | | | | | | |
| HI523A | 00491 | G11390 | A001 | 427094092300 | D01 | 05/18/2003 | SEM | FL | | O | | 64 | | |
| | 2500 | 20044 | 98.65 | 525 | 45 | 902 | | 3294 | 37 | | | | | |
| HI523A | 00491 | G11390 | B002 | 427094094801 | S01 | 06/02/2003 | SEM | FL | | G | | 80 | | |
| | 330 | 9999999 | 0 | 140 | 0 | 1746 | | 0 | 0 | | | | | |
| HI523A | 00491 | G11390 | B003 | 427094104400 | S02 | 06/02/2003 | SEM | FL | | G | | 80 | | |
| | 550 | 9999999 | 0 | 140 | 0 | 570 | | 0 | 0 | | | | | |
| HI523A | 00491 | G11390 | C002 | 427094105500 | S01 | 05/31/2003 | SEM | FL | | G | | 22 | | |
| | 480 | 9999999 | 0 | 325 | 0 | 1557 | | 0 | 0 | | | | | |
| EB157 | 00162 | G11412 | 002 | 608044015200 | S01 | 05/04/2003 | SEM | FL | | G | | 51 | | |
| | 2200 | 421500 | 86.05 | 1200 | 24 | 10116 | | 148 | 46.2 | | | | | |
| GB083 | 00689 | G11450 | A005 | 608074019200 | S01 | 06/05/2003 | SEM | FL | | O | 24 | 20 | | |
| | | 2132 | | 386 | 129 | 275 | | 3 | 28.3 | | | | | N |
| GB083 | 00689 | G11451 | A002 | 608074017000 | S01 | 04/18/2003 | SEM | FL | | O | 24 | 42 | | |
| | | 1597 | | 245 | 77 | 123 | | 4 | 28 | | | | | N |
| GB083 | 00689 | G11454 | A003 | 608074017402 | S02 | 06/20/2003 | SEM | FL | | G | 24 | 13 | | |
| | 6300 | 22557 | | 5553 | 201 | 4534 | | 21 | 41.5 | | | | 1187 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB083 | 00689 | G11455 | A004 | 608074018600 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 29 | | |
| | 4327 | 27346 | | 3052 | 612 | 16736 | | 29 | 43.5 | | | | 1152 | N |
| GB083 | 00689 | G11455 | A006 | 608074018300 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 7 | | |
| | 4968 | 21434 | | 4473 | 535 | 11467 | | 6 | 43.1 | | | | 1180 | N |
| GB083 | 00689 | G11455 | A008 | 608074020301 | S01 | 06/18/2003 | SEM | FL | | G | 24 | 9 | | |
| | 4342 | 29831 | | 2939 | 59 | 1760 | | 54 | 49.7 | | | | 1170 | N |
| GB083 | 00689 | G11455 | A009 | 608074019800 | S03 | 06/20/2003 | POT | FL | | O | 12 | 12 | | |
| | | 7110 | 18.35 | 4698 | 347 | 2467 | | 78 | 37 | .65 | | | | N |
| GB083 | 00689 | G11455 | A009 | 608074019800 | S03 | 06/20/2003 | SEM | FL | | O | 24 | 12 | | |
| | 6128 | 7110 | | 4698 | 347 | 2467 | | 78 | 37 | | | | 1159 | N |
| GB516 | 00689 | G11528 | SE001 | 608074020903 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 200 | | |
| | 6098 | 18963 | | 3723 | 1678 | 31820 | | 2952 | 45 | | | | 1268 | N |
| GB559 | 00689 | G11546 | OR001 | 608074019901 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 200 | | |
| | | 1762 | | 3613 | 8969 | 15800 | | 0 | 38 | | | | | N |
| GB559 | 00689 | G11546 | OR002 | 608074022103 | S01 | 06/15/2003 | SEM | FL | | O | 24 | 200 | | |
| | | 1467 | | 3651 | 6747 | 9900 | | 0 | 36.2 | | | | | N |
| GB559 | 00689 | G11546 | OR003 | 608074023901 | S01 | 03/24/2003 | SEM | FL | | G | 24 | 59 | | |
| | 8152 | 5713 | | 7542 | 2572 | 14694 | | 0 | 38 | | | | 1498 | N |
| GB602 | 00689 | G11553 | A002 | 608074014401 | S01 | 06/16/2003 | SEM | FL | | O | 24 | 180 | | |
| | | 1567 | | 2639 | 3057 | 4790 | | 0 | 38 | | | | | N |
| GB602 | 00689 | G11553 | A004 | 608074019301 | S01 | 05/01/2003 | SEM | FL | | O | 24 | 65 | | |
| | | 3279 | | 2639 | 1281 | 4200 | | 8 | 34 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB602 | 00689 | G11553 | A005 | 608074019401 | S02 | 06/16/2003 | SEM | FL | | O | 24 | 156 | | |
| | | 2450 | | 2625 | 1347 | 3300 | | 0 | 38 | | | | | N |
| VR164 | 00276 | G11870 | A009 | 177054082501 | S01 | 06/24/2003 | SEM | FL | | G | | 48 | | |
| | 1050 | 9999999 | 0 | 150 | 0 | 113 | | 0 | 50.1 | | | | | |
| VR214 | 02561 | G11877 | B009 | 177054099101 | S02 | 06/09/2003 | SEM | FL | | G | | 15 | | |
| | 975 | 46053 | 9.52 | 411 | 19 | 875 | | 2 | 57.5 | | | | | |
| VR284 | 01284 | G11881 | A001 | 177064074701 | D01 | 06/02/2003 | SEM | GL | | O | | 64 | | |
| | | 325 | 35 | 150 | 117 | 38 | | 63 | 16.6 | | | | | |
| VR284 | 01284 | G11881 | A001D | 177064074701 | D02 | 06/23/2003 | SEM | FL | | G | | 26 | | |
| | 1650 | 626000 | 68.75 | 1140 | 5 | 3130 | | 11 | 46.7 | | | | | |
| VR284 | 01284 | G11881 | A003D | 177064076601 | D02 | 06/07/2003 | SEM | FL | | G | | 34 | | |
| | 2900 | 1591 | 42.86 | 175 | 44 | 70 | | 33 | 29.8 | | | | | |
| VR284 | 01284 | G11881 | A004 | 177064087600 | S01 | 06/22/2003 | SEM | FL | | G | | 23 | | |
| | 4900 | 4123 | 93.03 | 1075 | 57 | 235 | | 761 | 40 | | | | | |
| VR284 | 01284 | G11881 | A005 | 177064075802 | S01 | 06/22/2003 | SEM | FL | | O | | 8 | | |
| | | 2582 | 87.99 | 2550 | 55 | 142 | | 403 | 24.3 | | | | | |
| VR284 | 01284 | G11881 | A008D | 177064079600 | D02 | 06/05/2003 | SEM | FL | | G | | 28 | | |
| | 1420 | 713667 | 94.64 | 385 | 3 | 2141 | | 53 | 44.7 | | | | | |
| VR284 | 01284 | G11881 | A009D | 177064080400 | D02 | 06/09/2003 | SEM | FL | | G | | 18 | | |
| | | 24050 | 23.08 | 425 | 40 | 962 | | 12 | 31.2 | | | | | |
| VR284 | 01284 | G11881 | A011 | 177064080802 | S01 | 06/20/2003 | SEM | FL | | O | | 64 | | |
| | | 628 | 15.04 | 140 | 384 | 241 | | 68 | 29 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR284 | 01284 | G11881 | A012 | 177064087100 | S01 | 06/14/2003 | SEM | FL | | G | | 40 | | |
| | 1900 | 617 | .35 | 125 | 282 | 174 | | 1 | 38 | | | | | |
| VR318 | 01103 | G11885 | A001B | 177064075500 | S03 | 06/29/2003 | SEM | FL | | G | | 80 | | |
| | 1200 | 9999999 | 99 | 250 | 0 | 366 | | 559 | | | | | | |
| VR318 | 01103 | G11885 | A003 | 177064077300 | S01 | 06/19/2003 | SEM | FL | | G | | 64 | | |
| | 2200 | 157500 | 97.83 | 250 | 2 | 315 | | 90 | 53.7 | | | | | |
| VR318 | 01103 | G11886 | A002C | 177064076100 | S03 | 06/25/2003 | SEM | FL | | G | | 24 | | |
| | 1650 | 9999999 | 99 | 750 | 0 | 990 | | 866 | | | | | | |
| VR328 | 01764 | G11896 | A001 | 177064069500 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 1290 | 302600 | 97.63 | 540 | 5 | 1513 | | 206 | 45 | | | | | |
| SM137 | 01831 | G11919 | A001 | 177084077300 | S01 | 06/02/2003 | SEM | FL | | O | | 64 | | |
| | 930 | 508 | 88.12 | 110 | 236 | 120 | | 1751 | 28.3 | | | | | |
| SM137 | 01831 | G11919 | A003 | 177084082300 | S01 | 06/01/2003 | SEM | FL | | O | | 64 | | |
| | 1780 | 706 | 2.55 | 110 | 153 | 108 | | 4 | 27.9 | | | | | |
| EI175 | 00105 | G11951 | JC001D | 177094101500 | D02 | 05/10/2003 | SEM | FL | | G | 24 | 16 | | |
| | 1900 | 1424 | | 1850 | 564 | 803 | | 44 | 33.1 | | | | 860 | N |
| EI162 | 00148 | G11952 | 003 | 177094098201 | S03 | 03/23/2003 | POT | FL | | G | 24 | 9 | | |
| | 4700 | 137316 | 0 | 4300 | 19 | 2609 | | 0 | 51.6 | | .625 | | | N |
| SS058 | 02647 | G11977 | 001J | 177114104200 | D07 | 06/12/2003 | SEM | FL | | O | | 12 | | |
| | 1020 | 1759 | 79.06 | 600 | 58 | 102 | | 219 | 28.7 | | | | | |
| SS058 | 01689 | G11977 | 003A | 177114133600 | S01 | 06/11/2003 | SEM | FL | | G | | 13 | | |
| | 5500 | 10248 | 73.44 | 4800 | 153 | 1568 | | 423 | 40.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS349 | 00981 | G12008 | A001 | 177124048003 | S02 | 05/20/2003 | SEM | FL | | O | 24 | 14 | | |
| | 0 | 3085 | | 1912 | 364 | 1123 | | 36 | 27.9 | | | | 0 | N |
| SS349 | 00981 | G12008 | A002 | 177124049600 | S01 | 05/08/2003 | SEM | FL | | O | 24 | 13 | | |
| | 0 | 4160 | | 4243 | 150 | 624 | | 0 | 23.9 | | | | 0 | N |
| SS349 | 00981 | G12008 | A006 | 177124053800 | S01 | 05/17/2003 | SEM | FL | | O | 24 | 18 | | |
| | 0 | 1181 | | 3717 | 376 | 444 | | 1531 | 21.6 | | | | 0 | N |
| SS349 | 00981 | G12010 | A005 | 177124052600 | S02 | 05/20/2003 | SEM | FL | | O | 24 | 16 | | |
| | 0 | 1178 | | 4007 | 1306 | 1538 | | 72 | 24.8 | | | | 0 | N |
| SS349 | 00981 | G12010 | A008 | 177124059000 | S01 | 04/22/2003 | SEM | FL | | G | 24 | 31 | | |
| | 784 | 9999999 | | 440 | 0 | 594 | | 0 | 0 | | | | 399 | N |
| SS349 | 00981 | G12010 | A010 | 177124059201 | S01 | 04/22/2003 | SEM | FL | | G | 24 | 33 | | |
| | 1086 | 9999999 | | 428 | 0 | 660 | | 0 | 0 | | | | 397 | N |
| SS349 | 00981 | G12010 | A011 | 177124061901 | S02 | 05/19/2003 | SEM | FL | | O | 24 | 16 | | |
| | 0 | 1680 | | 3619 | 369 | 620 | | 1980 | 20.2 | | | | 0 | N |
| PL005 | 02268 | G12027 | 004D | 177134021501 | D02 | 06/20/2003 | SEM | FL | | G | | 32 | | |
| | 350 | 6985 | 87.99 | 189 | 68 | 475 | | 498 | 37.2 | | | | | |
| PL005 | 02268 | G12027 | 005 | 177134022500 | S03 | 06/17/2003 | SEM | FL | | G | | 13 | | |
| | 9000 | 38567 | 25 | 7640 | 150 | 5785 | | 50 | 41.6 | | | | | |
| PL005 | 02268 | G12027 | 008 | 177134022800 | S02 | 06/29/2003 | SEM | FL | | G | | 15 | | |
| | 8500 | 26526 | 14.91 | 8000 | 291 | 7719 | | 51 | 43.9 | | | | | |
| PL005 | 02268 | G12027 | 018 | 177134023300 | S01 | 06/26/2003 | SEM | FL | | G | | 22 | | |
| | 5300 | 9999999 | 99 | 4120 | 0 | 3172 | | 1751 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| PL005 | 01138 | G12027 | A001 | 177134018800 | S03 | 03/03/2003 | POT | FL | | G | 24 | 13 | | |
| | 4950 | 72400 | 80.13 | 4525 | 30 | 2172 | | 121 | 37.5 | .838 | | | N | |
| PL005 | 01138 | G12027 | A001 | 177134018800 | S03 | 06/11/2003 | SEM | FL | | G | | 11 | | |
| | 5200 | 60042 | 46.07 | 5000 | 48 | 2882 | | 41 | 37 | | | | | |
| PL005 | 02268 | G12027 | C001 | 177134021801 | S01 | 01/03/2003 | SEM | FL | | G | | 24 | | |
| | 2300 | 105517 | 19.44 | 1600 | 58 | 6120 | | 14 | 38.2 | | | | | |
| PL005 | 02268 | G12027 | C001 | 177134021801 | S01 | 06/29/2003 | SEM | FL | | G | | 24 | | |
| | 2300 | 277733 | 25 | 1290 | 15 | 4166 | | 5 | 38.2 | | | | | |
| PL005 | 02268 | G12027 | D001 | 177134023100 | S01 | 06/19/2003 | SEM | FL | | G | | 18 | | |
| | 4500 | 392917 | 0 | 3040 | 12 | 4715 | | 0 | 37.6 | | | | | |
| PL005 | 02268 | G12027 | D002 | 177134022901 | S01 | 06/16/2003 | SEM | FL | | G | | 12 | | |
| | 6340 | 18033 | 85.14 | 5500 | 122 | 2200 | | 699 | 38.1 | | | | | |
| ST260 | 00730 | G12036 | A001 | 177164022100 | S01 | 06/04/2003 | SEM | FL | | G | | 19 | | |
| | 1850 | 91667 | 0 | 1050 | 12 | 1100 | | 0 | 51.3 | | | | | |
| ST260 | 00730 | G12037 | 002 | 177164029501 | S01 | 06/24/2003 | SEM | FL | | G | | 25 | | |
| | 3000 | 17655 | 73.33 | 2800 | 200 | 3531 | | 550 | 51.3 | | | | | |
| ST260 | 00730 | G12037 | A003 | 177164026200 | S01 | 06/14/2003 | SEM | FL | | G | | 17 | | |
| | 2260 | 9055 | 15.25 | 1400 | 200 | 1811 | | 36 | 51.3 | | | | | |
| SP072 | 01284 | G12079 | A002D | 177234016501 | D02 | 05/26/2003 | SEM | FL | | G | | 60 | | |
| | | 9999999 | 99 | 480 | 0 | 592 | | 2824 | | | | | | |
| MP133 | 00231 | G12088 | A001 | 177254057400 | S01 | 06/09/2003 | SEM | FL | | G | | 31 | | |
| | 880 | 1235 | 22.53 | 825 | 196 | 242 | | 57 | 36.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP133 | 00231 | G12088 | A004 | 177254059500 | S01 | 06/19/2003 | SEM | FL | | G | | 21 | | |
| | 740 | 478 | 52.78 | 220 | 391 | 187 | | 437 | 39.5 | | | | | |
| MP133 | 00231 | G12088 | A005 | 177254068900 | S01 | 06/18/2003 | SEM | FL | | O | | 28 | | |
| | 1200 | 1700 | 27.05 | 650 | 731 | 1243 | | 271 | 38.6 | | | | | |
| MP133 | 00231 | G12088 | A006 | 177254069000 | S01 | 06/19/2003 | SEM | FL | | G | | 29 | | |
| | 960 | 664 | 60.9 | 290 | 131 | 87 | | 204 | 38.5 | | | | | |
| MP223 | 00491 | G12096 | A004 | 177244076300 | S01 | 06/02/2003 | SEM | FL | | G | | 128 | | |
| | 290 | 9999999 | 0 | 85 | 0 | 161 | | 0 | 0 | | | | | |
| MP223 | 00491 | G12096 | A006 | 177244076400 | S01 | 06/02/2003 | SEM | GL | | G | | 128 | | |
| | 540 | 9999999 | 0 | 85 | 0 | 1387 | | 0 | 0 | | | | | |
| MP223 | 00491 | G12096 | A007 | 177244081800 | S01 | 05/26/2003 | SEM | FL | | G | | 128 | | |
| | 1600 | 600 | 98.33 | 400 | 20 | 12 | | 1175 | 48.2 | | | | | |
| MP223 | 00491 | G12096 | A010 | 177244085400 | S01 | 05/31/2003 | SEM | FL | | G | | 128 | | |
| | 330 | 9999999 | 0 | 128 | 0 | 66 | | 0 | 0 | | | | | |
| MP223 | 00491 | G12096 | A011 | 177244087902 | S01 | 05/31/2003 | SEM | GL | | G | | 46 | | |
| | 2050 | 155667 | 99 | 900 | 6 | 934 | | 2016 | 53 | | | | | |
| VK786 | 00078 | G12119 | A001 | 608164021100 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 114 | | |
| | 1505 | 637 | | 358 | 4919 | 3135 | | 0 | 31.1 | | | | 238 | N |
| VK786 | 00078 | G12119 | A002 | 608164022601 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 90 | | |
| | 1299 | 616 | | 603 | 4762 | 2933 | | 529 | 29.7 | | | | 241 | N |
| VK786 | 00078 | G12119 | A003 | 608164022700 | S01 | 06/26/2003 | SEM | GL | | O | 24 | 128 | | |
| | 2059 | 741 | | 227 | 1490 | 1104 | | 1490 | 29.9 | | | | 220 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK786 | 00078 | G12119 | A004 | 608164030000 | S01 | 06/30/2003 | SEM | FL | | O | 24 | 128 | | |
| | 2162 | 1455 | | 422 | 10184 | 14816 | | 0 | 31.8 | | | | 289 | N |
| VK786 | 00078 | G12119 | A006 | 608164030200 | S01 | 06/14/2003 | SEM | FL | | O | 24 | 112 | | |
| | 2163 | 829 | | 954 | 6534 | 5418 | | 417 | 30.6 | | | | 238 | N |
| VK786 | 00078 | G12119 | A007 | 608164030300 | S01 | 06/30/2003 | SEM | FL | | O | 24 | 128 | | |
| | 1680 | 797 | | 916 | 10195 | 8123 | | 651 | 30.8 | | | | 254 | N |
| VK786 | 00078 | G12119 | A013 | 608164030900 | S01 | 06/09/2003 | SEM | GL | | O | 24 | 120 | | |
| | 2059 | 1054 | | 242 | 700 | 738 | | 6299 | 31 | | | | 231 | N |
| VK786 | 00078 | G12119 | A015 | 608164031100 | S01 | 06/12/2003 | SEM | FL | | O | 24 | 90 | | |
| | 2339 | 2381 | | 919 | 2871 | 6837 | | 9 | 28.1 | | | | 239 | N |
| VK786 | 00078 | G12119 | A017 | 608164031300 | S01 | 06/17/2003 | SEM | FL | | G | 24 | 24 | | |
| | 2837 | 26413 | | 2849 | 640 | 16904 | | 6 | 62.3 | | | | 246 | N |
| EW873 | 00724 | G12136 | A003 | 608105003600 | S01 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 1588 | .41 | 200 | 725 | 1151 | | 3 | 24.5 | | | | | |
| EW873 | 00724 | G12136 | A003 | 608105003600 | S01 | 09/07/2003 | SEM | FL | | O | | 30 | | |
| | | 1252 | 1.1 | 180 | 627 | 785 | | 7 | 24.5 | | | | | |
| EW873 | 00724 | G12136 | A004 | 608105003700 | S01 | 02/04/2003 | SEM | GL | | O | | 128 | | |
| | | 1270 | 37.53 | 160 | 541 | 687 | | 325 | 17.8 | | | | | |
| EW873 | 00724 | G12136 | A004 | 608105003700 | S01 | 09/07/2003 | SEM | GL | | O | | 128 | | |
| | | 654 | 50.68 | 185 | 474 | 310 | | 487 | 17.8 | | | | | |
| EW873 | 00724 | G12136 | A005 | 608105004400 | S01 | 02/04/2003 | SEM | GL | | O | | 128 | | |
| | | 6840 | 86.25 | 180 | 175 | 1197 | | 1098 | 20.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EW873 | 00724 | G12136 | A005 | 608105004400 | S01 | 09/10/2003 | SEM | GL | | O | | 128 | | |
| | | 1378 | 87.15 | 180 | 119 | 164 | | 807 | 20.3 | | | | | |
| EW873 | 00724 | G12136 | A006 | 608105004500 | S01 | 02/02/2003 | SEM | FL | | O | | 70 | | |
| | | 905 | .72 | 215 | 1235 | 1118 | | 9 | 21.7 | | | | | |
| EW873 | 00724 | G12136 | A006 | 608105004500 | S01 | 09/21/2003 | SEM | FL | | O | | 70 | | |
| | | 557 | .31 | 220 | 969 | 540 | | 3 | 21.7 | | | | | |
| EW873 | 00724 | G12136 | A007 | 608105004600 | S01 | 02/03/2003 | SEM | GL | | O | | 128 | | |
| | | 550 | 7.8 | 170 | 638 | 351 | | 54 | 17.5 | | | | | |
| EW873 | 00724 | G12136 | A007 | 608105004600 | S01 | 09/06/2003 | SEM | GL | | O | | 128 | | |
| | | 1134 | 26.03 | 175 | 469 | 532 | | 165 | 17.5 | | | | | |
| EW873 | 00724 | G12136 | A009 | 608105004800 | S02 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 932 | 72.48 | 180 | 950 | 885 | | 2502 | 20.7 | | | | | |
| EW873 | 00724 | G12136 | A009 | 608105004800 | S02 | 09/04/2003 | SEM | GL | | O | | 128 | | |
| | | 588 | 59.21 | 185 | 1336 | 785 | | 1939 | 20.7 | | | | | |
| EW873 | 00724 | G12136 | A010 | 608105004900 | S01 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 759 | 26.11 | 160 | 651 | 494 | | 230 | 18.7 | | | | | |
| EW873 | 00724 | G12136 | A015 | 608105007400 | S01 | 02/03/2003 | SEM | FL | | O | | 128 | | |
| | | 609 | 59.59 | 150 | 1940 | 1181 | | 2861 | 20.5 | | | | | |
| EW873 | 00724 | G12136 | A015 | 608105007400 | S01 | 09/04/2003 | SEM | GL | | O | | 128 | | |
| | | 628 | 61.52 | 185 | 1905 | 1197 | | 3046 | 20.5 | | | | | |
| EW873 | 00724 | G12136 | A016 | 608105007500 | S01 | 02/09/2003 | SEM | FL | | O | | 128 | | |
| | | 1973 | 2.38 | 220 | 2753 | 5431 | | 67 | 23.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EW873 | 00724 | G12136 | A016 | 608105007500 | S01 | 09/06/2003 | SEM | FL | | O | | 128 | | |
| | | 1256 | 1.17 | 220 | 2537 | 3187 | | 30 | 23.1 | | | | | |
| EW873 | 00724 | G12136 | A017A | 608105008300 | S02 | 02/10/2003 | SEM | FL | | O | | 63 | | |
| | | 785 | .25 | 375 | 3191 | 2504 | | 8 | 21.5 | | | | | |
| EW873 | 00724 | G12136 | A018A | 608105008400 | S02 | 02/07/2003 | SEM | FL | | O | | 42 | | |
| | | 925 | 3.39 | 330 | 1537 | 1421 | | 54 | 21.2 | | | | | |
| EW873 | 00724 | G12136 | A018A | 608105008400 | S02 | 09/05/2003 | SEM | FL | | O | | 42 | | |
| | | 1240 | 13.31 | 190 | 938 | 1163 | | 144 | 21.2 | | | | | |
| EW873 | 00724 | G12136 | A019 | 608105008600 | S01 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 685 | 53.08 | 165 | 1030 | 706 | | 1165 | 18.8 | | | | | |
| EW873 | 00724 | G12136 | A019 | 608105008600 | S01 | 09/04/2003 | SEM | GL | | O | | 128 | | |
| | | 619 | 22.32 | 160 | 1601 | 991 | | 460 | 18.8 | | | | | |
| EW873 | 00724 | G12136 | A021 | 608105008801 | S01 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 1844 | 74.47 | 200 | 1163 | 2144 | | 3393 | 18.1 | | | | | |
| EW873 | 00724 | G12136 | A021 | 608105008801 | S01 | 09/23/2003 | SEM | GL | | O | | 128 | | |
| | | 2493 | 62.81 | 240 | 1697 | 4230 | | 2866 | 18.1 | | | | | |
| EW873 | 00724 | G12136 | A023 | 608105009201 | S01 | 02/05/2003 | SEM | FL | | O | | 46 | | |
| | | 5068 | 90.82 | 225 | 73 | 370 | | 722 | 23.7 | | | | | |
| EW873 | 00724 | G12136 | A024 | 608104010203 | S01 | 02/04/2003 | SEM | FL | | O | | 38 | | |
| | | 2050 | 82.01 | 1000 | 787 | 1613 | | 3588 | 22.8 | | | | | |
| EW873 | 00724 | G12136 | A024 | 608104010203 | S01 | 09/28/2003 | SEM | FL | | O | | 128 | | |
| | | 1406 | 81.79 | 510 | 757 | 1064 | | 3399 | 22.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EW873 | 00724 | G12139 | 001 | 608105006500 | S01 | 02/02/2003 | SEM | FL | | O | | 128 | | |
| | | 801 | 28.31 | 700 | 4316 | 3459 | | 1704 | 21.3 | | | | | |
| EW873 | 00724 | G12139 | A012 | 608105005104 | S01 | 02/09/2003 | SEM | FL | | O | | 41 | | |
| | | 1088 | 1.16 | 210 | 683 | 743 | | 8 | 24.8 | | | | | |
| EW921 | 00162 | G12142 | 002 | 608105007903 | S02 | 06/17/2003 | SEM | FL | | O | | 8 | | |
| | | 1064 | 1.56 | 115 | 2841 | 3023 | | 45 | 21.7 | | | | | |
| EW921 | 00162 | G12142 | 002 | 608105007903 | S02 | 07/12/2003 | POT | FL | | O | 24 | 12 | | |
| | | 1097 | 0 | 4539 | 4085 | 4483 | | 0 | 23.5 | .65 | | | | N |
| EW921 | 00162 | G12142 | 003 | 608105008104 | S01 | 06/03/2003 | SEM | FL | | O | | 51 | | |
| | | 1019 | 55.62 | 115 | 2445 | 2492 | | 3065 | 27.1 | | | | | |
| EW921 | 00162 | G12145 | 001 | 608105006202 | S01 | 06/06/2003 | SEM | FL | | O | | 57 | | |
| | | 696 | .94 | 115 | 2223 | 1548 | | 21 | 27.1 | | | | | |
| EW921 | 00162 | G12145 | 002 | 608105008003 | S02 | 05/04/2003 | SEM | FL | | O | | 22 | | |
| | | 332 | 2.99 | 115 | 1217 | 404 | | 38 | 22.3 | | | | | |
| WILD | 00689 | G12166 | A010 | 608174059704 | S01 | 06/06/2003 | POT | FL | | O | 4 | 36 | | |
| | | 2924 | 0 | 657 | 19374 | 56650 | | 0 | 36.2 | .62 | | | | N |
| WILD | 00689 | G12166 | A010 | 608174059704 | S01 | 06/18/2003 | SEM | FL | | O | 24 | 99 | | |
| | | 2962 | | 658 | 19197 | 56853 | | 0 | 35.7 | | | | | N |
| GC244 | 02481 | G12209 | TA001 | 608114021600 | S01 | 01/11/2003 | SEM | FL | | O | | 99 | | |
| | 2619 | 1971 | 45.3 | 2214 | 4814 | 9489 | | 3986 | 36.4 | | | | | |
| GC244 | 02481 | G12209 | TA003 | 608114021800 | S01 | 06/20/2003 | SEM | FL | | O | | 100 | | |
| | 4022 | 1862 | 0 | 2037 | 25501 | 47482 | | 0 | 36.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC244 | 02481 | G12209 | TA004 | 608114021901 | S01 | 04/17/2003 | SEM | FL | | O | | 101 | | |
| | 2348 | 1971 | 72.62 | 1777 | 3252 | 6410 | | 8624 | 36.4 | | | | | |
| GC244 | 02481 | G12210 | TA006 | 608114027501 | S01 | 04/28/2003 | SEM | FL | | O | | 17 | | |
| | 6091 | 1189 | 1.41 | 5732 | 2801 | 3329 | | 40 | 31.3 | | | | | |
| SS072 | 02222 | G12345 | 006 | 177114049903 | S03 | 07/31/2003 | POT | FL | | G | 4 | 10 | | |
| | 3800 | 30026 | 1.27 | 3175 | 117 | 3513 | | 2 | 46.7 | .6 | | | | N |
| SS072 | 02222 | G12348 | L025 | 177114109701 | S03 | 04/16/2003 | POT | FL | | G | 9 | 24 | | |
| | 1200 | 160714 | 22.22 | 250 | 7 | 1125 | | 2 | 42.1 | .625 | | | | N |
| SS072 | 02222 | G12348 | L025 | 177114109701 | S04 | 05/19/2003 | POT | FL | | O | 16 | 13 | | |
| | | 1322 | 0 | 1050 | 298 | 394 | | 0 | 38.6 | .625 | | | | N |
| SS176 | 01834 | G12355 | H001 | 177114030700 | S04 | 05/26/2003 | SEM | FL | | G | | 36 | | |
| | 1200 | 9999999 | 99 | 630 | 0 | 921 | | 785 | | | | | | |
| SS176 | 01834 | G12355 | H002 | 177114030800 | S04 | 05/26/2003 | SEM | FL | | G | | 64 | | |
| | 400 | 9999999 | 0 | 120 | 0 | 7 | | 0 | | | | | | |
| SS176 | 01834 | G12355 | H003 | 177114031500 | S06 | 05/26/2003 | SEM | FL | | G | | 48 | | |
| | 1700 | 9999999 | 99 | 230 | 0 | 569 | | 26 | | | | | | |
| SS176 | 01834 | G12355 | H005 | 177114032700 | S03 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 580 | 5575 | 85.02 | 230 | 120 | 669 | | 681 | 54 | | | | | |
| SS176 | 01834 | G12355 | H010 | 177114033400 | S04 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 820 | 9999999 | 99 | 230 | 0 | 429 | | 5 | | | | | | |
| SS176 | 01834 | G12355 | H012 | 177114033900 | S03 | 05/27/2003 | SEM | GL | | O | | 64 | | |
| | 1054 | 3585 | 55.03 | 260 | 313 | 1122 | | 383 | 54 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS176 | 01834 | G12355 | I002 | 177114048900 | S04 | 05/28/2003 | SEM | GL | | G | | 64 | | |
| | | 69622 | 46.38 | 1825 | 37 | 2576 | | 32 | 54 | | | | | |
| SS176 | 01834 | G12355 | I007 | 177114053800 | S03 | 01/07/2003 | POT | FL | | G | 24 | 17 | | |
| | 2900 | 13816 | .78 | 2550 | 256 | 3537 | | 2 | 37 | .6 | | | N | |
| SS176 | 01834 | G12355 | I007 | 177114053800 | S03 | 05/28/2003 | SEM | FL | | G | | 17 | | |
| | 2750 | 2988 | 20.26 | 690 | 244 | 729 | | 62 | 54 | | | | | |
| SS176 | 01834 | G12355 | I008 | 177114055102 | S01 | 05/28/2003 | SEM | FL | | G | | 19 | | |
| | 2950 | 4295 | 0 | 530 | 129 | 554 | | 0 | 54 | | | | | |
| SS176 | 01834 | G12355 | I011C | 177114087200 | S05 | 05/29/2003 | SEM | FL | | G | | 18 | | |
| | 825 | 9999999 | 0 | 160 | 0 | 262 | | 0 | | | | | | |
| SS176 | 02589 | G12355 | J002 | 177114072500 | S02 | 01/05/2003 | POT | FL | | G | 24 | 18 | | |
| | 2900 | 9999999 | 0 | 300 | 0 | 850 | | 0 | | .6 | | | N | |
| SS176 | 02589 | G12355 | J002 | 177114072500 | S02 | 05/30/2003 | SEM | FL | | G | | 64 | | |
| | 2850 | 89000 | 0 | 100 | 4 | 356 | | 0 | 38.9 | | | | | |
| SS176 | 01834 | G12355 | J007D | 177114081501 | D02 | 05/30/2003 | SEM | GL | | G | | 21 | | |
| | 1500 | 2275 | 62.96 | 180 | 40 | 91 | | 68 | 38.9 | | | | | |
| SS176 | 01834 | G12355 | J008B | 177114082400 | S06 | 05/30/2003 | SEM | GL | | O | | 62 | | |
| | 1070 | 1875 | 86.7 | 140 | 56 | 105 | | 365 | 38.9 | | | | | |
| SS176 | 01834 | G12358 | I010 | 177114085401 | S01 | 05/29/2003 | SEM | FL | | G | | 64 | | |
| | 250 | 9999999 | 0 | 110 | 0 | 225 | | 0 | | | | | | |
| MP299 | 02313 | G12362 | A001 | 177244054100 | S01 | 06/02/2003 | SEM | FL | | O | | 35 | | |
| | | 191 | 54.97 | 175 | 1259 | 240 | | 1537 | 23 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 02313 | G12362 | A005 | 177244053501 | S01 | 05/24/2003 | SEM | FL | | O | | 24 | | |
| | | 139 | 79.98 | 62 | 173 | 24 | | 691 | 23 | | | | | |
| MP299 | 02313 | G12362 | A007 | 177244053601 | S01 | 06/21/2003 | SEM | FL | | G | | 30 | | |
| | | 95 | 35.77 | 50 | 984 | 93 | | 548 | 23 | | | | | |
| MP299 | 02313 | G12362 | A008 | 177244053701 | S01 | 06/14/2003 | SEM | FL | | O | | 4 | | |
| | | 67 | 0 | 210 | 150 | 10 | | 0 | 23 | | | | | |
| MP299 | 02313 | G12362 | A010 | 177244064100 | S01 | 06/18/2003 | SEM | FL | | O | | 38 | | |
| | | 198 | 83.99 | 95 | 415 | 82 | | 2177 | 23.7 | | | | | |
| MP299 | 02313 | G12362 | B001 | 177244056401 | S01 | 01/10/2003 | POT | FL | | O | 4 | 36 | | |
| | 228 | 120 | 4.92 | 220 | 251 | 30 | | 13 | 23.2 | .656 | | | | N |
| MP299 | 02313 | G12362 | B001 | 177244056401 | S01 | 06/13/2003 | SEM | FL | | O | | 36 | | |
| | | 91 | 11.07 | 45 | 474 | 43 | | 59 | 22.8 | | | | | |
| MP299 | 02313 | G12362 | B002 | 177244057000 | S01 | 06/11/2003 | SEM | FL | | O | | 34 | | |
| | | 116 | 68.03 | 128 | 500 | 58 | | 1064 | 23.7 | | | | | |
| MP299 | 02313 | G12362 | B004 | 177244056201 | S01 | 06/11/2003 | SEM | FL | | O | | 26 | | |
| | | 62 | 79.99 | 50 | 325 | 20 | | 1299 | 23.7 | | | | | |
| MP299 | 02313 | G12362 | B005 | 177244061402 | S01 | 06/20/2003 | SEM | FL | | O | | 28 | | |
| | | 0 | 60 | 90 | 300 | 0 | | 450 | 22.4 | | | | | |
| MP299 | 02313 | G12362 | B006 | 177244057402 | S01 | 06/11/2003 | SEM | FL | | O | | 32 | | |
| | | 65 | 69.97 | 85 | 382 | 25 | | 890 | 23 | | | | | |
| MP299 | 02313 | G12362 | B008 | 177244060001 | S01 | 01/08/2003 | POT | FL | | O | 4 | 40 | | |
| | 200 | 25 | 2.91 | 55 | 400 | 10 | | 12 | 23.2 | .656 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP299 | 02313 | G12362 | B008 | 177244060001 | S01 | 06/16/2003 | SEM | FL | | O | | 44 | | |
| | | 196 | 0 | 48 | 460 | 90 | | 0 | 22.5 | | | | | |
| MP299 | 02313 | G12362 | B009 | 177244060500 | S01 | 06/05/2003 | SEM | FL | | O | | 30 | | |
| | | 117 | 86.03 | 230 | 171 | 20 | | 1053 | 22.4 | | | | | |
| MP299 | 02313 | G12362 | B014 | 177244069500 | S01 | 06/22/2003 | SEM | FL | | O | | 32 | | |
| | | 105 | 55 | 145 | 702 | 74 | | 858 | 22.5 | | | | | |
| BA453 | 01764 | G12363 | A001L | 427044013400 | D05 | 01/22/2003 | SEM | FL | | G | | 22 | | |
| | 1200 | 227545 | 0 | 730 | 11 | 2503 | | 0 | 46 | | | | | |
| BA453 | 01764 | G12363 | A001U | 427044013400 | D04 | 01/22/2003 | SEM | FL | | G | | 64 | | |
| | 1190 | 226750 | 0 | 410 | 4 | 907 | | 0 | 46 | | | | | |
| MU859 | 01046 | G12421 | A001 | 427024021600 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 6100 | 39 | 78.84 | 900 | 51 | 2 | | 190 | 59 | | | | | |
| MU124A | 00730 | G12430 | SS001 | 427124010701 | S01 | 06/02/2003 | SEM | FL | | G | | 99 | | |
| | 750 | 9999999 | 0 | 355 | 0 | 96 | | 0 | 0 | | | | | |
| BA542 | 00003 | G12465 | A004 | 427044032300 | S01 | 06/13/2003 | SEM | FL | | G | 24 | 48 | | |
| | 3000 | 9999999 | | 1110 | 0 | 168 | | 3 | | | | | 1060 | N |
| GA252 | 01046 | G12497 | B002D | 427064039400 | D02 | 06/02/2003 | SEM | FL | | G | | 64 | | |
| | 980 | 77 | 0 | 440 | 13 | 1 | | 0 | 55.5 | | | | | |
| GA050A | 02383 | G12520 | A001 | 427064032800 | S03 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 710 | 9999999 | 99 | 250 | 0 | 1083 | | 15 | | | | | | |
| HI045 | 00282 | G12564 | 001 | 427104011600 | S01 | 06/03/2003 | SEM | FL | | G | | 66 | | |
| | 1160 | 486391 | 46.51 | 550 | 23 | 11187 | | 20 | 40 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB161 | 01986 | G12631 | 001 | 608074013500 | S01 | 06/03/2003 | SEM | FL | | O | | 40 | | |
| | 2150 | 1897 | 91.16 | 1612 | 232 | 440 | | 2392 | 29.1 | | | | | |
| GB161 | 01986 | G12631 | 002 | 608074014901 | S01 | 06/04/2003 | SEM | FL | | O | | 32 | | |
| | 1800 | 2418 | 76.11 | 1533 | 268 | 648 | | 854 | 28.5 | | | | | |
| WC110 | 01138 | G12757 | A003 | 177004114202 | S01 | 06/16/2003 | SEM | FL | | G | | 22 | | |
| | 3425 | 78796 | 80.21 | 2275 | 54 | 4255 | | 217 | 48.2 | | | | | |
| WC130 | 00282 | G12761 | A001 | 177004094000 | S02 | 06/20/2003 | SEM | FL | | G | | 22 | | |
| | 7900 | 472528 | 12.2 | 6600 | 36 | 17011 | | 5 | 41.1 | | | | | |
| EC334 | 02589 | G12803 | A003 | 177024109700 | S02 | 05/17/2003 | SEM | FL | | G | | 28 | | |
| | 5292 | 19393 | 82.85 | 1276 | 89 | 1726 | | 430 | 40 | | | | | |
| WC600 | 00185 | G12807 | A001 | 177024119400 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 21 | | |
| | 2750 | 9999999 | | 2140 | 0 | 5872 | | 33 | | | | | 1036 | N |
| WC617 | 02477 | G12808 | A002 | 177024118001 | S01 | 03/21/2003 | POT | FL | | G | 12 | 24 | | |
| | 1010 | 9999999 | 100 | 760 | 0 | 2750 | | 3 | | .57 | | | | N |
| WC617 | 02477 | G12808 | A003 | 177024119202 | S01 | 03/20/2003 | POT | FL | | G | 13 | 28 | | |
| | 3700 | 9999999 | 100 | 2650 | 0 | 9400 | | 3 | | .565 | | | | N |
| EC151 | 00981 | G12831 | A002 | 177034065800 | S03 | 10/13/2003 | POT | FL | | G | 24 | 20 | | |
| | 1950 | 80795 | 0 | 1710 | 39 | 3151 | | 0 | 60 | .59 | | | | N |
| EC151 | 00981 | G12831 | A004 | 177034066800 | S03 | 05/04/2003 | SEM | FL | | G | 24 | 15 | | |
| | 3350 | 35143 | | 1810 | 42 | 1476 | | 7 | 55.7 | | | | 970 | N |
| EC151 | 00981 | G12831 | A004 | 177034066800 | S03 | 05/04/2003 | POT | FL | | G | 24 | 15 | | |
| | 3350 | 35143 | 14.29 | 1810 | 42 | 1476 | | 7 | 55.7 | .651 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC171 | 02383 | G12836 | A001 | 177034080500 | S01 | 06/05/2003 | SEM | FL | | G | | 18 | | |
| | 2650 | 87500 | 98.95 | 1130 | 2 | 175 | | 143 | 46.5 | | | | | |
| EC276 | 00730 | G12845 | A001 | 177044083000 | S02 | 06/10/2003 | SEM | FL | | G | | 12 | | |
| | 3430 | 143273 | 99 | 2500 | 11 | 1576 | | 1341 | 49 | | | | | |
| EC378 | 02266 | G12856 | 002 | 608074015700 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 770 | 9999999 | 0 | 265 | 0 | 7451 | | 0 | 0 | | | | | |
| VR039 | 01284 | G12858 | C002 | 177054106601 | S02 | 05/28/2003 | SEM | FL | | G | | 23 | | |
| | 2200 | 90264 | 89.18 | 1556 | 53 | 4784 | | 437 | 52 | | | | | |
| VR355 | 02409 | G12876 | A001 | 177064074200 | S02 | 04/23/2003 | POT | FL | | G | 24 | 12 | | |
| | 2850 | 9999999 | 0 | 2300 | 0 | 2323 | | 0 | | .54 | | | | N |
| EI071 | 01819 | G12906 | A001 | 177094109401 | D03 | 08/02/2003 | POT | FL | | G | 8 | 12 | | |
| | 4175 | 23210 | 2.62 | 3860 | 186 | 4317 | | 5 | 55 | .583 | | | | N |
| EI071 | 01819 | G12906 | A001D | 177094109401 | D04 | 08/02/2003 | POT | FL | | G | 24 | 11 | | |
| | 4200 | 60299 | 0 | 4040 | 67 | 4040 | | 0 | 54 | .576 | | | | N |
| EI071 | 01819 | G12906 | A002D | 177094137300 | D02 | 06/01/2003 | SEM | FL | | G | | 36 | | |
| | 3950 | 16310 | 73.08 | 800 | 126 | 2055 | | 342 | 38 | | | | | |
| SS230 | 01138 | G12951 | A001 | 177114114300 | D03 | 06/11/2003 | SEM | FL | | G | | 21 | | |
| | 3000 | 12456 | 75.54 | 1750 | 193 | 2404 | | 596 | 54 | | | | | |
| SS321 | 01819 | G12955 | 001 | 177124057000 | S01 | 06/03/2003 | SEM | FL | | G | | 50 | | |
| | 1530 | 74410 | 30.36 | 660 | 78 | 5804 | | 34 | 54.2 | | | | | |
| ST265 | 02349 | G12980 | A002 | 177164021102 | S01 | 05/26/2003 | SEM | FL | | G | | 5 | | |
| | 1480 | 116357 | 3.45 | 1020 | 14 | 1629 | | 1 | 51 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST265 | 02349 | G12980 | A004 | 177164024800 | S01 | 05/25/2003 | SEM | FL | | G | | 19 | | |
| | 1780 | 3058000 | 99 | 1300 | 1 | 3058 | | 92 | 59 | | | | | |
| ST264 | 02349 | G12980 | A005 | 177164026800 | S01 | 05/05/2003 | SEM | FL | | G | | 19 | | |
| | 1300 | 9999999 | 99 | 450 | 0 | 823 | | 72 | | | | | | |
| ST265 | 02219 | G12980 | B002 | 177164019300 | S02 | 05/03/2003 | SEM | FL | | G | | 6 | | |
| | 4650 | 1842 | 72.46 | 3687 | 114 | 210 | | 300 | 32 | | | | | |
| GI082 | 00236 | G12989 | A001D | 177174038301 | D02 | 05/26/2003 | SEM | GL | | O | | 64 | | |
| | 1200 | 855 | 88.36 | 1100 | 69 | 59 | | 524 | 37.6 | | | | | |
| GI082 | 00236 | G12989 | A002 | 177174039700 | D03 | 05/25/2003 | SEM | GL | | G | | 64 | | |
| | 1170 | 16100 | 97.78 | 1100 | 10 | 161 | | 441 | 36.9 | | | | | |
| GI082 | 00236 | G12989 | A003 | 177174040901 | S02 | 05/25/2003 | SEM | GL | | G | | 22 | | |
| | 1950 | 233462 | 0 | 2150 | 26 | 6070 | | 0 | 55.3 | | | | | |
| MP225 | 00282 | G13034 | A003 | 177244073500 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 1500 | 1072333 | 99 | 325 | 3 | 3217 | | 1421 | 49.9 | | | | | |
| MP261 | 02589 | G13035 | A001 | 177244074100 | S03 | 05/30/2003 | SEM | FL | | G | | 30 | | |
| | 2930 | 33226 | 98.74 | 1403 | 31 | 1030 | | 2425 | 43.1 | | | | | |
| MP261 | 02589 | G13035 | A002 | 177244075000 | S02 | 05/30/2003 | SEM | FL | | G | | 128 | | |
| | 3768 | 9999999 | 99 | 1190 | 0 | 61 | | 451 | | | | | | |
| MP259 | 01551 | G13055 | 004 | 608164039700 | S01 | 05/27/2003 | POT | FL | | G | 24 | 29 | | |
| | 3112 | 253517 | 0 | 1626 | 29 | 7352 | | 0 | 51.2 | .65 | | | | N |
| VK783 | 00689 | G13060 | 001 | 608164023200 | S01 | 06/22/2003 | SEM | GL | | G | 24 | 72 | | |
| | 2318 | 186442 | | 2136 | 104 | 19390 | | 1581 | 55.8 | | | | 1300 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK862 | 00730 | G13064 | 002 | 608164021600 | S01 | 06/02/2003 | SEM | FL | | O | | 128 | | |
| | | 1005 | 0 | 200 | 2213 | 2223 | | 0 | 46.1 | | | | | |
| EW910 | 02219 | G13079 | A001 | 608105006300 | D01 | 01/07/2003 | SEM | FL | 0 | O | 8 | 28 | 0 | 0 |
| 0 | 0 | 638 | 81.8 | 765 | 348 | 222 | | 1559 | 31.4 | 0 | | 0 | N | |
| EW963 | 00724 | G13084 | 001 | 608105006000 | S01 | 02/03/2003 | SEM | FL | | O | | 100 | | |
| | | 846 | 34.99 | 710 | 1724 | 1459 | | 928 | 24.2 | | | | | |
| EW963 | 00724 | G13084 | 002 | 608105006800 | S01 | 02/03/2003 | SEM | FL | | O | | 100 | | |
| | | 613 | 10.97 | 633 | 1339 | 821 | | 165 | 23.1 | | | | | |
| EW991 | 00730 | G13088 | 001 | 608104009300 | S01 | 05/15/2003 | SEM | FL | | O | | 12 | | |
| | | 1059 | 2.12 | 800 | 185 | 196 | | 4 | 27.7 | | | | | |
| EW958 | 01138 | G13091 | A002 | 608105004300 | S01 | 05/29/2003 | SEM | FL | | O | | 7 | | |
| | 3150 | 923 | 7.03 | 1574 | 1944 | 1795 | | 147 | 28.5 | | | | | |
| MI710 | 01819 | G13295 | A001 | 427034047000 | S01 | 05/31/2003 | SEM | FL | | G | | 99 | | |
| | 1295 | 9999999 | 99 | 175 | 0 | 168 | | 1 | 0 | | | | | |
| HI271A | 00491 | G13342 | B003D | 427114079700 | D03 | 03/29/2003 | POT | FL | | G | 24 | 6 | | |
| | 1575 | 9999999 | 0 | 1450 | 0 | 115 | | 0 | | .56 | | | | N |
| GB072 | 01986 | G13363 | A001 | 608074014600 | S01 | 06/01/2003 | SEM | FL | | O | | 34 | | |
| | 700 | 1996 | .41 | 320 | 489 | 976 | | 2 | 43.3 | | | | | |
| GB072 | 01986 | G13363 | A002 | 608074014701 | S01 | 06/01/2003 | SEM | GL | | O | | 128 | | |
| | 680 | 571 | 88.14 | 85 | 21 | 12 | | 156 | 37.4 | | | | | |
| GB072 | 01986 | G13363 | A003 | 608074015000 | S01 | 06/01/2003 | SEM | FL | | O | | 26 | | |
| | 890 | 780 | 1.3 | 325 | 454 | 354 | | 6 | 43.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GB072 | 01986 | G13363 | A004 | 608074015300 | D01 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 1850 | 8000 | 81.82 | 85 | 10 | 80 | | 45 | 41.9 | | | | | |
| GB072 | 01986 | G13363 | A004D | 608074015300 | D02 | 06/07/2003 | SEM | GL | | O | | 999 | | |
| | 1580 | 134 | 57.32 | 85 | 67 | 9 | | 90 | 40.9 | | | | | |
| GB072 | 01986 | G13363 | A005 | 608074015500 | D04 | 06/07/2003 | SEM | FL | | G | | 5 | | |
| | 1500 | 240778 | 0 | 0 | 9 | 2167 | | 0 | 60.4 | | | | | |
| GB072 | 01986 | G13363 | A005D | 608074015500 | D02 | 06/02/2003 | SEM | FL | | G | | 999 | | |
| | 1090 | 9999999 | 99 | 150 | 0 | 592 | | 18 | 63.2 | | | | | |
| WC180 | 01284 | G13560 | A001A | 177004086400 | S02 | 06/25/2003 | SEM | FL | | G | | 90 | | |
| | 340 | 4493 | 5.88 | 95 | 144 | 647 | | 9 | 40 | | | | | |
| WC265 | 01046 | G13563 | JA002A | 177004093100 | S02 | 06/25/2003 | SEM | FL | | G | | 38 | | |
| | 740 | 167 | 0 | 295 | 6 | 1 | | 0 | 59.8 | | | | | |
| WC265 | 02108 | G13563 | JA007 | 177004115900 | S01 | 08/20/2003 | POT | FL | | G | 24 | 11 | | |
| | 4100 | 18459 | 6.59 | 3100 | 85 | 1569 | | 6 | 59.8 | .615 | | | | N |
| EC071 | 02594 | G13576 | A003 | 177030011700 | D05 | 04/25/2003 | POT | FL | | G | 24 | 10 | | |
| | 2805 | 9999999 | 100 | 2370 | 0 | 954 | | 1 | | .563 | | | | N |
| EC071 | 02594 | G13576 | A003 | 177030011700 | S03 | 06/29/2003 | SEM | FL | | G | | 11 | | |
| | 2675 | 9999999 | 99 | 2540 | 0 | 1600 | | 1 | | | | | | |
| EC071 | 02594 | G13576 | C003 | 177034033800 | S03 | 06/17/2003 | SEM | FL | | G | | 10 | | |
| | 1160 | 9999999 | 99 | 980 | 0 | 376 | | 105 | | | | | | |
| EC071 | 02594 | G13576 | C004D | 177034046000 | D03 | 09/20/2003 | POT | FL | | G | 24 | 20 | | |
| | 2640 | 1371750 | 50 | 2460 | 4 | 5487 | | 4 | 49.4 | .62 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC071 | 02594 | G13576 | C005 | 177034053700 | S02 | 06/27/2003 | SEM | FL | | G | | 13 | | |
| | 1290 | 9999999 | 99 | 1120 | 0 | 1139 | | 1 | | | | | | |
| EC338 | 02211 | G13592 | A003 | 177044097301 | S01 | 05/26/2003 | SEM | GL | | G | | 34 | | |
| | 1350 | 2155 | 84.9 | 200 | 58 | 125 | | 326 | 40 | | | | | |
| VR380 | 00078 | G13606 | A001 | 177064079800 | S01 | 01/05/2003 | POT | GL | | O | 24 | 128 | | |
| | | 358 | 44.28 | 67 | 346 | 124 | | 275 | 34 | .6 | | | | N |
| VR380 | 00078 | G13606 | A001 | 177064079800 | S01 | 03/24/2003 | SEM | GL | | | 24 | 128 | | |
| | 1097 | 428 | | 65 | 290 | 124 | | 290 | 34 | | | | 60 | N |
| VR380 | 00078 | G13606 | A002 | 177064082801 | S01 | 03/22/2003 | SEM | FL | | | 24 | 64 | | |
| | 1107 | 9999999 | | 90 | 0 | 760 | | 918 | | | | | 70 | N |
| VR380 | 00078 | G13606 | A003 | 177064083200 | S01 | 03/23/2003 | SEM | GL | | | 24 | 128 | | |
| | 1001 | 2727 | | 65 | 11 | 30 | | 11 | 35.8 | | | | 60 | N |
| VR380 | 00078 | G13606 | A005 | 177064083300 | S02 | 10/17/2003 | POT | FL | | G | 24 | 10 | | |
| | 1600 | 9999999 | 0 | 1418 | 0 | 4150 | | 0 | | .6 | | | | N |
| VR380 | 00078 | G13606 | A006 | 177064083000 | S01 | 03/23/2003 | SEM | FL | | | 24 | 64 | | |
| | 868 | 9999999 | | 95 | 0 | 730 | | 1002 | | | | | 70 | N |
| VR380 | 00078 | G13606 | A007 | 177064083701 | S01 | 03/24/2003 | SEM | GL | | | 24 | 128 | | |
| | 986 | 1134 | | 65 | 67 | 76 | | 306 | 34 | | | | 60 | N |
| EI147 | 01704 | G13620 | 002 | 177094132501 | S01 | 06/18/2003 | SEM | FL | | G | | 23 | | |
| | 5300 | 51807 | 0 | 4303 | 296 | 15335 | | 0 | 47.5 | | | | | |
| EI348 | 02421 | G13628 | A004 | 177104076501 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 48 | | |
| | 520 | 9999999 | | 160 | 0 | 1499 | | 168 | 56.3 | | | | 0 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WD035 | 00730 | G13641 | 003 | 177194070500 | S01 | 06/16/2003 | SEM | FL | | G | | 12 | | |
| | 4000 | 663333 | 95.16 | 3250 | 6 | 3980 | | 114 | 44.4 | | | | | |
| MP139 | 00162 | G13653 | A001 | 177254061000 | D03 | 04/17/2003 | SEM | FL | | G | | 17 | | |
| | 580 | 9999999 | 0 | 0 | 0 | 5080 | | 0 | | | | | | |
| MP139 | 00162 | G13653 | A001D | 177254061000 | D04 | 04/30/2003 | SEM | FL | | G | | 11 | | |
| | 1600 | 9999999 | 0 | 0 | 0 | 5048 | | 0 | | | | | | |
| MP283 | 00540 | G13662 | A001C | 177244077701 | S01 | 06/19/2003 | SEM | FL | | G | | 30 | | |
| | 1211 | 13483 | 4.43 | 572 | 151 | 2036 | | 7 | 45.3 | | | | | |
| MP283 | 00540 | G13662 | A003 | 177244087400 | S01 | 05/26/2003 | SEM | FL | | G | | 24 | | |
| | 926 | 1906 | 23.19 | 3210 | 2597 | 4949 | | 784 | 51.1 | | | | | |
| MP283 | 00540 | G13662 | A004 | 177244086600 | S01 | 05/17/2003 | SEM | FL | | G | | 21 | | |
| | 1945 | 31755 | 0 | 576 | 49 | 1556 | | 0 | 53.5 | | | | | |
| VK734 | 00540 | G13672 | A001B | 608164029300 | S01 | 05/18/2003 | SEM | FL | | O | | 32 | | |
| | | 2038 | 60.32 | 3085 | 1777 | 3621 | | 2701 | 44 | | | | | |
| VK734 | 00540 | G13672 | A003 | 608164041300 | S01 | 04/18/2003 | POT | FL | | O | 12 | 25 | | |
| | | 1949 | 25.12 | 3159 | 2591 | 5050 | | 869 | 45.3 | .6 | | | | N |
| VK734 | 00540 | G13672 | A003 | 608164041300 | S01 | 08/27/2003 | SEM | FL | | O | | 31 | | |
| | | 1691 | 9.83 | 2807 | 4329 | 7319 | | 472 | 40 | | | | | |
| VK780 | 00689 | G13673 | A005 | 608164033900 | S01 | 05/15/2003 | SEM | FL | | G | 24 | 7 | | |
| | 3760 | 33788 | | 3732 | 52 | 1757 | | 0 | 52.8 | | | | 1145 | N |
| VK944 | 00730 | G13674 | SS002 | 608164040602 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 540 | 9999999 | 99 | 190 | 0 | 2466 | | 1 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI528A | 02522 | G13803 | JA002 | 427094108301 | S01 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 2850 | 9999999 | 99 | 480 | 0 | 2722 | | 101 | | | | | | |
| HI384A | 02219 | G13808 | B001A | 427114069500 | S03 | 01/04/2003 | SEM | GL | 0 | O | 24 | 64 | 0 | 0 |
| 0 | 0 | 17056 | 5.3 | 75 | 18 | 307 | | 1 | 38 | | 0 | | 0 | N |
| HI384A | 02219 | G13808 | B010A | 427114073401 | S03 | 01/05/2003 | SEM | GL | 0 | O | 18 | 64 | 0 | 0 |
| 0 | 0 | 34813 | 7.6 | 75 | 16 | 557 | | 1 | 39.8 | | 0 | | 0 | N |
| HI384A | 02219 | G13808 | B012 | 427114074200 | S02 | 01/08/2003 | SEM | FL | 0 | G | 24 | 40 | 0 | 0 |
| 0 | 1580 | 1570 | 2.9 | 100 | 265 | 416 | | 8 | 41 | | 0 | | 79 | N |
| HI384A | 02219 | G13808 | B018 | 427114075700 | S01 | 01/05/2003 | SEM | GL | 0 | O | 18 | 64 | 0 | 0 |
| 0 | 0 | 5829 | 49.3 | 75 | 70 | 408 | | 68 | 40.5 | | 0 | | 0 | N |
| HI384A | 02219 | G13808 | B020 | 427114076501 | S01 | 01/06/2003 | SEM | GL | 0 | O | 21 | 64 | 0 | 0 |
| 0 | 0 | 16476 | 90.4 | 70 | 21 | 346 | | 200 | 39 | | 0 | | 0 | N |
| HI384A | 02219 | G13808 | B022 | 427114077200 | S01 | 01/06/2003 | SEM | GL | 0 | G | 21 | 64 | 0 | 0 |
| 0 | 970 | 9919 | 92 | 80 | 37 | 367 | | 427 | 39.5 | | 0 | | 75 | N |
| WC040 | 02169 | G13825 | B001 | 177004102701 | S03 | 06/02/2003 | SEM | FL | | G | | 23 | | |
| | 3200 | 353704 | 0 | 3080 | 27 | 9550 | | 0 | 54.2 | | | | | |
| WC537 | 02421 | G13850 | A006 | 177024124900 | S01 | 06/28/2003 | SEM | FL | | G | 24 | 31 | | |
| | 2150 | 153885 | | 1323 | 52 | 8002 | | 17 | 0 | | | | 0 | N |
| EC160 | 01376 | G13865 | A001 | 177034067202 | S01 | 05/21/2003 | SEM | FL | | G | | 18 | | |
| | 1760 | 9999999 | 0 | 1680 | 0 | 3150 | | 0 | | | | | | |
| VR115 | 02607 | G13882 | A004 | 177054113100 | S01 | 06/23/2003 | SEM | FL | | G | | 28 | | |
| | 1960 | 9999999 | 99 | 130 | 0 | 250 | | 155 | 52.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM006 | 01819 | G13896 | A001 | 177074073800 | D04 | 05/31/2003 | SEM | FL | | G | | 16 | | |
| | 1400 | 9999999 | 99 | 510 | 0 | 632 | | 32 | 0 | | | | | |
| SM023 | 02421 | G13897 | I008D | 177074070100 | D02 | 06/07/2003 | SEM | FL | | G | 24 | 34 | | |
| | 1640 | 112364 | | 600 | 11 | 1236 | | 559 | 47.6 | | | | 0 | N |
| SS107 | 02268 | G13912 | A002 | 177114135001 | S01 | 06/25/2003 | SEM | FL | | G | | 15 | | |
| | 4700 | 23896 | 0 | 4500 | 154 | 3680 | | 0 | 47.4 | | | | | |
| SS169 | 00105 | G13917 | B003 | 177114140400 | S01 | 11/10/2003 | POT | FL | | G | 24 | 13 | | |
| | 4750 | 85750 | 0 | 4575 | 56 | 4802 | | 0 | 44.8 | .6 | | | | N |
| PL005 | 02268 | G13925 | 001 | 177154094900 | S03 | 06/24/2003 | SEM | FL | | G | | 40 | | |
| | 1400 | 9999999 | 99 | 180 | 0 | 200 | | 1200 | | | | | | |
| PL005 | 02268 | G13925 | 002 | 177154100601 | S02 | 05/02/2003 | POT | FL | | G | 24 | 21 | | |
| | 4000 | 9999999 | 100 | 1285 | 0 | 709 | | 280 | | .6 | | | | N |
| PL005 | 02268 | G13925 | 003 | 177154108000 | S01 | 07/02/2003 | SEM | FL | | G | | 22 | | |
| | 3500 | 9999999 | 99 | 1280 | 0 | 1500 | | 399 | | | | | | |
| PL005 | 02268 | G13925 | 003 | 177154108000 | S02 | 09/16/2003 | POT | FL | | G | 24 | 7 | | |
| | 8350 | 9999999 | 100 | 7300 | 0 | 3076 | | 350 | | .61 | | | | N |
| PL018 | 02266 | G13934 | B001 | 177134021300 | S03 | 04/30/2003 | POT | FL | | G | 24 | 14 | | |
| | 4750 | 1492500 | 76.47 | 4275 | 4 | 5970 | | 13 | 36.9 | .6 | | | | N |
| PL018 | 02266 | G13934 | B001 | 177134021300 | S03 | 06/15/2003 | SEM | FL | | G | | 18 | | |
| | 4050 | 2470333 | 83.33 | 3275 | 3 | 7411 | | 15 | 36.5 | | | | | |
| ST217 | 00162 | G13937 | A002 | 177164024100 | S01 | 05/17/2003 | SEM | FL | | G | | 48 | | |
| | 580 | 1219000 | 44.44 | 150 | 1 | 1219 | | 1 | 45.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST228 | 02608 | G13938 | A001 | 177164020303 | S01 | 05/31/2003 | SEM | FL | | G | | 24 | | |
| | | 2488 | 31.82 | 0 | 420 | 1045 | | 196 | 31.3 | | | | | |
| ST228 | 02608 | G13938 | A003 | 177164022002 | S01 | 01/02/2003 | SEM | FL | | G | | 22 | | |
| | 2150 | 2716 | 0 | 600 | 155 | 421 | | 0 | 33 | | | | | |
| ST228 | 02608 | G13938 | A003 | 177164022002 | S01 | 06/03/2003 | SEM | FL | | G | | 30 | | |
| | | 1527 | 0 | 1100 | 522 | 797 | | 0 | 32.5 | | | | | |
| GI116 | 00981 | G13943 | A005 | 177184010402 | S01 | 03/02/2003 | POT | FL | | O | 24 | 39 | | |
| | 11041 | 7301 | .24 | 10127 | 1668 | 12178 | | 4 | 34.5 | .627 | | | | N |
| GI116 | 00981 | G13943 | A005 | 177184010402 | S01 | 04/24/2003 | SEM | FL | | O | 24 | 44 | | |
| | 0 | 6977 | | 9195 | 1811 | 12636 | | 7 | 35.3 | | | | 0 | N |
| GI116 | 00981 | G13944 | A001 | 177184008700 | S01 | 04/24/2003 | SEM | FL | | G | 24 | 22 | | |
| | 9180 | 13196 | | 8887 | 597 | 7878 | | 0 | 39.6 | | | | 1277 | N |
| GI116 | 00981 | G13944 | A001 | 177184008700 | S02 | 06/13/2003 | POT | FL | | G | 24 | 25 | | |
| | 12237 | 16205 | 0 | 11392 | 625 | 10128 | | 0 | 41.4 | .62 | | | | N |
| GI116 | 00981 | G13944 | A003 | 177184009200 | S01 | 04/25/2003 | SEM | FL | | G | 24 | 35 | | |
| | 6340 | 8369 | | 5125 | 390 | 3264 | | 1668 | 40.4 | | | | 1253 | N |
| GI116 | 00981 | G13944 | A004 | 177184009501 | S01 | 04/25/2003 | SEM | FL | | G | 24 | 97 | | |
| | 4548 | 19849 | | 2496 | 2406 | 47756 | | 306 | 47.5 | | | | 1253 | N |
| GI116 | 00981 | G13944 | A006 | 177184010601 | S01 | 06/08/2003 | POT | GL | | O | 24 | 40 | | |
| | 1010 | 2100 | 60 | 164 | 40 | 84 | | 60 | 21.6 | .602 | | | | N |
| MP103 | 00105 | G13960 | A002 | 177254064102 | D03 | 02/18/2003 | POT | FL | | G | 24 | 12 | | |
| | 2114 | 9999999 | 0 | 2100 | 0 | 2193 | | 0 | | .57 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP133 | 02513 | G13964 | A007 | 177254005903 | S01 | 06/14/2003 | SEM | GL | | O | | 40 | | |
| | | 1379 | 89.93 | 280 | 103 | 142 | | 920 | 32 | | | | | |
| VK780 | 00105 | G13987 | A002 | 608164033400 | S01 | 05/08/2003 | SEM | FL | | G | 24 | 63 | | |
| | 639 | 101576 | | 536 | 33 | 3352 | | 292 | 48.5 | | | | 1048 | N |
| VK780 | 00105 | G13987 | A004 | 608164033700 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 51 | | |
| | 1430 | 180254 | | 668 | 71 | 12798 | | 71 | 46.8 | | | | 1152 | N |
| VK780 | 00105 | G13987 | A008 | 608164034300 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 75 | | |
| | 785 | 131563 | | 490 | 32 | 4210 | | 21 | 40.8 | | | | 1166 | N |
| VK742 | 00078 | G13988 | A008 | 608164030400 | S01 | 06/26/2003 | SEM | FL | | G | 24 | 88 | | |
| | 2440 | 59209 | | 1276 | 430 | 25460 | | 13 | 50.5 | | | | 865 | N |
| MC029 | 02481 | G13997 | TB009 | 608174052302 | S01 | 06/28/2003 | SEM | FL | | O | | 99 | | |
| | 0 | 1389 | 33.49 | 1294 | 1670 | 2319 | | 841 | 25 | | | | | |
| MC582 | 01777 | G14005 | TA001 | 608174081703 | S01 | 06/30/2003 | POT | FL | | O | 24 | 26 | | |
| | 6800 | 1093 | 0 | 6640 | 3169 | 3463 | | 0 | 27.4 | .6 | | | | N |
| GC060 | 00540 | G14021 | 001C | 608114019801 | S01 | 05/17/2003 | SEM | FL | | O | | 27 | | |
| | | 1772 | 7.88 | 987 | 491 | 870 | | 42 | 32.7 | | | | | |
| GC060 | 00540 | G14021 | 002A | 608114020101 | S01 | 05/25/2003 | SEM | FL | | O | | 17 | | |
| | | 859 | 57.61 | 713 | 142 | 122 | | 193 | 28.8 | | | | | |
| GC110 | 00689 | G14023 | 001 | 608114020600 | S01 | 06/23/2003 | SEM | FL | | O | 24 | 50 | | |
| | | 1309 | | 445 | 291 | 381 | | 12 | 28.5 | | | | | N |
| MU759 | 01103 | G14103 | A002F | 427024023100 | S06 | 06/27/2003 | SEM | FL | | G | | 16 | | |
| | 2180 | 81571 | 6.67 | 1950 | 42 | 3426 | | 3 | 49 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MU759 | 01103 | G14103 | A003C | 427024023200 | S04 | 06/28/2003 | SEM | FL | | G | | 20 | | |
| | 1630 | 9999999 | 99 | 1308 | 0 | 2673 | | 2 | 45 | | | | | |
| MU759 | 01103 | G14103 | A004A | 427024024200 | S02 | 06/26/2003 | SEM | FL | | G | | 64 | | |
| | 380 | 9999999 | 99 | 92 | 0 | 688 | | 9 | 0 | | | | | |
| HI448A | 01138 | G14188 | A001 | 427094098800 | S02 | 05/31/2003 | SEM | GL | | O | | 128 | | |
| | 1140 | 1018 | 60.7 | 190 | 393 | 400 | | 607 | 38.2 | | | | | |
| HI448A | 01138 | G14188 | A002 | 427094100400 | S01 | 05/31/2003 | SEM | GL | | O | | 128 | | |
| | 1140 | 526 | 74.32 | 200 | 38 | 20 | | 110 | 38 | | | | | |
| EB602 | 02219 | G14205 | 004 | 608044019001 | S01 | 07/28/2003 | POT | FL | | O | 6 | 80 | | |
| | | 1147 | 0 | 2800 | 5849 | 6711 | | 0 | 29.3 | .65 | | | | N |
| EB602 | 02219 | G14205 | 007 | 608044022000 | S02 | 07/27/2003 | POT | FL | | O | 4 | 78 | | |
| | | 6095 | 0 | 5450 | 6315 | 38493 | | 0 | 29.3 | .608 | | | | N |
| EB602 | 02219 | G14205 | 009 | 608044022500 | S02 | 07/28/2003 | POT | FL | | G | 6 | 80 | | |
| | 4380 | 9810 | 0 | 2960 | 1847 | 18119 | | 0 | 32.4 | .631 | | | | N |
| EB602 | 02219 | G14205 | A003 | 608044019701 | S01 | 01/09/2003 | SEM | FL | 0 | O | 4 | 69 | 0 | 0 |
| 0 | 0 | 2373 | 0 | 1654 | 2254 | 5348 | | 0 | 35.5 | 0 | | 0 | | N |
| EB602 | 02219 | G14205 | A003 | 608044019701 | S01 | 04/07/2003 | POT | FL | | O | 6 | 66 | | |
| | | 1158 | 0 | 189 | 975 | 1129 | | 0 | 35.5 | .65 | | | | N |
| EB602 | 02219 | G14205 | A005 | 608044018801 | S01 | 07/06/2003 | POT | FL | | O | 6 | 90 | | |
| | | 1632 | 0 | 2063 | 4902 | 8001 | | 0 | 30 | .721 | | | | N |
| EB602 | 02219 | G14205 | A007 | 608044020200 | S01 | 07/05/2003 | POT | FL | | O | 6 | 38 | | |
| | | 1862 | 0 | 2403 | 2899 | 5399 | | 0 | 43.1 | .68 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB602 | 02219 | G14205 | A009 | 608044018701 | S01 | 08/12/2003 | POT | FL | | O | 6 | 31 | | |
| | | 810 | 0 | 2718 | 1826 | 1479 | | 0 | 26.2 | .65 | | | N | |
| GB171 | 00689 | G14221 | B002 | 608074018401 | S01 | 01/07/2003 | SEM | FL | | G | 24 | 18 | | |
| | 3210 | 18387 | | 1940 | 111 | 2041 | | 238 | 43.8 | | | 1191 | N | |
| GB171 | 00689 | G14221 | B003 | 608074019700 | S01 | 06/08/2003 | SEM | FL | | O | 24 | 46 | | |
| | | 1077 | | 1448 | 195 | 210 | | 1706 | 28 | | | | N | |
| GB260 | 00059 | G14224 | 002 | 608074081901 | S02 | 06/11/2003 | SEM | FL | | G | | 28 | | |
| | 3756 | 9017 | 33.8 | 1556 | 423 | 3814 | | 216 | 38 | | | | | |
| WC480 | 01819 | G14336 | A001 | 177024114500 | S05 | 06/01/2003 | SEM | FL | | G | | 22 | | |
| | 2275 | 9999999 | 0 | 1850 | 0 | 3052 | | 0 | 0 | | | | | |
| WC480 | 01819 | G14336 | A001 | 177024114500 | S05 | 06/12/2003 | POT | FL | | G | 24 | 22 | | |
| | 2275 | 9999999 | 100 | 1640 | 0 | 3261 | | 4 | 38 | .7 | | | N | |
| WC480 | 01819 | G14336 | A002 | 177024114800 | S01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 140 | 9999999 | 0 | 65 | 0 | 1351 | | 0 | 0 | | | | | |
| WC504 | 00491 | G14339 | B004 | 177024119800 | S02 | 05/18/2003 | SEM | FL | | G | | 64 | | |
| | 730 | 9999999 | 99 | 120 | 0 | 160 | | 52 | 0 | | | | | |
| WC543 | 00105 | G14342 | A001 | 177024107100 | S07 | 10/08/2003 | POT | FL | | G | 24 | 13 | | |
| | 1531 | 311250 | 0 | 1240 | 4 | 1245 | | 0 | 60 | .57 | | | N | |
| WC543 | 00105 | G14342 | A001 | 177024107100 | S07 | 10/08/2003 | POT | FL | | G | 24 | 14 | | |
| | 1531 | 311250 | 0 | 1240 | 4 | 1245 | | 0 | 60 | .57 | | | N | |
| WC599 | 00185 | G14348 | A001 | 177024107600 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 128 | | |
| | 3100 | 69613 | | 1050 | 31 | 2158 | | 460 | 49.7 | | | 1036 | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC192 | 01138 | G14356 | C001 | 177034086300 | S01 | 06/15/2003 | SEM | FL | | G | | 20 | | |
| | 3900 | 47208 | 23.61 | 2800 | 130 | 6137 | | 40 | 45.6 | | | | | |
| EC089 | 02602 | G14357 | 001 | 177034086500 | S03 | 03/09/2003 | POT | FL | | G | 4 | 14 | | |
| | 1650 | 9999999 | 100 | 1340 | 0 | 1282 | | 186 | | | .567 | | | N |
| EC089 | 02602 | G14357 | 001 | 177034086500 | S03 | 06/12/2003 | SEM | UK | | G | | 16 | | |
| | 1800 | 9999999 | 99 | 550 | 0 | 760 | | 384 | | | | | | |
| EC089 | 02602 | G14357 | 002 | 177034087003 | S01 | 05/05/2003 | SEM | UK | | G | | 9 | | |
| | 1500 | 1985 | 8.75 | 1000 | 271 | 538 | | 26 | 36 | | | | | |
| VR122 | 02409 | G14364 | A001 | 177034067800 | S01 | 06/30/2003 | SEM | FL | | G | | 64 | | |
| | 320 | 131800 | 50 | 185 | 10 | 1318 | | 10 | 61.9 | | | | | |
| EC338 | 01284 | G14385 | A001 | 177044082700 | S02 | 06/20/2003 | SEM | FL | | O | | 48 | | |
| | | 2310 | 22.22 | 550 | 84 | 194 | | 24 | 35.3 | | | | | |
| EC338 | 02211 | G14385 | A002L | 177044081400 | D02 | 06/22/2003 | SEM | FL | | G | | 12 | | |
| | 1275 | 9999999 | 99 | 450 | 0 | 60 | | 3 | | | | | | |
| EC338 | 02211 | G14385 | A002U | 177044081400 | D01 | 06/23/2003 | SEM | FL | | O | | 64 | | |
| | | 814 | 41.2 | 450 | 274 | 223 | | 192 | 35 | | | | | |
| EC338 | 01284 | G14385 | A004 | 177044097700 | S01 | 06/24/2003 | SEM | FL | | G | | 64 | | |
| | 1120 | 9999999 | 0 | 450 | 0 | 53 | | 0 | | | | | | |
| EC338 | 01284 | G14385 | A005 | 177044098200 | S03 | 06/21/2003 | SEM | FL | | O | | 16 | | |
| | | 8506 | 64.57 | 970 | 79 | 672 | | 144 | 39.6 | | | | | |
| VR273 | 02246 | G14412 | A003 | 177064075400 | S01 | 06/17/2003 | SEM | FL | | G | | 20 | | |
| | 1440 | 313833 | 80 | 790 | 6 | 1883 | | 24 | 48.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR335 | 00185 | G14418 | A001 | 177064082100 | S01 | 06/20/2003 | SEM | FL | | G | 24 | 14 | | |
| | 7550 | 16020 | | 2000 | 101 | 1618 | | 50 | 35.4 | | | | 839 | N |
| VR380 | 02169 | G14427 | A001 | 177064083403 | D03 | 05/31/2003 | SEM | FL | | G | | 999 | | |
| | 1520 | 20217 | 70.89 | 380 | 46 | 930 | | 112 | 42 | | | | | |
| VR380 | 02169 | G14427 | A002 | 177064090601 | S01 | 06/08/2003 | SEM | FL | | G | | 999 | | |
| | 1250 | 260286 | 99 | 380 | 7 | 1822 | | 1622 | 59 | | | | | |
| SM269 | 00148 | G14456 | H002 | 177074082303 | S02 | 09/13/2003 | POT | FL | | G | 24 | 35 | | |
| | 2381 | 94462 | 26.76 | 1548 | 52 | 4912 | | 19 | 48.2 | .6 | | | | N |
| EI136 | 01103 | G14467 | A001B | 177094110200 | S03 | 06/26/2003 | SEM | FL | | G | | 24 | | |
| | 5250 | 18959 | 10.65 | 3118 | 562 | 10655 | | 67 | 48.6 | | | | | |
| EI136 | 01103 | G14467 | A002A | 177094113700 | S02 | 06/28/2003 | SEM | FL | | G | | 96 | | |
| | 2220 | 36786 | 11.81 | 342 | 112 | 4120 | | 15 | 51.2 | | | | | |
| EI136 | 01103 | G14467 | A004 | 177094127400 | S01 | 06/22/2003 | SEM | FL | | G | | 45 | | |
| | 3600 | 26052 | 6.54 | 1822 | 343 | 8936 | | 24 | 49.7 | | | | | |
| EI346 | 00981 | G14482 | A002 | 177104149603 | S01 | 04/28/2003 | SEM | FL | | O | 24 | 96 | | |
| | 0 | 4834 | | 2195 | 3014 | 14571 | | 7146 | 30.5 | | | | 0 | N |
| EI346 | 00981 | G14482 | A003 | 177104155100 | S01 | 06/18/2003 | POT | FL | | G | 24 | 30 | | |
| | 5069 | 6819 | 24.23 | 4243 | 4602 | 31383 | | 1472 | 30.6 | .608 | | | | N |
| GC006 | 00730 | G14487 | A001 | 177104145300 | S02 | 06/10/2003 | SEM | FL | | G | | 128 | | |
| | 1130 | 2956600 | 0 | 770 | 5 | 14783 | | 0 | 47.5 | | | | | |
| SS067 | 02252 | G14493 | 001 | 177114116300 | D01 | 06/29/2003 | SEM | FL | | G | | 64 | | |
| | 1325 | 9999999 | 99 | 290 | 0 | 305 | | 3 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS067 | 02252 | G14493 | 001D | 177114116300 | D02 | 06/29/2003 | SEM | GL | | O | | 64 | | |
| 660 | | 5926 | 80 | 310 | 27 | 160 | | 108 | 36.5 | | | | | |
| ST054 | 02383 | G14518 | A001 | 177154095800 | S01 | 06/14/2003 | SEM | FL | | G | | 11 | | |
| 4300 | | 19220 | 91.84 | 4100 | 59 | 1134 | | 664 | 42.9 | | | | | |
| PL023 | 01834 | G14519 | 001 | 177154097800 | S01 | 05/19/2003 | SEM | FL | | O | | 27 | | |
| 2050 | | 1021 | 87.51 | 290 | 141 | 144 | | 988 | 35.6 | | | | | |
| PL017 | 02441 | G14533 | 001 | 177134021601 | S05 | 06/15/2003 | SEM | FL | | G | | 12 | | |
| 4900 | | 34867 | 9.48 | 4800 | 105 | 3661 | | 11 | 49.4 | | | | | |
| ST235 | 01764 | G14544 | A001 | 177164025300 | S01 | 05/15/2003 | SEM | FL | | G | | 64 | | |
| 820 | | 9999999 | 99 | 200 | 0 | 807 | | 807 | | | | | | |
| ST235 | 01764 | G14544 | A002 | 177164025800 | S01 | 05/14/2003 | SEM | FL | | G | | 64 | | |
| 900 | | 9999999 | 99 | 215 | 0 | 1865 | | 258 | | | | | | |
| MC311 | 01138 | G14566 | A001 | 177204014601 | S01 | 01/01/2003 | POT | FL | | G | 18 | 27 | | |
| 4000 | | 21314 | 0 | 3200 | 656 | 13982 | | 0 | 48.1 | .6 | | | | N |
| MC311 | 01138 | G14566 | A001 | 177204014601 | S02 | 03/04/2003 | POT | FL | | G | 24 | 40 | | |
| 4300 | | 14989 | 1.33 | 3480 | 2592 | 38851 | | 35 | 44 | .63 | | | | N |
| MC311 | 01138 | G14566 | A001 | 177204014601 | S02 | 05/31/2003 | SEM | FL | | G | | 20 | | |
| 3386 | | 18475 | 4.16 | 2285 | 2260 | 41753 | | 98 | 48.1 | | | | | |
| MP006 | 00105 | G14576 | A001 | 177254060600 | D04 | 06/21/2003 | POT | FL | | G | 24 | 13 | | |
| 2486 | | 9999999 | 0 | 2360 | 0 | 2302 | | 0 | | .59 | | | | N |
| MP006 | 00105 | G14576 | A002 | 177254062200 | D04 | 03/15/2003 | POT | FL | | G | 24 | 8 | | |
| 1200 | | 9999999 | 0 | 300 | 0 | 290 | | 0 | | .59 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP006 | 00105 | G14576 | A003 | 177254065000 | D03 | 04/23/2003 | POT | FL | | G | 24 | 12 | | |
| | | 9999999 | 100 | 2505 | 0 | 2120 | | 4 | | .59 | | | N | |
| MP006 | 00105 | G14576 | B001 | 177254060800 | D04 | 04/10/2003 | POT | FL | | G | 24 | 10 | | |
| | 1905 | 9999999 | 100 | 1650 | 0 | 507 | | 1 | | .59 | | | N | |
| MP006 | 00105 | G14576 | B001D | 177254060800 | D03 | 04/06/2003 | POT | FL | | G | 24 | 7 | | |
| | 1383 | 9999999 | 100 | 1285 | 0 | 200 | | 2 | | .59 | | | N | |
| MP265 | 02481 | G14585 | A001 | 177244084202 | S01 | 03/07/2003 | SEM | FL | | G | | 42 | | |
| | 4009 | 98590 | 6.25 | 2698 | 105 | 10352 | | 7 | 45.8 | | | | | |
| MP265 | 02481 | G14585 | A003 | 177244087801 | S02 | 06/28/2003 | SEM | FL | | G | | 48 | | |
| | 1675 | 31245 | 18.33 | 318 | 196 | 6124 | | 44 | 48 | | | | | |
| MP277 | 00491 | G14586 | A001 | 177244076000 | S01 | 05/30/2003 | SEM | FL | | G | | 62 | | |
| | 615 | 9999999 | 99 | 140 | 0 | 307 | | 40 | 0 | | | | | |
| MP277 | 00491 | G14586 | A002 | 177244084301 | S02 | 05/16/2003 | POT | FL | | O | 24 | 128 | | |
| | 920 | 1235 | 24.69 | 260 | 183 | 226 | | 60 | 29.8 | | .6 | | N | |
| MP277 | 00491 | G14586 | A002 | 177244084301 | S02 | 05/19/2003 | SEM | GL | | O | | 40 | | |
| | 615 | 3634 | 0 | 260 | 142 | 516 | | 0 | 28 | | | | | |
| MP277 | 00491 | G14586 | A003 | 177244084900 | S02 | 05/15/2003 | SEM | GL | | O | | 128 | | |
| | 650 | 1268 | 80.84 | 260 | 41 | 52 | | 173 | 32.2 | | | | | |
| MP277 | 00491 | G14586 | A004 | 177244087000 | S01 | 06/01/2003 | SEM | GL | | G | | 128 | | |
| | 725 | 9999999 | 99 | 185 | 0 | 254 | | 200 | 0 | | | | | |
| MP277 | 00491 | G14586 | A005 | 177244087101 | S01 | 05/05/2003 | SEM | GL | | O | | 80 | | |
| | 1075 | 7344 | 86.91 | 265 | 64 | 470 | | 425 | 34.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK986 | 00730 | G14618 | SS002 | 608164040800 | S01 | 06/15/2003 | SEM | FL | | G | | 99 | | |
| | 2300 | 9999999 | 0 | 2125 | 0 | 11220 | | 0 | 0 | | | | | |
| MI586 | 02451 | G14791 | A001 | 427034050400 | S02 | 06/28/2003 | POT | FL | | G | 24 | 24 | | |
| | 1786 | 1185000 | 16.67 | 1565 | 5 | 5925 | | 1 | 50.8 | .576 | | | | N |
| MI665 | 02058 | G14792 | A002 | 427034054200 | S01 | 01/15/2003 | POT | FL | | G | 4 | 75 | | |
| | 785 | 9999999 | 100 | 655 | 0 | 8037 | | 14 | | .558 | | | | N |
| MI665 | 02058 | G14792 | A002 | 427034054200 | S01 | 06/27/2003 | SEM | FL | | G | | 128 | | |
| | 587 | 9999999 | 99 | 285 | 0 | 16885 | | 1 | | | | | | |
| BA506 | 00003 | G14812 | A001 | 427044032200 | S01 | 06/12/2003 | SEM | FL | | G | 24 | 17 | | |
| | 2800 | 9999999 | | 1150 | 0 | 2592 | | 1 | | | | | 1060 | N |
| HI199 | 02169 | G14870 | A002 | 427084050600 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1675 | 691800 | 83.33 | 400 | 10 | 6918 | | 50 | 37.9 | | | | | |
| HI199 | 02169 | G14870 | A005 | 427084053101 | S02 | 06/11/2003 | SEM | FL | | G | | 53 | | |
| | 6750 | 234186 | 99 | 2940 | 59 | 13817 | | 6660 | 28.3 | | | | | |
| HI202 | 02169 | G14870 | B001 | 427084051400 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 800 | 9999999 | 0 | 300 | 0 | 317 | | 0 | | | | | | |
| SA010 | 01046 | G14878 | 001 | 427104012704 | S02 | 02/10/2003 | POT | FL | | G | 24 | 33 | | |
| | 3600 | 64343 | 0 | 2830 | 248 | 15957 | | 0 | 47.7 | .598 | | | | N |
| SA010 | 01046 | G14878 | 001 | 427104012704 | S02 | 06/20/2003 | SEM | FL | | G | | 52 | | |
| | 3300 | 100 | 19.6 | 1260 | 160 | 16 | | 39 | 45.9 | | | | | |
| WC146 | 02525 | G15062 | A001 | 177004093600 | D03 | 06/11/2003 | SEM | FL | | G | | 21 | | |
| | 2550 | 287962 | 31.58 | 1575 | 26 | 7487 | | 12 | 47.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC146 | 02525 | G15062 | A001D | 177004093600 | D02 | 06/11/2003 | SEM | FL | | G | | 22 | | |
| | 1550 | 879500 | 98.73 | 830 | 2 | 1759 | | 155 | 47.5 | | | | | |
| WC498 | 01687 | G15097 | AJ001 | 177024127300 | D01 | 06/05/2003 | SEM | FL | | G | | 33 | | |
| | 2350 | 9999999 | 0 | 1000 | 0 | 7 | | 0 | | | | | | |
| WC498 | 01687 | G15097 | AJ001D | 177024127300 | D02 | 06/05/2003 | SEM | FL | | G | | 30 | | |
| | 2250 | 9999999 | 99 | 1000 | 0 | 204 | | 1 | | | | | | |
| WC498 | 00185 | G15104 | A001 | 177024110900 | S03 | 06/29/2003 | SEM | FL | | G | 24 | 16 | | |
| | 915 | 248667 | | 560 | 3 | 746 | | 0 | 33.7 | | | | 1148 | N |
| WC498 | 00185 | G15104 | A002 | 177024126800 | S03 | 06/29/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 588 | | 0 | 532 | 313 | | 149 | 33.7 | | | | | N |
| WC540 | 00491 | G15108 | A001 | 177024125300 | S02 | 05/31/2003 | SEM | FL | | G | | 9 | | |
| | 7300 | 11563 | 5.88 | 5750 | 160 | 1850 | | 10 | 37.5 | | | | | |
| WC639 | 02522 | G15124 | 001 | 177024116900 | S01 | 06/09/2003 | SEM | FL | | G | | 64 | | |
| | | 9833 | 95.2 | 65 | 18 | 177 | | 357 | 54.5 | | | | | |
| WC639 | 02522 | G15124 | A028 | 177024129401 | S01 | 06/09/2003 | SEM | FL | | G | | 37 | | |
| | 2550 | 1583571 | 12.5 | 1320 | 7 | 11085 | | 1 | 54.5 | | | | | |
| EC160 | 02108 | G15140 | A006 | 177034091101 | S04 | 02/02/2003 | POT | FL | | G | 6 | 11 | | |
| | 2500 | 292600 | 0 | 2050 | 5 | 1463 | | 0 | 56 | .643 | | | | N |
| EC160 | 00846 | G15141 | A002 | 177034089200 | S01 | 06/11/2003 | SEM | FL | | G | | 23 | | |
| | 1300 | 203000 | 0 | 1050 | 7 | 1421 | | 0 | 52 | | | | | |
| EC160 | 00846 | G15141 | A002 | 177034089200 | S01 | 06/18/2003 | SEM | FL | | G | | 24 | | |
| | 2900 | 539800 | 28.57 | 1850 | 5 | 2699 | | 2 | 53.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC533 | 02266 | G15147 | B001 | 177044100600 | S03 | 06/15/2003 | SEM | FL | | G | | 30 | | |
| | 960 | 3599000 | 75 | 730 | 1 | 3599 | | 3 | 0 | | | | | |
| WC533 | 02266 | G15147 | B002 | 177044101500 | S02 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 1020 | 867500 | 83.33 | 580 | 2 | 1735 | | 10 | 51 | | | | | |
| EC345 | 01284 | G15156 | A001 | 177044100800 | S01 | 06/27/2003 | SEM | FL | | O | | 12 | | |
| | | 670 | 39.54 | 3100 | 630 | 422 | | 412 | 31.6 | | | | | |
| EC345 | 01284 | G15156 | A003 | 177044103100 | S01 | 06/28/2003 | SEM | FL | | G | | 48 | | |
| | 1625 | 9999999 | 99 | 420 | 0 | 329 | | 46 | | | | | | |
| EC360 | 01284 | G15158 | A002 | 177044102900 | S01 | 06/27/2003 | SEM | FL | | G | | 16 | | |
| | 4100 | 5637 | 0 | 1400 | 331 | 1866 | | 0 | 37.4 | | | | | |
| WC643 | 00078 | G15161 | A001 | 177044083600 | S02 | 04/06/2003 | SEM | FL | | | 24 | 35 | | |
| | 4901 | 13698 | | 1226 | 53 | 726 | | 356 | 48.2 | | | | 1179 | N |
| VR087 | 01138 | G15169 | 001 | 177054108200 | S01 | 01/04/2003 | SEM | FL | | G | | 16 | | |
| | | 1006000 | 97.56 | 2200 | 2 | 2012 | | 80 | 53.1 | | | | | |
| VR218 | 00560 | G15189 | A001 | 177054105200 | S02 | 06/12/2003 | SEM | FL | | G | | 21 | | |
| | 1740 | 242938 | 11.11 | 1380 | 16 | 3887 | | 2 | 41.2 | | | | | |
| VR249 | 00222 | G15195 | B002 | 177054112900 | S02 | 05/18/2003 | SEM | FL | | G | | 30 | | |
| | 660 | 9999999 | 99 | 160 | 0 | 256 | | 23 | | | | | | |
| VR249 | 00222 | G15195 | B003 | 177054113000 | S01 | 05/14/2003 | SEM | FL | | G | | 18 | | |
| | 620 | 9999999 | 0 | 590 | 0 | 251 | | 0 | | | | | | |
| VR249 | 00222 | G15195 | B003 | 177054113001 | S01 | 07/11/2003 | POT | FL | | G | 24 | 38 | | |
| | 590 | 9999999 | 0 | 520 | 0 | 3789 | | 0 | | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC271 | 01819 | G15197 | 001 | 177064077400 | S01 | 05/30/2003 | SEM | FL | | G | | 34 | | |
| | 1360 | 9999999 | 99 | 1045 | 0 | 1030 | | 484 | 50.8 | | | | | |
| EC271 | 02246 | G15201 | A001 | 177064064403 | S01 | 06/18/2003 | SEM | GL | | O | | 64 | | |
| | 1200 | 810 | 76.61 | 380 | 142 | 115 | | 465 | 32.9 | | | | | |
| EC271 | 02246 | G15201 | A004 | 177064078501 | S01 | 06/18/2003 | SEM | GL | | O | | 64 | | |
| | 850 | 50 | 74.81 | 300 | 202 | 10 | | 600 | 32.9 | | | | | |
| GB072 | 01046 | G15212 | A001 | 177064084400 | S01 | 06/12/2003 | SEM | FL | | O | | 38 | | |
| | 3125 | 1 | 4.62 | 1500 | 2332 | 2 | | 113 | 31.2 | | | | | |
| GB072 | 01046 | G15212 | A002 | 177064086600 | S01 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 680 | 143 | 92.86 | 240 | 7 | 1 | | 91 | 55.1 | | | | | |
| GB072 | 01046 | G15212 | A003 | 177064089900 | S01 | 06/12/2003 | SEM | FL | | O | | 28 | | |
| | 2325 | 1 | 0 | 1750 | 2652 | 2 | | 0 | 31.1 | | | | | |
| GB072 | 01046 | G15212 | A004 | 177064090100 | S01 | 06/16/2003 | SEM | FL | | G | | 20 | | |
| | 680 | 9999999 | 0 | 500 | 0 | 1 | | 0 | | | | | | |
| SM243 | 01834 | G15231 | 001 | 177074080300 | S04 | 05/29/2003 | SEM | FL | | G | | 14 | | |
| | 2650 | 145120 | 0 | 1150 | 25 | 3628 | | 0 | 44.8 | | | | | |
| EI057 | 00003 | G15239 | 001 | 177094126200 | S01 | 05/23/2003 | SEM | FL | | G | 24 | | | |
| | 1700 | 1504500 | | 1200 | 4 | 6018 | | 25 | 45.7 | | | | 926 | N |
| EI057 | 00003 | G15239 | 002 | 177094126901 | S01 | 05/24/2003 | SEM | FL | | G | 24 | 11 | | |
| | 5300 | 188313 | | 3900 | 16 | 3013 | | 9 | 45.1 | | | | 978 | N |
| EI057 | 00003 | G15239 | A002 | 177094132600 | S01 | 06/04/2003 | SEM | FL | | O | 24 | 23 | | |
| | | 39065 | | 4900 | 278 | 10860 | | 7010 | 41.4 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI108 | 00148 | G15242 | 002 | 177094122800 | S03 | 04/17/2003 | POT | FL | | G | 24 | 18 | | |
| | 5477 | 32846 | 47.04 | 4356 | 143 | 4697 | | 127 | 43.5 | .626 | | | N | |
| EI266 | 00560 | G15257 | A001D | 177104151000 | D02 | 05/21/2003 | SEM | FL | | G | | 21 | | |
| | 1250 | 9999999 | 0 | 1200 | 0 | 1198 | | 0 | 53 | | | | | |
| EI266 | 00560 | G15257 | B001 | 177104153200 | S01 | 06/02/2003 | SEM | FL | | G | | 45 | | |
| | 2600 | 360375 | 94.43 | 1135 | 24 | 8649 | | 407 | 53 | | | | | |
| EI322 | 02647 | G15261 | A002A | 177104146100 | S01 | 06/09/2003 | SEM | FL | | G | | 34 | | |
| | 1541 | 92125 | 0 | 371 | 8 | 737 | | 0 | 0 | | | | | |
| EI380 | 01284 | G15271 | A001 | 177104152600 | S01 | 06/01/2003 | SEM | FL | | O | | 20 | | |
| | | 1518 | 59.44 | 1975 | 477 | 724 | | 699 | 35.1 | | | | | |
| EI380 | 01284 | G15271 | A003 | 177104155200 | S01 | 06/03/2003 | SEM | FL | | O | | 16 | | |
| | | 1222 | .54 | 3300 | 1464 | 1789 | | 8 | 35.4 | | | | | |
| EI380 | 01284 | G15271 | A003 | 177104155200 | S01 | 09/24/2003 | POT | FL | | O | 24 | 16 | | |
| | 2800 | 1385 | 67.19 | 2300 | 545 | 755 | | 1116 | 38.5 | .6 | | | N | |
| EI380 | 01284 | G15271 | A007 | 177104155001 | S01 | 06/08/2003 | SEM | FL | | G | | 16 | | |
| | | 9999999 | 99 | 5800 | 0 | 5927 | | 2 | | | | | | |
| EI380 | 01284 | G15271 | A010 | 177104156700 | S01 | 09/14/2003 | POT | FL | | O | 24 | 12 | | |
| | 3600 | 941 | 5.03 | 3400 | 850 | 800 | | 45 | 36.2 | .6 | | | N | |
| SS078 | 02058 | G15277 | A002 | 177114134300 | D01 | 06/19/2003 | SEM | FL | | G | | 11 | | |
| | 2960 | 1363 | 18.13 | 2100 | 411 | 560 | | 91 | 51.2 | | | | | |
| SS078 | 02058 | G15277 | A002D | 177114134300 | D02 | 06/10/2003 | SEM | FL | | O | | 11 | | |
| | 2000 | 1016 | 0 | 1900 | 547 | 556 | | 0 | 51.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS151 | 01138 | G15282 | A001 | 177114125700 | S01 | 05/23/2003 | SEM | FL | | O | | 30 | | |
| | 1800 | 556 | 25.3 | 1200 | 437 | 243 | | 148 | 49.2 | | | | | |
| SS239 | 02219 | G15293 | B002 | 177114037102 | S01 | 01/02/2003 | SEM | FL | 0 | O | 6 | 64 | 0 | 0 |
| 0 | 1250 | 37143 | 45 | 110 | 7 | 260 | | 6 | 33.7 | 0 | | 0 | N | |
| SS259 | 02200 | G15299 | A001 | 177124058600 | S01 | 06/11/2003 | SEM | FL | | G | | 34 | | |
| | 5750 | 3834 | 58.36 | 4520 | 947 | 3631 | | 1327 | 39 | | | | | |
| EI322 | 00981 | G15303 | A001 | 177124061200 | S01 | 04/25/2003 | SEM | FL | | G | 24 | 16 | | |
| | 1980 | 146118 | | 1715 | 17 | 2484 | | 0 | 52.1 | | | 1102 | N | |
| EI322 | 00981 | G15303 | A002 | 177124061400 | S01 | 04/25/2003 | SEM | FL | | G | 24 | 26 | | |
| | 2990 | 91500 | | 2695 | 104 | 9516 | | 5 | 52 | | | 1102 | N | |
| ST250 | 00236 | G15336 | A001 | 177164026700 | S01 | 05/26/2003 | SEM | FL | | G | | 22 | | |
| | 1640 | 9999999 | 99 | 1310 | 0 | 2288 | | 408 | | | | | | |
| ST314 | 01046 | G15347 | A002 | 177164028402 | S01 | 05/20/2003 | POT | FL | | O | 12 | 128 | | |
| | 1900 | 4544 | 95 | 120 | 180 | 818 | | 3420 | 32.9 | .653 | | | N | |
| ST314 | 01046 | G15347 | A002 | 177164028402 | S01 | 06/16/2003 | SEM | FL | | O | | 53 | | |
| | 1600 | 7 | 95.11 | 220 | 147 | 1 | | 2857 | 32.9 | | | | | |
| ST314 | 01046 | G15349 | A001 | 177164026900 | S01 | 03/18/2003 | POT | FL | | O | 19 | 18 | | |
| | 2550 | 857 | 0 | 2150 | 1691 | 1450 | | 0 | 32 | .866 | | | N | |
| ST314 | 01046 | G15349 | A001 | 177164026900 | S01 | 06/19/2003 | SEM | FL | | O | | 27 | | |
| | 2550 | 1 | 3.04 | 1490 | 2071 | 2 | | 65 | 32 | | | | | |
| ST314 | 01046 | G15349 | A003 | 177164031102 | S01 | 09/05/2003 | POT | GL | | O | 12 | 23 | | |
| | 1500 | 4583 | 50 | 550 | 120 | 550 | | 120 | 28.8 | .64 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GI068 | 01777 | G15353 | A001D | 177174040500 | D04 | 06/27/2003 | POT | FL | | G | 24 | 9 | | |
| | 3050 | 648000 | 0 | 2750 | 1 | 648 | | 0 | 39 | .574 | | | N | |
| GI082 | 00236 | G15356 | A001 | 177174039000 | S03 | 01/27/2003 | POT | FL | | G | 24 | 64 | | |
| | 700 | 9999999 | 0 | 240 | 0 | 453 | | 0 | | .6 | | | N | |
| GI082 | 00236 | G15356 | A001 | 177174039000 | S03 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 0 | 215 | 0 | 225 | | 0 | 0 | | | | | |
| WD065 | 01284 | G15363 | A001A | 177194064100 | D03 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | | 9999999 | 99 | 145 | 0 | 312 | | 6 | | | | | | |
| WD065 | 02607 | G15363 | A002D | 177194065400 | D02 | 06/16/2003 | SEM | FL | | G | | 32 | | |
| | | 9999999 | 99 | 580 | 0 | 2800 | | 60 | | | | | | |
| SP072 | 00774 | G15371 | A028 | 608174092200 | S01 | 06/06/2003 | SEM | FL | | G | | 16 | | |
| | 2400 | 9999999 | 99 | 1550 | 0 | 1488 | | 21 | | | | | | |
| MP223 | 00491 | G15387 | A009 | 177244082500 | S01 | 05/07/2003 | SEM | GL | | | | 128 | | |
| | 700 | 9999999 | 99 | 70 | 0 | 373 | | 227 | 0 | | | | | |
| MP250 | 00491 | G15387 | B001 | 177244077100 | D01 | 05/20/2003 | SEM | FL | | G | | 64 | | |
| | 750 | 9999999 | 99 | 150 | 0 | 255 | | 40 | 0 | | | | | |
| MP250 | 00491 | G15387 | B001D | 177244077100 | D02 | 05/20/2003 | SEM | FL | | G | | 64 | | |
| | 600 | 9999999 | 99 | 145 | 0 | 690 | | 108 | 0 | | | | | |
| MO991 | 00078 | G15403 | 001 | 608154010001 | S03 | 05/26/2003 | SEM | FL | | G | 24 | 35 | | |
| | 3810 | 749500 | | 1225 | 2 | 1499 | | 81 | | | | | 1260 | N |
| MO991 | 00078 | G15403 | 002 | 608154011300 | S01 | 05/25/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3051 | 541333 | | 1340 | 6 | 3248 | | 149 | | | | | 1301 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MO991 | 00078 | G15403 | A003 | 608154012100 | S01 | 05/24/2003 | SEM | FL | | G | 24 | 100 | | |
| | 2805 | 9999999 | | 1346 | 0 | 5649 | | 25 | | | | | 1320 | N |
| MO991 | 00078 | G15403 | A004 | 608154012302 | S01 | 05/23/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3386 | 9999999 | | 1496 | 0 | 7568 | | 115 | | | | | 1432 | N |
| MO991 | 00078 | G15404 | A001 | 608154011500 | S01 | 05/26/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3839 | 544909 | | 1394 | 11 | 5994 | | 107 | | | | | 1326 | N |
| MO991 | 00078 | G15404 | A002 | 608154012800 | S01 | 08/23/2003 | POT | FL | | G | 24 | 96 | | |
| | 4000 | 9999999 | 100 | 1545 | 0 | 9894 | | 266 | | .62 | | | | N |
| VK780 | 00105 | G15436 | A007 | 608164034800 | S01 | 06/14/2003 | SEM | FL | | G | 24 | 17 | | |
| | 4780 | 15697 | | 525 | 350 | 5494 | | 1 | 45.6 | | | | 1152 | N |
| MC020 | 00774 | G15459 | A019 | 608174089001 | S01 | 06/21/2003 | SEM | FL | | O | | 19 | | |
| | | 506 | 81.8 | 230 | 79 | 40 | | 355 | 27.2 | | | | | |
| MC020 | 00774 | G15459 | A020 | 608174089200 | S01 | 06/17/2003 | SEM | FL | | O | | 28 | | |
| | | 515 | 9.11 | 160 | 379 | 195 | | 38 | 20.4 | | | | | |
| MC020 | 00774 | G15459 | A021 | 608174089500 | S01 | 06/19/2003 | SEM | FL | | O | | 21 | | |
| | | 348 | 75.95 | 280 | 158 | 55 | | 499 | 24.5 | | | | | |
| MC020 | 00774 | G15459 | A025 | 608174090300 | S01 | 06/15/2003 | SEM | GL | | O | | 72 | | |
| | | 355 | 76.06 | 120 | 62 | 22 | | 197 | 21.2 | | | | | |
| MC020 | 00774 | G15459 | A026 | 608174090600 | S03 | 06/19/2003 | SEM | GL | | O | | 54 | | |
| | | 959 | 2.03 | 150 | 145 | 139 | | 3 | 22.3 | | | | | |
| MC068 | 00730 | G15464 | SS001 | 608174088600 | S01 | 06/26/2003 | SEM | FL | | G | | 48 | | |
| | 1500 | 9999999 | 99 | 1350 | 0 | 14297 | | 1 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC020 | 02117 | G15531 | 001 | 608114021300 | S01 | 06/11/2003 | SEM | FL | | G | 24 | 17 | | |
| | 5238 | 19127 | | 2235 | 110 | 2104 | | 163 | 43.7 | | | | 1162 | N |
| GC112 | 00689 | G15545 | A004 | 608114024501 | S02 | 05/18/2003 | SEM | FL | | O | 24 | 59 | | |
| | | 1551 | | 2130 | 512 | 794 | | 2592 | 29.8 | | | | | N |
| GC112 | 02139 | G15546 | A002 | 608115012701 | S01 | 04/02/2003 | SEM | FL | | O | 24 | 136 | | |
| | | 1555 | | 2020 | 344 | 535 | | 2337 | 29.8 | | | | | N |
| GC112 | 02139 | G15546 | A003 | 608115013100 | S01 | 05/28/2003 | SEM | FL | | O | 24 | 136 | | |
| | | 1550 | | 1920 | 9418 | 14598 | | 3662 | 28 | | | | | N |
| GC236 | 00078 | G15562 | 002 | 608114025201 | S01 | 06/21/2003 | SEM | FL | | O | 24 | 20 | | |
| | 4194 | 1303 | | 3259 | 3797 | 4947 | | 38 | 26 | | | | 3079 | N |
| GC236 | 00078 | G15563 | 001 | 608114023101 | S02 | 06/26/2003 | SEM | FL | | O | 24 | 4 | | |
| | 4583 | 1529 | | 2162 | 4182 | 6393 | | 84 | 29.7 | | | | 2119 | N |
| GC236 | 00078 | G15563 | 002 | 608114024100 | S01 | 06/28/2003 | SEM | FL | | O | 24 | 32 | | |
| | 5886 | 1891 | | 3566 | 7223 | 13660 | | 4428 | 12 | | | | 3839 | N |
| GC236 | 00078 | G15563 | 003 | 608114024704 | S01 | 06/29/2003 | SEM | FL | | O | 24 | 4 | | |
| | 6796 | 1528 | | 5763 | 4881 | 7459 | | 48 | 29.2 | | | | 5866 | N |
| GC236 | 00078 | G15563 | 003 | 608114024704 | S01 | 07/19/2003 | POT | FL | | O | 6 | 4 | | |
| | | 1461 | 0 | 5063 | 7360 | 10754 | | 0 | 34.5 | .68 | | | | N |
| PN912 | 00222 | G15703 | A001 | 427134009700 | S01 | 05/22/2003 | SEM | FL | | G | | 58 | | |
| | 555 | 9999999 | 99 | 360 | 0 | 5569 | | 4 | | | | | | |
| PN912 | 00222 | G15703 | A002 | 427134009800 | S01 | 06/06/2003 | SEM | FL | | G | | 43 | | |
| | 860 | 9999999 | 99 | 300 | 0 | 253 | | 166 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GA151 | 00818 | G15740 | A002 | 427064041200 | D03 | 06/21/2003 | SEM | FL | | G | | 25 | | |
| | 1880 | 13119 | 52.22 | 880 | 151 | 1981 | | 165 | 46.2 | | | | | |
| GA151 | 00818 | G15740 | A002D | 427064041200 | D02 | 06/25/2003 | SEM | FL | | G | | 15 | | |
| | 2410 | 440000 | 96.88 | 1825 | 2 | 880 | | 62 | 48.4 | | | | | |
| GA151 | 00818 | G15740 | A003D | 427064041400 | D02 | 06/21/2003 | SEM | FL | | G | | 25 | | |
| | 1710 | 50667 | 85.78 | 600 | 30 | 1520 | | 181 | 48.5 | | | | | |
| GA239 | 00730 | G15742 | 004 | 427064041501 | S02 | 06/06/2003 | SEM | FL | | G | | 23 | | |
| | 3700 | 711429 | 46.15 | 1200 | 7 | 4980 | | 6 | 49.9 | | | | | |
| HI037 | 00560 | G15769 | A002 | 427084051300 | S01 | 06/12/2003 | SEM | FL | | G | | 25 | | |
| | 7900 | 226436 | 43.48 | 2800 | 39 | 8831 | | 30 | 42.8 | | | | | |
| HI086 | 00105 | G15772 | 003 | 427084049100 | S02 | 10/23/2003 | POT | FL | | G | 24 | 9 | | |
| | 2365 | 9999999 | 0 | 2240 | 0 | 1610 | | 0 | | .65 | | | | N |
| HI088 | 01911 | G15773 | 001 | 427084048600 | S01 | 05/27/2003 | SEM | FL | | G | | 17 | | |
| | 2850 | 237385 | 7.14 | 2600 | 13 | 3086 | | 1 | 43.5 | | | | | |
| HI154 | 00003 | G15778 | B002 | 427084050402 | S02 | 06/14/2003 | SEM | FL | | G | 24 | 28 | | |
| | 1903 | 399250 | | 1475 | 24 | 9582 | | 0 | 45 | | | | 1053 | N |
| HI199 | 02169 | G15781 | A001 | 427084052101 | S02 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 5100 | 439558 | 57.72 | 1210 | 52 | 22857 | | 71 | 42.7 | | | | | |
| HI199 | 02169 | G15781 | A002 | 427084053302 | S01 | 06/12/2003 | SEM | FL | | G | | 17 | | |
| | 8800 | 120200 | 24.24 | 7400 | 75 | 9015 | | 24 | 44 | | | | | |
| HI199 | 02169 | G15781 | A002A | 427084053302 | S02 | 07/02/2003 | POT | FL | | G | 24 | 21 | | |
| | 6100 | 142857 | 57.14 | 5000 | 63 | 9000 | | 84 | 38.2 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI416A | 00003 | G15793 | B002 | 427094104300 | S01 | 06/07/2003 | SEM | FL | | O | 24 | 48 | | |
| | | 682 | | 624 | 381 | 260 | | 1084 | 34.6 | | | | | N |
| HI416A | 00003 | G15793 | B003D | 427094104900 | D02 | 06/02/2003 | SEM | FL | | G | 24 | 28 | | |
| | 2291 | 9999999 | | 515 | 0 | 150 | | 223 | | | | | 482 | N |
| HI416A | 00003 | G15793 | B005 | 427094108501 | S01 | 06/09/2003 | SEM | FL | | G | 24 | 22 | | |
| | 750 | 9999999 | | 485 | 0 | 112 | | 0 | | | | | 1190 | N |
| HI416A | 00003 | G15793 | B006 | 427094108601 | S01 | 05/18/2003 | SEM | FL | | O | 24 | 19 | | |
| | | 0 | | 545 | 10 | 0 | | 55 | 36.8 | | | | | N |
| HI416A | 00003 | G15793 | B007 | 427094108400 | S01 | 05/17/2003 | SEM | FL | | G | 24 | 19 | | |
| | 1715 | 963 | | 778 | 703 | 677 | | 352 | 36.7 | | | | 477 | N |
| HI416A | 00003 | G15794 | A001 | 427094101802 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 4 | | |
| | 908 | 489 | | 658 | 47 | 23 | | 0 | 37.9 | | | | 1185 | N |
| HI271A | 00491 | G15805 | B008 | 427114082702 | S01 | 05/21/2003 | SEM | FL | | G | | 128 | | |
| | 200 | 9999999 | 0 | 120 | 0 | 1508 | | 0 | 0 | | | | | |
| GB200 | 00059 | G15852 | 003 | 608074021100 | S02 | 06/19/2003 | SEM | FL | | G | | 39 | | |
| | 7742 | 28765 | 2.25 | 5693 | 609 | 17518 | | 14 | 47.3 | | | | | |
| GB200 | 00059 | G15852 | 003 | 608074021100 | S02 | 06/19/2003 | POT | FL | | G | 24 | 39 | | |
| | 5996 | 28765 | 2.25 | 5693 | 609 | 17518 | | 14 | 44 | .575 | | | | N |
| WC045 | 02466 | G16107 | A001 | 177004109200 | S01 | 06/15/2003 | SEM | FL | | G | | 11 | | |
| | 4800 | 150000 | 98.4 | 1450 | 3 | 450 | | 184 | 46.9 | | | | | |
| WC071 | 02058 | G16115 | A001D | 177004109400 | D02 | 06/03/2003 | SEM | FL | | G | | 14 | | |
| | 3630 | 118500 | 87.6 | 2895 | 32 | 3792 | | 226 | 49.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC071 | 02058 | G16115 | A002 | 177004110601 | D03 | 06/02/2003 | SEM | FL | | G | | 15 | | |
| | 3535 | 137037 | 83.73 | 3000 | 27 | 3700 | | 139 | 49.4 | | | | | |
| WC149 | 00687 | G16121 | 001 | 177004110300 | S01 | 06/18/2003 | SEM | FL | | G | | 22 | | |
| | 2200 | 6780 | 75.29 | 1220 | 150 | 1017 | | 457 | 41.6 | | | | | |
| WC196 | 00003 | G16123 | 001 | 177004096700 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 37 | | |
| | 1700 | 410350 | | 1040 | 20 | 8207 | | 20 | 46.3 | | | | 920 | N |
| WC492 | 01819 | G16195 | A001 | 177024118100 | S01 | 06/05/2003 | SEM | FL | | G | | 32 | | |
| | 950 | 9999999 | 0 | 982 | 0 | 37 | | 0 | 0 | | | | | |
| WC492 | 01819 | G16195 | A002 | 177024124301 | S02 | 05/21/2003 | SEM | FL | | G | | 40 | | |
| | 1050 | 9999999 | 0 | 1000 | 0 | 250 | | 0 | 0 | | | | | |
| WC617 | 01284 | G16216 | A001 | 177024129100 | D03 | 01/01/2003 | POT | FL | | G | 24 | 20 | | |
| | 3310 | 9999999 | 100 | 2810 | 0 | 8450 | | 7 | | .6 | | | | N |
| WC617 | 01284 | G16216 | A001 | 177024129100 | D03 | 06/23/2003 | SEM | FL | | G | | 23 | | |
| | 3117 | 9999999 | 99 | 2345 | 0 | 9886 | | 4 | | | | | | |
| WC617 | 01284 | G16216 | A001D | 177024129100 | D02 | 06/26/2003 | SEM | FL | | G | | 48 | | |
| | 605 | 9999999 | 0 | 194 | 0 | 2023 | | 0 | | | | | | |
| WC661 | 02537 | G16224 | A001 | 177024130000 | S01 | 04/30/2003 | POT | FL | | O | 24 | 27 | | |
| | | 769 | 0 | 745 | 1406 | 1081 | | 0 | 33.1 | .61 | | | | N |
| WC661 | 02537 | G16224 | A002 | 177024131000 | S01 | 04/30/2003 | POT | FL | | O | 24 | 40 | | |
| | | 7284 | 0 | 1100 | 1138 | 8289 | | 0 | 33.9 | .61 | | | | N |
| EC142 | 01046 | G16239 | 002 | 177034088900 | D01 | 06/08/2003 | SEM | FL | | G | | 16 | | |
| | 2900 | 539800 | 28.57 | 2060 | 5 | 2699 | | 2 | 58.5 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC171 | 00730 | G16240 | A001 | 177034091200 | S01 | 06/24/2003 | SEM | FL | | G | | 22 | | |
| | 2450 | 123071 | 0 | 1460 | 85 | 10461 | | 0 | 49 | | | | | |
| EC171 | 00730 | G16240 | A002 | 177034091401 | S01 | 06/02/2003 | SEM | FL | | G | | 19 | | |
| | 2650 | 98706 | 0 | 2370 | 51 | 5034 | | 0 | 49 | | | | | |
| EC196 | 00846 | G16244 | A001 | 177034090101 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 1300 | 9999999 | 99 | 230 | 0 | 2529 | | 112 | 0 | | | | | |
| EC231 | 02522 | G16255 | 001 | 177034091500 | S01 | 06/07/2003 | SEM | FL | | G | | 28 | | |
| | | 9999999 | 99 | 425 | 0 | 717 | | 584 | | | | | | |
| EC368 | 01284 | G16273 | A001 | 177044102400 | D01 | 04/04/2003 | COM | FL | | G | 24 | 16 | | |
| | | 9999999 | 0 | 2250 | 0 | 2 | | 0 | | | | | | N |
| EC368 | 01284 | G16273 | A001 | 177044102400 | D01 | 06/15/2003 | SEM | FL | | G | | 20 | | |
| | 2325 | 167800 | 0 | 2140 | 40 | 6712 | | 0 | 59.8 | | | | | |
| EC368 | 01284 | G16273 | A002 | 177044103900 | D01 | 05/02/2003 | COM | FL | | G | 24 | 14 | | |
| | | 9999999 | 0 | 2100 | 0 | 1702 | | 0 | | | | | | N |
| EC368 | 01284 | G16273 | A002 | 177044103900 | D01 | 05/20/2003 | POT | FL | | G | 24 | 20 | | |
| | 2145 | 178158 | 9.52 | 2120 | 19 | 3385 | | 2 | 40.7 | .6 | | | | N |
| EC368 | 01284 | G16273 | A002 | 177044103900 | D01 | 06/14/2003 | SEM | FL | | G | | 22 | | |
| | 2300 | 4223000 | 0 | 2050 | 1 | 4223 | | 0 | | | | | | |
| EC368 | 01284 | G16273 | A002D | 177044103900 | D02 | 05/06/2003 | COM | FL | | G | 24 | 14 | | |
| | | 159524 | 0 | 2100 | 21 | 3350 | | 0 | | | | | | N |
| EC368 | 01284 | G16273 | A002D | 177044103900 | D02 | 05/22/2003 | POT | FL | | G | 24 | 14 | | |
| | 2250 | 264579 | 0 | 1850 | 19 | 5027 | | 0 | 40.7 | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC368 | 01284 | G16273 | A002D | 177044103900 | D02 | 06/13/2003 | SEM | FL | | G | | 16 | | |
| | 2250 | 1243250 | 0 | 1680 | 4 | 4973 | | 0 | | | | | | |
| VR315 | 00560 | G16310 | B002 | 177064082401 | S01 | 06/13/2003 | SEM | FL | | G | | 34 | | |
| | 1250 | 9999999 | 0 | 1075 | 0 | 1998 | | 0 | 44.7 | | | | | |
| VR380 | 00003 | G16314 | A017 | 177064085500 | S02 | 06/12/2003 | SEM | FL | | G | 24 | 19 | | |
| | 2975 | 8059000 | | 2750 | 1 | 8059 | | 0 | | | | | 925 | N |
| VR380 | 00003 | G16314 | A018 | 177064085702 | S01 | 06/11/2003 | SEM | FL | | G | 24 | 21 | | |
| | 2400 | 70304 | | 1600 | 69 | 4851 | | 11 | 58.2 | | | | 855 | N |
| VR370 | 01046 | G16315 | A001 | 177064089800 | D01 | 04/22/2003 | POT | FL | | G | 16 | 24 | | |
| | 2075 | 9999999 | 0 | 500 | 0 | 704 | | 0 | | .591 | | | | N |
| VR370 | 01046 | G16315 | A001 | 177064089800 | D01 | 06/17/2003 | SEM | FL | | G | | 27 | | |
| | 80 | 9999999 | 99 | 90 | 0 | 358 | | 6 | 43.2 | | | | | |
| VR370 | 01046 | G16315 | A001D | 177064089800 | D02 | 04/23/2003 | POT | FL | | G | 21 | 20 | | |
| | 2400 | 9999999 | 100 | 350 | 0 | 1084 | | 35 | | .59 | | | | N |
| VR370 | 01046 | G16315 | A001D | 177064089800 | D02 | 06/15/2003 | SEM | FL | | G | | 28 | | |
| | 17 | 9999999 | 99 | 300 | 0 | 759 | | 14 | 43.2 | | | | | |
| SM038 | 02525 | G16320 | A001 | 177074077000 | S03 | 06/25/2003 | SEM | FL | | G | | 26 | | |
| | 1900 | 141158 | 0 | 1125 | 19 | 2682 | | 0 | 31 | | | | | |
| SM038 | 02525 | G16320 | B001 | 177074074702 | S01 | 06/16/2003 | SEM | FL | | G | | 32 | | |
| | 1100 | 16778 | 30.77 | 500 | 18 | 302 | | 8 | 36 | | | | | |
| SM038 | 02525 | G16320 | B002 | 177074076101 | S02 | 06/25/2003 | SEM | FL | | O | | 32 | | |
| | 1550 | 5615 | 77.44 | 1450 | 330 | 1853 | | 1133 | 37.9 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM038 | 02525 | G16320 | C002D | 177074078000 | D02 | 06/25/2003 | SEM | FL | | O | | 44 | | |
| | 1200 | 2173 | 70.61 | 350 | 715 | 1554 | | 1718 | 40.9 | | | | | |
| SM137 | 00003 | G16325 | C001 | 177084088900 | S01 | 06/04/2003 | SEM | FL | | G | 24 | 60 | | |
| | 3000 | 128570 | | 1100 | 86 | 11057 | | 748 | 56.3 | | | | 940 | N |
| SM184 | 02421 | G16329 | A001 | 177084089000 | D01 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 940 | 9999999 | 0 | 210 | 0 | 270 | | 0 | 0 | | | | | |
| SM184 | 02421 | G16329 | A001D | 177084089000 | D02 | 06/10/2003 | SEM | FL | | G | | 58 | | |
| | 645 | 9999999 | 99 | 215 | 0 | 994 | | 104 | 0 | | | | | |
| SM261 | 01513 | G16337 | 004 | 177074079600 | S03 | 06/11/2003 | SEM | FL | | O | | 19 | | |
| | 1310 | 413 | 70.98 | 607 | 247 | 102 | | 604 | 33.4 | | | | | |
| SM023 | 02421 | G16353 | A001 | 177094127201 | S01 | 06/10/2003 | SEM | FL | | G | 24 | 35 | | |
| | 605 | 217762 | | 410 | 21 | 4573 | | 16 | 49 | | | | 0 | N |
| SM023 | 02421 | G16353 | A003 | 177094127801 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 58 | | |
| | 913 | 85538 | | 340 | 13 | 1112 | | 4 | 48.4 | | | | 0 | N |
| EI266 | 00003 | G16362 | F011 | 177094003201 | S01 | 05/19/2003 | SEM | FL | | G | 24 | 38 | | |
| | 1030 | 9999999 | | 550 | 0 | 1374 | | 972 | | | | | 923 | N |
| EI288 | 02589 | G16365 | 001 | 177104151600 | S01 | 05/20/2003 | SEM | FL | | G | | 53 | | |
| | 1170 | 9999999 | 0 | 1043 | 0 | 557 | | 0 | | | | | | |
| EI385 | 02537 | G16374 | SS001 | 177104147500 | S01 | 06/17/2003 | SEM | FL | | G | | 128 | | |
| | 800 | 9999999 | 0 | 360 | 0 | 5189 | | 0 | | | | | | |
| SS279 | 01978 | G16395 | A001 | 177124062301 | S01 | 06/18/2003 | SEM | FL | | G | | 36 | | |
| | 2200 | 9999999 | 0 | 1950 | 0 | 19285 | | 0 | 54.2 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST190 | 01138 | G16432 | A001 | 177154097900 | S01 | 06/13/2003 | SEM | FL | | G | | 128 | | |
| | 981 | 9999999 | 99 | 495 | 0 | 8121 | | 31 | 51.3 | | | | | |
| ST190 | 01138 | G16432 | B001 | 177154098100 | S01 | 06/11/2003 | SEM | FL | | G | | 12 | | |
| | 2448 | 14909 | 0 | 2165 | 132 | 1968 | | 0 | 44.1 | | | | | |
| ST190 | 01138 | G16432 | B002 | 177154104401 | S01 | 06/13/2003 | SEM | FL | | G | | 64 | | |
| | 1462 | 82432 | 33.43 | 675 | 229 | 18877 | | 115 | 51 | | | | | |
| ST190 | 01138 | G16432 | B003 | 177154105500 | S01 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 2439 | 38621 | 12.79 | 702 | 607 | 23443 | | 89 | 49.1 | | | | | |
| ST190 | 01138 | G16432 | B006 | 177154108100 | S01 | 06/04/2003 | SEM | FL | | G | | 64 | | |
| | 2158 | 62110 | 2.51 | 813 | 543 | 33726 | | 14 | 36.7 | | | | | |
| ST190 | 01138 | G16432 | B008 | 177154108300 | S01 | 06/04/2003 | SEM | FL | | G | | 12 | | |
| | 7000 | 9999999 | 99 | 2067 | 0 | 1803 | | 3 | 48.5 | | | | | |
| ST190 | 01138 | G16432 | C002 | 177154105800 | S01 | 05/20/2003 | SEM | FL | | G | | 64 | | |
| | 1010 | 2100000 | 98.91 | 550 | 1 | 2100 | | 91 | 48 | | | | | |
| ST219 | 01001 | G16435 | A001 | 177164022500 | S01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 2010 | 216500 | 99 | 1135 | 4 | 866 | | 2762 | 44.3 | | | | | |
| ST219 | 01001 | G16435 | A002 | 177164022800 | S01 | 06/15/2003 | SEM | FL | | G | | 128 | | |
| | 760 | 9999999 | 99 | 345 | 0 | 1495 | | 92 | 44.3 | | | | | |
| ST219 | 02169 | G16435 | B002 | 177164025700 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1750 | 894875 | 99 | 490 | 8 | 7159 | | 1123 | 45.4 | | | | | |
| ST290 | 00491 | G16454 | A001 | 177164021800 | S02 | 06/03/2003 | SEM | FL | | G | | 64 | | |
| | 2600 | 192000 | 98.31 | 950 | 4 | 768 | | 233 | 56.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST290 | 00491 | G16454 | A003 | 177164027001 | S01 | 05/27/2003 | SEM | FL | | G | | 64 | | |
| | 2650 | 51348 | 0 | 425 | 132 | 6778 | | 0 | 56.8 | | | | | |
| WD041 | 01138 | G16469 | A001 | 177194066000 | S01 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 750 | 201958 | 4 | 500 | 24 | 4847 | | 1 | 55.6 | | | | | |
| WD041 | 01138 | G16469 | A002A | 177194069000 | S02 | 06/01/2003 | SEM | FL | | G | | 64 | | |
| | 2450 | 60636 | 21.43 | 950 | 11 | 667 | | 3 | 39 | | | | | |
| MP061 | 00231 | G16493 | A001 | 177254069800 | S01 | 06/17/2003 | SEM | FL | | O | | 87 | | |
| | 740 | 270 | 0 | 242 | 4680 | 1263 | | 0 | 25.8 | | | | | |
| MP061 | 00231 | G16493 | A003 | 177254071000 | S01 | 06/18/2003 | SEM | FL | | O | | 68 | | |
| | 738 | 273 | 8.04 | 248 | 3602 | 984 | | 315 | 24.1 | | | | | |
| MP061 | 00231 | G16493 | A006 | 177254072302 | S01 | 06/17/2003 | SEM | FL | | O | | 41 | | |
| | 618 | 328 | 3.07 | 384 | 2182 | 716 | | 69 | 27.2 | | | | | |
| MP061 | 00231 | G16493 | A007 | 177254074200 | S01 | 06/19/2003 | SEM | FL | | O | | 54 | | |
| | 810 | 1597 | 36.17 | 125 | 263 | 420 | | 149 | 30.3 | | | | | |
| MP061 | 00231 | G16493 | B001 | 177254071401 | S01 | 06/15/2003 | SEM | FL | | O | | 62 | | |
| | 1800 | 607 | 5.86 | 600 | 5332 | 3234 | | 332 | 27.2 | | | | | |
| MP061 | 00231 | G16493 | B003 | 177254072200 | S01 | 06/18/2003 | SEM | FL | | O | | 38 | | |
| | 2424 | 684 | 0 | 864 | 1179 | 806 | | 0 | 29.9 | | | | | |
| MP061 | 00231 | G16493 | B004 | 177254073100 | S01 | 06/16/2003 | SEM | FL | | O | | 128 | | |
| | 1300 | 718 | 0 | 320 | 6681 | 4794 | | 0 | 27.1 | | | | | |
| MP061 | 00231 | G16493 | B005 | 177254075800 | S01 | 06/16/2003 | SEM | FL | | O | | 70 | | |
| | 1533 | 506 | 0 | 420 | 5177 | 2620 | | 0 | 27.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP061 | 00231 | G16493 | D001 | 177254073500 | S01 | 08/07/2003 | POT | FL | | G | 4 | 38 | | |
| | 2559 | 614429 | 0 | 1928 | 14 | 8602 | | 0 | 50.7 | .515 | | | N | |
| BS053 | 00730 | G16502 | 001 | 177264003300 | S02 | 06/03/2003 | SEM | FL | | G | | 10 | | |
| | 2060 | 766500 | 98.23 | 1060 | 4 | 3066 | | 228 | 48 | | | | | |
| MP280 | 00282 | G16515 | C001 | 177244081100 | S01 | 06/29/2003 | SEM | FL | | G | | 46 | | |
| | 2335 | 665708 | 61.9 | 1512 | 24 | 15977 | | 39 | 49 | | | | | |
| MP280 | 00282 | G16515 | C002 | 177244081500 | S01 | 06/20/2003 | SEM | FL | | O | | 24 | | |
| | 3990 | 1581 | 13.45 | 1230 | 978 | 1546 | | 152 | 40 | | | | | |
| MP283 | 00540 | G16516 | A005 | 177244088200 | S01 | 06/21/2003 | SEM | FL | | G | | 10 | | |
| | 7293 | 10024 | 3.54 | 3340 | 490 | 4912 | | 18 | 46.7 | | | | | |
| MP311 | 00105 | G16520 | JA001 | 177244077000 | S01 | 06/16/2003 | SEM | FL | | G | 24 | 28 | | |
| | 6550 | 9530 | | 5108 | 1907 | 18173 | | 4 | 44.5 | | | | 1102 | N |
| VK069 | 00078 | G16535 | A001 | 608164039100 | S01 | 05/23/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3353 | 9999999 | | 1311 | 0 | 13153 | | 435 | | | | | 1275 | N |
| VK114 | 00078 | G16536 | A001 | 608164029000 | S01 | 05/08/2003 | SEM | FL | | G | 24 | 100 | | |
| | 3148 | 465500 | | 1290 | 26 | 12103 | | 157 | | | | | 1300 | N |
| VK114 | 00078 | G16536 | A003 | 608164036400 | S01 | 05/04/2003 | SEM | FL | | G | 24 | 100 | | |
| | 2996 | 144071 | | 1359 | 28 | 4034 | | 325 | | | | | 1321 | N |
| VK384 | 00078 | G16541 | A001 | 608164035400 | S01 | 05/09/2003 | SEM | FL | | G | 24 | 57 | | |
| | 4271 | 9999999 | | 2507 | 0 | 20548 | | 658 | | | | | 1565 | N |
| VK385 | 01138 | G16542 | A001 | 608164034100 | S01 | 05/25/2003 | SEM | FL | | G | | 128 | | |
| | 4400 | 620200 | 98.33 | 1030 | 20 | 12404 | | 1175 | 32.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VK823 | 01500 | G16549 | A004 | 608164035500 | S02 | 01/27/2003 | SEM | FL | | G | | 128 | | |
| | 2370 | 31850 | 20.53 | 1020 | 240 | 7644 | | 62 | 52.6 | | | | | |
| VK823 | 01500 | G16549 | A008 | 608164038700 | S01 | 02/16/2003 | SEM | FL | | G | | 23 | | |
| | 2470 | 107269 | 46.94 | 920 | 26 | 2789 | | 23 | 54 | | | | | |
| VK823 | 01500 | G16549 | A010 | 608164039300 | D03 | 01/26/2003 | SEM | FL | | G | | 9 | | |
| | 4160 | 25882 | 1.06 | 3700 | 93 | 2407 | | 1 | 52.9 | | | | | |
| VK823 | 01500 | G16549 | A010D | 608164039300 | D02 | 01/26/2003 | SEM | FL | | G | | 48 | | |
| | 2960 | 48277 | 36.02 | 1050 | 119 | 5745 | | 67 | 51.2 | | | | | |
| EI380 | 01284 | G16680 | A002 | 177104152801 | S01 | 06/08/2003 | SEM | FL | | O | | 15 | | |
| | | 2268 | 81.96 | 1950 | 149 | 338 | | 677 | 36.8 | | | | | |
| EI380 | 01284 | G16680 | A005 | 177104154200 | S01 | 06/03/2003 | SEM | FL | | O | | 16 | | |
| | | 2290 | 58.67 | 1825 | 324 | 742 | | 460 | 35.7 | | | | | |
| EI380 | 01284 | G16680 | A009 | 177104156201 | S01 | 09/01/2003 | POT | FL | | G | 24 | 16 | | |
| | 4300 | 6646 | 1.98 | 3150 | 494 | 3283 | | 10 | 55.6 | .6 | | | | N |
| GC110 | 00689 | G16698 | MA001 | 608114022803 | S01 | 04/02/2003 | SEM | FL | | O | 24 | 16 | | |
| | | 1698 | | 3920 | 1322 | 2245 | | 0 | 29.8 | | | | | N |
| GC110 | 00689 | G16698 | MA002 | 608114031100 | S01 | 05/28/2003 | SEM | FL | | O | 24 | 49 | | |
| | | 1698 | | 2939 | 7552 | 12823 | | 0 | 29.8 | | | | | N |
| GC282 | 02010 | G16727 | 001 | 608114030804 | S01 | 03/15/2003 | POT | FL | | O | 4 | 4 | | |
| | | 1420 | .2 | 6089 | 15894 | 22569 | | 32 | 33.5 | .677 | | | | N |
| GC282 | 02010 | G16727 | 001 | 608114030804 | S01 | 06/27/2003 | SEM | FL | | O | 24 | 24 | | |
| | 6450 | 1634 | | 5475 | 11108 | 18148 | | 0 | 36.1 | | | | 5485 | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| GC282 | 02010 | G16727 | 002 | 608114033701 | S01 | 09/18/2003 | POT | FL | | O | 6 | 44 | | |
| | | 1656 | 0 | 6111 | 10794 | 17879 | | 0 | 33.5 | .67 | | | N | |
| GA213 | 01834 | G17120 | A001 | 427064040701 | S01 | 05/01/2003 | SEM | FL | | G | | 12 | | |
| | 4200 | 67593 | 95.52 | 905 | 27 | 1825 | | 576 | 37 | | | | | |
| GA389 | 01046 | G17133 | B001 | 427064042400 | D04 | 06/22/2003 | SEM | FL | | G | | 13 | | |
| | 2620 | 143 | 16 | 2430 | 21 | 3 | | 4 | 47.7 | | | | | |
| WILD | 02169 | G17150 | A002 | 427084056101 | S01 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 3000 | 44759 | 62.54 | 1200 | 133 | 5953 | | 222 | 46.6 | | | | | |
| HI442A | 01704 | G17179 | 001 | 427094109900 | S01 | 06/17/2003 | SEM | UK | | G | | 64 | | |
| | 628 | 165333 | 33.33 | 323 | 6 | 992 | | 3 | 55.2 | | | | | |
| HI544A | 00105 | G17199 | JA001 | 427094104000 | S01 | 06/02/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1320 | 361194 | | 700 | 31 | 11197 | | 3 | 30 | | | | 610 | N |
| HI545A | 00105 | G17199 | JA002 | 427094112401 | S01 | 05/18/2003 | SEM | FL | | G | 24 | 124 | | |
| | 2500 | 7022 | | 1625 | 185 | 1299 | | 111 | 30 | | | | 630 | N |
| HI355A | 01819 | G17212 | A001 | 427114080900 | S04 | 02/18/2003 | POT | FL | | G | 18 | 20 | | |
| | 3175 | 272806 | 3.13 | 2760 | 31 | 8457 | | 1 | 55.5 | .579 | | | | N |
| HI355A | 01819 | G17212 | A001 | 427114080900 | S04 | 06/10/2003 | SEM | FL | | G | | 10 | | |
| | 1350 | 418000 | 98.68 | 1250 | 2 | 836 | | 150 | | | | | | |
| HI355A | 01819 | G17212 | A001 | 427114080900 | S04 | 06/26/2003 | POT | FL | | G | 24 | 11 | | |
| | 1550 | 335143 | 61.11 | 1350 | 7 | 2346 | | 11 | 55.2 | .573 | | | | N |
| EB168 | 00730 | G17233 | SS002 | 608044023000 | S01 | 06/17/2003 | SEM | FL | | G | | 29 | | |
| | 2500 | 9999999 | 0 | 1160 | 0 | 6400 | | 0 | 0 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB205 | 00003 | G17237 | 001 | 608044021800 | S01 | 06/07/2003 | SEM | FL | | G | 24 | 38 | | |
| | 2454 | 114207 | | 1143 | 29 | 3312 | | 0 | 56 | | | | 1050 | N |
| EB421 | 00185 | G17255 | SS001 | 608044020000 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 128 | | |
| | 2472 | 793179 | | 2265 | 39 | 30934 | | 0 | 49.4 | | | | 1067 | N |
| GB200 | 00059 | G17300 | 001 | 608074021702 | S01 | 06/26/2003 | SEM | FL | | G | | 199 | | |
| | 1335 | 2434667 | 0 | 220 | 3 | 7304 | | 0 | 52.8 | | | | | |
| GB179 | 00730 | G17301 | 001 | 608074063700 | S01 | 06/05/2003 | SEM | FL | | G | | 32 | | |
| | | 9999999 | 99 | 1275 | 0 | 5800 | | 196 | 0 | | | | | |
| GB200 | 00059 | G17307 | 001 | 608074023701 | S01 | 06/19/2003 | SEM | FL | | G | | 62 | | |
| | 5810 | 76620 | 1.69 | 3495 | 700 | 53634 | | 12 | 47.3 | | | | | |
| WC017 | 01138 | G17754 | A001 | 177004113600 | S01 | 06/17/2003 | SEM | FL | | G | | 25 | | |
| | 6400 | 290889 | 59.96 | 3265 | 315 | 91630 | | 471 | 39.2 | | | | | |
| WC284 | 01819 | G17776 | C001 | 177004116200 | S01 | 07/20/2003 | POT | FL | | G | 4 | 11 | | |
| | 2160 | 1083000 | 66.67 | 1950 | 1 | 1083 | | 2 | 54 | .577 | | | | N |
| WC284 | 01819 | G17776 | C002 | 177004116400 | S01 | 07/20/2003 | POT | FL | | G | 4 | 19 | | |
| | 2250 | 9999999 | 100 | 2150 | 0 | 6026 | | 1 | | .563 | | | | N |
| WC310 | 02291 | G17789 | 001 | 177014032500 | S01 | 06/21/2003 | SEM | FL | | G | | 19 | | |
| | 3100 | 132886 | 29.03 | 2900 | 44 | 5847 | | 18 | 53.4 | | | | | |
| WC598 | 00185 | G17815 | A001 | 177024117700 | S01 | 05/25/2003 | SEM | FL | | G | 24 | 30 | | |
| | 2510 | 9999999 | | 0 | 0 | 6279 | | 1785 | | | | | 1100 | N |
| WC598 | 00185 | G17815 | A003 | 177024126600 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 20 | | |
| | 2650 | 9999999 | | 1800 | 0 | 5192 | | 28 | | | | | 1045 | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC598 | 00185 | G17815 | A004 | 177024127200 | S02 | 06/28/2003 | SEM | FL | | G | 24 | 28 | | |
| | 2630 | 9999999 | | 2020 | 0 | 9570 | | 5 | | | | | 1045 | N |
| EC033 | 01834 | G17834 | 002 | 177034084900 | S07 | 05/24/2003 | SEM | FL | | G | | 22 | | |
| | 1200 | 9999999 | 99 | 1000 | 0 | 662 | | 549 | 42.5 | | | | | |
| EC089 | 00222 | G17840 | A001 | 177034090401 | S01 | 06/20/2003 | SEM | FL | | G | | 30 | | |
| | 9500 | 8589 | 31.39 | 5750 | 1552 | 13330 | | 710 | 49.8 | | | | | |
| WC192 | 00491 | G17842 | A005 | 177034095001 | S01 | 07/17/2003 | POT | FL | | G | 24 | 10 | | |
| | 6544 | 49691 | 37.21 | 5750 | 81 | 4025 | | 48 | 44.8 | .6 | | | | N |
| WC192 | 02058 | G17842 | B003 | 177034093000 | S01 | 06/02/2003 | SEM | FL | | G | | 20 | | |
| | 2300 | 9999999 | 99 | 1500 | 0 | 2901 | | 2 | | | | | | |
| EC345 | 01704 | G17878 | A001 | 177044100400 | S02 | 06/10/2003 | SEM | FL | | O | | 21 | | |
| | | 1187 | 40.68 | 2300 | 417 | 495 | | 286 | 30.8 | | | | | |
| EC345 | 01704 | G17878 | A002 | 177044101004 | S01 | 06/10/2003 | SEM | FL | | G | | 14 | | |
| | 6150 | 14297 | .22 | 5400 | 444 | 6348 | | 1 | 45.5 | | | | | |
| VR076 | 00560 | G17888 | 001 | 177054111200 | D01 | 06/17/2003 | SEM | FL | | O | | 47 | | |
| | | 567 | 55.17 | 311 | 425 | 241 | | 523 | 40.2 | | | | | |
| VR115 | 02525 | G17895 | A001 | 177054109200 | S02 | 06/04/2003 | SEM | FL | | G | | 54 | | |
| | 2625 | 42909 | 73.49 | 1625 | 22 | 944 | | 61 | 50.7 | | | | | |
| VR115 | 02525 | G17895 | A002 | 177054113300 | S01 | 06/08/2003 | SEM | FL | | G | | 63 | | |
| | 5500 | 41535 | 50 | 5050 | 243 | 10093 | | 243 | 50.5 | | | | | |
| VR115 | 02607 | G17896 | A001 | 177054107001 | S01 | 05/26/2003 | SEM | FL | | G | | 8 | | |
| | 980 | 9999999 | 0 | 160 | 0 | 77 | | 0 | | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR115 | 01963 | G17898 | B001 | 177054114900 | S01 | 06/12/2003 | SEM | FL | | G | | 37 | | |
| | 3250 | 61705 | 5 | 2790 | 342 | 21103 | | 18 | 40 | | | | | |
| VR250 | 00491 | G17912 | E002 | 177054082301 | S02 | 01/20/2003 | POT | FL | | G | 24 | 23 | | |
| | 5210 | 9999999 | 100 | 3000 | 0 | 2088 | | 126 | 52.1 | .626 | | | N | |
| VR250 | 00491 | G17912 | E002 | 177054082301 | S02 | 05/20/2003 | SEM | FL | | G | | 100 | | |
| | 1100 | 9999999 | 99 | 150 | 0 | 242 | | 356 | 49 | | | | | |
| VR273 | 00491 | G17912 | F006 | 177064085202 | S02 | 06/14/2003 | SEM | GL | | G | | 128 | | |
| | 1390 | 1061 | 68.96 | 150 | 604 | 641 | | 1342 | 32 | | | | | |
| VR273 | 00491 | G17912 | H001 | 177064082300 | S06 | 08/03/2003 | POT | FL | | G | 7 | 15 | | |
| | 4070 | 190741 | 0 | 4060 | 27 | 5150 | | 0 | 46.2 | .6 | | | N | |
| VR273 | 00491 | G17912 | H002 | 177064083800 | S04 | 06/16/2003 | SEM | FL | | G | | 128 | | |
| | 1980 | 9999999 | 99 | 250 | 0 | 920 | | 4 | 42 | | | | | |
| VR273 | 00491 | G17912 | H003 | 177064085900 | D01 | 06/15/2003 | SEM | FL | | G | | 64 | | |
| | 825 | 375 | 97.74 | 225 | 16 | 6 | | 692 | 45 | | | | | |
| VR273 | 00491 | G17912 | H003D | 177064085900 | D02 | 06/06/2003 | SEM | FL | | G | | 64 | | |
| | 825 | 2042 | 95.74 | 225 | 24 | 49 | | 540 | 38.9 | | | | | |
| VR273 | 00491 | G17912 | H004 | 177064086400 | S05 | 08/01/2003 | POT | FL | | O | 4 | 12 | | |
| | 2900 | 1330 | 0 | 2200 | 528 | 702 | | 0 | 42.2 | .6 | | | N | |
| VR255 | 01834 | G17913 | A002 | 177064085801 | S01 | 05/26/2003 | SEM | FL | | G | | 25 | | |
| | 800 | 144500 | 0 | 400 | 12 | 1734 | | 0 | 53.6 | | | | | |
| VR255 | 01834 | G17913 | A003 | 177064086001 | S01 | 05/12/2003 | SEM | FL | | G | | 13 | | |
| | 3300 | 23412 | 87.88 | 3080 | 97 | 2271 | | 703 | 44.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SM166 | 00491 | G17921 | A002 | 177064085100 | D03 | 03/02/2003 | POT | FL | | O | 24 | 9 | | |
| | 822 | 1662 | 3.85 | 215 | 65 | 108 | | 3 | 35 | .6 | | | N | |
| SM166 | 00491 | G17921 | A002 | 177064085100 | D03 | 05/21/2003 | SEM | FL | | O | | 10 | | |
| | 390 | 143 | 19.54 | 200 | 70 | 10 | | 17 | 24.8 | | | | | |
| SM166 | 00491 | G17921 | A003 | 177064086100 | S03 | 05/25/2003 | SEM | GL | | O | | 128 | | |
| | 840 | 203 | 55.17 | 120 | 64 | 13 | | 78 | 23.5 | | | | | |
| SM166 | 00491 | G17921 | A005 | 177064089000 | S01 | 06/01/2003 | SEM | GL | | O | | 128 | | |
| | 900 | 202 | 87.9 | 165 | 620 | 125 | | 4506 | 23.6 | | | | | |
| SM073 | 00774 | G17935 | D002 | 177084084400 | S01 | 06/16/2003 | SEM | FL | | G | | 64 | | |
| | 2400 | 65667 | 0 | 400 | 3 | 197 | | 0 | 33.1 | | | | | |
| SM115 | 00048 | G17938 | A001 | 177084089700 | S01 | 06/01/2003 | SEM | FL | | G | 24 | 23 | | |
| | 647 | 15157 | | 692 | 230 | 3486 | | 0 | | | | | 998 | N |
| SM115 | 00048 | G17938 | A002 | 177084089900 | S01 | 06/11/2003 | SEM | FL | | G | 24 | 44 | | |
| | 765 | 988000 | | 337 | 4 | 3952 | | 8 | | | | | 969 | N |
| SM115 | 00560 | G17942 | A001 | 177084085202 | S01 | 05/26/2003 | SEM | GL | | O | | 42 | | |
| | | 181 | 40.04 | 300 | 554 | 100 | | 370 | 27.9 | | | | | |
| SM115 | 00560 | G17942 | A002 | 177084085800 | S01 | 05/26/2003 | SEM | FL | | O | | 51 | | |
| | | 174 | 0 | 360 | 1351 | 235 | | 0 | 27.9 | | | | | |
| SM115 | 00560 | G17942 | A003 | 177084088300 | S01 | 05/26/2003 | SEM | FL | | O | | 54 | | |
| | | 159 | 15.02 | 360 | 724 | 115 | | 128 | 27.9 | | | | | |
| EI045 | 02018 | G17959 | 001 | 177094116800 | S03 | 05/04/2003 | SEM | FL | | G | | 12 | | |
| | 1695 | 157909 | 0 | 1250 | 11 | 1737 | | 0 | 49.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI045 | 00222 | G17960 | 001 | 177094122902 | S01 | 05/18/2003 | SEM | FL | | G | | 26 | | |
| | 2925 | 78504 | 68.26 | 1540 | 133 | 10441 | | 286 | 48.6 | | | | | |
| EI108 | 01777 | G17964 | 003 | 177094133101 | S03 | 01/29/2003 | POT | FL | | G | 24 | 31 | | |
| | 4375 | 9999999 | 100 | 2795 | 0 | 8883 | | 1491 | | | .589 | | | N |
| EI108 | 01777 | G17964 | 003 | 177094133101 | S04 | 06/26/2003 | POT | FL | | G | 13 | 14 | | |
| | 4873 | 9999999 | 0 | 4639 | 0 | 6300 | | 0 | | | .6 | | | N |
| EI143 | 00730 | G17973 | A001 | 177094135300 | S01 | 06/08/2003 | SEM | FL | | G | | 21 | | |
| | 5400 | 14391 | 3.11 | 3350 | 655 | 9426 | | 21 | 51.2 | | | | | |
| EI231 | 00148 | G17986 | A001 | 177094118900 | S03 | 06/16/2003 | POT | GL | | G | 24 | 64 | | |
| | 2000 | 33576 | 98.74 | 1045 | 59 | 1981 | | 4638 | 50.8 | | .609 | | | N |
| EI231 | 00148 | G17986 | A001 | 177094118900 | S04 | 07/09/2003 | POT | GL | | G | 24 | 14 | | |
| | 5000 | 26638 | .21 | 4831 | 282 | 7512 | | 1 | 47.1 | | .609 | | | N |
| EI300 | 01978 | G17991 | 001 | 177104153600 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1525 | 2963167 | 0 | 1150 | 6 | 17779 | | 0 | 46.5 | | | | | |
| ST156 | 01103 | G18043 | B001 | 177154111202 | S01 | 11/03/2003 | POT | FL | | G | 24 | 27 | | |
| | 9006 | 2951 | 0 | 7669 | 4439 | 13100 | | 0 | 39.8 | | .68 | | | N |
| WD038 | 01138 | G18065 | B001A | 177174042700 | S02 | 06/01/2003 | SEM | GL | | O | | 47 | | |
| | 1200 | 3348 | 82.24 | 270 | 313 | 1048 | | 1449 | 31 | | | | | |
| MP178 | 02349 | G18105 | A001 | 177244081300 | S02 | 05/03/2003 | SEM | FL | | G | | 4 | | |
| | 2400 | 139800 | 28.57 | 1200 | 5 | 699 | | 2 | 40.2 | | | | | |
| MP178 | 02349 | G18105 | A002 | 177244084701 | S01 | 05/03/2003 | SEM | FL | | O | | 21 | | |
| | 7300 | 132000 | 16.67 | 1450 | 25 | 3300 | | 5 | 38.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP242 | 00491 | G18114 | A004 | 177244086500 | S01 | 05/13/2003 | SEM | GL | | G | | 128 | | |
| | 725 | 9999999 | 99 | 205 | 0 | 381 | | 224 | 0 | | | | | |
| SA007 | 00730 | G18121 | A001 | 177314007302 | S01 | 06/10/2003 | SEM | FL | | G | | 40 | | |
| | 3200 | 161032 | 0 | 1300 | 62 | 9984 | | 0 | 47.2 | | | | | |
| EW878 | 00730 | G18169 | SS001 | 608105009500 | S01 | 06/02/2003 | SEM | FL | | O | | 99 | | |
| | 300 | 1568 | 8.29 | 200 | 199 | 312 | | 18 | 32.9 | | | | | |
| EW878 | 00730 | G18169 | SS002 | 608105009601 | S02 | 06/03/2003 | SEM | FL | | G | | 99 | | |
| | 1250 | 389533 | 94.79 | 400 | 15 | 5843 | | 273 | 32.9 | | | | | |
| EW921 | 00818 | G18184 | 001 | 608104010001 | S01 | 06/19/2003 | SEM | FL | | O | | 41 | | |
| | 3027 | 855 | 0 | 2119 | 5135 | 4392 | | 0 | 23.8 | | | | | |
| MC109 | 00689 | G18192 | A009 | 608174042501 | S01 | 06/24/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 165 | 1.05 | 194 | 849 | 140 | | 9 | 23.5 | | | | | |
| MC109 | 00689 | G18192 | A011 | 608174042801 | S01 | 06/23/2003 | SEM | GL | | O | | 64 | | |
| | 0 | 242 | 3.21 | 134 | 211 | 51 | | 7 | 25 | | | | | |
| MC109 | 00689 | G18192 | A031 | 608174087900 | S01 | 06/24/2003 | SEM | GL | | O | | 128 | | |
| | 0 | 955 | 2 | 153 | 884 | 844 | | 18 | 24.1 | | | | | |
| MC084 | 02481 | G18194 | A004 | 608174093700 | S01 | 06/19/2003 | SEM | FL | | O | | 49 | | |
| | 0 | 849 | 0 | 884 | 11358 | 9641 | | 0 | 31.7 | | | | | |
| EW305 | 01834 | G18208 | A003 | 608104004801 | S02 | 05/28/2003 | POT | FL | | G | 24 | 17 | | |
| | 4588 | 6277000 | 0 | 4407 | 1 | 6277 | | 0 | 45.7 | .6 | | | | N |
| EW305 | 01834 | G18208 | A003 | 608104004801 | S02 | 06/05/2003 | SEM | FL | | G | | 16 | | |
| | 4588 | 869143 | 0 | 4167 | 7 | 6084 | | 0 | 45.7 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EW305 | 01834 | G18208 | A015 | 608105006102 | S02 | 06/05/2003 | SEM | FL | | O | | 16 | | |
| | 3700 | 5640 | 82.63 | 1887 | 139 | 784 | | 661 | 37.1 | | | | | |
| MC705 | 00231 | G18273 | 001 | 608174086001 | S01 | 06/15/2003 | SEM | FL | | G | | 36 | | |
| | 4560 | 5226 | 0 | 3271 | 4924 | 25731 | | 0 | 52.3 | | | | | |
| MI565 | 00003 | G18885 | 001 | 427034052000 | S01 | 06/05/2003 | SEM | FL | | G | 24 | 64 | | |
| | 1050 | 631800 | | 600 | 5 | 3159 | | 2 | 47.6 | | | | 900 | N |
| GA325 | 02200 | G18920 | A001 | 427064035401 | S01 | 06/13/2003 | SEM | FL | | G | | 28 | | |
| | 1800 | 163583 | 57.14 | 1165 | 12 | 1963 | | 16 | 44.2 | | | | | |
| GA418 | 01978 | G18921 | A001 | 427064042601 | S01 | 06/18/2003 | SEM | FL | | G | | 25 | | |
| | 2000 | 572167 | 75 | 1600 | 6 | 3433 | | 18 | 45 | | | | | |
| HI133 | 00003 | G18936 | 003 | 427084052301 | S01 | 06/24/2003 | SEM | FL | | G | | 28 | | |
| | 6190 | 104281 | 60 | 1024 | 32 | 3337 | | 48 | 44.5 | | | | | |
| HI116 | 00491 | G18936 | B001 | 427084056900 | S01 | 10/07/2003 | POT | FL | | G | 24 | 24 | | |
| | 13127 | 9999999 | 100 | 11478 | 0 | 14614 | | 116 | | .6 | | | | N |
| HI133 | 00003 | G18938 | A002 | 427084048900 | S08 | 03/01/2003 | POT | FL | | G | 24 | 192 | | |
| | 7100 | 37000 | 25.93 | 7000 | 40 | 1480 | | 14 | 39.6 | .585 | | | | N |
| HI153A | 00003 | G18946 | A002 | 427084055100 | S01 | 05/17/2003 | SEM | FL | | G | 24 | 32 | | |
| | 1169 | 9999999 | | 807 | 0 | 2266 | | 411 | | | | | 1170 | N |
| HI074 | 02525 | G18948 | A001 | 427104014300 | S01 | 06/14/2003 | SEM | FL | | G | | 27 | | |
| | 2475 | 353500 | 70.37 | 1300 | 8 | 2828 | | 19 | 43.6 | | | | | |
| HI538A | 02266 | G18957 | A001 | 427094112500 | S01 | 03/03/2003 | POT | GL | | G | 24 | 48 | | |
| | 840 | 9999999 | 100 | 730 | 0 | 9495 | | 9 | | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI538A | 02266 | G18957 | A001 | 427094112500 | S01 | 05/25/2003 | SEM | FL | | G | | 64 | | |
| | 780 | 9999999 | 99 | 600 | 0 | 12026 | | 1 | 0 | | | | | |
| HI538A | 02266 | G18957 | A002 | 427094112900 | D01 | 03/03/2003 | POT | GL | | G | 24 | 56 | | |
| | 860 | 9999999 | 100 | 600 | 0 | 8544 | | 13 | 0 | .6 | | | | N |
| HI538A | 02266 | G18957 | A002 | 427094112900 | D01 | 05/25/2003 | SEM | FL | | G | | 58 | | |
| | 790 | 9999999 | 99 | 590 | 0 | 7026 | | 1 | 0 | | | | | |
| HI538A | 02266 | G18957 | A002D | 427094112900 | D02 | 03/03/2003 | POT | GL | | G | 24 | 46 | | |
| | 820 | 9999999 | 100 | 760 | 0 | 7608 | | 16 | | .6 | | | | N |
| HI538A | 02266 | G18957 | A002D | 427094112900 | D02 | 05/25/2003 | SEM | FL | | G | | 58 | | |
| | 790 | 9999999 | 99 | 590 | 0 | 6687 | | 1 | | | | | | |
| EB579 | 01935 | G19025 | SS002 | 608044023500 | S01 | 04/01/2003 | POT | FL | | G | 24 | 108 | | |
| | 4077 | 298627 | 8.8 | 3583 | 311 | 92873 | | 30 | 45 | .601 | | | | N |
| EB579 | 01935 | G19025 | SS002 | 608044023500 | S01 | 06/28/2003 | SEM | FL | | G | | 152 | | |
| | 4077 | 270407 | 14.81 | 3583 | 351 | 94913 | | 61 | 48.3 | | | | | |
| EB579 | 01935 | G19030 | SS002 | 608044023400 | S01 | 03/17/2003 | POT | FL | | G | 24 | 95 | | |
| | 4073 | 172195 | 6.54 | 3879 | 672 | 115715 | | 47 | 45 | .601 | | | | N |
| EB579 | 01935 | G19030 | SS002 | 608044023400 | S01 | 06/29/2003 | SEM | FL | | G | | 128 | | |
| | 4073 | 268670 | 14.35 | 4142 | 370 | 99408 | | 62 | 48.3 | | | | | |
| WC229 | 01963 | G19708 | C001 | 177004108500 | S01 | 06/14/2003 | SEM | FL | | G | | 50 | | |
| | 1170 | 116211 | 97.68 | 420 | 19 | 2208 | | 799 | 54.2 | | | | | |
| WC229 | 01963 | G19708 | C002 | 177004114600 | S02 | 06/14/2003 | SEM | FL | | G | | 28 | | |
| | 1250 | 291545 | 0 | 890 | 11 | 3207 | | 0 | 53.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC229 | 01963 | G19708 | C003 | 177004115800 | S02 | 06/14/2003 | SEM | FL | | G | | 14 | | |
| | 3350 | 228000 | 0 | 2100 | 11 | 2508 | | 0 | 54.2 | | | | | |
| EC215 | 02427 | G19750 | C001 | 177034093300 | S01 | 05/31/2003 | SEM | FL | | O | | 24 | | |
| | 4000 | 85050 | 0 | 3600 | 140 | 11907 | | 0 | 48 | | | | | |
| VR054 | 00222 | G19754 | 001 | 177054115700 | S01 | 01/02/2003 | COM | FL | | G | 24 | 16 | | |
| | | 384818 | 15.38 | 2650 | 11 | 4233 | | 2 | | | | | | N |
| VR054 | 00222 | G19754 | 001 | 177054115700 | S01 | 01/28/2003 | POT | FL | | G | 4 | 14 | | |
| | 3635 | 153760 | 7.41 | 2900 | 25 | 3844 | | 2 | 48 | .583 | | | | N |
| VR054 | 00222 | G19754 | 001 | 177054115700 | S01 | 06/27/2003 | SEM | FL | | G | | 16 | | |
| | 3550 | 122600 | 1.96 | 2650 | 50 | 6130 | | 1 | 48.8 | | | | | |
| VR054 | 00222 | G19754 | 002 | 177054116100 | D01 | 01/05/2003 | COM | FL | | G | 24 | 14 | | |
| | | 142000 | 29.03 | 3700 | 22 | 3124 | | 9 | | | | | | N |
| VR054 | 00222 | G19754 | 002 | 177054116100 | D01 | 01/27/2003 | POT | FL | | G | 4 | 14 | | |
| | 3575 | 9999999 | 100 | 3050 | 0 | 3684 | | 4 | 48.9 | .58 | | | | N |
| VR054 | 00222 | G19754 | 002 | 177054116100 | D01 | 06/28/2003 | SEM | FL | | G | | 14 | | |
| | 3200 | 150304 | 4.17 | 2500 | 23 | 3457 | | 1 | 48.8 | | | | | |
| VR054 | 00222 | G19754 | 002D | 177054116100 | D02 | 01/07/2003 | COM | FL | | G | 24 | 16 | | |
| | | 178036 | 24.32 | 3300 | 28 | 4985 | | 9 | | | | | | N |
| VR054 | 00222 | G19754 | 002D | 177054116100 | D02 | 01/27/2003 | POT | FL | | G | 4 | 16 | | |
| | 3200 | 226864 | 0 | 2980 | 22 | 4991 | | 0 | 48.9 | .578 | | | | N |
| VR054 | 00222 | G19754 | 002D | 177054116100 | D02 | 06/21/2003 | SEM | FL | | G | | 14 | | |
| | 2700 | 309400 | 91.53 | 1800 | 5 | 1547 | | 54 | 48.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR083 | 01834 | G19756 | A001 | 177054110000 | S01 | 05/01/2003 | SEM | FL | | G | | 26 | | |
| | 2380 | 9999999 | 99 | 1550 | 0 | 4326 | | 350 | | | | | | |
| VR207 | 02312 | G19760 | A001 | 177054112300 | S01 | 06/29/2003 | SEM | FL | | G | 24 | 128 | | |
| | 1050 | 34728 | | 560 | 246 | 8543 | | 28 | 49.7 | | | | 1010 | N |
| VR207 | 00185 | G19760 | A002 | 177054116700 | S01 | 06/30/2003 | SEM | FL | | G | 24 | 35 | | |
| | 5200 | 8220 | | 4300 | 2990 | 24579 | | 10 | 49.7 | | | | 1010 | N |
| VR207 | 00185 | G19760 | A002 | 177054116700 | S01 | 07/07/2003 | POT | FL | | G | 24 | 36 | | |
| | 4900 | 8437 | .03 | 4150 | 2925 | 24678 | | 1 | 49.7 | .644 | | | | N |
| WILD | 02312 | G19761 | A003 | 177054117600 | S01 | 07/24/2003 | POT | FL | | G | 24 | 11 | | |
| | 5250 | 27228 | 4.61 | 4375 | 145 | 3948 | | 7 | 55.3 | .653 | | | | N |
| SM076 | 00003 | G19774 | 001 | 177084087100 | S01 | 06/05/2003 | SEM | FL | | G | 24 | 23 | | |
| | 2750 | 117571 | | 1650 | 7 | 823 | | 689 | | | | | 1000 | N |
| SM137 | 00003 | G19776 | C003 | 177084089401 | S01 | 06/21/2003 | SEM | FL | | G | 24 | 15 | | |
| | 2675 | 87805 | | 2415 | 41 | 3600 | | 307 | 54.2 | | | | 848 | N |
| EI045 | 02525 | G19785 | 003 | 177094132000 | S02 | 06/09/2003 | SEM | FL | | G | | 6 | | |
| | 1700 | 2570000 | 98.81 | 1650 | 1 | 2570 | | 83 | 45 | | | | | |
| ST196 | 02525 | G19829 | C001 | 177154096400 | D01 | 06/16/2003 | SEM | FL | | G | | 23 | | |
| | 2800 | 109841 | 0 | 2615 | 44 | 4833 | | 0 | 44 | | | | | |
| ST219 | 02169 | G19831 | B001 | 177164025600 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1350 | 234125 | 97.71 | 400 | 8 | 1873 | | 341 | 45.4 | | | | | |
| ST264 | 02349 | G19832 | A003 | 177164028300 | S01 | 05/16/2003 | SEM | FL | | G | | 24 | | |
| | 3250 | 71558 | 82.78 | 1625 | 52 | 3721 | | 250 | 50.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| ST264 | 02349 | G19832 | A004D | 177164029900 | D02 | 05/18/2003 | SEM | FL | | G | | 13 | | |
| | 3250 | 52833 | 97.65 | 1625 | 12 | 634 | | 499 | 52 | | | | | |
| ST274 | 02349 | G19835 | A002 | 177164029400 | S01 | 06/09/2003 | SEM | FL | | G | | 128 | | |
| | 5200 | 54405 | 45.79 | 3000 | 148 | 8052 | | 125 | 47.8 | | | | | |
| WD061 | 01834 | G19839 | A002 | 177194067701 | S03 | 05/24/2003 | SEM | FL | | O | | 28 | | |
| | 1425 | 521 | 70.97 | 425 | 292 | 152 | | 714 | 23.1 | | | | | |
| MP265 | 00491 | G19863 | A001 | 177244087600 | S02 | 05/19/2003 | SEM | FL | | G | | 10 | | |
| | 4300 | 25167 | 83.55 | 710 | 138 | 3473 | | 701 | 60 | | | | | |
| MP265 | 00491 | G19863 | A002 | 177244088601 | S01 | 05/27/2003 | SEM | FL | | G | | 31 | | |
| | 4325 | 9373 | 64.8 | 1110 | 126 | 1181 | | 232 | 60 | | | | | |
| MP267 | 00491 | G19864 | A002 | 177244086000 | S01 | 05/04/2003 | SEM | FL | | G | | 22 | | |
| | 760 | 9999999 | 99 | 190 | 0 | 1423 | | 3 | 0 | | | | | |
| VK114 | 00078 | G19893 | A002 | 608164035100 | S01 | 05/02/2003 | SEM | FL | | G | | 5 | | |
| | 3926 | 9999999 | 0 | 1301 | 0 | 1585 | | 0 | | | | | | |
| VK873 | 00689 | G19908 | SS001 | 608164033601 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 72 | | |
| | 3234 | 1451348 | | 2150 | 23 | 33381 | | 30 | 40.9 | | | | 1300 | N |
| MC084 | 00114 | G19925 | A001 | 608174093000 | S01 | 06/30/2003 | SEM | FL | | O | | 44 | | |
| | 0 | 838 | 0 | 1145 | 8482 | 7104 | | 0 | 32.2 | | | | | |
| MC084 | 00114 | G19925 | A002 | 608174093600 | S01 | 06/22/2003 | SEM | FL | | O | | 34 | | |
| | 0 | 905 | 0 | 1035 | 6307 | 5707 | | 0 | 31.8 | | | | | |
| MC084 | 01855 | G19925 | A003 | 608174093200 | S01 | 06/20/2003 | SEM | FL | | O | | 50 | | |
| | 1573 | 859 | 0 | 923 | 10465 | 8985 | | 0 | 32.1 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC084 | 01855 | G19925 | A005 | 608174093400 | S01 | 06/21/2003 | SEM | FL | | O | | 64 | | |
| | 0 | 944 | 0 | 718 | 12258 | 11577 | | 0 | 32.2 | | | | | |
| MC084 | 01855 | G19925 | A008 | 608174092700 | S01 | 06/23/2003 | SEM | FL | | O | | 25 | | |
| | 0 | 1126 | 0 | 1725 | 5435 | 6121 | | 0 | 31.7 | | | | | |
| MC084 | 01855 | G19925 | A009 | 608174093101 | S01 | 06/28/2003 | SEM | FL | | O | | 37 | | |
| | 0 | 1033 | 0 | 1328 | 8086 | 8350 | | 0 | 29.1 | | | | | |
| MC084 | 01855 | G19925 | A010 | 608174093300 | S01 | 06/23/2003 | SEM | FL | | O | | 23 | | |
| | 0 | 1141 | 0 | 2181 | 6609 | 7542 | | 0 | 29.8 | | | | | |
| MC305 | 01500 | G19935 | SS001 | 608174083400 | S01 | 02/16/2003 | SEM | FL | | G | | 43 | | |
| | 5261 | 1367675 | 47.37 | 4932 | 40 | 54707 | | 36 | 40.3 | | | | | |
| MC305 | 01500 | G19935 | SS002 | 608174087501 | S01 | 02/12/2003 | SEM | FL | | G | | 47 | | |
| | 5728 | 899904 | 58.52 | 5461 | 73 | 65693 | | 103 | 40.3 | | | | | |
| MC305 | 01500 | G19935 | SS003 | 608174091700 | S01 | 01/28/2003 | SEM | FL | | G | | 61 | | |
| | 4536 | 1004743 | 45.19 | 3944 | 74 | 74351 | | 61 | 40.3 | | | | | |
| MC305 | 01500 | G19935 | SS004 | 608174098201 | S01 | 02/04/2003 | POT | FL | | G | 24 | 39 | | |
| | 5967 | 1405647 | 46.88 | 5608 | 34 | 47792 | | 30 | 39.1 | .56 | | | | N |
| MC305 | 01500 | G19935 | SS004 | 608174098201 | S01 | 02/24/2003 | SEM | FL | | G | | 68 | | |
| | 5150 | 1014052 | 12.5 | 4330 | 77 | 78082 | | 11 | 40.3 | | | | | |
| MC322 | 00730 | G19936 | SS003 | 608174094201 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1900 | 9999999 | 99 | 670 | 0 | 8135 | | 451 | 0 | | | | | |
| MC348 | 00724 | G19939 | SS001 | 608174084801 | S01 | 02/07/2003 | SEM | FL | | G | | 37 | | |
| | 6394 | 1000000 | 0 | 6002 | 48 | 48000 | | 0 | 49 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MC348 | 00724 | G19939 | SS002 | 608174086801 | S01 | 02/07/2003 | POT | FL | | G | 6 | 40 | | |
| | 6383 | 1183673 | 0 | 5599 | 49 | 58000 | | 0 | 49 | .56 | | | N | |
| MC705 | 00231 | G19980 | 001 | 608174083900 | S01 | 06/12/2003 | SEM | FL | | G | | 22 | | |
| | 4237 | 10778 | .36 | 3175 | 1947 | 20984 | | 7 | 52.7 | | | | | |
| GC472 | 00162 | G20074 | 001 | 608114030101 | S01 | 05/13/2003 | SEM | FL | | G | | 99 | | |
| | 4290 | 538906 | 50 | 3324 | 32 | 17245 | | 32 | 41.7 | | | | | |
| GA189 | 01046 | G20623 | A001 | 427064042101 | D01 | 06/20/2003 | SEM | GL | | G | | 64 | | |
| | 980 | 0 | 32.43 | 130 | 150 | 0 | | 72 | 33 | | | | | |
| GA189 | 01046 | G20623 | A001D | 427064042101 | D02 | 06/21/2003 | SEM | GL | | O | | 64 | | |
| | 980 | 0 | 0 | 109 | 19 | 0 | | 0 | 33 | | | | | |
| GA189 | 01046 | G20623 | A002D | 427064042300 | D02 | 06/22/2003 | SEM | GL | | O | | 64 | | |
| | 1050 | 4 | 0 | 140 | 237 | 1 | | 0 | 33 | | | | | |
| HI022 | 00222 | G20655 | B001 | 427084055800 | S01 | 06/14/2003 | SEM | FL | | G | | 21 | | |
| | 6000 | 150885 | 20.78 | 4775 | 61 | 9204 | | 16 | 47.2 | | | | | |
| HI206 | 02169 | G20660 | B001 | 427084056500 | S01 | 03/28/2003 | POT | FL | | G | 13 | 12 | | |
| | 8150 | 79142 | 11.26 | 7630 | 331 | 26196 | | 42 | 51.9 | .654 | | | N | |
| EB602 | 02219 | G20725 | 006 | 608044023200 | S01 | 07/22/2003 | POT | FL | | O | 6 | 45 | | |
| | | 2694 | 0 | 3570 | 6145 | 16552 | | 0 | 29.9 | .76 | | | N | |
| EB602 | 02219 | G20725 | A001 | 608044021600 | S01 | 07/27/2003 | POT | FL | | G | 4 | 80 | | |
| | 2519 | 98210 | 0 | 2147 | 357 | 35061 | | 0 | 51.7 | .65 | | | N | |
| EB602 | 02219 | G20725 | A002 | 608044018402 | S01 | 04/11/2003 | POT | FL | | O | 15 | 128 | | |
| | | 5124 | 0 | 647 | 2466 | 12635 | | 0 | 27.1 | .68 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EB602 | 02219 | G20725 | A004 | 608044020300 | S01 | 07/08/2003 | POT | FL | | O | 6 | 106 | | |
| | | 1149 | .26 | 901 | 1553 | 1784 | | 4 | 29.4 | .65 | | | N | |
| EB602 | 02219 | G20725 | A006 | 608044019601 | S01 | 06/16/2003 | POT | FL | | O | 4 | 64 | | |
| | | 1821 | 33.62 | 336 | 1165 | 2121 | | 590 | 31.3 | .65 | | | N | |
| EB602 | 02219 | G20725 | A006 | 608044019601 | S02 | 07/10/2003 | POT | FL | | O | 6 | 44 | | |
| | | 1096 | 44.07 | 1238 | 1958 | 2146 | | 1543 | 29.4 | .65 | | | N | |
| EB602 | 02219 | G20725 | A008 | 608044019404 | S01 | 07/10/2003 | POT | FL | | O | 6 | 36 | | |
| | | 3898 | 0 | 4218 | 1611 | 6279 | | 0 | 26.5 | .65 | | | N | |
| WC368 | 02412 | G21054 | 001 | 177014030900 | S01 | 05/03/2003 | SEM | FL | | G | | 24 | | |
| | 2143 | 79500 | 98.37 | 415 | 4 | 318 | | 242 | 48.4 | | | | | |
| WC459 | 02169 | G21056 | A001 | 177024128600 | S01 | 06/26/2003 | SEM | UK | | G | | 999 | | |
| | 600 | 1146000 | 92.73 | 290 | 1 | 1146 | | 15 | | | | | | |
| HI330A | 02148 | G21059 | A001 | 177024124600 | S01 | 06/15/2003 | SEM | FL | | G | | 22 | | |
| | 4500 | 12202 | 73.38 | 3900 | 337 | 4112 | | 929 | 43.6 | | | | | |
| VR102 | 01138 | G21065 | A005 | 177034094503 | S01 | 03/28/2003 | POT | FL | | G | 24 | 24 | | |
| | 2351 | 387200 | 19.35 | 1600 | 10 | 3872 | | 2 | 50.7 | .6 | | | N | |
| VR102 | 01138 | G21065 | A005 | 177034094503 | S01 | 06/15/2003 | SEM | FL | | G | | 29 | | |
| | 1300 | 100885 | 18.52 | 1005 | 26 | 2623 | | 6 | 50.7 | | | | | |
| EC144 | 00560 | G21070 | A001 | 177034088200 | S01 | 06/10/2003 | SEM | FL | | G | | 34 | | |
| | 2650 | 32384 | 54.65 | 1140 | 151 | 4890 | | 182 | 53 | | | | | |
| WILD | 02266 | G21074 | B003 | 177044104100 | S01 | 08/17/2003 | POT | FL | | G | 24 | 21 | | |
| | 2160 | 5257000 | 0 | 2150 | 1 | 5257 | | 0 | 51.1 | .6 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC364 | 01704 | G21080 | A001 | 177044100300 | S02 | 05/31/2003 | SEM | UK | | G | | 64 | | |
| | 1350 | 211500 | 0 | 340 | 4 | 846 | | 0 | 48 | | | | | |
| EC377 | 01704 | G21081 | 002 | 177044103700 | S01 | 01/06/2003 | POT | FL | | G | 24 | 20 | | |
| | 5100 | 23993 | 9.09 | 3920 | 280 | 6718 | | 28 | 48 | .59 | | | | N |
| EC377 | 01704 | G21081 | 002 | 177044103700 | S01 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 5100 | 24896 | 46.15 | 1910 | 77 | 1917 | | 66 | 48 | | | | | |
| VR318 | 01767 | G21095 | A001 | 177064084800 | S01 | 05/26/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2750 | 124200 | | 215 | 5 | 621 | | 81 | 53.9 | | | | 990 | N |
| VR342 | 01767 | G21096 | A001 | 177064085000 | S01 | 06/12/2003 | SEM | FL | | G | 24 | 64 | | |
| | 2780 | 52674 | | 580 | 46 | 2423 | | 93 | 47 | | | | 800 | N |
| EI266 | 02266 | G21111 | J001 | 177094132200 | S01 | 06/13/2003 | SEM | FL | | G | | 17 | | |
| | 3880 | 382030 | 15.38 | 3150 | 33 | 12607 | | 6 | 51 | | | | | |
| EI322 | 00003 | G21116 | A001 | 177124060500 | S02 | 06/22/2003 | SEM | FL | | G | 24 | 100 | | |
| | 4000 | 66000 | | 1110 | 33 | 2178 | | 1711 | 46.6 | | | | 1103 | N |
| EI322 | 00003 | G21116 | A002 | 177124060802 | S01 | 06/24/2003 | SEM | FL | | G | 24 | 6 | | |
| | 3000 | 28091 | | 2600 | 22 | 618 | | 1220 | 49.2 | | | | 1085 | N |
| EI322 | 00003 | G21116 | A003 | 177124060900 | S01 | 06/22/2003 | SEM | FL | | G | 24 | 100 | | |
| | 1500 | 43770 | | 1300 | 122 | 5340 | | 14 | 49.2 | | | | 1103 | N |
| GI109 | 00730 | G21126 | SS001 | 177184009600 | S02 | 06/02/2003 | SEM | FL | | G | | 26 | | |
| | 1270 | 9999999 | 99 | 860 | 0 | 2546 | | 134 | 0 | | | | | |
| WD098 | 01834 | G21129 | A005 | 177194071100 | S01 | 06/22/2003 | SEM | FL | | O | | 17 | | |
| | 1100 | 517 | 0 | 740 | 646 | 334 | | 0 | 30.3 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BS041 | 02561 | G21142 | 002 | 177264004100 | S01 | 10/31/2003 | POT | FL | | G | 14 | 15 | | |
| | 8800 | 28696 | 2.06 | 6620 | 332 | 9527 | | 7 | 46.7 | .61 | | | N | |
| BS041 | 02561 | G21142 | A001 | 177264003900 | S01 | 06/06/2003 | SEM | FL | | G | | 40 | | |
| | 1900 | 9999999 | 0 | 1602 | 0 | 8221 | | 0 | | | | | | |
| MP164 | 02349 | G21143 | A001 | 177244087300 | S01 | 05/25/2003 | SEM | FL | | G | | 17 | | |
| | 1340 | 9999999 | 0 | 1000 | 0 | 821 | | 0 | | | | | | |
| MP164 | 02349 | G21143 | A002 | 177244088400 | S01 | 05/25/2003 | SEM | FL | | G | | 10 | | |
| | 1230 | 9999999 | 0 | 880 | 0 | 43 | | 0 | | | | | | |
| MU031A | 01046 | G21301 | A003 | 427024028200 | D01 | 06/24/2003 | SEM | FL | | G | | 36 | | |
| | 800 | 9999999 | 99 | 300 | 0 | 0 | | 264 | 48 | | | | | |
| MU031A | 01046 | G21301 | A003D | 427024028200 | D03 | 05/19/2003 | POT | FL | | G | 12 | 36 | | |
| | 800 | 9999999 | 100 | 400 | 0 | 370 | | 346 | 56 | .601 | | | N | |
| MU031A | 01046 | G21301 | A003D | 427024028200 | D03 | 06/24/2003 | SEM | FL | | G | | 11 | | |
| | 1000 | 9999999 | 99 | 400 | 0 | 0 | | 121 | 48 | | | | | |
| MI670 | 01834 | G21308 | B001 | 427034053102 | S03 | 05/01/2003 | SEM | FL | | G | | 20 | | |
| | 2050 | 9999999 | 99 | 1410 | 0 | 1708 | | 45 | 39.5 | | | | | |
| HI202 | 02169 | G21346 | B002 | 427084051601 | S01 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 1440 | 247667 | 99 | 300 | 3 | 743 | | 719 | 42.7 | | | | | |
| HI074 | 02525 | G21349 | 002 | 427104014600 | S01 | 06/14/2003 | SEM | FL | | G | | 52 | | |
| | 3050 | 125908 | 36.7 | 1590 | 119 | 14983 | | 69 | 44.4 | | | | | |
| HI074 | 00491 | G21349 | A001 | 427104013700 | S01 | 06/02/2003 | SEM | FL | | G | | 35 | | |
| | 3188 | 127795 | 2.35 | 2472 | 83 | 10607 | | 2 | 45 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI074 | 00491 | G21349 | A002 | 427104014900 | S01 | 01/20/2003 | POT | FL | G | 24 | 23 | | | |
| | 4220 | 73043 | 31.55 | 2700 | 115 | 8400 | | 53 | 44 | .6 | | | N | |
| HI074 | 00491 | G21349 | A002 | 427104014900 | S01 | 05/18/2003 | SEM | FL | G | | 20 | | | |
| | 3700 | 119564 | 53.57 | 2866 | 39 | 4663 | | 45 | 45 | | | | | |
| HI074 | 00491 | G21349 | A003 | 427104015000 | S01 | 01/20/2003 | POT | FL | G | 24 | 22 | | | |
| | 4380 | 200000 | 28.57 | 2700 | 50 | 10000 | | 20 | 44 | .6 | | | N | |
| HI074 | 00491 | G21349 | A003 | 427104015000 | S01 | 06/04/2003 | SEM | FL | G | | 23 | | | |
| | 3850 | 79736 | 11.11 | 2910 | 72 | 5741 | | 9 | 45.9 | | | | | |
| HI317A | 00491 | G21358 | A001 | 427114084301 | S01 | 06/01/2003 | SEM | FL | G | | 40 | | | |
| | 1500 | 9999999 | 0 | 1000 | 0 | 6393 | | 0 | 0 | | | | | |
| WC045 | 00003 | G21532 | 002 | 177004117600 | S01 | 04/10/2003 | COM | FL | G | 3 | 16 | | | |
| | | 14270 | 1.19 | 9488 | 911 | 13000 | | 11 | | | | | N | |
| WC017 | 00078 | G21533 | G001 | 177004107600 | S01 | 04/06/2003 | SEM | FL | | 24 | 99 | | | |
| | 1294 | 9999999 | | 1074 | 0 | 3298 | | 20 | | | | 1050 | N | |
| WC017 | 00078 | G21533 | G003 | 177004111702 | S01 | 04/10/2003 | SEM | FL | | 24 | 64 | | | |
| | 9290 | 382448 | | 6157 | 87 | 33273 | | 83 | 41.2 | | | 1647 | N | |
| WC370 | 02148 | G21553 | A001 | 177014031900 | D01 | 06/14/2003 | SEM | FL | G | | 27 | | | |
| | 1500 | 9999999 | 0 | 1125 | 0 | 2462 | | 0 | | | | | | |
| EC046 | 01834 | G21571 | 002 | 177034094300 | S01 | 05/11/2003 | SEM | FL | G | | 15 | | | |
| | 2780 | 274800 | 80 | 1200 | 5 | 1374 | | 20 | 49.9 | | | | | |
| EC096 | 02148 | G21572 | A001 | 177034089300 | S03 | 06/14/2003 | SEM | FL | G | | 14 | | | |
| | 2000 | 9999999 | 0 | 1300 | 0 | 1806 | | 0 | 35.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EC185 | 01704 | G21579 | A002 | 177034091300 | S01 | 05/31/2003 | SEM | FL | | G | | 56 | | |
| | 3285 | 27455 | 95.94 | 1150 | 110 | 3020 | | 2600 | 55 | | | | | |
| EC369 | 02148 | G21585 | A001 | 177044102102 | D01 | 06/14/2003 | SEM | FL | | G | | 30 | | |
| | 2012 | 3146333 | 0 | 1500 | 3 | 9439 | | 0 | | | | | | |
| EC369 | 02148 | G21585 | A002 | 177044102300 | D01 | 06/14/2003 | SEM | FL | | G | | 30 | | |
| | 1950 | 1880500 | 96.15 | 1080 | 2 | 3761 | | 50 | | | | | | |
| GB065 | 01764 | G21586 | SS001 | 177044101700 | S01 | 05/12/2003 | SEM | FL | | G | | 99 | | |
| | 1500 | 9999999 | 99 | 590 | 0 | 5204 | | 88 | | | | | | |
| VR255 | 01834 | G21599 | F011 | 177064090400 | S01 | 05/01/2003 | SEM | FL | | G | | 26 | | |
| | 5940 | 9644 | 85.98 | 3700 | 326 | 3144 | | 2000 | 39 | | | | | |
| VR255 | 01834 | G21599 | CA004 | 177064091200 | S01 | 05/01/2003 | SEM | FL | | G | | 26 | | |
| | 5500 | 1574 | 0 | 4850 | 1194 | 1879 | | 0 | 34.5 | | | | | |
| SM023 | 01704 | G21614 | 001 | 177074081100 | S01 | 06/17/2003 | SEM | FL | | O | | 50 | | |
| | | 40583 | 71.43 | 1000 | 12 | 487 | | 30 | 30.6 | | | | | |
| SM079 | 01704 | G21618 | A001 | 177084089200 | S01 | 06/17/2003 | SEM | FL | | O | | 18 | | |
| | | 1349 | 62.28 | 1278 | 261 | 352 | | 431 | 32 | | | | | |
| SM097 | 00003 | G21619 | 001 | 177084089300 | S01 | 05/21/2003 | SEM | FL | | G | 24 | 64 | | |
| | 450 | 9999999 | | 210 | 0 | 972 | | 325 | | | | | 940 | N |
| EI100 | 00730 | G21637 | 001 | 177094136600 | S01 | 06/01/2003 | SEM | FL | | G | | 16 | | |
| | 5000 | 24061 | 0 | 3300 | 310 | 7459 | | 0 | 51 | | | | | |
| EI322 | 01704 | G21642 | A001 | 177104153100 | S01 | 05/31/2003 | SEM | FL | | O | | 14 | | |
| | | 1569 | 0 | 4515 | 1281 | 2010 | | 0 | 37.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| EI322 | 01704 | G21642 | A002 | 177104153900 | S01 | 05/30/2003 | SEM | FL | | O | | 10 | | |
| | | 1569 | 0 | 4204 | 1048 | 1644 | | 0 | 43.5 | | | | | |
| SS107 | 02268 | G21654 | 001 | 177114134000 | S02 | 03/13/2003 | POT | FL | | G | 24 | 15 | | |
| | 3250 | 9257 | 35.09 | 2603 | 222 | 2055 | | 120 | 41.4 | .602 | | | N | |
| SS107 | 02268 | G21654 | 001 | 177114134000 | S02 | 06/29/2003 | SEM | FL | | G | | 20 | | |
| | 3200 | 5190 | 79.71 | 1116 | 42 | 218 | | 165 | 41.4 | | | | | |
| SS222 | 00282 | G21657 | K001 | 177114136003 | S01 | 06/08/2003 | SEM | FL | | O | | 14 | | |
| | 4575 | 3006 | 0 | 4218 | 714 | 2146 | | 0 | 47 | | | | | |
| ST274 | 02169 | G21680 | A001 | 177164028100 | S01 | 06/09/2003 | SEM | FL | | G | | 128 | | |
| | 3000 | 23407 | 50 | 1850 | 172 | 4026 | | 172 | 47.8 | | | | | |
| SP027 | 01834 | G21695 | A001 | 177214044602 | S01 | 05/19/2003 | SEM | FL | | G | | 19 | | |
| | 3700 | 287750 | 99 | 3160 | 4 | 1151 | | 1889 | 44.8 | | | | | |
| SP027 | 01834 | G21695 | A002 | 177214044900 | S02 | 05/07/2003 | SEM | FL | | G | | 17 | | |
| | 6300 | 105921 | 68.04 | 5850 | 101 | 10698 | | 215 | 40.4 | | | | | |
| SP027 | 01834 | G21695 | A003 | 177214045100 | S02 | 06/08/2003 | SEM | FL | | G | | 15 | | |
| | 2800 | 142750 | 23.81 | 1600 | 16 | 2284 | | 5 | 52.3 | | | | | |
| SP027 | 01834 | G21695 | A004 | 177214045301 | S03 | 05/03/2003 | SEM | FL | | G | | 12 | | |
| | 3250 | 128556 | 91.96 | 2075 | 9 | 1157 | | 103 | 45.2 | | | | | |
| SP027 | 01834 | G21695 | A004 | 177214045301 | S04 | 08/30/2003 | POT | FL | | G | 24 | 16 | | |
| | 2000 | 277000 | 97.37 | 1125 | 4 | 1108 | | 148 | 46.1 | .58 | | | N | |
| SP027 | 01834 | G21695 | A004 | 177214045301 | S05 | 10/28/2003 | POT | FL | | G | 24 | 14 | | |
| | 3150 | 177933 | 21.05 | 2200 | 15 | 2669 | | 4 | 46.1 | .58 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP006 | 00105 | G21700 | B003 | 177254071800 | S02 | 07/08/2003 | POT | FL | | G | 24 | 11 | | |
| | 2833 | 9999999 | 100 | 1320 | 0 | 805 | | 1 | | .58 | | | N | |
| MP061 | 00231 | G21702 | A004 | 177254070000 | S01 | 06/11/2003 | SEM | FL | | O | | 101 | | |
| | 1194 | 320 | 74.66 | 124 | 1132 | 362 | | 3335 | 21.3 | | | | | |
| MP150 | 00730 | G21705 | SS001 | 177254069600 | S01 | 06/21/2003 | SEM | FL | | G | | 25 | | |
| | 3300 | 34132 | 1.92 | 2600 | 204 | 6963 | | 4 | 31.8 | | | | | |
| MP041 | 00730 | G21706 | C001 | 177264003700 | S01 | 06/05/2003 | SEM | FL | | G | | 99 | | |
| | 2590 | 9999999 | 0 | 2400 | 0 | 3221 | | 0 | 0 | | | | | |
| MP041 | 00730 | G21706 | C001 | 177264003700 | S01 | 06/15/2003 | SEM | FL | | G | 24 | 10 | | |
| | 2450 | 9999999 | | 1723 | 0 | 950 | | 0 | | | | | 1270 | N |
| MP306 | 00185 | G21712 | A001 | 177242002301 | S02 | 06/19/2003 | SEM | FL | | O | 24 | 50 | | |
| | | 1941 | | 80 | 34 | 66 | | 269 | 33.5 | | | | | N |
| MP306 | 00185 | G21712 | A003 | 177242004101 | S04 | 06/09/2003 | SEM | FL | | O | 24 | 54 | | |
| | | 800 | | 60 | 10 | 8 | | 2 | 33.5 | | | | | N |
| MP306 | 00185 | G21712 | A006 | 177242005401 | S02 | 06/06/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 743 | | 90 | 70 | 52 | | 359 | 33.5 | | | | | N |
| MP306 | 00185 | G21712 | A007 | 177242005600 | S05 | 06/08/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 514 | | 65 | 74 | 38 | | 15 | 33.5 | | | | | N |
| MP306 | 00185 | G21712 | A014 | 177244031500 | S01 | 06/05/2003 | SEM | FL | | O | 24 | 46 | | |
| | | 244 | | 170 | 238 | 58 | | 292 | 33.5 | | | | | N |
| MP306 | 00185 | G21712 | A015 | 177244032001 | S01 | 06/19/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 399 | | 75 | 321 | 128 | | 0 | 33.5 | | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP306 | 00185 | G21712 | A027 | 177242002203 | S01 | 06/28/2003 | SEM | FL | | O | 24 | 64 | | |
| | | 61 | | 65 | 180 | 11 | | 0 | 33.5 | | | | | N |
| EW914 | 00730 | G21738 | 001 | 608104011000 | S01 | 06/02/2003 | SEM | FL | | O | | 22 | | |
| | 3795 | 780 | 1 | 2161 | 4764 | 3718 | | 48 | 23.6 | | | | | |
| EW914 | 00730 | G21738 | SS004 | 608104011300 | S01 | 06/10/2003 | SEM | FL | | O | | 30 | | |
| | 1454 | 799 | 16.36 | 820 | 1728 | 1380 | | 338 | 23.6 | | | | | |
| MC322 | 00730 | G21751 | SS001 | 608174091502 | S01 | 06/10/2003 | SEM | FL | | G | | 34 | | |
| | 3500 | 191135 | 0 | 3300 | 141 | 26950 | | 0 | 48.4 | | | | | |
| BA397 | 01978 | G22190 | A001 | 427044033301 | S01 | 06/17/2003 | SEM | FL | | G | | 27 | | |
| | 2000 | 6600000 | 98.52 | 1450 | 1 | 6600 | | 40 | 39 | | | | | |
| BA397 | 01978 | G22190 | B001 | 427044033400 | S01 | 06/05/2003 | SEM | FL | | G | | 64 | | |
| | 1200 | 9999999 | 96.77 | 1120 | 0 | 2422 | | 6 | 38.5 | | | | | |
| HI088 | 02266 | G22231 | 001 | 427084053700 | S01 | 06/09/2003 | SEM | FL | | G | | 19 | | |
| | 2700 | 60563 | 0 | 2225 | 80 | 4845 | | 0 | 51 | | | | | |
| HI088 | 02266 | G22231 | 002 | 427084053800 | S02 | 05/28/2003 | POT | FL | | G | 24 | 23 | | |
| | 3050 | 9999999 | 0 | 1450 | 0 | 484 | | 0 | | | .622 | | | N |
| HI088 | 02266 | G22231 | 002 | 427084053800 | S02 | 06/03/2003 | SEM | FL | | G | | 25 | | |
| | 3050 | 9999999 | 0 | 1450 | 0 | 484 | | 0 | | | | | | |
| HI196 | 02169 | G22238 | 002 | 427084055602 | S01 | 06/10/2003 | SEM | FL | | G | | 64 | | |
| | 3125 | 36644 | 19.18 | 1190 | 354 | 12972 | | 84 | 48.7 | | | | | |
| HI196 | 02169 | G22238 | 003 | 427084056000 | S01 | 06/10/2003 | SEM | FL | | G | | 20 | | |
| | 7000 | 23062 | 97.36 | 3650 | 130 | 2998 | | 4800 | 44.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| HI196 | 02169 | G22238 | A001 | 427084054800 | S01 | 06/10/2003 | SEM | FL | | G | | 999 | | |
| | 5800 | 36386 | 6.35 | 3300 | 1018 | 37041 | | 69 | 46.8 | | | | | |
| HI166 | 02169 | G22247 | 001 | 427104014401 | S03 | 06/11/2003 | SEM | FL | | G | | 10 | | |
| | 4050 | 13097 | 96.59 | 3450 | 62 | 812 | | 1756 | 46.6 | | | | | |
| HI540A | 00730 | G22262 | A001 | 427094111004 | S01 | 06/23/2003 | SEM | FL | | G | | 21 | | |
| | 2200 | 9999999 | 0 | 1920 | 0 | 6473 | | 0 | 49.8 | | | | | |
| HI540A | 00730 | G22262 | A002 | 427094111600 | S01 | 06/01/2003 | SEM | FL | | G | | 19 | | |
| | 2500 | 237838 | 11.9 | 1860 | 37 | 8800 | | 5 | 49.8 | | | | | |
| HI540A | 00730 | G22262 | A003 | 427094113000 | S01 | 06/22/2003 | SEM | FL | | G | | 19 | | |
| | 1560 | 725000 | 0 | 1450 | 6 | 4350 | | 0 | 49.8 | | | | | |
| HI280A | 02522 | G22269 | A012 | 427114083801 | S02 | 06/11/2003 | SEM | FL | | G | | 64 | | |
| | 3125 | 9999999 | 99 | 900 | 0 | 399 | | 667 | | | | | | |
| EB602 | 02219 | G22295 | 001 | 608044023100 | S01 | 07/22/2003 | POT | FL | | O | 6 | 57 | | |
| | | 765 | 0 | 3956 | 2851 | 2180 | | 0 | 33.6 | .702 | | | | N |
| WC109 | 00282 | G22510 | A001 | 177004112100 | S01 | 06/29/2003 | SEM | FL | | G | | 30 | | |
| | 7650 | 394477 | 33.83 | 6164 | 88 | 34714 | | 45 | 44.9 | | | | | |
| WC109 | 00282 | G22510 | A002 | 177004112602 | S01 | 06/27/2003 | SEM | FL | | G | | 27 | | |
| | 7803 | 110622 | 15.33 | 6461 | 254 | 28098 | | 46 | 47.8 | | | | | |
| WC116 | 02466 | G22513 | B001 | 177004112300 | S01 | 06/12/2003 | SEM | FL | | G | | 19 | | |
| | 6100 | 362464 | 96.38 | 5000 | 28 | 10149 | | 746 | 44.8 | | | | | |
| WC294 | 00064 | G22539 | 001 | 177014034000 | S01 | 04/26/2003 | POT | FL | | G | 7 | 13 | | |
| | 7251 | 9999999 | 0 | 7121 | 0 | 6083 | | 0 | | .6 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC347 | 01704 | G22543 | A001 | 177014034103 | S01 | 01/27/2003 | POT | FL | | G | 24 | 21 | | |
| | 6300 | 9999999 | 100 | 2260 | 0 | 15279 | | 1 | | .566 | | | N | |
| WC347 | 01704 | G22543 | A001 | 177014034103 | S01 | 05/31/2003 | SEM | FL | | G | | 64 | | |
| | 2550 | 5320500 | 80 | 1568 | 2 | 10641 | | 8 | 43.6 | | | | | |
| WC368 | 02412 | G22544 | 001 | 177014033800 | S01 | 05/14/2003 | SEM | FL | | G | | 25 | | |
| | 1811 | 9999999 | 0 | 1023 | 0 | 2571 | | 0 | 52.4 | | | | | |
| WC417 | 01704 | G22550 | A001 | 177014033700 | D03 | 06/09/2003 | SEM | FL | | G | | 19 | | |
| | 4050 | 86154 | 0 | 2404 | 65 | 5600 | | 0 | 51.2 | | | | | |
| WC417 | 01704 | G22550 | A001D | 177014033700 | D02 | 06/08/2003 | SEM | FL | | G | | 10 | | |
| | 3180 | 9999999 | 99 | 1382 | 0 | 600 | | 246 | | | | | | |
| WC425 | 01704 | G22553 | C001 | 177014034200 | S01 | 03/21/2003 | COM | FL | | G | 24 | 28 | | |
| | 0 | 3000 | 80.77 | | 5 | 15 | | 21 | | | | | N | |
| WC425 | 01704 | G22553 | C001 | 177014034200 | S01 | 03/21/2003 | POT | FL | | G | 24 | 28 | | |
| | 3400 | 3097600 | 80.77 | 3211 | 5 | 15488 | | 21 | 47 | .565 | | | N | |
| WC425 | 01704 | G22553 | C001 | 177014034200 | S01 | 05/31/2003 | SEM | FL | | G | | 27 | | |
| | 3200 | 1206083 | 0 | 2850 | 12 | 14473 | | 0 | 47 | | | | | |
| WC428 | 01704 | G22554 | A001 | 177014035200 | S01 | 08/01/2003 | COM | FL | | G | 24 | 18 | | |
| | 4300 | 9999999 | 100 | 4100 | 0 | 11 | | 2 | | | | | N | |
| WC428 | 01704 | G22554 | A001 | 177014035200 | S01 | 09/19/2003 | POT | FL | | G | 24 | 22 | | |
| | 4300 | 202676 | 0 | 3708 | 68 | 13782 | | 0 | 46 | .571 | | | N | |
| WILD | 01704 | G22585 | C002 | 177034093402 | S01 | 02/21/2003 | COM | FL | | G | 24 | 22 | | |
| | | 42 | 0 | 3600 | 190 | 8 | | 0 | | | | | N | |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WILD | 01704 | G22585 | C002 | 177034093402 | S01 | 05/31/2003 | SEM | FL | | G | | 34 | | |
| | 3550 | 45335 | 0 | 2500 | 310 | 14054 | | 0 | 48.5 | | | | | |
| VR071 | 01217 | G22609 | A001 | 177054114600 | D01 | 06/16/2003 | SEM | UK | | G | | 30 | | |
| | 850 | 3941 | 92.59 | 200 | 17 | 67 | | 210 | 32.5 | | | | | |
| VR071 | 01217 | G22609 | A001D | 177054114600 | D02 | 06/16/2003 | SEM | FL | | G | | 12 | | |
| | 2300 | 9999999 | 99 | 1350 | 0 | 1187 | | 127 | 32.5 | | | | | |
| VR086 | 01217 | G22613 | A001 | 177054115101 | D01 | 01/16/2003 | POT | FL | | G | 6 | 20 | | |
| | 2825 | 37768 | 20.64 | 1200 | 69 | 2606 | | 18 | 49 | .598 | | | | N |
| VR086 | 01217 | G22613 | A001 | 177054115101 | D01 | 06/16/2003 | SEM | FL | | G | | 28 | | |
| | 3350 | 2960 | 52.83 | 1155 | 25 | 74 | | 28 | 51.4 | | | | | |
| VR086 | 01217 | G22613 | A001D | 177054115101 | D02 | 01/16/2003 | POT | FL | | G | 4 | 20 | | |
| | 3350 | 62358 | .55 | 3200 | 109 | 6797 | | 1 | 49 | .598 | | | | N |
| VR086 | 01217 | G22613 | A001D | 177054115101 | D02 | 06/16/2003 | SEM | FL | | G | | 26 | | |
| | 3200 | 12 | 23.96 | 2920 | 83 | 1 | | 26 | 57.1 | | | | | |
| VR100 | 01704 | G22616 | C001 | 177054116600 | S01 | 08/12/2003 | COM | FL | | G | 24 | 21 | | |
| | | 667 | 64.29 | 2525 | 12 | 8 | | 22 | | | | | | N |
| VR100 | 01704 | G22616 | C001 | 177054116600 | S01 | 09/07/2003 | POT | FL | | G | 24 | 21 | | |
| | 2500 | 2624000 | 33.33 | 2375 | 2 | 5248 | | 1 | 49.4 | .603 | | | | N |
| VR100 | 01704 | G22616 | C002 | 177054116800 | S01 | 08/12/2003 | COM | FL | | G | 24 | 23 | | |
| | | 229 | 62.06 | 2750 | 48 | 11 | | 79 | | | | | | N |
| VR100 | 01704 | G22616 | C002 | 177054116800 | S01 | 09/07/2003 | POT | FL | | G | 24 | 23 | | |
| | 3000 | 147625 | 12.5 | 2375 | 56 | 8267 | | 8 | 49.4 | .587 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

**FIELD : %** - %
**LEASE : %** - %
**WELL : %** - %
**DATE : 01/01/2003** - 11/30/2003
**SORT ORDER: Lease Number**

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR107 | 01704 | G22618 | 001 | 177054117200 | S01 | 09/18/2003 | COM | FL | | G | 24 | 24 | | |
| | 4200 | 36 | 6.34 | 3182 | 251 | 9 | | 17 | | | | | | N |
| SM023 | 01704 | G22643 | A002 | 177074083401 | S01 | 06/17/2003 | SEM | FL | | G | | 20 | | |
| | 12028 | 29674 | 2.87 | 11118 | 778 | 23086 | | 23 | 40.5 | | | | | |
| SM023 | 01704 | G22643 | A002 | 177074083401 | S01 | 06/23/2003 | POT | FL | | G | 24 | 20 | | |
| | 12028 | 26129 | 2.77 | 10860 | 843 | 22027 | | 24 | 40 | .63 | | | | N |
| SM249 | 01834 | G22651 | 001 | 177074082900 | S02 | 06/10/2003 | SEM | FL | | G | | 9 | | |
| | 3350 | 1048000 | 97.06 | 3050 | 1 | 1048 | | 33 | 43.5 | | | | | |
| EI078 | 02466 | G22659 | A002 | 177094135600 | S01 | 06/15/2003 | SEM | FL | | G | | 18 | | |
| | 3100 | 76067 | 3.85 | 775 | 75 | 5705 | | 3 | 46.6 | | | | | |
| EI089 | 02058 | G22660 | B001 | 177094134800 | S01 | 07/23/2003 | POT | FL | | G | 12 | 19 | | |
| | 5800 | 9238 | 0 | 5490 | 648 | 5986 | | 0 | 50.2 | .656 | | | | N |
| EI089 | 02058 | G22660 | B002 | 177094137101 | S01 | 07/23/2003 | POT | FL | | G | 12 | 20 | | |
| | 5700 | 12436 | 0 | 5165 | 351 | 4365 | | 0 | 50.6 | .638 | | | | N |
| WILD | 01750 | G22679 | C001 | 177104133701 | S43 | 02/08/2003 | POT | FL | | G | 24 | 26 | | |
| | 2575 | 579900 | 0 | 2190 | 10 | 5799 | | 0 | 48.9 | .65 | | | | N |
| WILD | 02268 | G22705 | A001 | 177114138901 | S01 | 03/27/2003 | POT | FL | | G | 24 | 32 | | |
| | 3900 | 73693 | 7.66 | 3125 | 205 | 15107 | | 17 | 50.4 | .575 | | | | N |
| WILD | 02268 | G22705 | A001 | 177114138901 | S01 | 07/01/2003 | SEM | FL | | G | | 37 | | |
| | 3200 | 94145 | .6 | 2141 | 165 | 15534 | | 1 | 50.4 | | | | | |
| SS154 | 00078 | G22709 | 006 | 177110057401 | S02 | 05/20/2003 | SEM | GL | | G | | 8 | | |
| | | 9364 | 0 | 1250 | 55 | 515 | | 0 | 36.4 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| SS167 | 02058 | G22711 | B001 | 177114136600 | S01 | 06/10/2003 | SEM | FL | | G | | 16 | | |
| | 3600 | 72898 | 78.51 | 1675 | 49 | 3572 | | 179 | 49 | | | | | |
| SS208 | 02058 | G22713 | B001 | 177114136300 | S02 | 06/10/2003 | SEM | FL | | G | | 15 | | |
| | 6150 | 38301 | 3.52 | 5638 | 438 | 16776 | | 16 | 49 | | | | | |
| SS208 | 02058 | G22713 | B002 | 177114138301 | S01 | 03/17/2003 | POT | FL | | G | 15.8 | 6 | | |
| | 5580 | 2286 | 0 | 3700 | 350 | 800 | | 0 | 38 | .604 | | | | N |
| SS208 | 02058 | G22713 | B002 | 177114138301 | S01 | 06/17/2003 | SEM | FL | | G | | 6 | | |
| | 4800 | 1814 | 2.92 | 3719 | 366 | 664 | | 11 | 49 | | | | | |
| ST248 | 01767 | G22756 | SS001 | 177164029700 | S01 | 05/17/2003 | SEM | FL | | G | 24 | 29 | | |
| | 2100 | 6746000 | | 1600 | 1 | 6746 | | 1095 | | | | | 1004 | N |
| ST314 | 02525 | G22762 | A001 | 177164028600 | S01 | 06/10/2003 | POT | FL | | O | 24 | 30 | | |
| | | 2305 | 0 | 5500 | 6055 | 13954 | | 0 | 37.4 | .643 | | | | N |
| GI028 | 02058 | G22765 | A001 | 177174044000 | S01 | 06/25/2003 | SEM | FL | | G | | 16 | | |
| | 7300 | 16105 | 0 | 7050 | 573 | 9228 | | 0 | 61.4 | | | | | |
| GI028 | 02058 | G22765 | A001 | 177174044000 | S01 | 07/09/2003 | POT | FL | | G | 24 | 16 | | |
| | 6920 | 21212 | .09 | 6300 | 462 | 9800 | | 0 | 47.4 | .94 | | | | N |
| GI028 | 02058 | G22765 | A001 | 177174044000 | S01 | 10/23/2003 | POT | FL | | G | 24 | 9 | | |
| | 6500 | 23062 | 0 | 6300 | 129 | 2975 | | 0 | 47.4 | .62 | | | | N |
| GI102 | 00730 | G22769 | SS001 | 177184010500 | S01 | 06/05/2003 | SEM | FL | | G | | 21 | | |
| | 4950 | 32109 | 0 | 3950 | 385 | 12362 | | 0 | 49.4 | | | | | |
| MP107 | 02058 | G22792 | B001 | 177254074600 | S01 | 09/13/2003 | POT | FL | | G | 24 | 15 | | |
| | 2110 | 3320000 | 0 | 1981 | 1 | 3320 | | 0 | | .572 | | | | N |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| MP107 | 02058 | G22792 | B002 | 177254075100 | S01 | 09/13/2003 | POT | FL | | G | 24 | 17 | | |
| | 2070 | 9999999 | 0 | 1919 | 0 | 3115 | | 0 | | .571 | | | N | |
| MP107 | 02058 | G22792 | C001 | 177254075600 | S01 | 09/13/2003 | POT | FL | | G | 24 | 18 | | |
| | 2250 | 771250 | 0 | 2069 | 4 | 3085 | | 0 | 40.2 | .573 | | | N | |
| MP041 | 00730 | G22801 | C002 | 177264004000 | S01 | 06/14/2003 | SEM | FL | | O | | 18 | | |
| | 3000 | 7196 | 1.92 | 2400 | 510 | 3670 | | 10 | 30.7 | | | | | |
| MP273 | 00282 | G22812 | A001 | 177244088900 | S01 | 05/20/2003 | POT | FL | | G | 24 | 20 | | |
| | 8690 | 52267 | 0 | 7884 | 311 | 16255 | | 0 | 44.7 | .563 | | | N | |
| MP273 | 00282 | G22812 | A001 | 177244088900 | S01 | 06/24/2003 | SEM | FL | | G | | 20 | | |
| | 8330 | 61358 | 0 | 7567 | 243 | 14910 | | 0 | 44.7 | | | | | |
| MP273 | 00282 | G22812 | A002 | 177244089000 | S01 | 06/17/2003 | SEM | FL | | G | | 22 | | |
| | 6350 | 55433 | 0 | 5875 | 254 | 14080 | | 0 | 44.7 | | | | | |
| MP273 | 00282 | G22812 | A002 | 177244089000 | S01 | 06/17/2003 | POT | FL | | G | 24 | 22 | | |
| | 6350 | 55433 | 0 | 5875 | 254 | 14080 | | 0 | 44.7 | .563 | | | N | |
| SA007 | 00730 | G22817 | A002 | 177314007801 | S01 | 06/20/2003 | SEM | FL | | G | | 54 | | |
| | 5500 | 31607 | 0 | 1140 | 257 | 8123 | | 0 | 47.2 | | | | | |
| BA398 | 02058 | G23161 | B001 | 427044033800 | S01 | 06/07/2003 | SEM | FL | | G | | 18 | | |
| | 2500 | 9999999 | 0 | 2150 | 0 | 4009 | | 0 | | | | | | |
| BA398 | 02058 | G23162 | A001 | 427044033900 | S01 | 02/23/2003 | POT | FL | | G | 24 | 20 | | |
| | 2650 | 9999999 | 0 | 2550 | 0 | 7975 | | 0 | | .579 | | | N | |
| BA398 | 02058 | G23162 | A001 | 427044033900 | S01 | 06/14/2003 | SEM | FL | | G | | 19 | | |
| | 2400 | 4203000 | 99 | 1775 | 1 | 4203 | | 300 | 51.6 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| BA398 | 02058 | G23162 | A002 | 427044034000 | S01 | 02/23/2003 | POT | FL | | G | 24 | 19 | | |
| | 2650 | 9999999 | 0 | 2525 | 0 | 7842 | | 0 | | .584 | | | N | |
| BA398 | 02058 | G23162 | A002 | 427044034000 | S01 | 06/07/2003 | SEM | FL | | G | | 26 | | |
| | 2350 | 9999999 | 0 | 1800 | 0 | 6027 | | 0 | | | | | | |
| BA398 | 02058 | G23162 | A003 | 427044034602 | S01 | 10/06/2003 | POT | FL | | G | 24 | 26 | | |
| | 2675 | 9999999 | 100 | 2550 | 0 | 1466 | | 1 | | .58 | | | N | |
| BA398 | 02058 | G23162 | B002 | 427044033700 | S01 | 06/07/2003 | SEM | FL | | G | | 26 | | |
| | 2600 | 9999999 | 0 | 2300 | 0 | 6058 | | 0 | | | | | | |
| GA352 | 02525 | G23180 | A001 | 427064043300 | S01 | 06/16/2003 | SEM | FL | | G | | 16 | | |
| | 2850 | 9999999 | 99 | 2150 | 0 | 3359 | | 1 | | | | | | |
| HI047 | 02169 | G23193 | 001 | 427084057200 | S01 | 09/03/2003 | POT | FL | | G | 24 | 24 | | |
| | 4000 | 115854 | 0 | 3114 | 164 | 19000 | | 0 | 47.6 | .592 | | | N | |
| GB205 | 02058 | G23278 | 001 | 608074024103 | S01 | 06/02/2003 | SEM | FL | | G | | 128 | | |
| | 2350 | 648182 | 86.31 | 927 | 33 | 21390 | | 208 | 37.2 | | | | | |
| GB205 | 02058 | G23278 | 001 | 608074024103 | S02 | 09/02/2003 | POT | FL | | G | 24 | 15 | | |
| | 2003 | 1261000 | 0 | 1500 | 4 | 5044 | | 0 | 56 | .598 | | | N | |
| WC205 | 02266 | G23752 | 001 | 177004114700 | S01 | 06/05/2003 | COM | FL | | G | 24 | 27 | | |
| | | 66000 | 0 | 3700 | 225 | 14850 | | 0 | | | | | N | |
| WC205 | 02266 | G23752 | 001 | 177004114700 | S01 | 06/16/2003 | SEM | FL | | G | | 26 | | |
| | 3957 | 68804 | .43 | 3575 | 230 | 15825 | | 1 | 46.4 | | | | | |
| WC353 | 01586 | G23762 | A017 | 177014034600 | S01 | 01/31/2003 | POT | FL | | G | 12 | 24 | | |
| | 3175 | 3160000 | 0 | 2600 | 4 | 12640 | | 0 | 47.8 | .6 | | | N | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| WC353 | 01586 | G23762 | A017 | 177014034600 | S01 | 04/02/2003 | SEM | FL | | G | | 54 | | |
| | 2450 | 9999999 | 99 | 1190 | 0 | 3855 | | 1490 | | | | | | |
| WC353 | 01586 | G23762 | A017 | 177014034600 | S02 | 06/29/2003 | SEM | FL | | G | | 31 | | |
| | 2010 | 9999999 | 99 | 1200 | 0 | 5900 | | 35 | | | | | | |
| WC353 | 01586 | G23762 | A017 | 177014034600 | S03 | 10/28/2003 | POT | FL | | G | 22 | 33 | | |
| | 1640 | 9999999 | 0 | 1000 | 0 | 6000 | | 0 | 41.3 | .57 | | | | N |
| WC353 | 01586 | G23762 | A018 | 177014034901 | S01 | 01/31/2003 | POT | FL | | G | 12 | 29 | | |
| | 2600 | 1566375 | 0 | 2250 | 8 | 12531 | | 0 | 48 | .6 | | | | N |
| WC353 | 01586 | G23762 | A018 | 177014034901 | S01 | 04/11/2003 | SEM | FL | | G | | 34 | | |
| | 2060 | 3823000 | 99 | 1370 | 1 | 3823 | | 1830 | 38.6 | | | | | |
| WC353 | 01586 | G23762 | A018 | 177014034901 | S02 | 06/29/2003 | SEM | FL | | G | | 34 | | |
| | 1760 | 9999999 | 99 | 1280 | 0 | 10010 | | 2 | | | | | | |
| WC353 | 01586 | G23762 | A019 | 177014035400 | S01 | 10/16/2003 | POT | FL | | G | 16 | 50 | | |
| | 1940 | 2000000 | 99.7 | 1160 | 1 | 2000 | | 336 | 51.2 | .57 | | | | N |
| WC416 | 01704 | G23770 | 001 | 177014034801 | S01 | 04/07/2003 | COM | FL | | G | 24 | 22 | | |
| | | 9999999 | 0 | 4500 | 0 | 18 | | 0 | | | | | | N |
| WC416 | 01704 | G23770 | 001 | 177014034801 | S01 | 04/07/2003 | POT | FL | | G | 24 | 21 | | |
| | 5100 | 9999999 | 0 | 4500 | 0 | 18239 | | 0 | | .566 | | | | N |
| WC416 | 01704 | G23770 | 001 | 177014034801 | S01 | 06/09/2003 | SEM | FL | | G | | 19 | | |
| | 5100 | 1618182 | 0 | 4456 | 11 | 17800 | | 0 | 47.5 | | | | | |
| VR159 | 00818 | G23819 | C001 | 177054116400 | S01 | 06/25/2003 | SEM | FL | | G | | 29 | | |
| | 4600 | 19351 | 0 | 3200 | 733 | 14184 | | 0 | 46.8 | | | | | |

*Specified Well Test Detail Report (5140,5142)*

FIELD : % - %
LEASE : % - %
WELL : % - %
DATE : 01/01/2003 - 11/30/2003
SORT ORDER: Lease Number

| FIELD | OPER | LEASE | WELL | API NO | PROD INT | DATE | TYPE | METHOD | SIBHP | PRODUCT | TEST HRS | CHOKE | OIL VOL | GAS VOL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WATER VOL | SI PRSS | GOR | B S & W | FLOW TB PRSS | OIL RATE | GAS RATE | | WATER RATE | API GRAV | GAS SPGR | GAS DISP | CAS/LN PRSS | PROCESS | |
| VR159 | 00818 | G23819 | C001 | 177054116400 | S01 | 06/25/2003 | POT | FL | | G | 24 | 29 | | |
| | 4600 | 19351 | 0 | 3200 | 733 | 14184 | | 0 | 46.8 | .62 | | | N | |
| EI027 | 02266 | G23853 | 001 | 177094136700 | S01 | 08/17/2003 | POT | FL | | G | 24 | 34 | | |
| | 3400 | 45055 | 0 | 3000 | 400 | 18022 | | 0 | 49.1 | .6 | | | N | |
| WILD | 02579 | G23867 | B001 | 177094137200 | S01 | 07/06/2003 | POT | FL | | G | 24 | 14 | | |
| | 4805 | 49016 | 3.91 | 2375 | 123 | 6029 | | 5 | 51.1 | .61 | | | N | |
| SS113 | 02525 | G23891 | AA001 | 177114139000 | S01 | 07/19/2003 | POT | FL | | G | 24 | 36 | | |
| | 5200 | 21802 | 0 | 4400 | 938 | 20450 | | 0 | 40.2 | .61 | | | N | |
| SS113A | 02579 | G23897 | 001 | 177114138000 | S01 | 02/05/2003 | POT | FL | | G | 24 | 26 | | |
| | 4400 | 69743 | 0 | 3750 | 218 | 15204 | | 0 | 49.6 | .575 | | | N | |
| SS113A | 02579 | G23897 | 001 | 177114138000 | S01 | 05/16/2003 | SEM | FL | | G | | 29 | | |
| | 3450 | 83732 | 5.18 | 2760 | 183 | 15323 | | 10 | 49.2 | | | | | |
| WILD | 01284 | G23992 | 001 | 177244089600 | S01 | 07/04/2003 | POT | FL | | G | 24 | 20 | | |
| | 3250 | 222897 | 53.57 | 2675 | 39 | 8693 | | 45 | 41.7 | .61 | | | N | |
| WILD | 02525 | G24366 | B001 | 427064043600 | S01 | 09/09/2003 | POT | FL | | G | 24 | 8 | | |
| | 5700 | 105444 | 10 | 5350 | 54 | 5694 | | 6 | 48 | .604 | | | N | |
| WILD | 00236 | G25606 | B005 | 427114081701 | S01 | 10/04/2003 | POT | FL | | G | 24 | 18 | | |
| | 3075 | 9999999 | 100 | 2200 | 0 | 2180 | | 410 | | .6 | | | N | |